Fenceline Monitoring Report
Sprague Operating Resources LLC
Terminal in Searsport Maine

Quarter Data Report

Prepared for: Sprague Operating Resources LLC
185 International Drive
Portsmouth, NH 03801

Facility Sprague Operating Resources LLC
70 Trundy Road
Searsport, ME 04974

Prepared By: Onterris
45 U.S. Hwy. 46 East
Suite 601
Pine Brook, NJ 07058

Reporting Period: Quarter 2, 2026
Report Date: August 11, 2026

Report Number: 047AA-031333-RT-1287

45 U.S. Hwy. 46 East, Suite 601
Pine Brook, NJ 07058
T: +1.973.575.2555
Onterris.com

For Planet & Progress

Sprague Searsport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
	Fe	Field Error. See report narrative for details

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260318	C01529	0.504		0.282	ND	0.282	ND	0.282	ND	0.604	
SPRSEA-2-S-20260318	C20592	0.505		0.282	ND	0.282	ND	0.282	ND	0.532	
SPRSEA-3-S-20260318	B48715	0.544		0.282	ND	0.282	ND	0.282	ND	0.451	J
SPRSEA-4-S-20260318	C55577	0.405	J	0.282	ND	0.282	ND	0.282	ND	0.410	J
SPRSEA-5-S-20260318	B48609	0.495		0.282	ND	0.282	ND	0.282	ND	0.317	J
SPRSEA-6-S-20260318	C56896	0.412	J	0.282	ND	0.282	ND	0.282	ND	0.383	J
SPRSEA-6-D-20260318	C39259	0.393	J	0.282	ND	0.282	ND	0.282	ND	0.361	J
SPRSEA-6-B-20260318	B47074	0.193	ND	0.282	ND	0.282	ND	0.282	ND	0.249	ND
SPRSEA-7-S-20260318	C67413	0.381	J	0.282	ND	0.282	ND	0.282	ND	0.305	J
SPRSEA-8-S-20260318	C01502	0.443	J	0.282	ND	0.282	ND	0.282	ND	0.403	J
SPRSEA-9-S-20260318	C69457	0.480		0.282	ND	0.282	ND	0.282	ND	0.638	
SPRSEA-10-S-20260318	C70034	0.719		0.325	J	1.15		0.454	J	2.04	
SPRSEA-11-S-20260318	C57484	0.713		0.355	J	1.16		0.455	J	2.12	
SPRSEA-12-S-20260318	C01822	0.601		0.282	ND	0.503	J	0.282	ND	1.26	
SPRSEA-12-D-20260318	C71727	0.616		0.282	ND	0.644	J	0.282	ND	1.31	
SPRSEA-12-B-20260318	C71785	0.193	ND	0.282	ND	0.282	ND	0.282	ND	0.249	ND
SPRSEA-1-S-20260401	C33423	0.350	J	0.278	ND	0.278	ND	0.278	ND	0.365	J
SPRSEA-2-S-20260401	C01377	0.413	J	0.278	ND	0.278	ND	0.278	ND	0.398	J
SPRSEA-3-S-20260401	C40503	0.324	J	0.278	ND	0.278	ND	0.278	ND	0.431	J
SPRSEA-4-S-20260401	B46241	0.350	J	0.278	ND	0.278	ND	0.278	ND	0.341	J
SPRSEA-5-S-20260401	B45024	0.376	J	0.278	ND	0.278	ND	0.278	ND	0.458	J
SPRSEA-6-S-20260401	B45059	0.326	J	0.278	ND	0.278	ND	0.278	ND	0.322	J
SPRSEA-6-D-20260401	C35900	0.362	J	0.278	ND	0.278	ND	0.278	ND	0.329	J
SPRSEA-6-B-20260401	C40636	0.191	ND	0.278	ND	0.278	ND	0.278	ND	0.246	ND
SPRSEA-7-S-20260401	C56862	0.282	J	0.278	ND	0.278	ND	0.278	ND	0.301	J
SPRSEA-8-S-20260401	C69733	0.346	J	0.278	ND	0.278	ND	0.278	ND	0.363	J
SPRSEA-9-S-20260401	C53631	0.475		0.278	ND	0.361	J	0.278	ND	0.833	
SPRSEA-10-S-20260401	C68568	0.805		0.471	J	1.66		0.663		2.69	
SPRSEA-11-S-20260401	C57580	0.655		0.286	J	0.887		0.336	J	1.60	

Sprague Searsport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
	Fe	Field Error. See report narrative for details

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-12-S-20260401	C38549	0.535		0.277	ND	0.390	J	0.277	ND	1.04	
SPRSEA-12-D-20260401	C69420	0.522		0.277	ND	0.494	J	0.277	ND	1.08	
SPRSEA-12-B-20260401	C39210	0.190	ND	0.277	ND	0.277	ND	0.277	ND	0.245	ND
SPRSEA-1-S-20260415	C57820	0.436	J,Pc	0.280	ND	0.758		0.294	J	1.24	
SPRSEA-2-S-20260415	C55576	0.387	J,Pc	0.280	ND	0.346	J	0.280	ND	0.887	
SPRSEA-3-S-20260415	C57643	0.385	J,Pc	0.280	ND	0.681	J	0.280	ND	0.885	
SPRSEA-4-S-20260415	B50929	0.320	J,Pc	0.280	ND	0.280	ND	0.280	ND	0.583	
SPRSEA-5-S-20260415	C69714	0.356	J,Pc	0.280	ND	0.280	ND	0.280	ND	0.511	J
SPRSEA-6-S-20260415	C43665	0.267	J,Pc	0.280	ND	0.280	ND	0.280	ND	0.322	J
SPRSEA-6-D-20260415	B14988	0.447	J,Pc	0.280	ND	0.280	ND	0.280	ND	0.395	J
SPRSEA-6-B-20260415	B14918	0.192	ND,Pc	0.280	ND	0.280	ND	0.280	ND	0.396	J
SPRSEA-7-S-20260415	C14003	0.273	J,Pc	0.280	ND	0.280	ND	0.280	ND	0.452	J
SPRSEA-8-S-20260415	B18415	0.374	J,Pc	0.279	ND	0.279	ND	0.279	ND	0.485	J
SPRSEA-9-S-20260415	B46622	0.433	J,Pc	0.279	ND	0.387	J	0.279	ND	0.941	
SPRSEA-10-S-20260415	C67282	0.971	Pc	0.731		2.64		0.999		4.43	
SPRSEA-11-S-20260415	C57110	0.869	Pc	0.636		1.92		0.705		3.76	
SPRSEA-12-S-20260415	C60206	0.819	Pc	0.531	J	1.93		0.724		3.62	
SPRSEA-12-D-20260415	C53643	0.890	Pc	0.599	J	1.82		0.654		3.64	
SPRSEA-12-B-20260415	C39268	0.192	ND,Pc	0.280	ND	0.280	ND	0.280	ND	0.261	J
SPRSEA-1-S-20260429	C69451	0.380	J	0.276	ND	0.294	J	0.276	ND	0.791	
SPRSEA-2-S-20260429	C57705	0.295	J	0.276	ND	0.276	ND	0.276	ND	0.628	
SPRSEA-3-S-20260429	C55713	0.279	J	0.276	ND	0.276	ND	0.276	ND	0.56	
SPRSEA-4-S-20260429	C24221	0.243	J	0.276	ND	0.276	ND	0.276	ND	0.503	J
SPRSEA-5-S-20260429	C55317	0.230	J	0.276	ND	0.276	ND	0.276	ND	0.543	
SPRSEA-6-S-20260429	B15400	0.312	J	0.276	ND	0.276	ND	0.276	ND	0.505	J
SPRSEA-6-D-20260429	B46629	0.354	J	0.276	ND	0.276	ND	0.276	ND	0.53	
SPRSEA-6-B-20260429	C61517	0.19	ND	0.276	ND	0.276	ND	0.276	ND	0.244	ND
SPRSEA-7-S-20260429	C57467	0.246	J	0.276	ND	0.276	ND	0.276	ND	0.531	
SPRSEA-8-S-20260429	C69428	0.334	J	0.276	ND	0.276	ND	0.276	ND	0.625	

Sprague Searsport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
	Fe	Field Error. See report narrative for details

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-9-S-20260429	C56922	0.373	J	0.276	ND	0.474	J	0.276	ND	1.10	
SPRSEA-10-S-20260429	C35718	1.04		0.702		2.29		0.914		4.25	
SPRSEA-11-S-20260429	B44253	0.685		0.276	ND	0.494	J	0.276	ND	1.50	
SPRSEA-12-S-20260429	B34908	0.662		0.305	J	0.874		0.346	J	2.05	
SPRSEA-12-D-20260429	C43627	0.618		0.316	J	0.936		0.359	J	2.07	
SPRSEA-12-B-20260429	B50751	0.190	ND	0.276	ND	0.276	ND	0.276	ND	0.278	J
SPRSEA-1-S-20260513	C34192	0.320	J	0.275	ND	0.294	J	0.275	ND	0.724	
SPRSEA-2-S-20260513	C55456	0.323	J	0.275	ND	0.325	J	0.275	ND	0.659	
SPRSEA-3-S-20260513	C71490	0.45	J,Fe	0.275	ND,Fe	0.603	J,Fe	0.275	ND,Fe	1.07	Fe
SPRSEA-4-S-20260513	C00707	0.350	J	0.276	ND	0.298	J	0.276	ND	0.741	
SPRSEA-5-S-20260513	B46915	0.348	J	0.275	ND	0.275	ND	0.275	ND	0.555	
SPRSEA-6-S-20260513	B35656	0.240	J	0.275	ND	0.275	ND	0.275	ND	0.444	J
SPRSEA-6-D-20260513	B52691	0.278	J	0.275	ND	0.275	ND	0.275	ND	0.394	J
SPRSEA-6-B-20260513	C70152	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.243	ND
SPRSEA-7-S-20260513	C68567	0.229	J	0.275	ND	0.275	ND	0.275	ND	0.395	J
SPRSEA-8-S-20260513	C43729	0.237	J	0.275	ND	0.275	ND	0.275	ND	0.46	J
SPRSEA-9-S-20260513	C57131	0.403	J	0.275	ND	0.729		0.275	ND	1.30	
SPRSEA-10-S-20260513	C53558	1.22		0.674		2.24		0.883		4.60	
SPRSEA-11-S-20260513	B12199	0.941		0.437	J	1.39		0.468	J	3.03	
SPRSEA-12-S-20260513	C35862	0.672		0.330	J	1.12		0.360	J	2.23	
SPRSEA-12-D-20260513	C57654	0.622		0.342	J	0.972		0.366	J	2.12	
SPRSEA-12-B-20260513	C71674	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.243	ND
SPRSEA-1-S-20260527	C55724	0.330	J	0.273	ND	0.322	J,P	0.273	ND,Pc	0.978	
SPRSEA-2-S-20260527	C70050	0.446	J	0.274	ND	0.427	J,P	0.274	ND,Pc	1.04	
SPRSEA-3-S-20260527	C39170	0.398	J	0.274	ND	0.396	J,P	0.274	ND,Pc	1.14	
SPRSEA-4-S-20260527	B44248	0.404	J	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.601	
SPRSEA-5-S-20260527	C59952	0.255	J	0.274	ND	0.300	J,P	0.274	ND,Pc	0.624	
SPRSEA-6-S-20260527	C61524	0.201	J	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.418	J
SPRSEA-6-D-20260527	C71701	0.258	J	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.342	J

Sprague Searsport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
	Fe	Field Error. See report narrative for details

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-6-B-20260527	C71605	0.188	ND	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.242	ND
SPRSEA-7-S-20260527	C70156	0.207	J	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.338	J
SPRSEA-8-S-20260527	C35856	0.188	ND	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.309	J
SPRSEA-9-S-20260527	C33313	0.275	J	0.274	ND	0.413	J,P	0.274	ND,Pc	0.755	
SPRSEA-10-S-20260527	C73618	0.827		0.494	J	1.83	P	0.658	Pc	2.98	
SPRSEA-11-S-20260527	C33802	1.33		0.805		2.47	P	0.947	Pc	5.29	
SPRSEA-12-S-20260527	C57553	0.724		0.417	J	1.56	P	0.577	J,Pc	2.73	
SPRSEA-12-D-20260527	C32992	0.726		0.412	J	1.00	P	0.352	J,Pc	2.64	
SPRSEA-12-B-20260527	C68601	0.188	ND	0.274	ND	0.274	ND,P	0.274	ND,Pc	0.242	ND
SPRSEA-1-S-20260610	C71500	0.371	J	0.272	ND	0.301	J,Pc	0.272	ND,Pc	0.675	
SPRSEA-2-S-20260610	C57153	0.263	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.527	
SPRSEA-3-S-20260610	C70901	0.451		0.272	ND	0.481	J,Pc	0.272	ND,Pc	0.906	
SPRSEA-4-S-20260610	C56839	0.308	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.577	
SPRSEA-5-S-20260610	C61647	0.414	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.813	
SPRSEA-6-S-20260610	C70582	0.342	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.486	J
SPRSEA-6-D-20260610	C36931	0.259	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.476	J
SPRSEA-6-B-20260610	C38872	0.187	ND	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.240	ND
SPRSEA-7-S-20260610	C71592	0.290	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.347	J
SPRSEA-8-S-20260610	C01340	0.300	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.506	J
SPRSEA-9-S-20260610	C37023	0.747		0.272	ND	0.393	J,Pc	0.272	ND,Pc	1.18	
SPRSEA-10-S-20260610	C59990	1.23		0.580	J	1.97	Pc	0.780	Pc	4.27	
SPRSEA-11-S-20260610	B52713	0.737		0.364	J	0.950	Pc	0.391	J,Pc	2.13	
SPRSEA-12-S-20260610	C35798	0.640		0.345	J	0.834	Pc	0.340	J,Pc	1.95	
SPRSEA-12-D-20260610	C70056	0.750		0.359	J	1.26	Pc	0.504	J,Pc	2.30	
SPRSEA-12-B-20260610	C43317	0.187	ND	0.272	ND	0.272	ND,Pc	0.272	ND,Pc	0.24	ND
Quarter 2, 2026 Maximum		1.33		0.805		2.64		1.00		5.29	
Quarter 2, 2026 Average		0.474		0.322		0.604		0.349		1.17	
Rolling Annual Maximum		4.68		3.18		12.2		4.91		18.8	
Rolling Annual Average		0.796		0.524		1.38		0.612		2.19	

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-1-S-20260318	1	Benzene	Sample	0.504	ug/m3	0.193	ug/m3		Y	3/18/2026	12:33	4/1/2026	12:15
SPRSEA-1-S-20260318	1	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:33	4/1/2026	12:15
SPRSEA-1-S-20260318	1	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:33	4/1/2026	12:15
SPRSEA-1-S-20260318	1	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:33	4/1/2026	12:15
SPRSEA-1-S-20260318	1	Toluene	Sample	0.604	ug/m3	0.249	ug/m3		Y	3/18/2026	12:33	4/1/2026	12:15
SPRSEA-2-S-20260318	2	Benzene	Sample	0.505	ug/m3	0.193	ug/m3		Y	3/18/2026	12:30	4/1/2026	12:10
SPRSEA-2-S-20260318	2	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:30	4/1/2026	12:10
SPRSEA-2-S-20260318	2	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:30	4/1/2026	12:10
SPRSEA-2-S-20260318	2	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:30	4/1/2026	12:10
SPRSEA-2-S-20260318	2	Toluene	Sample	0.532	ug/m3	0.249	ug/m3		Y	3/18/2026	12:30	4/1/2026	12:10
SPRSEA-3-S-20260318	3	Benzene	Sample	0.544	ug/m3	0.193	ug/m3		Y	3/18/2026	12:24	4/1/2026	12:05
SPRSEA-3-S-20260318	3	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:24	4/1/2026	12:05
SPRSEA-3-S-20260318	3	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:24	4/1/2026	12:05
SPRSEA-3-S-20260318	3	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:24	4/1/2026	12:05
SPRSEA-3-S-20260318	3	Toluene	Sample	0.451	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:24	4/1/2026	12:05
SPRSEA-4-S-20260318	4	Benzene	Sample	0.405	ug/m3	0.193	ug/m3	J	Y	3/18/2026	12:21	4/1/2026	12:02
SPRSEA-4-S-20260318	4	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:21	4/1/2026	12:02
SPRSEA-4-S-20260318	4	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:21	4/1/2026	12:02
SPRSEA-4-S-20260318	4	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:21	4/1/2026	12:02
SPRSEA-4-S-20260318	4	Toluene	Sample	0.41	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:21	4/1/2026	12:02
SPRSEA-5-S-20260318	5	Benzene	Sample	0.495	ug/m3	0.193	ug/m3		Y	3/18/2026	12:16	4/1/2026	11:58
SPRSEA-5-S-20260318	5	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:16	4/1/2026	11:58
SPRSEA-5-S-20260318	5	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:16	4/1/2026	11:58
SPRSEA-5-S-20260318	5	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:16	4/1/2026	11:58
SPRSEA-5-S-20260318	5	Toluene	Sample	0.317	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:16	4/1/2026	11:58
SPRSEA-6-S-20260318	6	Benzene	Sample	0.412	ug/m3	0.193	ug/m3	J	Y	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-S-20260318	6	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-S-20260318	6	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-S-20260318	6	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-S-20260318	6	Toluene	Sample	0.383	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-D-20260318	6	Benzene	Duplicate	0.393	ug/m3	0.193	ug/m3	J	Y	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-D-20260318	6	Ethylbenzene	Duplicate	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-6-D-20260318	6	m-/p-Xylenes	Duplicate	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-D-20260318	6	o-Xylene	Duplicate	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-D-20260318	6	Toluene	Duplicate	0.361	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-B-20260318	6	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-B-20260318	6	Ethylbenzene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-B-20260318	6	m-/p-Xylenes	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-B-20260318	6	o-Xylene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-6-B-20260318	6	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND	N	3/18/2026	12:12	4/1/2026	11:55
SPRSEA-7-S-20260318	7	Benzene	Sample	0.381	ug/m3	0.193	ug/m3	J	Y	3/18/2026	12:08	4/1/2026	11:48
SPRSEA-7-S-20260318	7	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:08	4/1/2026	11:48
SPRSEA-7-S-20260318	7	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:08	4/1/2026	11:48
SPRSEA-7-S-20260318	7	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:08	4/1/2026	11:48
SPRSEA-7-S-20260318	7	Toluene	Sample	0.305	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:08	4/1/2026	11:48
SPRSEA-8-S-20260318	8	Benzene	Sample	0.443	ug/m3	0.193	ug/m3	J	Y	3/18/2026	12:03	4/1/2026	11:44
SPRSEA-8-S-20260318	8	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:03	4/1/2026	11:44
SPRSEA-8-S-20260318	8	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:03	4/1/2026	11:44
SPRSEA-8-S-20260318	8	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:03	4/1/2026	11:44
SPRSEA-8-S-20260318	8	Toluene	Sample	0.403	ug/m3	0.249	ug/m3	J	Y	3/18/2026	12:03	4/1/2026	11:44
SPRSEA-9-S-20260318	9	Benzene	Sample	0.48	ug/m3	0.193	ug/m3		Y	3/18/2026	12:00	4/1/2026	11:42
SPRSEA-9-S-20260318	9	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:00	4/1/2026	11:42
SPRSEA-9-S-20260318	9	m-/p-Xylenes	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:00	4/1/2026	11:42
SPRSEA-9-S-20260318	9	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:00	4/1/2026	11:42
SPRSEA-9-S-20260318	9	Toluene	Sample	0.638	ug/m3	0.249	ug/m3		Y	3/18/2026	12:00	4/1/2026	11:42
SPRSEA-10-S-20260318	10	Benzene	Sample	0.719	ug/m3	0.193	ug/m3		Y	3/18/2026	11:56	4/1/2026	11:38
SPRSEA-10-S-20260318	10	Ethylbenzene	Sample	0.325	ug/m3	0.282	ug/m3	J	Y	3/18/2026	11:56	4/1/2026	11:38
SPRSEA-10-S-20260318	10	m-/p-Xylenes	Sample	1.15	ug/m3	0.282	ug/m3		Y	3/18/2026	11:56	4/1/2026	11:38
SPRSEA-10-S-20260318	10	o-Xylene	Sample	0.454	ug/m3	0.282	ug/m3	J	Y	3/18/2026	11:56	4/1/2026	11:38
SPRSEA-10-S-20260318	10	Toluene	Sample	2.04	ug/m3	0.249	ug/m3		Y	3/18/2026	11:56	4/1/2026	11:38
SPRSEA-11-S-20260318	11	Benzene	Sample	0.713	ug/m3	0.193	ug/m3		Y	3/18/2026	12:44	4/1/2026	12:26
SPRSEA-11-S-20260318	11	Ethylbenzene	Sample	0.355	ug/m3	0.282	ug/m3	J	Y	3/18/2026	12:44	4/1/2026	12:26
SPRSEA-11-S-20260318	11	m-/p-Xylenes	Sample	1.16	ug/m3	0.282	ug/m3		Y	3/18/2026	12:44	4/1/2026	12:26
SPRSEA-11-S-20260318	11	o-Xylene	Sample	0.455	ug/m3	0.282	ug/m3	J	Y	3/18/2026	12:44	4/1/2026	12:26

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-11-S-20260318	11	Toluene	Sample	2.12	ug/m3	0.249	ug/m3		Y	3/18/2026	12:44	4/1/2026	12:26
SPRSEA-12-S-20260318	12	Benzene	Sample	0.601	ug/m3	0.193	ug/m3		Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-S-20260318	12	Ethylbenzene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-S-20260318	12	m-/p-Xylenes	Sample	0.503	ug/m3	0.282	ug/m3	J	Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-S-20260318	12	o-Xylene	Sample	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-S-20260318	12	Toluene	Sample	1.26	ug/m3	0.249	ug/m3		Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-D-20260318	12	Benzene	Duplicate	0.616	ug/m3	0.193	ug/m3		Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-D-20260318	12	Ethylbenzene	Duplicate	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-D-20260318	12	m-/p-Xylenes	Duplicate	0.644	ug/m3	0.282	ug/m3	J	Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-D-20260318	12	o-Xylene	Duplicate	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-D-20260318	12	Toluene	Duplicate	1.31	ug/m3	0.249	ug/m3		Y	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-B-20260318	12	Benzene	Blank	<0.193	ug/m3	0.193	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-B-20260318	12	Ethylbenzene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-B-20260318	12	m-/p-Xylenes	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-B-20260318	12	o-Xylene	Blank	<0.282	ug/m3	0.282	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-12-B-20260318	12	Toluene	Blank	<0.249	ug/m3	0.249	ug/m3	ND	N	3/18/2026	12:40	4/1/2026	12:18
SPRSEA-1-S-20260401	1	Benzene	Sample	0.35	ug/m3	0.191	ug/m3	J	Y	4/1/2026	12:15	4/15/2026	14:01
SPRSEA-1-S-20260401	1	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:15	4/15/2026	14:01
SPRSEA-1-S-20260401	1	Toluene	Sample	0.365	ug/m3	0.246	ug/m3	J	Y	4/1/2026	12:15	4/15/2026	14:01
SPRSEA-1-S-20260401	1	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:15	4/15/2026	14:01
SPRSEA-1-S-20260401	1	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:15	4/15/2026	14:01
SPRSEA-2-S-20260401	2	Benzene	Sample	0.413	ug/m3	0.191	ug/m3	J	Y	4/1/2026	12:10	4/15/2026	13:50
SPRSEA-2-S-20260401	2	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:10	4/15/2026	13:50
SPRSEA-2-S-20260401	2	Toluene	Sample	0.398	ug/m3	0.246	ug/m3	J	Y	4/1/2026	12:10	4/15/2026	13:50
SPRSEA-2-S-20260401	2	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:10	4/15/2026	13:50
SPRSEA-2-S-20260401	2	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:10	4/15/2026	13:50
SPRSEA-3-S-20260401	3	Benzene	Sample	0.324	ug/m3	0.191	ug/m3	J	Y	4/1/2026	12:05	4/15/2026	13:46
SPRSEA-3-S-20260401	3	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:05	4/15/2026	13:46
SPRSEA-3-S-20260401	3	Toluene	Sample	0.431	ug/m3	0.246	ug/m3	J	Y	4/1/2026	12:05	4/15/2026	13:46
SPRSEA-3-S-20260401	3	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:05	4/15/2026	13:46
SPRSEA-3-S-20260401	3	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:05	4/15/2026	13:46
SPRSEA-4-S-20260401	4	Benzene	Sample	0.35	ug/m3	0.191	ug/m3	J	Y	4/1/2026	12:02	4/15/2026	13:42

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-4-S-20260401	4	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:02	4/15/2026	13:42
SPRSEA-4-S-20260401	4	Toluene	Sample	0.341	ug/m3	0.246	ug/m3	J	Y	4/1/2026	12:02	4/15/2026	13:42
SPRSEA-4-S-20260401	4	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:02	4/15/2026	13:42
SPRSEA-4-S-20260401	4	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	12:02	4/15/2026	13:42
SPRSEA-5-S-20260401	5	Benzene	Sample	0.376	ug/m3	0.191	ug/m3	J	Y	4/1/2026	11:58	4/15/2026	13:33
SPRSEA-5-S-20260401	5	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:58	4/15/2026	13:33
SPRSEA-5-S-20260401	5	Toluene	Sample	0.458	ug/m3	0.246	ug/m3	J	Y	4/1/2026	11:58	4/15/2026	13:33
SPRSEA-5-S-20260401	5	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:58	4/15/2026	13:33
SPRSEA-5-S-20260401	5	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:58	4/15/2026	13:33
SPRSEA-6-S-20260401	6	Benzene	Sample	0.326	ug/m3	0.191	ug/m3	J	Y	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-S-20260401	6	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-S-20260401	6	Toluene	Sample	0.322	ug/m3	0.246	ug/m3	J	Y	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-S-20260401	6	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-S-20260401	6	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-D-20260401	6	Benzene	Duplicate	0.362	ug/m3	0.191	ug/m3	J	Y	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-D-20260401	6	Ethylbenzene	Duplicate	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-D-20260401	6	Toluene	Duplicate	0.329	ug/m3	0.246	ug/m3	J	Y	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-D-20260401	6	m-/p-Xylenes	Duplicate	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-D-20260401	6	o-Xylene	Duplicate	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-B-20260401	6	Benzene	Blank	<0.191	ug/m3	0.191	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-B-20260401	6	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-B-20260401	6	Toluene	Blank	<0.246	ug/m3	0.246	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-B-20260401	6	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-6-B-20260401	6	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:55	4/15/2026	13:20
SPRSEA-7-S-20260401	7	Benzene	Sample	0.282	ug/m3	0.191	ug/m3	J	Y	4/1/2026	11:48	4/15/2026	13:12
SPRSEA-7-S-20260401	7	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:48	4/15/2026	13:12
SPRSEA-7-S-20260401	7	Toluene	Sample	0.301	ug/m3	0.246	ug/m3	J	Y	4/1/2026	11:48	4/15/2026	13:12
SPRSEA-7-S-20260401	7	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:48	4/15/2026	13:12
SPRSEA-7-S-20260401	7	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:48	4/15/2026	13:12
SPRSEA-8-S-20260401	8	Benzene	Sample	0.346	ug/m3	0.191	ug/m3	J	Y	4/1/2026	11:44	4/15/2026	13:03
SPRSEA-8-S-20260401	8	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:44	4/15/2026	13:03
SPRSEA-8-S-20260401	8	Toluene	Sample	0.363	ug/m3	0.246	ug/m3	J	Y	4/1/2026	11:44	4/15/2026	13:03

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-8-S-20260401	8	m-/p-Xylenes	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:44	4/15/2026	13:03
SPRSEA-8-S-20260401	8	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:44	4/15/2026	13:03
SPRSEA-9-S-20260401	9	Benzene	Sample	0.475	ug/m3	0.191	ug/m3		Y	4/1/2026	11:42	4/15/2026	12:53
SPRSEA-9-S-20260401	9	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:42	4/15/2026	12:53
SPRSEA-9-S-20260401	9	Toluene	Sample	0.833	ug/m3	0.246	ug/m3		Y	4/1/2026	11:42	4/15/2026	12:53
SPRSEA-9-S-20260401	9	m-/p-Xylenes	Sample	0.361	ug/m3	0.278	ug/m3	J	Y	4/1/2026	11:42	4/15/2026	12:53
SPRSEA-9-S-20260401	9	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/1/2026	11:42	4/15/2026	12:53
SPRSEA-10-S-20260401	10	Benzene	Sample	0.805	ug/m3	0.19	ug/m3		Y	4/1/2026	11:38	4/15/2026	14:43
SPRSEA-10-S-20260401	10	Ethylbenzene	Sample	0.471	ug/m3	0.277	ug/m3	J	Y	4/1/2026	11:38	4/15/2026	14:43
SPRSEA-10-S-20260401	10	Toluene	Sample	2.69	ug/m3	0.245	ug/m3		Y	4/1/2026	11:38	4/15/2026	14:43
SPRSEA-10-S-20260401	10	m-/p-Xylenes	Sample	1.66	ug/m3	0.277	ug/m3		Y	4/1/2026	11:38	4/15/2026	14:43
SPRSEA-10-S-20260401	10	o-Xylene	Sample	0.663	ug/m3	0.277	ug/m3		Y	4/1/2026	11:38	4/15/2026	14:43
SPRSEA-11-S-20260401	11	Benzene	Sample	0.655	ug/m3	0.19	ug/m3		Y	4/1/2026	12:26	4/15/2026	14:34
SPRSEA-11-S-20260401	11	Ethylbenzene	Sample	0.286	ug/m3	0.277	ug/m3	J	Y	4/1/2026	12:26	4/15/2026	14:34
SPRSEA-11-S-20260401	11	Toluene	Sample	1.6	ug/m3	0.245	ug/m3		Y	4/1/2026	12:26	4/15/2026	14:34
SPRSEA-11-S-20260401	11	m-/p-Xylenes	Sample	0.887	ug/m3	0.277	ug/m3		Y	4/1/2026	12:26	4/15/2026	14:34
SPRSEA-11-S-20260401	11	o-Xylene	Sample	0.336	ug/m3	0.277	ug/m3	J	Y	4/1/2026	12:26	4/15/2026	14:34
SPRSEA-12-S-20260401	12	Benzene	Sample	0.535	ug/m3	0.19	ug/m3		Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-S-20260401	12	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-S-20260401	12	Toluene	Sample	1.04	ug/m3	0.245	ug/m3		Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-S-20260401	12	m-/p-Xylenes	Sample	0.39	ug/m3	0.277	ug/m3	J	Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-S-20260401	12	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-D-20260401	12	Benzene	Duplicate	0.522	ug/m3	0.19	ug/m3		Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-D-20260401	12	Ethylbenzene	Duplicate	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-D-20260401	12	Toluene	Duplicate	1.08	ug/m3	0.245	ug/m3		Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-D-20260401	12	m-/p-Xylenes	Duplicate	0.494	ug/m3	0.277	ug/m3	J	Y	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-D-20260401	12	o-Xylene	Duplicate	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-B-20260401	12	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-B-20260401	12	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-B-20260401	12	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-B-20260401	12	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22
SPRSEA-12-B-20260401	12	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/1/2026	12:18	4/15/2026	14:22

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-1-S-20260415	1	Benzene	Sample	0.436	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	14:01	4/29/2026	11:54
SPRSEA-1-S-20260415	1	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	14:01	4/29/2026	11:54
SPRSEA-1-S-20260415	1	m-/p-Xylenes	Sample	0.758	ug/m3	0.28	ug/m3		Y	4/15/2026	14:01	4/29/2026	11:54
SPRSEA-1-S-20260415	1	o-Xylene	Sample	0.294	ug/m3	0.28	ug/m3	J	Y	4/15/2026	14:01	4/29/2026	11:54
SPRSEA-1-S-20260415	1	Toluene	Sample	1.24	ug/m3	0.248	ug/m3		Y	4/15/2026	14:01	4/29/2026	11:54
SPRSEA-2-S-20260415	2	Benzene	Sample	0.387	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:50	4/29/2026	11:51
SPRSEA-2-S-20260415	2	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:50	4/29/2026	11:51
SPRSEA-2-S-20260415	2	m-/p-Xylenes	Sample	0.346	ug/m3	0.28	ug/m3	J	Y	4/15/2026	13:50	4/29/2026	11:51
SPRSEA-2-S-20260415	2	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:50	4/29/2026	11:51
SPRSEA-2-S-20260415	2	Toluene	Sample	0.887	ug/m3	0.247	ug/m3		Y	4/15/2026	13:50	4/29/2026	11:51
SPRSEA-3-S-20260415	3	Benzene	Sample	0.385	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:46	4/29/2026	11:44
SPRSEA-3-S-20260415	3	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:46	4/29/2026	11:44
SPRSEA-3-S-20260415	3	m-/p-Xylenes	Sample	0.681	ug/m3	0.28	ug/m3	J	Y	4/15/2026	13:46	4/29/2026	11:44
SPRSEA-3-S-20260415	3	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:46	4/29/2026	11:44
SPRSEA-3-S-20260415	3	Toluene	Sample	0.885	ug/m3	0.248	ug/m3		Y	4/15/2026	13:46	4/29/2026	11:44
SPRSEA-4-S-20260415	4	Benzene	Sample	0.32	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:42	4/29/2026	11:41
SPRSEA-4-S-20260415	4	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:42	4/29/2026	11:41
SPRSEA-4-S-20260415	4	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:42	4/29/2026	11:41
SPRSEA-4-S-20260415	4	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:42	4/29/2026	11:41
SPRSEA-4-S-20260415	4	Toluene	Sample	0.583	ug/m3	0.247	ug/m3		Y	4/15/2026	13:42	4/29/2026	11:41
SPRSEA-5-S-20260415	5	Benzene	Sample	0.356	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:33	4/29/2026	11:38
SPRSEA-5-S-20260415	5	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:33	4/29/2026	11:38
SPRSEA-5-S-20260415	5	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:33	4/29/2026	11:38
SPRSEA-5-S-20260415	5	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:33	4/29/2026	11:38
SPRSEA-5-S-20260415	5	Toluene	Sample	0.511	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:33	4/29/2026	11:38
SPRSEA-6-S-20260415	6	Benzene	Sample	0.267	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-S-20260415	6	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-S-20260415	6	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-S-20260415	6	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-S-20260415	6	Toluene	Sample	0.322	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-D-20260415	6	Benzene	Duplicate	0.447	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-D-20260415	6	Ethylbenzene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-6-D-20260415	6	m-/p-Xylenes	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-D-20260415	6	o-Xylene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-D-20260415	6	Toluene	Duplicate	0.395	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-B-20260415	6	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND,Pc	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-B-20260415	6	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-B-20260415	6	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-B-20260415	6	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-6-B-20260415	6	Toluene	Blank	0.396	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:20	4/29/2026	11:35
SPRSEA-7-S-20260415	7	Benzene	Sample	0.273	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:12	4/29/2026	11:30
SPRSEA-7-S-20260415	7	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:12	4/29/2026	11:30
SPRSEA-7-S-20260415	7	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:12	4/29/2026	11:30
SPRSEA-7-S-20260415	7	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	13:12	4/29/2026	11:30
SPRSEA-7-S-20260415	7	Toluene	Sample	0.452	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:12	4/29/2026	11:30
SPRSEA-8-S-20260415	8	Benzene	Sample	0.374	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	13:03	4/29/2026	11:27
SPRSEA-8-S-20260415	8	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/15/2026	13:03	4/29/2026	11:27
SPRSEA-8-S-20260415	8	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/15/2026	13:03	4/29/2026	11:27
SPRSEA-8-S-20260415	8	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/15/2026	13:03	4/29/2026	11:27
SPRSEA-8-S-20260415	8	Toluene	Sample	0.485	ug/m3	0.247	ug/m3	J	Y	4/15/2026	13:03	4/29/2026	11:27
SPRSEA-9-S-20260415	9	Benzene	Sample	0.433	ug/m3	0.192	ug/m3	J,Pc	Y	4/15/2026	12:53	4/29/2026	11:25
SPRSEA-9-S-20260415	9	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/15/2026	12:53	4/29/2026	11:25
SPRSEA-9-S-20260415	9	m-/p-Xylenes	Sample	0.387	ug/m3	0.279	ug/m3	J	Y	4/15/2026	12:53	4/29/2026	11:25
SPRSEA-9-S-20260415	9	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/15/2026	12:53	4/29/2026	11:25
SPRSEA-9-S-20260415	9	Toluene	Sample	0.941	ug/m3	0.247	ug/m3		Y	4/15/2026	12:53	4/29/2026	11:25
SPRSEA-10-S-20260415	10	Benzene	Sample	0.971	ug/m3	0.193	ug/m3	Pc	Y	4/15/2026	14:43	4/29/2026	11:21
SPRSEA-10-S-20260415	10	Ethylbenzene	Sample	0.731	ug/m3	0.281	ug/m3		Y	4/15/2026	14:43	4/29/2026	11:21
SPRSEA-10-S-20260415	10	m-/p-Xylenes	Sample	2.64	ug/m3	0.281	ug/m3		Y	4/15/2026	14:43	4/29/2026	11:21
SPRSEA-10-S-20260415	10	o-Xylene	Sample	0.999	ug/m3	0.281	ug/m3		Y	4/15/2026	14:43	4/29/2026	11:21
SPRSEA-10-S-20260415	10	Toluene	Sample	4.43	ug/m3	0.249	ug/m3		Y	4/15/2026	14:43	4/29/2026	11:21
SPRSEA-11-S-20260415	11	Benzene	Sample	0.869	ug/m3	0.192	ug/m3	Pc	Y	4/15/2026	14:34	4/29/2026	12:01
SPRSEA-11-S-20260415	11	Ethylbenzene	Sample	0.636	ug/m3	0.28	ug/m3		Y	4/15/2026	14:34	4/29/2026	12:01
SPRSEA-11-S-20260415	11	m-/p-Xylenes	Sample	1.92	ug/m3	0.28	ug/m3		Y	4/15/2026	14:34	4/29/2026	12:01
SPRSEA-11-S-20260415	11	o-Xylene	Sample	0.705	ug/m3	0.28	ug/m3		Y	4/15/2026	14:34	4/29/2026	12:01

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-11-S-20260415	11	Toluene	Sample	3.76	ug/m3	0.248	ug/m3		Y	4/15/2026	14:34	4/29/2026	12:01
SPRSEA-12-S-20260415	12	Benzene	Sample	0.819	ug/m3	0.192	ug/m3	Pc	Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-S-20260415	12	Ethylbenzene	Sample	0.531	ug/m3	0.28	ug/m3	J	Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-S-20260415	12	m-/p-Xylenes	Sample	1.93	ug/m3	0.28	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-S-20260415	12	o-Xylene	Sample	0.724	ug/m3	0.28	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-S-20260415	12	Toluene	Sample	3.62	ug/m3	0.248	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-D-20260415	12	Benzene	Duplicate	0.89	ug/m3	0.192	ug/m3	Pc	Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-D-20260415	12	Ethylbenzene	Duplicate	0.599	ug/m3	0.28	ug/m3	J	Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-D-20260415	12	m-/p-Xylenes	Duplicate	1.82	ug/m3	0.28	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-D-20260415	12	o-Xylene	Duplicate	0.654	ug/m3	0.28	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-D-20260415	12	Toluene	Duplicate	3.64	ug/m3	0.248	ug/m3		Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-B-20260415	12	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND,Pc	N	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-B-20260415	12	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-B-20260415	12	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-B-20260415	12	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-12-B-20260415	12	Toluene	Blank	0.261	ug/m3	0.248	ug/m3	J	Y	4/15/2026	14:22	4/29/2026	11:59
SPRSEA-1-S-20260429	1	Benzene	Sample	0.38	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:54	5/13/2026	12:52
SPRSEA-1-S-20260429	1	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:54	5/13/2026	12:52
SPRSEA-1-S-20260429	1	m-/p-Xylenes	Sample	0.294	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:54	5/13/2026	12:52
SPRSEA-1-S-20260429	1	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:54	5/13/2026	12:52
SPRSEA-1-S-20260429	1	Toluene	Sample	0.791	ug/m3	0.244	ug/m3		Y	4/29/2026	11:54	5/13/2026	12:52
SPRSEA-2-S-20260429	2	Benzene	Sample	0.295	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:51	5/13/2026	12:44
SPRSEA-2-S-20260429	2	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:51	5/13/2026	12:44
SPRSEA-2-S-20260429	2	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:51	5/13/2026	12:44
SPRSEA-2-S-20260429	2	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:51	5/13/2026	12:44
SPRSEA-2-S-20260429	2	Toluene	Sample	0.628	ug/m3	0.244	ug/m3		Y	4/29/2026	11:51	5/13/2026	12:44
SPRSEA-3-S-20260429	3	Benzene	Sample	0.279	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:44	5/13/2026	12:40
SPRSEA-3-S-20260429	3	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:44	5/13/2026	12:40
SPRSEA-3-S-20260429	3	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:44	5/13/2026	12:40
SPRSEA-3-S-20260429	3	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:44	5/13/2026	12:40
SPRSEA-3-S-20260429	3	Toluene	Sample	0.56	ug/m3	0.244	ug/m3		Y	4/29/2026	11:44	5/13/2026	12:40
SPRSEA-4-S-20260429	4	Benzene	Sample	0.243	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:41	5/13/2026	12:35

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-4-S-20260429	4	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:41	5/13/2026	12:35
SPRSEA-4-S-20260429	4	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:41	5/13/2026	12:35
SPRSEA-4-S-20260429	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:41	5/13/2026	12:35
SPRSEA-4-S-20260429	4	Toluene	Sample	0.503	ug/m3	0.244	ug/m3	J	Y	4/29/2026	11:41	5/13/2026	12:35
SPRSEA-5-S-20260429	5	Benzene	Sample	0.23	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:38	5/13/2026	12:30
SPRSEA-5-S-20260429	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:38	5/13/2026	12:30
SPRSEA-5-S-20260429	5	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:38	5/13/2026	12:30
SPRSEA-5-S-20260429	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:38	5/13/2026	12:30
SPRSEA-5-S-20260429	5	Toluene	Sample	0.543	ug/m3	0.244	ug/m3		Y	4/29/2026	11:38	5/13/2026	12:30
SPRSEA-6-S-20260429	6	Benzene	Sample	0.312	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-S-20260429	6	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-S-20260429	6	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-S-20260429	6	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-S-20260429	6	Toluene	Sample	0.505	ug/m3	0.244	ug/m3	J	Y	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-D-20260429	6	Benzene	Duplicate	0.354	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-D-20260429	6	Ethylbenzene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-D-20260429	6	m-/p-Xylenes	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-D-20260429	6	o-Xylene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-D-20260429	6	Toluene	Duplicate	0.53	ug/m3	0.244	ug/m3		Y	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-B-20260429	6	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-B-20260429	6	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-B-20260429	6	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-B-20260429	6	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-6-B-20260429	6	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	4/29/2026	11:35	5/13/2026	12:27
SPRSEA-7-S-20260429	7	Benzene	Sample	0.246	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:30	5/13/2026	12:20
SPRSEA-7-S-20260429	7	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:30	5/13/2026	12:20
SPRSEA-7-S-20260429	7	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:30	5/13/2026	12:20
SPRSEA-7-S-20260429	7	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:30	5/13/2026	12:20
SPRSEA-7-S-20260429	7	Toluene	Sample	0.531	ug/m3	0.244	ug/m3		Y	4/29/2026	11:30	5/13/2026	12:20
SPRSEA-8-S-20260429	8	Benzene	Sample	0.334	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:27	5/13/2026	12:15
SPRSEA-8-S-20260429	8	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:27	5/13/2026	12:15
SPRSEA-8-S-20260429	8	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:27	5/13/2026	12:15

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-8-S-20260429	8	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:27	5/13/2026	12:15
SPRSEA-8-S-20260429	8	Toluene	Sample	0.625	ug/m3	0.244	ug/m3		Y	4/29/2026	11:27	5/13/2026	12:15
SPRSEA-9-S-20260429	9	Benzene	Sample	0.373	ug/m3	0.19	ug/m3	J	Y	4/29/2026	11:25	5/13/2026	12:10
SPRSEA-9-S-20260429	9	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:25	5/13/2026	12:10
SPRSEA-9-S-20260429	9	m-/p-Xylenes	Sample	0.474	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:25	5/13/2026	12:10
SPRSEA-9-S-20260429	9	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:25	5/13/2026	12:10
SPRSEA-9-S-20260429	9	Toluene	Sample	1.1	ug/m3	0.244	ug/m3		Y	4/29/2026	11:25	5/13/2026	12:10
SPRSEA-10-S-20260429	10	Benzene	Sample	1.04	ug/m3	0.19	ug/m3		Y	4/29/2026	11:21	5/13/2026	12:05
SPRSEA-10-S-20260429	10	Ethylbenzene	Sample	0.702	ug/m3	0.276	ug/m3		Y	4/29/2026	11:21	5/13/2026	12:05
SPRSEA-10-S-20260429	10	m-/p-Xylenes	Sample	2.29	ug/m3	0.276	ug/m3		Y	4/29/2026	11:21	5/13/2026	12:05
SPRSEA-10-S-20260429	10	o-Xylene	Sample	0.914	ug/m3	0.276	ug/m3		Y	4/29/2026	11:21	5/13/2026	12:05
SPRSEA-10-S-20260429	10	Toluene	Sample	4.25	ug/m3	0.244	ug/m3		Y	4/29/2026	11:21	5/13/2026	12:05
SPRSEA-11-S-20260429	11	Benzene	Sample	0.685	ug/m3	0.19	ug/m3		Y	4/29/2026	12:01	5/13/2026	13:02
SPRSEA-11-S-20260429	11	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	12:01	5/13/2026	13:02
SPRSEA-11-S-20260429	11	m-/p-Xylenes	Sample	0.494	ug/m3	0.276	ug/m3	J	Y	4/29/2026	12:01	5/13/2026	13:02
SPRSEA-11-S-20260429	11	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	12:01	5/13/2026	13:02
SPRSEA-11-S-20260429	11	Toluene	Sample	1.5	ug/m3	0.244	ug/m3		Y	4/29/2026	12:01	5/13/2026	13:02
SPRSEA-12-S-20260429	12	Benzene	Sample	0.662	ug/m3	0.19	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-S-20260429	12	Ethylbenzene	Sample	0.305	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-S-20260429	12	m-/p-Xylenes	Sample	0.874	ug/m3	0.276	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-S-20260429	12	o-Xylene	Sample	0.346	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-S-20260429	12	Toluene	Sample	2.05	ug/m3	0.244	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-D-20260429	12	Benzene	Duplicate	0.618	ug/m3	0.19	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-D-20260429	12	Ethylbenzene	Duplicate	0.316	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-D-20260429	12	m-/p-Xylenes	Duplicate	0.936	ug/m3	0.276	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-D-20260429	12	o-Xylene	Duplicate	0.359	ug/m3	0.276	ug/m3	J	Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-D-20260429	12	Toluene	Duplicate	2.07	ug/m3	0.244	ug/m3		Y	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-B-20260429	12	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-B-20260429	12	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-B-20260429	12	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-B-20260429	12	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/29/2026	11:59	5/13/2026	12:57
SPRSEA-12-B-20260429	12	Toluene	Blank	0.278	ug/m3	0.244	ug/m3	J	Y	4/29/2026	11:59	5/13/2026	12:57

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-1-S-20260513	1	Benzene	Sample	0.32	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:52	5/27/2026	11:34
SPRSEA-1-S-20260513	1	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:52	5/27/2026	11:34
SPRSEA-1-S-20260513	1	m-/p-Xylenes	Sample	0.294	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:52	5/27/2026	11:34
SPRSEA-1-S-20260513	1	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:52	5/27/2026	11:34
SPRSEA-1-S-20260513	1	Toluene	Sample	0.724	ug/m3	0.243	ug/m3		Y	5/13/2026	12:52	5/27/2026	11:34
SPRSEA-2-S-20260513	2	Benzene	Sample	0.323	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:44	5/27/2026	11:30
SPRSEA-2-S-20260513	2	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:44	5/27/2026	11:30
SPRSEA-2-S-20260513	2	m-/p-Xylenes	Sample	0.325	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:44	5/27/2026	11:30
SPRSEA-2-S-20260513	2	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:44	5/27/2026	11:30
SPRSEA-2-S-20260513	2	Toluene	Sample	0.659	ug/m3	0.243	ug/m3		Y	5/13/2026	12:44	5/27/2026	11:30
SPRSEA-3-S-20260513	3	Benzene	Sample	0.45	ug/m3	0.189	ug/m3	J,Fe	Y	5/13/2026	12:40	5/27/2026	11:23
SPRSEA-3-S-20260513	3	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND,Fe	N	5/13/2026	12:40	5/27/2026	11:23
SPRSEA-3-S-20260513	3	m-/p-Xylenes	Sample	0.603	ug/m3	0.275	ug/m3	J,Fe	Y	5/13/2026	12:40	5/27/2026	11:23
SPRSEA-3-S-20260513	3	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND,Fe	N	5/13/2026	12:40	5/27/2026	11:23
SPRSEA-3-S-20260513	3	Toluene	Sample	1.07	ug/m3	0.243	ug/m3	Fe	Y	5/13/2026	12:40	5/27/2026	11:23
SPRSEA-4-S-20260513	4	Benzene	Sample	0.35	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:35	5/27/2026	10:50
SPRSEA-4-S-20260513	4	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/13/2026	12:35	5/27/2026	10:50
SPRSEA-4-S-20260513	4	m-/p-Xylenes	Sample	0.298	ug/m3	0.276	ug/m3	J	Y	5/13/2026	12:35	5/27/2026	10:50
SPRSEA-4-S-20260513	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/13/2026	12:35	5/27/2026	10:50
SPRSEA-4-S-20260513	4	Toluene	Sample	0.741	ug/m3	0.244	ug/m3		Y	5/13/2026	12:35	5/27/2026	10:50
SPRSEA-5-S-20260513	5	Benzene	Sample	0.348	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:30	5/27/2026	11:19
SPRSEA-5-S-20260513	5	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:30	5/27/2026	11:19
SPRSEA-5-S-20260513	5	m-/p-Xylenes	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:30	5/27/2026	11:19
SPRSEA-5-S-20260513	5	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:30	5/27/2026	11:19
SPRSEA-5-S-20260513	5	Toluene	Sample	0.555	ug/m3	0.243	ug/m3		Y	5/13/2026	12:30	5/27/2026	11:19
SPRSEA-6-S-20260513	6	Benzene	Sample	0.24	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-S-20260513	6	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-S-20260513	6	m-/p-Xylenes	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-S-20260513	6	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-S-20260513	6	Toluene	Sample	0.444	ug/m3	0.243	ug/m3	J	Y	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-D-20260513	6	Benzene	Duplicate	0.278	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-D-20260513	6	Ethylbenzene	Duplicate	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-6-D-20260513	6	m-/p-Xylenes	Duplicate	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-D-20260513	6	o-Xylene	Duplicate	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-D-20260513	6	Toluene	Duplicate	0.394	ug/m3	0.243	ug/m3	J	Y	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-B-20260513	6	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-B-20260513	6	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-B-20260513	6	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-B-20260513	6	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-6-B-20260513	6	Toluene	Blank	<0.243	ug/m3	0.243	ug/m3	ND	N	5/13/2026	12:27	5/27/2026	11:16
SPRSEA-7-S-20260513	7	Benzene	Sample	0.229	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:20	5/27/2026	11:11
SPRSEA-7-S-20260513	7	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:20	5/27/2026	11:11
SPRSEA-7-S-20260513	7	m-/p-Xylenes	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:20	5/27/2026	11:11
SPRSEA-7-S-20260513	7	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:20	5/27/2026	11:11
SPRSEA-7-S-20260513	7	Toluene	Sample	0.395	ug/m3	0.243	ug/m3	J	Y	5/13/2026	12:20	5/27/2026	11:11
SPRSEA-8-S-20260513	8	Benzene	Sample	0.237	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:15	5/27/2026	11:07
SPRSEA-8-S-20260513	8	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:15	5/27/2026	11:07
SPRSEA-8-S-20260513	8	m-/p-Xylenes	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:15	5/27/2026	11:07
SPRSEA-8-S-20260513	8	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:15	5/27/2026	11:07
SPRSEA-8-S-20260513	8	Toluene	Sample	0.46	ug/m3	0.243	ug/m3	J	Y	5/13/2026	12:15	5/27/2026	11:07
SPRSEA-9-S-20260513	9	Benzene	Sample	0.403	ug/m3	0.189	ug/m3	J	Y	5/13/2026	12:10	5/27/2026	11:05
SPRSEA-9-S-20260513	9	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:10	5/27/2026	11:05
SPRSEA-9-S-20260513	9	m-/p-Xylenes	Sample	0.729	ug/m3	0.275	ug/m3		Y	5/13/2026	12:10	5/27/2026	11:05
SPRSEA-9-S-20260513	9	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:10	5/27/2026	11:05
SPRSEA-9-S-20260513	9	Toluene	Sample	1.3	ug/m3	0.243	ug/m3		Y	5/13/2026	12:10	5/27/2026	11:05
SPRSEA-10-S-20260513	10	Benzene	Sample	1.22	ug/m3	0.189	ug/m3		Y	5/13/2026	12:05	5/27/2026	11:01
SPRSEA-10-S-20260513	10	Ethylbenzene	Sample	0.674	ug/m3	0.275	ug/m3		Y	5/13/2026	12:05	5/27/2026	11:01
SPRSEA-10-S-20260513	10	m-/p-Xylenes	Sample	2.24	ug/m3	0.275	ug/m3		Y	5/13/2026	12:05	5/27/2026	11:01
SPRSEA-10-S-20260513	10	o-Xylene	Sample	0.883	ug/m3	0.275	ug/m3		Y	5/13/2026	12:05	5/27/2026	11:01
SPRSEA-10-S-20260513	10	Toluene	Sample	4.6	ug/m3	0.243	ug/m3		Y	5/13/2026	12:05	5/27/2026	11:01
SPRSEA-11-S-20260513	11	Benzene	Sample	0.941	ug/m3	0.189	ug/m3		Y	5/13/2026	13:02	5/27/2026	11:45
SPRSEA-11-S-20260513	11	Ethylbenzene	Sample	0.437	ug/m3	0.275	ug/m3	J	Y	5/13/2026	13:02	5/27/2026	11:45
SPRSEA-11-S-20260513	11	m-/p-Xylenes	Sample	1.39	ug/m3	0.275	ug/m3		Y	5/13/2026	13:02	5/27/2026	11:45
SPRSEA-11-S-20260513	11	o-Xylene	Sample	0.468	ug/m3	0.275	ug/m3	J	Y	5/13/2026	13:02	5/27/2026	11:45

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-11-S-20260513	11	Toluene	Sample	3.03	ug/m3	0.243	ug/m3		Y	5/13/2026	13:02	5/27/2026	11:45
SPRSEA-12-S-20260513	12	Benzene	Sample	0.672	ug/m3	0.189	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-S-20260513	12	Ethylbenzene	Sample	0.33	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-S-20260513	12	m-/p-Xylenes	Sample	1.12	ug/m3	0.275	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-S-20260513	12	o-Xylene	Sample	0.36	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-S-20260513	12	Toluene	Sample	2.23	ug/m3	0.243	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-D-20260513	12	Benzene	Duplicate	0.622	ug/m3	0.189	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-D-20260513	12	Ethylbenzene	Duplicate	0.342	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-D-20260513	12	m-/p-Xylenes	Duplicate	0.972	ug/m3	0.275	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-D-20260513	12	o-Xylene	Duplicate	0.366	ug/m3	0.275	ug/m3	J	Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-D-20260513	12	Toluene	Duplicate	2.12	ug/m3	0.243	ug/m3		Y	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-B-20260513	12	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-B-20260513	12	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-B-20260513	12	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-B-20260513	12	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-12-B-20260513	12	Toluene	Blank	<0.243	ug/m3	0.243	ug/m3	ND	N	5/13/2026	12:57	5/27/2026	11:40
SPRSEA-1-S-20260527	1	Benzene	Sample	0.33	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:34	6/10/2026	12:29
SPRSEA-1-S-20260527	1	Ethylbenzene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	5/27/2026	11:34	6/10/2026	12:29
SPRSEA-1-S-20260527	1	m-/p-Xylenes	Sample	0.322	ug/m3	0.273	ug/m3	J,P	Y	5/27/2026	11:34	6/10/2026	12:29
SPRSEA-1-S-20260527	1	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	5/27/2026	11:34	6/10/2026	12:29
SPRSEA-1-S-20260527	1	Toluene	Sample	0.978	ug/m3	0.242	ug/m3		Y	5/27/2026	11:34	6/10/2026	12:29
SPRSEA-2-S-20260527	2	Benzene	Sample	0.446	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:30	6/10/2026	12:17
SPRSEA-2-S-20260527	2	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:30	6/10/2026	12:17
SPRSEA-2-S-20260527	2	m-/p-Xylenes	Sample	0.427	ug/m3	0.274	ug/m3	J,P	Y	5/27/2026	11:30	6/10/2026	12:17
SPRSEA-2-S-20260527	2	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:30	6/10/2026	12:17
SPRSEA-2-S-20260527	2	Toluene	Sample	1.04	ug/m3	0.242	ug/m3		Y	5/27/2026	11:30	6/10/2026	12:17
SPRSEA-3-S-20260527	3	Benzene	Sample	0.398	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:23	6/10/2026	12:12
SPRSEA-3-S-20260527	3	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:23	6/10/2026	12:12
SPRSEA-3-S-20260527	3	m-/p-Xylenes	Sample	0.396	ug/m3	0.274	ug/m3	J,P	Y	5/27/2026	11:23	6/10/2026	12:12
SPRSEA-3-S-20260527	3	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:23	6/10/2026	12:12
SPRSEA-3-S-20260527	3	Toluene	Sample	1.14	ug/m3	0.242	ug/m3		Y	5/27/2026	11:23	6/10/2026	12:12
SPRSEA-4-S-20260527	4	Benzene	Sample	0.404	ug/m3	0.188	ug/m3	J	Y	5/27/2026	10:50	6/10/2026	11:23

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-4-S-20260527	4	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	10:50	6/10/2026	11:23
SPRSEA-4-S-20260527	4	m-/p-Xylenes	Sample	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	10:50	6/10/2026	11:23
SPRSEA-4-S-20260527	4	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	10:50	6/10/2026	11:23
SPRSEA-4-S-20260527	4	Toluene	Sample	0.601	ug/m3	0.242	ug/m3		Y	5/27/2026	10:50	6/10/2026	11:23
SPRSEA-5-S-20260527	5	Benzene	Sample	0.255	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:19	6/10/2026	12:08
SPRSEA-5-S-20260527	5	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:19	6/10/2026	12:08
SPRSEA-5-S-20260527	5	m-/p-Xylenes	Sample	0.3	ug/m3	0.274	ug/m3	J,P	Y	5/27/2026	11:19	6/10/2026	12:08
SPRSEA-5-S-20260527	5	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:19	6/10/2026	12:08
SPRSEA-5-S-20260527	5	Toluene	Sample	0.624	ug/m3	0.242	ug/m3		Y	5/27/2026	11:19	6/10/2026	12:08
SPRSEA-6-S-20260527	6	Benzene	Sample	0.201	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-S-20260527	6	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-S-20260527	6	m-/p-Xylenes	Sample	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-S-20260527	6	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-S-20260527	6	Toluene	Sample	0.418	ug/m3	0.242	ug/m3	J	Y	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-D-20260527	6	Benzene	Duplicate	0.258	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-D-20260527	6	Ethylbenzene	Duplicate	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-D-20260527	6	m-/p-Xylenes	Duplicate	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-D-20260527	6	o-Xylene	Duplicate	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-D-20260527	6	Toluene	Duplicate	0.342	ug/m3	0.242	ug/m3	J	Y	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-B-20260527	6	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-B-20260527	6	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-B-20260527	6	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-B-20260527	6	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-6-B-20260527	6	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	5/27/2026	11:16	6/10/2026	12:05
SPRSEA-7-S-20260527	7	Benzene	Sample	0.207	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:11	6/10/2026	11:56
SPRSEA-7-S-20260527	7	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:11	6/10/2026	11:56
SPRSEA-7-S-20260527	7	m-/p-Xylenes	Sample	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:11	6/10/2026	11:56
SPRSEA-7-S-20260527	7	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:11	6/10/2026	11:56
SPRSEA-7-S-20260527	7	Toluene	Sample	0.338	ug/m3	0.242	ug/m3	J	Y	5/27/2026	11:11	6/10/2026	11:56
SPRSEA-8-S-20260527	8	Benzene	Sample	<0.188	ug/m3	0.188	ug/m3	ND	N	5/27/2026	11:07	6/10/2026	11:45
SPRSEA-8-S-20260527	8	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:07	6/10/2026	11:45
SPRSEA-8-S-20260527	8	m-/p-Xylenes	Sample	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:07	6/10/2026	11:45

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-8-S-20260527	8	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:07	6/10/2026	11:45
SPRSEA-8-S-20260527	8	Toluene	Sample	0.309	ug/m3	0.242	ug/m3	J	Y	5/27/2026	11:07	6/10/2026	11:45
SPRSEA-9-S-20260527	9	Benzene	Sample	0.275	ug/m3	0.188	ug/m3	J	Y	5/27/2026	11:05	6/10/2026	11:41
SPRSEA-9-S-20260527	9	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:05	6/10/2026	11:41
SPRSEA-9-S-20260527	9	m-/p-Xylenes	Sample	0.413	ug/m3	0.274	ug/m3	J,P	Y	5/27/2026	11:05	6/10/2026	11:41
SPRSEA-9-S-20260527	9	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:05	6/10/2026	11:41
SPRSEA-9-S-20260527	9	Toluene	Sample	0.755	ug/m3	0.242	ug/m3		Y	5/27/2026	11:05	6/10/2026	11:41
SPRSEA-10-S-20260527	10	Benzene	Sample	0.827	ug/m3	0.188	ug/m3		Y	5/27/2026	11:01	6/10/2026	11:37
SPRSEA-10-S-20260527	10	Ethylbenzene	Sample	0.494	ug/m3	0.274	ug/m3	J	Y	5/27/2026	11:01	6/10/2026	11:37
SPRSEA-10-S-20260527	10	m-/p-Xylenes	Sample	1.83	ug/m3	0.274	ug/m3	P	Y	5/27/2026	11:01	6/10/2026	11:37
SPRSEA-10-S-20260527	10	o-Xylene	Sample	0.658	ug/m3	0.274	ug/m3	Pc	Y	5/27/2026	11:01	6/10/2026	11:37
SPRSEA-10-S-20260527	10	Toluene	Sample	2.98	ug/m3	0.242	ug/m3		Y	5/27/2026	11:01	6/10/2026	11:37
SPRSEA-11-S-20260527	11	Benzene	Sample	1.33	ug/m3	0.188	ug/m3		Y	5/27/2026	11:45	6/10/2026	12:22
SPRSEA-11-S-20260527	11	Ethylbenzene	Sample	0.805	ug/m3	0.274	ug/m3		Y	5/27/2026	11:45	6/10/2026	12:22
SPRSEA-11-S-20260527	11	m-/p-Xylenes	Sample	2.47	ug/m3	0.274	ug/m3	P	Y	5/27/2026	11:45	6/10/2026	12:22
SPRSEA-11-S-20260527	11	o-Xylene	Sample	0.947	ug/m3	0.274	ug/m3	Pc	Y	5/27/2026	11:45	6/10/2026	12:22
SPRSEA-11-S-20260527	11	Toluene	Sample	5.29	ug/m3	0.242	ug/m3		Y	5/27/2026	11:45	6/10/2026	12:22
SPRSEA-12-S-20260527	12	Benzene	Sample	0.724	ug/m3	0.188	ug/m3		Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-S-20260527	12	Ethylbenzene	Sample	0.417	ug/m3	0.274	ug/m3	J	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-S-20260527	12	m-/p-Xylenes	Sample	1.56	ug/m3	0.274	ug/m3	P	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-S-20260527	12	o-Xylene	Sample	0.577	ug/m3	0.274	ug/m3	J,Pc	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-S-20260527	12	Toluene	Sample	2.73	ug/m3	0.242	ug/m3		Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-D-20260527	12	Benzene	Duplicate	0.726	ug/m3	0.188	ug/m3		Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-D-20260527	12	Ethylbenzene	Duplicate	0.412	ug/m3	0.274	ug/m3	J	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-D-20260527	12	m-/p-Xylenes	Duplicate	1	ug/m3	0.274	ug/m3	P	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-D-20260527	12	o-Xylene	Duplicate	0.352	ug/m3	0.274	ug/m3	J,Pc	Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-D-20260527	12	Toluene	Duplicate	2.64	ug/m3	0.242	ug/m3		Y	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-B-20260527	12	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-B-20260527	12	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-B-20260527	12	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND,P	N	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-B-20260527	12	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND,Pc	N	5/27/2026	11:40	6/10/2026	12:34
SPRSEA-12-B-20260527	12	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	5/27/2026	11:40	6/10/2026	12:34

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-1-S-20260610	1	Benzene	Sample	0.371	ug/m3	0.187	ug/m3	J	Y	6/10/2026	12:29	6/24/2026	13:02
SPRSEA-1-S-20260610	1	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:29	6/24/2026	13:02
SPRSEA-1-S-20260610	1	m-/p-Xylenes	Sample	0.301	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	12:29	6/24/2026	13:02
SPRSEA-1-S-20260610	1	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:29	6/24/2026	13:02
SPRSEA-1-S-20260610	1	Toluene	Sample	0.675	ug/m3	0.24	ug/m3		Y	6/10/2026	12:29	6/24/2026	13:02
SPRSEA-2-S-20260610	2	Benzene	Sample	0.263	ug/m3	0.187	ug/m3	J	Y	6/10/2026	12:17	6/24/2026	12:50
SPRSEA-2-S-20260610	2	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:17	6/24/2026	12:50
SPRSEA-2-S-20260610	2	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:17	6/24/2026	12:50
SPRSEA-2-S-20260610	2	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:17	6/24/2026	12:50
SPRSEA-2-S-20260610	2	Toluene	Sample	0.527	ug/m3	0.24	ug/m3		Y	6/10/2026	12:17	6/24/2026	12:50
SPRSEA-3-S-20260610	3	Benzene	Sample	0.451	ug/m3	0.187	ug/m3		Y	6/10/2026	12:12	6/24/2026	12:44
SPRSEA-3-S-20260610	3	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:12	6/24/2026	12:44
SPRSEA-3-S-20260610	3	m-/p-Xylenes	Sample	0.481	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	12:12	6/24/2026	12:44
SPRSEA-3-S-20260610	3	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:12	6/24/2026	12:44
SPRSEA-3-S-20260610	3	Toluene	Sample	0.906	ug/m3	0.241	ug/m3		Y	6/10/2026	12:12	6/24/2026	12:44
SPRSEA-4-S-20260610	4	Benzene	Sample	0.308	ug/m3	0.186	ug/m3	J	Y	6/10/2026	11:23	6/24/2026	12:13
SPRSEA-4-S-20260610	4	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	11:23	6/24/2026	12:13
SPRSEA-4-S-20260610	4	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:23	6/24/2026	12:13
SPRSEA-4-S-20260610	4	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:23	6/24/2026	12:13
SPRSEA-4-S-20260610	4	Toluene	Sample	0.577	ug/m3	0.24	ug/m3		Y	6/10/2026	11:23	6/24/2026	12:13
SPRSEA-5-S-20260610	5	Benzene	Sample	0.414	ug/m3	0.187	ug/m3	J	Y	6/10/2026	12:08	6/24/2026	12:40
SPRSEA-5-S-20260610	5	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:08	6/24/2026	12:40
SPRSEA-5-S-20260610	5	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:08	6/24/2026	12:40
SPRSEA-5-S-20260610	5	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:08	6/24/2026	12:40
SPRSEA-5-S-20260610	5	Toluene	Sample	0.813	ug/m3	0.241	ug/m3		Y	6/10/2026	12:08	6/24/2026	12:40
SPRSEA-6-S-20260610	6	Benzene	Sample	0.342	ug/m3	0.187	ug/m3	J	Y	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-S-20260610	6	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-S-20260610	6	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-S-20260610	6	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-S-20260610	6	Toluene	Sample	0.486	ug/m3	0.24	ug/m3	J	Y	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-D-20260610	6	Benzene	Duplicate	0.259	ug/m3	0.187	ug/m3	J	Y	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-D-20260610	6	Ethylbenzene	Duplicate	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:05	6/24/2026	12:38

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-6-D-20260610	6	m-/p-Xylenes	Duplicate	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-D-20260610	6	o-Xylene	Duplicate	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-D-20260610	6	Toluene	Duplicate	0.476	ug/m3	0.24	ug/m3	J	Y	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-B-20260610	6	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-B-20260610	6	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-B-20260610	6	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-B-20260610	6	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-6-B-20260610	6	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	6/10/2026	12:05	6/24/2026	12:38
SPRSEA-7-S-20260610	7	Benzene	Sample	0.29	ug/m3	0.187	ug/m3	J	Y	6/10/2026	11:56	6/24/2026	12:33
SPRSEA-7-S-20260610	7	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	11:56	6/24/2026	12:33
SPRSEA-7-S-20260610	7	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:56	6/24/2026	12:33
SPRSEA-7-S-20260610	7	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:56	6/24/2026	12:33
SPRSEA-7-S-20260610	7	Toluene	Sample	0.347	ug/m3	0.24	ug/m3	J	Y	6/10/2026	11:56	6/24/2026	12:33
SPRSEA-8-S-20260610	8	Benzene	Sample	0.3	ug/m3	0.187	ug/m3	J	Y	6/10/2026	11:45	6/24/2026	12:28
SPRSEA-8-S-20260610	8	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	11:45	6/24/2026	12:28
SPRSEA-8-S-20260610	8	m-/p-Xylenes	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:45	6/24/2026	12:28
SPRSEA-8-S-20260610	8	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:45	6/24/2026	12:28
SPRSEA-8-S-20260610	8	Toluene	Sample	0.506	ug/m3	0.24	ug/m3	J	Y	6/10/2026	11:45	6/24/2026	12:28
SPRSEA-9-S-20260610	9	Benzene	Sample	0.747	ug/m3	0.187	ug/m3		Y	6/10/2026	11:41	6/24/2026	12:26
SPRSEA-9-S-20260610	9	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	11:41	6/24/2026	12:26
SPRSEA-9-S-20260610	9	m-/p-Xylenes	Sample	0.393	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	11:41	6/24/2026	12:26
SPRSEA-9-S-20260610	9	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	11:41	6/24/2026	12:26
SPRSEA-9-S-20260610	9	Toluene	Sample	1.18	ug/m3	0.24	ug/m3		Y	6/10/2026	11:41	6/24/2026	12:26
SPRSEA-10-S-20260610	10	Benzene	Sample	1.23	ug/m3	0.187	ug/m3		Y	6/10/2026	11:37	6/24/2026	12:22
SPRSEA-10-S-20260610	10	Ethylbenzene	Sample	0.58	ug/m3	0.272	ug/m3	J	Y	6/10/2026	11:37	6/24/2026	12:22
SPRSEA-10-S-20260610	10	m-/p-Xylenes	Sample	1.97	ug/m3	0.272	ug/m3	Pc	Y	6/10/2026	11:37	6/24/2026	12:22
SPRSEA-10-S-20260610	10	o-Xylene	Sample	0.78	ug/m3	0.272	ug/m3	Pc	Y	6/10/2026	11:37	6/24/2026	12:22
SPRSEA-10-S-20260610	10	Toluene	Sample	4.27	ug/m3	0.24	ug/m3		Y	6/10/2026	11:37	6/24/2026	12:22
SPRSEA-11-S-20260610	11	Benzene	Sample	0.737	ug/m3	0.187	ug/m3		Y	6/10/2026	12:22	6/24/2026	12:59
SPRSEA-11-S-20260610	11	Ethylbenzene	Sample	0.364	ug/m3	0.272	ug/m3	J	Y	6/10/2026	12:22	6/24/2026	12:59
SPRSEA-11-S-20260610	11	m-/p-Xylenes	Sample	0.95	ug/m3	0.272	ug/m3	Pc	Y	6/10/2026	12:22	6/24/2026	12:59
SPRSEA-11-S-20260610	11	o-Xylene	Sample	0.391	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	12:22	6/24/2026	12:59

Sprague Searsport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSEA-11-S-20260610	11	Toluene	Sample	2.13	ug/m3	0.24	ug/m3		Y	6/10/2026	12:22	6/24/2026	12:59
SPRSEA-12-S-20260610	12	Benzene	Sample	0.64	ug/m3	0.187	ug/m3		Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-S-20260610	12	Ethylbenzene	Sample	0.345	ug/m3	0.272	ug/m3	J	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-S-20260610	12	m-/p-Xylenes	Sample	0.834	ug/m3	0.272	ug/m3	Pc	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-S-20260610	12	o-Xylene	Sample	0.34	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-S-20260610	12	Toluene	Sample	1.95	ug/m3	0.24	ug/m3		Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-D-20260610	12	Benzene	Duplicate	0.75	ug/m3	0.187	ug/m3		Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-D-20260610	12	Ethylbenzene	Duplicate	0.359	ug/m3	0.272	ug/m3	J	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-D-20260610	12	m-/p-Xylenes	Duplicate	1.26	ug/m3	0.272	ug/m3	Pc	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-D-20260610	12	o-Xylene	Duplicate	0.504	ug/m3	0.272	ug/m3	J,Pc	Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-D-20260610	12	Toluene	Duplicate	2.3	ug/m3	0.24	ug/m3		Y	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-B-20260610	12	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-B-20260610	12	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-B-20260610	12	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-B-20260610	12	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	6/10/2026	12:34	6/24/2026	13:08
SPRSEA-12-B-20260610	12	Toluene	Blank	<0.24	ug/m3	0.24	ug/m3	ND	N	6/10/2026	12:34	6/24/2026	13:08

FLM Data Flag Abbreviations - EPA Method 325B	
FLAG	**EXPLANATION**
ND	The analyte was not present above the Method Detection Limit
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit
Fe	Field Error. See report narrative for details
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
3/18/26 12:00	4.1	261	-3.9	1021
3/18/26 13:00	4.2	272	-3.4	1021
3/18/26 14:00	4.1	294	-2.5	1020
3/18/26 15:00	3.3	289	-2.0	1020
3/18/26 16:00	2.4	270	-1.9	1020
3/18/26 17:00	1.9	245	-2.0	1021
3/18/26 18:00	1.7	214	-2.2	1022
3/18/26 19:00	1.7	185	-3.0	1023
3/18/26 20:00	1.7	183	-4.7	1023
3/18/26 21:00	1.4	176	-4.8	1024
3/18/26 22:00	1.7	150	-6.4	1024
3/18/26 23:00	1.3	154	-6.7	1023
3/19/26 0:00	1.7	141	-6.0	1023
3/19/26 1:00	1.5	143	-5.9	1023
3/19/26 2:00	1.7	130	-6.3	1023
3/19/26 3:00	1.5	143	-7.2	1022
3/19/26 4:00	ND	ND	-7.5	1022
3/19/26 5:00	ND	ND	-6.9	1022
3/19/26 6:00	ND	ND	-6.5	1022
3/19/26 7:00	1.7	114	-5.8	1022
3/19/26 8:00	2.5	114	-3.9	1022
3/19/26 9:00	4.0	142	-1.9	1021
3/19/26 10:00	4.9	138	-1.1	1021
3/19/26 11:00	4.0	149	-0.3	1020
3/19/26 12:00	5.9	162	0.8	1019
3/19/26 13:00	5.4	165	1.1	1018
3/19/26 14:00	6.1	179	0.9	1017
3/19/26 15:00	5.7	183	1.0	1017
3/19/26 16:00	5.9	183	0.9	1016
3/19/26 17:00	4.9	184	0.7	1015
3/19/26 18:00	4.6	175	-0.2	1015
3/19/26 19:00	3.6	157	-1.0	1015
3/19/26 20:00	3.1	155	-1.1	1015
3/19/26 21:00	3.7	163	-1.1	1014
3/19/26 22:00	3.1	163	-1.5	1014
3/19/26 23:00	3.0	166	-1.1	1013
3/20/26 0:00	3.1	172	-1.1	1012
3/20/26 1:00	3.1	185	-1.1	1012
3/20/26 2:00	3.0	194	-1.0	1011
3/20/26 3:00	2.0	194	-1.0	1011
3/20/26 4:00	2.1	201	-1.2	1010
3/20/26 5:00	1.7	209	-2.3	1010
3/20/26 6:00	ND	ND	-3.8	1011
3/20/26 7:00	1.6	215	-2.1	1011
3/20/26 8:00	2.1	208	0.2	1011
3/20/26 9:00	2.6	259	3.0	1011
3/20/26 10:00	3.5	254	4.2	1010

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/20/26 11:00	2.5	211	5.6	1009
3/20/26 12:00	3.4	220	6.1	1008
3/20/26 13:00	5.1	187	6.8	1007
3/20/26 14:00	6.5	186	5.9	1006
3/20/26 15:00	6.5	183	4.6	1005
3/20/26 16:00	5.6	177	3.8	1004
3/20/26 17:00	3.6	184	3.0	1004
3/20/26 18:00	2.5	145	1.5	1004
3/20/26 19:00	1.8	78	1.0	1003
3/20/26 20:00	2.5	73	1.0	1003
3/20/26 21:00	2.3	70	1.0	1002
3/20/26 22:00	1.7	31	0.9	1002
3/20/26 23:00	1.8	356	1.0	1001
3/21/26 0:00	2.0	357	0.9	1001
3/21/26 1:00	2.1	344	1.0	1001
3/21/26 2:00	2.3	358	0.9	1001
3/21/26 3:00	3.0	359	0.2	1001
3/21/26 4:00	3.8	356	0.0	1001
3/21/26 5:00	4.1	357	0.0	1001
3/21/26 6:00	4.3	3	0.1	1001
3/21/26 7:00	4.0	358	0.0	1001
3/21/26 8:00	5.3	359	0.7	1002
3/21/26 9:00	6.0	3	0.9	1002
3/21/26 10:00	6.5	358	1.1	1003
3/21/26 11:00	6.1	352	1.2	1003
3/21/26 12:00	5.5	345	2.1	1003
3/21/26 13:00	4.7	355	1.8	1003
3/21/26 14:00	7.6	331	2.8	1003
3/21/26 15:00	7.9	321	3.4	1004
3/21/26 16:00	6.8	324	2.9	1004
3/21/26 17:00	7.1	328	2.1	1005
3/21/26 18:00	5.9	315	1.2	1006
3/21/26 19:00	4.2	321	-0.3	1007
3/21/26 20:00	1.9	285	-1.0	1008
3/21/26 21:00	1.9	264	-1.7	1008
3/21/26 22:00	2.5	273	-2.0	1008
3/21/26 23:00	2.8	258	-2.2	1008
3/22/26 0:00	2.1	256	-2.0	1008
3/22/26 1:00	2.4	260	-2.0	1008
3/22/26 2:00	1.5	257	-2.0	1008
3/22/26 3:00	1.5	280	-2.1	1008
3/22/26 4:00	ND	ND	-2.1	1008
3/22/26 5:00	1.6	20	-2.1	1008
3/22/26 6:00	1.5	85	-2.2	1008
3/22/26 7:00	2.2	58	-2.1	1009
3/22/26 8:00	2.9	62	-1.6	1009
3/22/26 9:00	3.0	78	-1.2	1009
3/22/26 10:00	2.5	110	-2.6	1009
3/22/26 11:00	2.7	106	-2.2	1008

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/22/26 12:00	3.0	83	-2.0	1007
3/22/26 13:00	4.0	87	-1.6	1006
3/22/26 14:00	4.4	101	-1.1	1006
3/22/26 15:00	3.8	90	-1.0	1005
3/22/26 16:00	3.4	81	-0.9	1004
3/22/26 17:00	3.2	74	-1.0	1004
3/22/26 18:00	2.6	70	-0.7	1003
3/22/26 19:00	3.4	52	-0.6	1004
3/22/26 20:00	3.9	49	-1.1	1005
3/22/26 21:00	3.1	39	-1.4	1005
3/22/26 22:00	4.2	31	-2.0	1006
3/22/26 23:00	4.1	20	-1.9	1006
3/23/26 0:00	4.2	20	-2.0	1007
3/23/26 1:00	4.7	30	-2.0	1006
3/23/26 2:00	4.2	31	-2.1	1006
3/23/26 3:00	4.5	34	-2.1	1006
3/23/26 4:00	4.8	27	-2.1	1006
3/23/26 5:00	3.8	19	-2.1	1006
3/23/26 6:00	4.8	20	-2.1	1006
3/23/26 7:00	3.5	25	-2.0	1007
3/23/26 8:00	3.5	27	-2.0	1007
3/23/26 9:00	5.3	34	-1.8	1007
3/23/26 10:00	5.8	39	-2.0	1008
3/23/26 11:00	4.3	39	-1.1	1007
3/23/26 12:00	5.8	38	-1.1	1007
3/23/26 13:00	5.7	39	-1.1	1007
3/23/26 14:00	5.1	36	-1.1	1007
3/23/26 15:00	5.6	34	-1.1	1007
3/23/26 16:00	4.4	38	-1.1	1008
3/23/26 17:00	4.8	22	-1.7	1009
3/23/26 18:00	4.0	13	-2.0	1009
3/23/26 19:00	3.6	352	-2.0	1010
3/23/26 20:00	3.8	5	-2.0	1010
3/23/26 21:00	2.3	327	-2.9	1011
3/23/26 22:00	3.0	358	-3.2	1011
3/23/26 23:00	2.7	343	-4.8	1012
3/24/26 0:00	3.4	340	-6.4	1012
3/24/26 1:00	3.5	345	-7.2	1012
3/24/26 2:00	3.2	344	-8.1	1013
3/24/26 3:00	3.1	339	-9.0	1014
3/24/26 4:00	4.1	332	-9.2	1014
3/24/26 5:00	2.2	328	-9.5	1015
3/24/26 6:00	ND	ND	-11.7	1016
3/24/26 7:00	ND	ND	-11.8	1017
3/24/26 8:00	ND	ND	-9.4	1018
3/24/26 9:00	0.9	ND	-4.5	1018
3/24/26 10:00	2.7	313	-2.3	1018
3/24/26 11:00	2.5	329	-0.8	1018
3/24/26 12:00	2.6	331	0.9	1017

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/24/26 13:00	2.5	312	1.4	1017
3/24/26 14:00	2.8	276	2.1	1016
3/24/26 15:00	3.6	268	2.9	1016
3/24/26 16:00	3.5	243	3.0	1016
3/24/26 17:00	2.9	237	3.0	1016
3/24/26 18:00	2.3	223	2.2	1015
3/24/26 19:00	1.7	198	1.0	1016
3/24/26 20:00	2.5	189	0.8	1015
3/24/26 21:00	3.8	198	0.9	1015
3/24/26 22:00	4.3	204	0.4	1015
3/24/26 23:00	4.3	197	-0.1	1015
3/25/26 0:00	1.3	212	-0.1	1014
3/25/26 1:00	1.7	248	-0.5	1014
3/25/26 2:00	1.6	269	-1.0	1014
3/25/26 3:00	1.4	243	-1.7	1014
3/25/26 4:00	1.3	242	-2.1	1015
3/25/26 5:00	1.6	195	-3.0	1015
3/25/26 6:00	1.5	170	-5.3	1015
3/25/26 7:00	1.9	190	-2.6	1015
3/25/26 8:00	3.9	250	0.6	1016
3/25/26 9:00	4.8	274	2.0	1016
3/25/26 10:00	6.9	296	3.0	1016
3/25/26 11:00	7.5	301	3.0	1016
3/25/26 12:00	7.0	304	3.5	1017
3/25/26 13:00	6.0	300	4.1	1017
3/25/26 14:00	5.3	299	4.5	1017
3/25/26 15:00	5.0	287	5.5	1016
3/25/26 16:00	3.9	274	5.7	1016
3/25/26 17:00	3.3	264	5.2	1016
3/25/26 18:00	2.3	281	3.9	1016
3/25/26 19:00	1.8	150	0.2	1016
3/25/26 20:00	3.0	147	0.2	1016
3/25/26 21:00	2.0	147	-0.4	1016
3/25/26 22:00	2.0	148	-0.2	1015
3/25/26 23:00	3.4	173	1.6	1014
3/26/26 0:00	4.5	171	2.8	1014
3/26/26 1:00	3.3	154	1.3	1013
3/26/26 2:00	3.9	159	1.6	1011
3/26/26 3:00	5.0	182	2.0	1010
3/26/26 4:00	4.3	194	2.0	1009
3/26/26 5:00	5.1	186	2.0	1008
3/26/26 6:00	4.0	189	2.0	1007
3/26/26 7:00	4.0	187	2.3	1007
3/26/26 8:00	3.5	189	3.0	1006
3/26/26 9:00	4.0	183	3.6	1005
3/26/26 10:00	3.1	202	4.5	1004
3/26/26 11:00	4.5	197	6.8	1003
3/26/26 12:00	4.3	210	8.6	1002
3/26/26 13:00	3.4	202	10.5	1001

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/26/26 14:00	3.8	215	11.8	1000
3/26/26 15:00	4.7	188	11.2	999
3/26/26 16:00	4.8	181	8.7	999
3/26/26 17:00	4.2	183	7.6	998
3/26/26 18:00	2.8	182	7.0	998
3/26/26 19:00	2.6	181	6.9	997
3/26/26 20:00	1.7	209	6.5	997
3/26/26 21:00	1.7	191	5.9	997
3/26/26 22:00	1.7	158	5.8	996
3/26/26 23:00	1.5	186	5.9	995
3/27/26 0:00	1.5	210	5.7	995
3/27/26 1:00	3.2	355	5.6	994
3/27/26 2:00	6.7	342	5.3	994
3/27/26 3:00	5.5	332	3.9	995
3/27/26 4:00	6.0	352	3.1	997
3/27/26 5:00	6.0	358	1.6	998
3/27/26 6:00	5.1	10	0.7	1001
3/27/26 7:00	5.9	355	-0.7	1003
3/27/26 8:00	7.6	339	-0.8	1004
3/27/26 9:00	6.2	340	0.6	1006
3/27/26 10:00	6.1	333	1.0	1007
3/27/26 11:00	7.4	310	1.0	1008
3/27/26 12:00	9.0	312	1.0	1008
3/27/26 13:00	11.3	327	1.0	1009
3/27/26 14:00	10.0	331	1.1	1009
3/27/26 15:00	7.3	336	1.3	1009
3/27/26 16:00	7.5	325	1.0	1010
3/27/26 17:00	7.8	318	0.6	1010
3/27/26 18:00	6.4	318	-1.2	1011
3/27/26 19:00	4.6	316	-2.4	1013
3/27/26 20:00	5.4	329	-3.3	1014
3/27/26 21:00	6.6	337	-4.2	1015
3/27/26 22:00	5.7	341	-5.5	1016
3/27/26 23:00	5.5	327	-6.4	1016
3/28/26 0:00	4.1	330	-7.5	1017
3/28/26 1:00	3.6	331	-7.8	1017
3/28/26 2:00	3.4	343	-7.3	1017
3/28/26 3:00	3.9	13	-7.8	1017
3/28/26 4:00	3.0	11	-8.2	1018
3/28/26 5:00	4.0	28	-9.0	1019
3/28/26 6:00	2.6	30	-9.7	1020
3/28/26 7:00	3.9	13	-9.0	1021
3/28/26 8:00	3.3	13	-8.2	1021
3/28/26 9:00	2.9	2	-7.6	1022
3/28/26 10:00	2.4	359	-6.8	1022
3/28/26 11:00	3.1	339	-5.7	1021
3/28/26 12:00	3.5	334	-4.2	1021
3/28/26 13:00	3.9	321	-3.2	1020
3/28/26 14:00	4.0	304	-2.2	1020

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/28/26 15:00	4.5	334	-1.7	1019
3/28/26 16:00	2.7	2	-1.8	1019
3/28/26 17:00	2.4	334	-1.5	1019
3/28/26 18:00	2.4	53	-2.3	1019
3/28/26 19:00	1.6	111	-3.3	1020
3/28/26 20:00	1.4	144	-4.4	1021
3/28/26 21:00	1.5	152	-5.4	1021
3/28/26 22:00	1.3	209	-4.6	1022
3/28/26 23:00	1.9	210	-4.1	1022
3/29/26 0:00	1.7	229	-4.1	1022
3/29/26 1:00	1.5	210	-5.9	1023
3/29/26 2:00	0.8	230	-6.3	1023
3/29/26 3:00	1.5	190	-7.1	1022
3/29/26 4:00	1.5	180	-7.4	1023
3/29/26 5:00	1.5	ND	-8.0	1023
3/29/26 6:00	1.6	197	-7.8	1024
3/29/26 7:00	2.0	209	-4.9	1024
3/29/26 8:00	2.7	215	-2.1	1024
3/29/26 9:00	5.2	248	0.5	1024
3/29/26 10:00	5.2	239	1.6	1024
3/29/26 11:00	5.5	235	2.3	1023
3/29/26 12:00	5.5	225	3.6	1022
3/29/26 13:00	5.4	217	4.0	1021
3/29/26 14:00	5.6	240	4.6	1020
3/29/26 15:00	5.6	239	5.5	1020
3/29/26 16:00	4.5	243	5.9	1019
3/29/26 17:00	4.2	248	5.9	1019
3/29/26 18:00	3.4	229	5.4	1019
3/29/26 19:00	3.5	193	3.8	1020
3/29/26 20:00	4.3	188	2.0	1020
3/29/26 21:00	3.7	192	1.4	1019
3/29/26 22:00	2.4	173	0.1	1019
3/29/26 23:00	1.8	160	-1.4	1019
3/30/26 0:00	2.4	195	-1.7	1018
3/30/26 1:00	1.9	210	-0.5	1018
3/30/26 2:00	2.0	204	0.4	1017
3/30/26 3:00	2.0	205	0.7	1016
3/30/26 4:00	1.5	200	0.9	1016
3/30/26 5:00	1.5	187	0.7	1015
3/30/26 6:00	3.6	182	1.9	1014
3/30/26 7:00	3.5	174	2.6	1013
3/30/26 8:00	5.3	176	3.3	1012
3/30/26 9:00	5.8	184	4.4	1011
3/30/26 10:00	5.8	178	6.4	1009
3/30/26 11:00	4.7	184	8.7	1008
3/30/26 12:00	4.1	215	11.5	1006
3/30/26 13:00	4.7	209	13.5	1005
3/30/26 14:00	5.2	223	15.8	1004
3/30/26 15:00	6.0	234	15.9	1003


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

3/30/26 16:00	5.4	210	15.0	1003
3/30/26 17:00	4.9	186	13.5	1003
3/30/26 18:00	3.9	179	12.8	1003
3/30/26 19:00	3.4	187	11.9	1004
3/30/26 20:00	2.8	206	11.4	1005
3/30/26 21:00	1.9	233	10.1	1006
3/30/26 22:00	1.8	217	9.1	1006
3/30/26 23:00	1.7	273	9.0	1007
3/31/26 0:00	3.0	336	8.5	1008
3/31/26 1:00	4.0	16	8.3	1009
3/31/26 2:00	2.8	22	7.2	1010
3/31/26 3:00	3.0	23	6.9	1010
3/31/26 4:00	4.1	21	6.6	1010
3/31/26 5:00	4.9	45	5.8	1010
3/31/26 6:00	3.9	46	5.0	1011
3/31/26 7:00	3.4	54	5.0	1011
3/31/26 8:00	3.1	60	4.2	1011
3/31/26 9:00	3.2	51	3.3	1012
3/31/26 10:00	4.6	52	2.2	1012
3/31/26 11:00	4.7	47	1.8	1011
3/31/26 12:00	4.1	41	2.0	1010
3/31/26 13:00	4.2	38	2.3	1009
3/31/26 14:00	4.7	33	2.5	1009
3/31/26 15:00	4.4	35	3.0	1009
3/31/26 16:00	4.0	39	3.0	1009
3/31/26 17:00	3.5	46	2.9	1009
3/31/26 18:00	3.0	44	2.5	1009
3/31/26 19:00	2.4	40	1.9	1009
3/31/26 20:00	2.3	63	1.9	1009
3/31/26 21:00	2.3	72	1.9	1008
3/31/26 22:00	2.2	116	1.9	1007
3/31/26 23:00	2.0	126	1.9	1006
4/1/26 0:00	2.3	165	1.9	1005
4/1/26 1:00	2.0	135	1.9	1004
4/1/26 2:00	1.9	41	1.9	1003
4/1/26 3:00	2.1	24	1.9	1003
4/1/26 4:00	2.9	26	1.9	1003
4/1/26 5:00	2.7	33	1.0	1004
4/1/26 6:00	1.8	45	1.1	1004
4/1/26 7:00	2.3	349	1.6	1005
4/1/26 8:00	1.8	345	2.0	1006
4/1/26 9:00	3.2	353	2.2	1008
4/1/26 10:00	2.8	344	3.4	1009
4/1/26 11:00	3.3	332	4.0	1010

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (3/18/26 12:00 to 4/1/26 11:00)

BGR Wind Rose 3/18/26 12:00 - 4/1/26 11:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
4/1/26 12:00	4.0	360	5.8	1011
4/1/26 13:00	5.0	346	7.7	1012
4/1/26 14:00	3.1	4	8.3	1012
4/1/26 15:00	6.1	2	8.9	1014
4/1/26 16:00	5.2	14	8.0	1015
4/1/26 17:00	6.2	12	6.5	1016
4/1/26 18:00	5.6	355	5.3	1018
4/1/26 19:00	6.1	354	4.0	1019
4/1/26 20:00	5.3	358	3.1	1020
4/1/26 21:00	4.9	355	2.1	1022
4/1/26 22:00	4.1	9	1.9	1023
4/1/26 23:00	3.3	26	1.2	1024
4/2/26 0:00	3.4	49	0.8	1024
4/2/26 1:00	4.9	30	0.9	1024
4/2/26 2:00	3.0	38	0.8	1025
4/2/26 3:00	4.0	24	0.8	1026
4/2/26 4:00	3.8	24	0.0	1027
4/2/26 5:00	3.5	34	-0.3	1027
4/2/26 6:00	3.4	45	-1.0	1027
4/2/26 7:00	5.1	58	-1.1	1028
4/2/26 8:00	5.1	60	-0.8	1029
4/2/26 9:00	5.1	55	-0.4	1030
4/2/26 10:00	4.5	31	0.4	1030
4/2/26 11:00	3.4	62	2.1	1030
4/2/26 12:00	3.0	74	3.0	1030
4/2/26 13:00	2.9	77	4.1	1029
4/2/26 14:00	3.1	130	5.5	1029
4/2/26 15:00	2.3	134	6.0	1028
4/2/26 16:00	3.1	77	6.9	1028
4/2/26 17:00	3.2	105	6.3	1028
4/2/26 18:00	5.1	173	4.1	1028
4/2/26 19:00	3.9	178	2.6	1028
4/2/26 20:00	3.4	140	2.3	1029
4/2/26 21:00	3.4	141	2.0	1028
4/2/26 22:00	2.9	152	1.9	1029
4/2/26 23:00	2.4	147	1.9	1028
4/3/26 0:00	2.3	136	1.1	1027
4/3/26 1:00	1.9	127	0.9	1027
4/3/26 2:00	1.9	126	0.2	1026
4/3/26 3:00	2.9	145	0.9	1025
4/3/26 4:00	5.2	146	0.4	1024
4/3/26 5:00	4.1	141	-0.4	1023
4/3/26 6:00	1.9	129	0.0	1023
4/3/26 7:00	2.6	127	0.0	1022
4/3/26 8:00	2.5	144	1.0	1021
4/3/26 9:00	3.3	148	1.5	1020
4/3/26 10:00	4.1	165	2.2	1019

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/3/26 11:00	4.7	168	3.0	1017
4/3/26 12:00	5.2	169	3.0	1015
4/3/26 13:00	5.0	172	4.0	1013
4/3/26 14:00	5.0	184	4.3	1012
4/3/26 15:00	5.8	184	5.0	1010
4/3/26 16:00	4.7	182	4.5	1009
4/3/26 17:00	3.3	178	4.1	1008
4/3/26 18:00	4.0	177	4.2	1007
4/3/26 19:00	2.6	182	4.9	1007
4/3/26 20:00	2.3	182	4.9	1006
4/3/26 21:00	2.6	176	5.6	1005
4/3/26 22:00	3.0	176	5.9	1004
4/3/26 23:00	2.1	193	5.9	1004
4/4/26 0:00	2.3	321	5.9	1004
4/4/26 1:00	2.4	288	6.2	1005
4/4/26 2:00	2.0	275	6.6	1006
4/4/26 3:00	5.2	323	7.3	1008
4/4/26 4:00	8.7	354	7.2	1010
4/4/26 5:00	8.6	358	4.0	1013
4/4/26 6:00	7.4	360	3.1	1015
4/4/26 7:00	8.0	14	2.2	1018
4/4/26 8:00	9.1	11	2.0	1019
4/4/26 9:00	9.6	7	2.1	1020
4/4/26 10:00	7.8	10	4.0	1021
4/4/26 11:00	7.7	9	4.9	1021
4/4/26 12:00	7.1	15	6.0	1022
4/4/26 13:00	6.3	37	7.2	1022
4/4/26 14:00	4.9	48	8.0	1022
4/4/26 15:00	4.4	71	7.9	1022
4/4/26 16:00	3.7	80	8.1	1022
4/4/26 17:00	5.1	91	7.7	1022
4/4/26 18:00	5.3	115	6.5	1022
4/4/26 19:00	4.6	142	3.7	1023
4/4/26 20:00	4.1	127	2.8	1023
4/4/26 21:00	4.9	118	2.4	1023
4/4/26 22:00	4.7	123	2.0	1023
4/4/26 23:00	5.4	137	1.5	1022
4/5/26 0:00	4.6	134	1.0	1020
4/5/26 1:00	4.4	148	2.0	1019
4/5/26 2:00	5.4	156	2.0	1017
4/5/26 3:00	7.0	158	2.0	1016
4/5/26 4:00	6.1	161	1.9	1014
4/5/26 5:00	5.5	154	1.7	1012
4/5/26 6:00	4.7	155	1.9	1011
4/5/26 7:00	4.0	158	2.0	1009
4/5/26 8:00	4.5	154	2.8	1007
4/5/26 9:00	3.7	168	3.4	1006
4/5/26 10:00	1.6	313	4.0	1005
4/5/26 11:00	1.9	76	4.0	1003

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/5/26 12:00	1.9	44	4.0	1000
4/5/26 13:00	1.7	16	5.0	999
4/5/26 14:00	2.1	237	5.4	999
4/5/26 15:00	2.8	134	6.0	996
4/5/26 16:00	2.0	263	6.0	997
4/5/26 17:00	2.2	226	5.9	996
4/5/26 18:00	2.0	246	5.9	997
4/5/26 19:00	2.1	245	5.9	997
4/5/26 20:00	2.0	279	5.8	997
4/5/26 21:00	2.3	318	5.0	998
4/5/26 22:00	1.5	230	5.0	998
4/5/26 23:00	1.5	204	5.0	997
4/6/26 0:00	1.8	242	5.4	997
4/6/26 1:00	2.1	276	5.1	997
4/6/26 2:00	2.1	254	4.7	996
4/6/26 3:00	2.3	259	4.0	996
4/6/26 4:00	2.8	255	3.6	997
4/6/26 5:00	3.2	249	3.0	997
4/6/26 6:00	3.7	262	3.0	997
4/6/26 7:00	3.6	262	3.0	998
4/6/26 8:00	4.9	258	3.8	998
4/6/26 9:00	5.5	268	5.1	998
4/6/26 10:00	4.9	280	4.1	999
4/6/26 11:00	6.3	291	5.0	999
4/6/26 12:00	5.7	293	6.0	999
4/6/26 13:00	5.7	290	5.9	1000
4/6/26 14:00	6.9	291	5.2	1000
4/6/26 15:00	7.0	294	5.6	1001
4/6/26 16:00	6.3	298	4.5	1002
4/6/26 17:00	6.4	307	4.0	1003
4/6/26 18:00	5.7	311	3.4	1004
4/6/26 19:00	5.4	316	1.8	1005
4/6/26 20:00	2.9	297	1.2	1007
4/6/26 21:00	1.5	242	-0.3	1008
4/6/26 22:00	2.4	262	-0.2	1009
4/6/26 23:00	1.8	257	-1.0	1009
4/7/26 0:00	1.8	249	-1.1	1010
4/7/26 1:00	1.8	243	-1.8	1010
4/7/26 2:00	1.5	246	-2.0	1010
4/7/26 3:00	1.5	236	-2.5	1011
4/7/26 4:00	1.9	290	-3.0	1012
4/7/26 5:00	2.4	269	-2.6	1013
4/7/26 6:00	1.7	276	-4.3	1013
4/7/26 7:00	2.1	324	-1.4	1014
4/7/26 8:00	2.2	343	0.8	1015
4/7/26 9:00	1.8	22	2.1	1015
4/7/26 10:00	1.8	199	2.9	1015
4/7/26 11:00	2.3	157	3.5	1015
4/7/26 12:00	2.1	246	4.0	1014

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/7/26 13:00	2.5	197	4.8	1014
4/7/26 14:00	4.7	192	4.5	1014
4/7/26 15:00	5.0	195	2.9	1015
4/7/26 16:00	3.2	177	2.1	1015
4/7/26 17:00	2.3	179	1.1	1015
4/7/26 18:00	1.5	166	0.9	1016
4/7/26 19:00	ND	ND	0.8	1016
4/7/26 20:00	ND	ND	0.5	1017
4/7/26 21:00	1.5	287	0.0	1018
4/7/26 22:00	1.5	264	-0.8	1019
4/7/26 23:00	2.0	298	-1.3	1020
4/8/26 0:00	3.5	313	-0.5	1021
4/8/26 1:00	4.9	317	-0.9	1022
4/8/26 2:00	4.3	306	-1.1	1023
4/8/26 3:00	3.8	309	-2.1	1024
4/8/26 4:00	4.1	314	-2.8	1025
4/8/26 5:00	3.7	307	-3.1	1026
4/8/26 6:00	3.4	296	-3.7	1027
4/8/26 7:00	3.4	314	-2.5	1028
4/8/26 8:00	2.7	325	-1.6	1028
4/8/26 9:00	3.1	335	-0.2	1029
4/8/26 10:00	2.9	344	1.0	1029
4/8/26 11:00	3.3	325	2.4	1028
4/8/26 12:00	2.9	268	3.1	1028
4/8/26 13:00	3.1	289	4.0	1027
4/8/26 14:00	2.9	257	5.5	1027
4/8/26 15:00	3.0	268	6.0	1026
4/8/26 16:00	3.6	234	6.0	1026
4/8/26 17:00	3.3	247	6.0	1026
4/8/26 18:00	3.7	199	5.2	1026
4/8/26 19:00	3.7	179	2.5	1027
4/8/26 20:00	3.5	171	0.9	1027
4/8/26 21:00	2.9	177	0.3	1027
4/8/26 22:00	2.5	200	-0.3	1027
4/8/26 23:00	1.6	189	-1.2	1028
4/9/26 0:00	2.1	185	-1.9	1028
4/9/26 1:00	2.2	193	-1.4	1028
4/9/26 2:00	2.6	197	-1.9	1028
4/9/26 3:00	2.0	178	-2.1	1028
4/9/26 4:00	1.8	177	-2.2	1028
4/9/26 5:00	2.6	177	-2.1	1028
4/9/26 6:00	1.8	175	-2.4	1028
4/9/26 7:00	3.1	180	0.5	1029
4/9/26 8:00	5.3	191	3.0	1029
4/9/26 9:00	5.4	182	5.7	1028
4/9/26 10:00	6.8	184	7.5	1028
4/9/26 11:00	7.1	181	8.8	1027
4/9/26 12:00	8.7	165	9.5	1026
4/9/26 13:00	8.8	171	9.9	1026

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/9/26 14:00	9.5	174	9.5	1025
4/9/26 15:00	10.2	172	8.9	1024
4/9/26 16:00	9.8	171	7.9	1024
4/9/26 17:00	9.3	182	6.4	1024
4/9/26 18:00	8.6	175	4.9	1023
4/9/26 19:00	7.1	173	3.3	1023
4/9/26 20:00	7.1	176	3.0	1023
4/9/26 21:00	7.2	182	3.0	1023
4/9/26 22:00	5.0	189	3.0	1023
4/9/26 23:00	4.3	190	2.9	1023
4/10/26 0:00	5.7	185	3.0	1022
4/10/26 1:00	6.4	180	3.0	1020
4/10/26 2:00	5.1	186	3.0	1020
4/10/26 3:00	4.6	191	3.2	1020
4/10/26 4:00	3.7	181	3.0	1020
4/10/26 5:00	3.3	179	3.0	1020
4/10/26 6:00	3.3	182	3.0	1019
4/10/26 7:00	4.4	187	4.6	1019
4/10/26 8:00	4.5	200	6.4	1019
4/10/26 9:00	3.2	173	8.0	1018
4/10/26 10:00	4.4	170	10.1	1017
4/10/26 11:00	4.3	175	11.4	1016
4/10/26 12:00	6.1	185	12.9	1015
4/10/26 13:00	6.2	186	13.7	1014
4/10/26 14:00	6.9	189	12.3	1013
4/10/26 15:00	7.1	175	10.7	1013
4/10/26 16:00	7.0	179	10.8	1012
4/10/26 17:00	6.5	180	9.9	1011
4/10/26 18:00	5.7	182	8.4	1011
4/10/26 19:00	4.2	178	7.6	1010
4/10/26 20:00	4.3	172	7.0	1010
4/10/26 21:00	4.4	173	7.0	1010
4/10/26 22:00	3.2	188	7.0	1010
4/10/26 23:00	2.5	152	7.0	1009
4/11/26 0:00	1.7	166	6.8	1008
4/11/26 1:00	1.6	166	6.6	1007
4/11/26 2:00	1.6	213	6.3	1007
4/11/26 3:00	1.4	319	5.9	1007
4/11/26 4:00	2.2	292	5.9	1008
4/11/26 5:00	3.3	310	6.2	1008
4/11/26 6:00	6.7	319	6.5	1009
4/11/26 7:00	4.6	310	6.5	1010
4/11/26 8:00	7.2	313	7.2	1010
4/11/26 9:00	9.0	313	8.0	1010
4/11/26 10:00	8.7	318	8.3	1010
4/11/26 11:00	8.8	311	8.1	1011
4/11/26 12:00	9.9	314	8.4	1011
4/11/26 13:00	9.2	311	8.5	1011
4/11/26 14:00	8.9	304	9.0	1011

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/11/26 15:00	8.6	305	8.7	1011
4/11/26 16:00	9.2	321	8.0	1012
4/11/26 17:00	8.6	314	7.5	1013
4/11/26 18:00	6.4	306	6.9	1014
4/11/26 19:00	4.5	300	6.0	1014
4/11/26 20:00	2.6	283	5.5	1016
4/11/26 21:00	2.5	277	4.6	1017
4/11/26 22:00	2.1	271	3.7	1017
4/11/26 23:00	2.3	277	2.8	1018
4/12/26 0:00	2.8	274	1.9	1018
4/12/26 1:00	2.5	281	1.9	1019
4/12/26 2:00	2.7	286	1.5	1019
4/12/26 3:00	3.1	265	1.0	1020
4/12/26 4:00	3.4	272	0.7	1020
4/12/26 5:00	3.4	276	0.5	1021
4/12/26 6:00	2.8	271	0.3	1022
4/12/26 7:00	4.0	296	2.5	1023
4/12/26 8:00	5.2	316	4.9	1023
4/12/26 9:00	5.0	322	6.7	1024
4/12/26 10:00	5.1	331	7.7	1024
4/12/26 11:00	4.0	314	8.5	1023
4/12/26 12:00	4.1	340	9.9	1023
4/12/26 13:00	4.5	328	11.5	1022
4/12/26 14:00	3.1	326	12.0	1021
4/12/26 15:00	3.0	278	12.6	1021
4/12/26 16:00	3.4	216	11.8	1020
4/12/26 17:00	5.9	192	9.5	1021
4/12/26 18:00	4.8	186	8.4	1020
4/12/26 19:00	4.4	179	7.6	1020
4/12/26 20:00	4.1	184	6.9	1020
4/12/26 21:00	3.8	195	6.3	1020
4/12/26 22:00	3.9	193	5.9	1020
4/12/26 23:00	4.1	198	5.9	1020
4/13/26 0:00	4.3	197	5.9	1020
4/13/26 1:00	5.3	188	4.8	1019
4/13/26 2:00	6.6	181	4.1	1018
4/13/26 3:00	5.8	181	3.8	1016
4/13/26 4:00	6.1	173	3.9	1015
4/13/26 5:00	5.9	179	4.0	1013
4/13/26 6:00	6.5	183	4.2	1012
4/13/26 7:00	8.4	187	5.2	1011
4/13/26 8:00	6.9	191	5.9	1010
4/13/26 9:00	4.9	188	6.0	1009
4/13/26 10:00	5.1	192	6.1	1008
4/13/26 11:00	4.6	183	7.0	1006
4/13/26 12:00	3.9	182	7.3	1005
4/13/26 13:00	4.2	156	8.3	1003
4/13/26 14:00	4.2	185	8.9	1002
4/13/26 15:00	4.1	190	8.9	1001


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

4/13/26 16:00	3.4	176	8.5	1000
4/13/26 17:00	3.1	183	8.0	1000
4/13/26 18:00	2.8	184	8.0	999
4/13/26 19:00	2.1	196	8.1	999
4/13/26 20:00	2.1	194	8.0	1000
4/13/26 21:00	2.0	210	7.9	1000
4/13/26 22:00	1.9	236	7.8	1001
4/13/26 23:00	1.7	261	10.1	1002
4/14/26 0:00	1.7	243	10.9	1002
4/14/26 1:00	2.1	255	10.1	1003
4/14/26 2:00	2.3	275	8.9	1003
4/14/26 3:00	2.1	308	7.9	1003
4/14/26 4:00	2.6	302	9.2	1004
4/14/26 5:00	2.2	318	7.4	1005
4/14/26 6:00	4.0	357	8.5	1006
4/14/26 7:00	3.8	343	11.1	1007
4/14/26 8:00	4.4	351	12.5	1008
4/14/26 9:00	4.4	1	13.3	1008
4/14/26 10:00	2.6	347	14.0	1009
4/14/26 11:00	2.2	339	15.5	1008
4/14/26 12:00	2.2	20	16.9	1007
4/14/26 13:00	2.1	81	17.8	1006
4/14/26 14:00	2.6	142	18.3	1006
4/14/26 15:00	5.3	172	17.7	1005
4/14/26 16:00	6.6	184	15.4	1005
4/14/26 17:00	4.1	179	13.9	1005
4/14/26 18:00	4.0	169	13.5	1005
4/14/26 19:00	3.8	168	11.4	1005
4/14/26 20:00	3.3	127	10.9	1005
4/14/26 21:00	2.5	84	10.9	1004
4/14/26 22:00	3.1	87	10.9	1004
4/14/26 23:00	3.6	111	10.8	1003
4/15/26 0:00	3.5	134	10.7	1003
4/15/26 1:00	2.4	150	10.0	1003
4/15/26 2:00	1.7	98	9.9	1003
4/15/26 3:00	2.5	39	9.7	1002
4/15/26 4:00	2.5	22	8.9	1003
4/15/26 5:00	2.7	26	9.0	1003
4/15/26 6:00	2.7	21	9.1	1004
4/15/26 7:00	3.9	16	9.0	1006
4/15/26 8:00	3.4	4	9.5	1006
4/15/26 9:00	3.6	340	10.3	1006
4/15/26 10:00	3.7	353	11.7	1006
4/15/26 11:00	3.4	0	12.2	1007
4/15/26 12:00	3.2	26	12.9	1007
4/15/26 13:00	3.5	32	13.0	1006

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (4/1/26 12:00 to 4/15/26 13:00)

BGR Wind Rose 4/1/26 12:00 - 4/15/26 13:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
4/15/26 13:00	3.5	32	13.0	1006
4/15/26 14:00	2.3	41	13.0	1006
4/15/26 15:00	1.5	116	13.2	1006
4/15/26 16:00	2.5	91	13.9	1006
4/15/26 17:00	1.9	108	13.5	1006
4/15/26 18:00	1.8	112	12.9	1007
4/15/26 19:00	1.8	105	12.2	1007
4/15/26 20:00	2.5	92	11.9	1007
4/15/26 21:00	2.2	177	11.9	1007
4/15/26 22:00	3.0	196	11.2	1008
4/15/26 23:00	1.5	201	10.0	1007
4/16/26 0:00	1.4	186	9.7	1007
4/16/26 1:00	2.8	185	9.0	1007
4/16/26 2:00	2.4	172	9.0	1007
4/16/26 3:00	1.2	147	8.9	1007
4/16/26 4:00	1.3	154	8.9	1007
4/16/26 5:00	2.0	135	8.9	1006
4/16/26 6:00	1.8	158	8.9	1006
4/16/26 7:00	2.3	133	8.9	1007
4/16/26 8:00	1.5	60	8.9	1007
4/16/26 9:00	1.7	71	9.2	1007
4/16/26 10:00	1.5	101	9.9	1006
4/16/26 11:00	2.2	133	10.1	1006
4/16/26 12:00	1.8	146	10.9	1006
4/16/26 13:00	3.3	146	10.9	1005
4/16/26 14:00	4.5	138	10.5	1004
4/16/26 15:00	3.8	170	10.0	1003
4/16/26 16:00	3.9	168	9.9	1002
4/16/26 17:00	4.4	186	9.2	1002
4/16/26 18:00	4.3	177	8.4	1002
4/16/26 19:00	3.7	175	7.5	1001
4/16/26 20:00	3.9	173	6.9	1000
4/16/26 21:00	3.2	201	6.6	1001
4/16/26 22:00	4.1	173	6.1	1000
4/16/26 23:00	2.9	217	6.5	1000
4/17/26 0:00	2.8	187	6.9	1000
4/17/26 1:00	2.9	258	6.9	1000
4/17/26 2:00	2.3	190	7.0	1000
4/17/26 3:00	1.7	123	6.9	999
4/17/26 4:00	2.1	8	7.0	1000
4/17/26 5:00	2.1	14	7.1	1000
4/17/26 6:00	1.8	358	7.8	1002
4/17/26 7:00	1.9	356	8.3	1003
4/17/26 8:00	2.2	357	9.1	1004
4/17/26 9:00	4.3	356	10.8	1004
4/17/26 10:00	5.6	353	12.2	1005
4/17/26 11:00	5.9	7	13.7	1006

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/17/26 12:00	5.8	2	15.7	1006
4/17/26 13:00	5.3	358	17.2	1006
4/17/26 14:00	5.0	20	18.3	1006
4/17/26 15:00	4.4	4	19.4	1006
4/17/26 16:00	4.6	1	20.3	1006
4/17/26 17:00	5.0	20	20.1	1007
4/17/26 18:00	3.0	34	18.7	1007
4/17/26 19:00	2.3	15	15.4	1008
4/17/26 20:00	1.6	7	11.7	1009
4/17/26 21:00	1.5	351	9.4	1010
4/17/26 22:00	2.5	55	11.3	1011
4/17/26 23:00	2.1	12	9.8	1012
4/18/26 0:00	2.1	13	8.3	1012
4/18/26 1:00	3.8	10	7.7	1012
4/18/26 2:00	3.7	15	7.4	1013
4/18/26 3:00	2.0	20	6.4	1013
4/18/26 4:00	1.8	315	4.8	1012
4/18/26 5:00	2.3	2	4.1	1014
4/18/26 6:00	1.6	7	6.0	1016
4/18/26 7:00	2.0	92	7.6	1016
4/18/26 8:00	2.2	110	9.8	1016
4/18/26 9:00	4.5	131	12.5	1016
4/18/26 10:00	4.9	139	13.6	1016
4/18/26 11:00	3.7	125	14.1	1015
4/18/26 12:00	5.3	161	16.0	1015
4/18/26 13:00	6.4	150	16.8	1014
4/18/26 14:00	6.5	166	16.9	1013
4/18/26 15:00	6.9	171	16.0	1013
4/18/26 16:00	7.9	166	14.4	1013
4/18/26 17:00	5.4	155	13.0	1012
4/18/26 18:00	5.3	144	12.5	1011
4/18/26 19:00	4.5	148	11.1	1011
4/18/26 20:00	4.9	150	9.9	1010
4/18/26 21:00	5.2	171	9.1	1010
4/18/26 22:00	5.3	150	8.3	1009
4/18/26 23:00	3.8	166	6.8	1009
4/19/26 0:00	3.6	173	5.9	1008
4/19/26 1:00	3.9	179	5.9	1008
4/19/26 2:00	3.3	171	5.9	1007
4/19/26 3:00	2.5	181	5.9	1006
4/19/26 4:00	2.9	156	5.8	1005
4/19/26 5:00	3.9	158	5.8	1004
4/19/26 6:00	3.0	168	5.9	1004
4/19/26 7:00	3.6	154	6.1	1002
4/19/26 8:00	3.2	183	6.9	1002
4/19/26 9:00	3.3	185	6.9	1001
4/19/26 10:00	3.3	177	6.9	1001
4/19/26 11:00	2.9	177	7.0	1000
4/19/26 12:00	1.8	224	7.0	1000

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/19/26 13:00	1.5	253	7.0	999
4/19/26 14:00	2.1	325	7.0	999
4/19/26 15:00	3.9	322	7.5	998
4/19/26 16:00	5.9	317	6.6	998
4/19/26 17:00	6.6	318	5.7	998
4/19/26 18:00	6.3	302	4.1	999
4/19/26 19:00	5.1	307	3.0	1000
4/19/26 20:00	4.0	306	2.2	1000
4/19/26 21:00	3.8	293	2.1	1001
4/19/26 22:00	3.5	292	2.0	1002
4/19/26 23:00	3.7	301	1.9	1003
4/20/26 0:00	3.0	282	1.3	1004
4/20/26 1:00	3.1	269	0.6	1005
4/20/26 2:00	2.2	265	-0.2	1006
4/20/26 3:00	2.3	249	-0.8	1006
4/20/26 4:00	1.7	249	-0.9	1007
4/20/26 5:00	1.5	230	-1.8	1007
4/20/26 6:00	1.5	230	-1.5	1008
4/20/26 7:00	1.7	248	1.4	1009
4/20/26 8:00	2.2	208	3.5	1009
4/20/26 9:00	3.5	268	5.1	1009
4/20/26 10:00	5.1	298	4.9	1010
4/20/26 11:00	3.8	309	1.8	1011
4/20/26 12:00	3.3	297	4.1	1011
4/20/26 13:00	4.4	304	6.0	1011
4/20/26 14:00	5.3	307	6.0	1011
4/20/26 15:00	5.3	313	6.1	1012
4/20/26 16:00	5.3	314	5.9	1012
4/20/26 17:00	6.8	332	4.2	1013
4/20/26 18:00	5.8	344	3.8	1014
4/20/26 19:00	6.6	341	2.2	1015
4/20/26 20:00	3.7	349	0.6	1017
4/20/26 21:00	2.5	345	-1.2	1017
4/20/26 22:00	1.6	309	-2.0	1018
4/20/26 23:00	1.5	330	-3.0	1019
4/21/26 0:00	1.5	ND	-3.7	1019
4/21/26 1:00	1.5	8	-3.2	1019
4/21/26 2:00	1.5	10	-3.7	1019
4/21/26 3:00	1.5	ND	-4.9	1020
4/21/26 4:00	ND	ND	-6.1	1020
4/21/26 5:00	ND	ND	-6.2	1020
4/21/26 6:00	ND	ND	-4.8	1021
4/21/26 7:00	ND	ND	-2.3	1021
4/21/26 8:00	1.8	147	0.0	1021
4/21/26 9:00	2.0	109	1.4	1021
4/21/26 10:00	1.9	17	2.6	1020
4/21/26 11:00	2.7	276	4.0	1020
4/21/26 12:00	3.2	332	4.5	1019
4/21/26 13:00	3.6	327	5.5	1018

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/21/26 14:00	3.5	308	6.4	1018
4/21/26 15:00	2.8	284	7.0	1017
4/21/26 16:00	4.6	207	7.0	1016
4/21/26 17:00	4.6	184	6.1	1016
4/21/26 18:00	5.9	183	4.6	1016
4/21/26 19:00	4.8	182	2.8	1017
4/21/26 20:00	3.4	189	1.9	1017
4/21/26 21:00	2.8	202	1.3	1018
4/21/26 22:00	1.6	199	0.1	1017
4/21/26 23:00	2.2	194	-0.3	1018
4/22/26 0:00	1.9	198	-0.6	1018
4/22/26 1:00	1.5	150	-2.3	1017
4/22/26 2:00	ND	ND	-3.1	1017
4/22/26 3:00	1.5	170	-2.7	1016
4/22/26 4:00	1.8	150	-2.5	1016
4/22/26 5:00	1.8	149	-2.6	1016
4/22/26 6:00	1.8	148	-1.4	1016
4/22/26 7:00	2.3	181	1.7	1016
4/22/26 8:00	4.3	178	3.7	1015
4/22/26 9:00	5.6	187	5.2	1015
4/22/26 10:00	5.2	182	6.0	1015
4/22/26 11:00	6.1	188	6.6	1015
4/22/26 12:00	6.0	182	7.1	1014
4/22/26 13:00	6.1	176	6.4	1013
4/22/26 14:00	5.7	175	5.8	1013
4/22/26 15:00	6.5	175	5.2	1012
4/22/26 16:00	5.6	178	4.7	1011
4/22/26 17:00	4.5	177	4.0	1011
4/22/26 18:00	4.2	178	4.0	1011
4/22/26 19:00	3.8	176	3.9	1010
4/22/26 20:00	3.0	169	3.8	1010
4/22/26 21:00	2.8	155	3.9	1010
4/22/26 22:00	2.9	159	3.9	1010
4/22/26 23:00	3.4	165	3.8	1009
4/23/26 0:00	3.2	161	3.9	1008
4/23/26 1:00	2.3	163	4.0	1007
4/23/26 2:00	1.6	157	3.9	1006
4/23/26 3:00	2.0	138	4.0	1006
4/23/26 4:00	2.1	144	4.0	1005
4/23/26 5:00	1.5	160	3.9	1005
4/23/26 6:00	0.9	ND	4.0	1005
4/23/26 7:00	1.8	143	4.0	1004
4/23/26 8:00	1.5	ND	4.6	1003
4/23/26 9:00	2.4	307	5.0	1003
4/23/26 10:00	2.5	300	4.3	1003
4/23/26 11:00	2.7	337	6.0	1002
4/23/26 12:00	5.5	332	6.9	1002
4/23/26 13:00	8.5	327	7.6	1002
4/23/26 14:00	7.3	330	7.8	1002

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/23/26 15:00	7.4	339	7.2	1002
4/23/26 16:00	7.1	323	6.8	1002
4/23/26 17:00	9.2	322	6.6	1002
4/23/26 18:00	9.1	323	6.1	1003
4/23/26 19:00	6.5	325	5.9	1003
4/23/26 20:00	4.6	314	5.5	1003
4/23/26 21:00	4.9	316	4.3	1003
4/23/26 22:00	3.6	314	3.4	1003
4/23/26 23:00	2.4	304	2.5	1003
4/24/26 0:00	1.8	286	0.9	1002
4/24/26 1:00	2.4	291	0.9	1002
4/24/26 2:00	2.4	273	0.0	1001
4/24/26 3:00	2.3	271	-0.6	1001
4/24/26 4:00	2.8	276	0.2	1002
4/24/26 5:00	2.5	270	0.6	1002
4/24/26 6:00	2.0	287	1.2	1003
4/24/26 7:00	3.9	319	2.8	1003
4/24/26 8:00	5.1	339	4.6	1003
4/24/26 9:00	6.2	343	5.9	1003
4/24/26 10:00	5.8	357	6.1	1003
4/24/26 11:00	5.1	351	6.4	1003
4/24/26 12:00	5.9	359	6.8	1003
4/24/26 13:00	6.6	339	6.8	1003
4/24/26 14:00	5.7	5	6.5	1004
4/24/26 15:00	7.5	7	5.7	1004
4/24/26 16:00	7.7	10	5.9	1005
4/24/26 17:00	5.9	10	6.0	1005
4/24/26 18:00	6.1	352	5.8	1006
4/24/26 19:00	5.4	358	5.1	1007
4/24/26 20:00	3.7	345	4.0	1008
4/24/26 21:00	1.4	308	2.3	1009
4/24/26 22:00	2.0	310	1.1	1009
4/24/26 23:00	2.9	314	1.4	1009
4/25/26 0:00	3.1	312	2.6	1009
4/25/26 1:00	3.1	330	1.9	1009
4/25/26 2:00	3.0	341	0.6	1009
4/25/26 3:00	3.3	328	0.0	1009
4/25/26 4:00	1.8	326	1.4	1009
4/25/26 5:00	1.5	321	1.9	1010
4/25/26 6:00	1.4	288	2.6	1010
4/25/26 7:00	3.5	3	5.2	1011
4/25/26 8:00	5.2	9	7.3	1011
4/25/26 9:00	4.7	5	8.6	1010
4/25/26 10:00	5.3	9	10.3	1010
4/25/26 11:00	4.5	357	11.0	1010
4/25/26 12:00	4.4	345	11.8	1009
4/25/26 13:00	4.2	333	12.8	1009
4/25/26 14:00	3.3	352	14.0	1008
4/25/26 15:00	3.9	345	14.5	1008

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/25/26 16:00	4.3	353	15.0	1008
4/25/26 17:00	3.6	9	14.3	1008
4/25/26 18:00	3.7	19	13.7	1008
4/25/26 19:00	2.4	20	11.0	1009
4/25/26 20:00	1.5	330	7.5	1009
4/25/26 21:00	2.1	210	7.0	1010
4/25/26 22:00	1.6	219	6.0	1010
4/25/26 23:00	1.5	217	3.6	1010
4/26/26 0:00	ND	ND	2.4	1010
4/26/26 1:00	ND	ND	2.1	1011
4/26/26 2:00	ND	ND	1.9	1010
4/26/26 3:00	ND	ND	1.7	1011
4/26/26 4:00	ND	ND	0.9	1011
4/26/26 5:00	ND	ND	0.4	1012
4/26/26 6:00	ND	ND	2.1	1012
4/26/26 7:00	2.5	9	5.9	1013
4/26/26 8:00	2.5	358	8.1	1013
4/26/26 9:00	1.9	329	9.2	1013
4/26/26 10:00	2.0	17	11.6	1013
4/26/26 11:00	1.7	336	13.3	1013
4/26/26 12:00	1.9	51	15.1	1013
4/26/26 13:00	2.6	120	16.3	1013
4/26/26 14:00	2.7	316	17.9	1012
4/26/26 15:00	2.4	74	18.0	1012
4/26/26 16:00	2.8	66	18.9	1012
4/26/26 17:00	2.8	84	18.9	1012
4/26/26 18:00	3.7	178	17.3	1012
4/26/26 19:00	4.3	175	12.9	1013
4/26/26 20:00	3.2	167	11.0	1014
4/26/26 21:00	2.7	192	9.4	1015
4/26/26 22:00	1.9	211	8.6	1015
4/26/26 23:00	1.6	192	7.5	1015
4/27/26 0:00	1.5	ND	5.5	1015
4/27/26 1:00	ND	ND	4.3	1015
4/27/26 2:00	ND	ND	3.2	1015
4/27/26 3:00	ND	ND	2.7	1016
4/27/26 4:00	1.8	327	2.4	1016
4/27/26 5:00	0.4	ND	2.3	1016
4/27/26 6:00	ND	ND	4.1	1017
4/27/26 7:00	1.7	343	8.0	1018
4/27/26 8:00	1.7	324	11.9	1018
4/27/26 9:00	1.8	270	14.8	1018
4/27/26 10:00	1.4	349	17.0	1018
4/27/26 11:00	2.4	16	18.6	1017
4/27/26 12:00	2.1	46	20.3	1017
4/27/26 13:00	2.5	77	20.9	1016
4/27/26 14:00	2.3	66	21.4	1016
4/27/26 15:00	1.5	243	21.9	1015
4/27/26 16:00	3.3	186	20.3	1016


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

4/27/26 17:00	6.4	187	17.5	1016
4/27/26 18:00	5.3	180	14.7	1016
4/27/26 19:00	4.2	186	12.3	1017
4/27/26 20:00	4.4	179	10.2	1018
4/27/26 21:00	4.4	166	8.3	1018
4/27/26 22:00	4.1	178	7.4	1018
4/27/26 23:00	2.2	169	6.0	1019
4/28/26 0:00	1.5	183	4.8	1019
4/28/26 1:00	1.5	133	3.6	1018
4/28/26 2:00	1.5	140	2.8	1018
4/28/26 3:00	ND	ND	2.1	1018
4/28/26 4:00	2.1	ND	1.8	1017
4/28/26 5:00	ND	ND	1.1	1018
4/28/26 6:00	1.5	340	2.7	1018
4/28/26 7:00	1.5	170	6.0	1018
4/28/26 8:00	2.1	100	7.8	1018
4/28/26 9:00	1.7	56	10.1	1018
4/28/26 10:00	1.9	121	12.3	1017
4/28/26 11:00	2.5	91	14.8	1016
4/28/26 12:00	3.4	127	16.7	1016
4/28/26 13:00	3.4	122	17.3	1015
4/28/26 14:00	4.4	156	17.5	1014
4/28/26 15:00	4.3	162	17.1	1014
4/28/26 16:00	4.4	153	17.4	1013
4/28/26 17:00	5.3	156	16.6	1014
4/28/26 18:00	5.8	192	13.8	1014
4/28/26 19:00	4.0	192	11.5	1014
4/28/26 20:00	3.3	174	9.6	1014
4/28/26 21:00	2.8	145	6.9	1014
4/28/26 22:00	1.9	183	6.8	1014
4/28/26 23:00	1.5	180	5.3	1013
4/29/26 0:00	1.6	130	4.4	1013
4/29/26 1:00	1.9	143	4.1	1012
4/29/26 2:00	1.5	295	3.6	1012
4/29/26 3:00	ND	ND	5.6	1012
4/29/26 4:00	2.4	129	6.0	1013
4/29/26 5:00	3.3	112	5.6	1012
4/29/26 6:00	2.7	100	5.6	1012
4/29/26 7:00	2.4	113	6.0	1012
4/29/26 8:00	2.7	145	6.7	1012
4/29/26 9:00	3.1	150	7.8	1012
4/29/26 10:00	2.3	133	8.1	1012
4/29/26 11:00	2.6	131	8.7	1011

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (4/15/26 13:00 to 4/29/26 11:00)

BGR Wind Rose 4/15/26 13:00 - 4/29/26 11:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
4/29/26 12:00	3.5	152	10.2	1010
4/29/26 13:00	4.2	130	11.1	1009
4/29/26 14:00	4.3	135	10.9	1009
4/29/26 15:00	4.6	141	9.7	1009
4/29/26 16:00	4.5	137	8.9	1009
4/29/26 17:00	4.2	127	8.8	1009
4/29/26 18:00	4.8	137	8.3	1009
4/29/26 19:00	3.4	142	7.6	1009
4/29/26 20:00	2.9	143	6.9	1009
4/29/26 21:00	4.1	132	6.9	1008
4/29/26 22:00	4.1	138	7.0	1008
4/29/26 23:00	4.8	126	6.9	1008
4/30/26 0:00	5.2	128	6.9	1007
4/30/26 1:00	3.7	128	6.9	1006
4/30/26 2:00	4.3	118	6.1	1006
4/30/26 3:00	5.0	119	6.0	1005
4/30/26 4:00	4.2	117	6.0	1005
4/30/26 5:00	4.8	117	6.0	1004
4/30/26 6:00	5.0	118	5.9	1004
4/30/26 7:00	4.6	112	6.1	1004
4/30/26 8:00	4.5	106	6.9	1004
4/30/26 9:00	5.2	107	6.9	1003
4/30/26 10:00	3.2	134	7.0	1003
4/30/26 11:00	4.0	135	7.1	1003
4/30/26 12:00	3.5	132	7.2	1003
4/30/26 13:00	3.5	124	7.9	1002
4/30/26 14:00	3.5	124	8.1	1001
4/30/26 15:00	2.7	142	8.6	1000
4/30/26 16:00	1.5	220	7.9	1000
4/30/26 17:00	1.7	15	8.0	1000
4/30/26 18:00	2.1	52	8.8	999
4/30/26 19:00	2.6	94	8.9	999
4/30/26 20:00	3.0	134	8.8	999
4/30/26 21:00	1.8	136	8.0	999
4/30/26 22:00	1.6	148	8.0	999
4/30/26 23:00	1.5	300	7.9	998
5/1/26 0:00	1.5	300	7.9	998
5/1/26 1:00	1.5	ND	7.9	997
5/1/26 2:00	2.3	298	7.9	997
5/1/26 3:00	3.1	312	7.9	997
5/1/26 4:00	2.4	294	7.9	997
5/1/26 5:00	3.3	300	7.9	998
5/1/26 6:00	3.4	301	7.8	998
5/1/26 7:00	3.2	313	7.6	999
5/1/26 8:00	4.4	306	8.2	999
5/1/26 9:00	4.7	314	9.9	999
5/1/26 10:00	4.6	313	11.3	999

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/1/26 11:00	4.4	293	12.2	999
5/1/26 12:00	5.4	294	13.2	999
5/1/26 13:00	4.7	297	13.4	999
5/1/26 14:00	4.9	301	14.0	999
5/1/26 15:00	5.2	319	14.2	999
5/1/26 16:00	4.7	323	14.0	999
5/1/26 17:00	6.0	334	13.7	1000
5/1/26 18:00	6.9	330	12.4	1001
5/1/26 19:00	5.4	340	10.3	1001
5/1/26 20:00	5.0	338	8.3	1003
5/1/26 21:00	4.0	331	6.7	1004
5/1/26 22:00	2.2	328	4.9	1004
5/1/26 23:00	ND	ND	2.9	1004
5/2/26 0:00	1.5	220	2.1	1005
5/2/26 1:00	1.3	ND	0.7	1005
5/2/26 2:00	1.8	245	0.2	1005
5/2/26 3:00	ND	ND	0.4	1005
5/2/26 4:00	1.9	216	0.0	1006
5/2/26 5:00	ND	ND	0.0	1006
5/2/26 6:00	ND	ND	2.0	1006
5/2/26 7:00	ND	ND	4.2	1007
5/2/26 8:00	1.9	251	6.2	1007
5/2/26 9:00	2.4	305	6.9	1007
5/2/26 10:00	1.6	296	7.0	1008
5/2/26 11:00	1.5	51	7.2	1007
5/2/26 12:00	2.6	172	7.1	1007
5/2/26 13:00	3.5	148	6.9	1006
5/2/26 14:00	2.2	138	7.0	1006
5/2/26 15:00	3.7	155	7.8	1005
5/2/26 16:00	4.4	153	8.0	1005
5/2/26 17:00	3.3	160	7.9	1005
5/2/26 18:00	2.2	156	7.9	1005
5/2/26 19:00	2.1	129	7.9	1005
5/2/26 20:00	2.0	134	7.1	1005
5/2/26 21:00	1.2	156	6.9	1005
5/2/26 22:00	2.2	139	6.9	1004
5/2/26 23:00	1.9	113	6.7	1004
5/3/26 0:00	2.1	138	6.2	1003
5/3/26 1:00	1.5	123	6.0	1002
5/3/26 2:00	1.5	53	6.0	1002
5/3/26 3:00	1.2	47	5.9	1001
5/3/26 4:00	2.1	18	5.8	1001
5/3/26 5:00	2.4	24	5.9	1000
5/3/26 6:00	3.1	3	5.9	1000
5/3/26 7:00	3.9	358	5.9	1000
5/3/26 8:00	4.5	359	5.9	999
5/3/26 9:00	5.9	359	5.9	999
5/3/26 10:00	6.3	353	5.9	998
5/3/26 11:00	6.2	349	5.9	997

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/3/26 12:00	6.9	348	5.2	997
5/3/26 13:00	6.0	2	5.2	997
5/3/26 14:00	5.8	350	6.0	996
5/3/26 15:00	5.7	342	6.4	996
5/3/26 16:00	6.9	337	7.2	995
5/3/26 17:00	6.6	344	8.0	995
5/3/26 18:00	4.8	342	8.0	995
5/3/26 19:00	2.3	303	7.8	995
5/3/26 20:00	5.4	302	7.4	996
5/3/26 21:00	3.9	298	6.4	997
5/3/26 22:00	3.2	285	5.7	997
5/3/26 23:00	2.7	285	4.9	998
5/4/26 0:00	3.4	274	4.1	998
5/4/26 1:00	2.6	277	3.9	998
5/4/26 2:00	2.2	250	3.1	999
5/4/26 3:00	3.3	249	2.9	999
5/4/26 4:00	2.4	255	2.2	999
5/4/26 5:00	1.6	235	1.1	999
5/4/26 6:00	2.1	245	3.9	1000
5/4/26 7:00	2.7	261	7.3	1000
5/4/26 8:00	3.5	264	9.9	1000
5/4/26 9:00	4.3	261	11.9	999
5/4/26 10:00	4.6	252	12.6	999
5/4/26 11:00	4.8	240	13.4	998
5/4/26 12:00	4.6	221	13.1	997
5/4/26 13:00	4.5	237	12.9	998
5/4/26 14:00	6.1	247	13.9	998
5/4/26 15:00	5.2	247	15.7	997
5/4/26 16:00	5.8	270	15.9	998
5/4/26 17:00	4.5	272	15.8	998
5/4/26 18:00	2.2	297	15.0	998
5/4/26 19:00	1.8	138	12.8	999
5/4/26 20:00	1.5	150	10.9	999
5/4/26 21:00	2.7	146	10.7	1000
5/4/26 22:00	1.8	154	8.8	1000
5/4/26 23:00	0.9	187	7.7	1000
5/5/26 0:00	1.9	174	7.3	1000
5/5/26 1:00	1.5	194	6.3	1001
5/5/26 2:00	3.4	184	7.8	1000
5/5/26 3:00	3.3	179	8.0	1001
5/5/26 4:00	3.6	188	8.0	1001
5/5/26 5:00	3.6	187	8.5	1000
5/5/26 6:00	4.2	186	9.8	1001
5/5/26 7:00	4.8	187	11.7	1001
5/5/26 8:00	4.6	189	14.0	1001
5/5/26 9:00	5.4	185	16.5	1000
5/5/26 10:00	6.6	182	17.5	1000
5/5/26 11:00	7.7	182	17.7	1000
5/5/26 12:00	7.8	181	18.3	999

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/5/26 13:00	8.0	173	18.9	998
5/5/26 14:00	8.7	178	18.8	997
5/5/26 15:00	9.6	175	18.3	997
5/5/26 16:00	9.1	178	18.0	997
5/5/26 17:00	7.2	182	17.1	997
5/5/26 18:00	8.2	180	15.6	997
5/5/26 19:00	4.9	187	14.2	999
5/5/26 20:00	2.9	164	14.0	1000
5/5/26 21:00	4.3	161	13.4	1000
5/5/26 22:00	5.5	181	12.9	1001
5/5/26 23:00	3.5	178	12.8	1001
5/6/26 0:00	3.8	168	11.9	1001
5/6/26 1:00	3.9	178	11.3	1001
5/6/26 2:00	5.0	177	10.9	1001
5/6/26 3:00	3.3	189	10.9	1002
5/6/26 4:00	2.9	176	10.8	1003
5/6/26 5:00	3.4	150	10.1	1003
5/6/26 6:00	2.3	177	10.9	1003
5/6/26 7:00	2.6	159	11.6	1003
5/6/26 8:00	3.7	153	12.9	1003
5/6/26 9:00	3.4	156	14.3	1002
5/6/26 10:00	5.4	158	15.1	1002
5/6/26 11:00	5.0	167	14.2	1002
5/6/26 12:00	6.5	177	13.9	1002
5/6/26 13:00	5.8	175	13.9	1001
5/6/26 14:00	6.8	170	13.8	1000
5/6/26 15:00	6.4	172	12.7	1000
5/6/26 16:00	5.8	167	11.9	1000
5/6/26 17:00	6.2	171	11.6	999
5/6/26 18:00	6.2	174	11.3	999
5/6/26 19:00	7.4	178	11.0	999
5/6/26 20:00	6.5	175	11.0	998
5/6/26 21:00	6.6	170	11.4	997
5/6/26 22:00	6.6	178	11.0	996
5/6/26 23:00	5.8	185	10.9	996
5/7/26 0:00	3.8	270	10.7	996
5/7/26 1:00	4.3	307	9.1	997
5/7/26 2:00	4.7	309	8.8	997
5/7/26 3:00	4.2	306	8.0	997
5/7/26 4:00	2.5	295	7.8	997
5/7/26 5:00	2.9	280	7.0	998
5/7/26 6:00	3.0	300	7.7	998
5/7/26 7:00	2.7	292	8.6	999
5/7/26 8:00	4.6	315	10.4	998
5/7/26 9:00	2.9	312	11.5	998
5/7/26 10:00	2.3	353	12.8	998
5/7/26 11:00	1.8	356	13.7	997
5/7/26 12:00	2.7	282	14.7	997
5/7/26 13:00	3.8	257	16.0	996

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/7/26 14:00	4.9	239	16.6	995
5/7/26 15:00	4.5	234	16.3	995
5/7/26 16:00	4.0	283	15.9	995
5/7/26 17:00	4.2	296	16.0	996
5/7/26 18:00	7.0	311	14.7	996
5/7/26 19:00	5.9	307	12.0	998
5/7/26 20:00	4.2	316	9.5	999
5/7/26 21:00	2.7	302	8.4	999
5/7/26 22:00	2.2	285	7.3	999
5/7/26 23:00	1.7	238	6.4	999
5/8/26 0:00	2.7	293	6.0	999
5/8/26 1:00	2.7	275	5.9	998
5/8/26 2:00	2.5	266	5.6	998
5/8/26 3:00	1.9	263	4.4	998
5/8/26 4:00	1.6	246	3.5	998
5/8/26 5:00	1.5	70	1.5	998
5/8/26 6:00	2.3	263	4.2	999
5/8/26 7:00	3.7	274	6.6	1000
5/8/26 8:00	4.6	300	8.1	1000
5/8/26 9:00	3.7	306	9.7	1000
5/8/26 10:00	4.7	305	11.2	999
5/8/26 11:00	5.1	325	11.6	999
5/8/26 12:00	3.7	343	11.2	999
5/8/26 13:00	3.9	325	12.2	999
5/8/26 14:00	5.6	313	13.0	999
5/8/26 15:00	4.4	298	13.0	999
5/8/26 16:00	4.8	277	13.0	999
5/8/26 17:00	4.2	259	12.4	1000
5/8/26 18:00	3.9	268	11.3	1001
5/8/26 19:00	3.2	295	10.9	1002
5/8/26 20:00	2.0	292	9.3	1002
5/8/26 21:00	1.3	248	8.0	1003
5/8/26 22:00	2.0	255	6.6	1004
5/8/26 23:00	2.3	254	6.0	1004
5/9/26 0:00	1.9	250	4.6	1005
5/9/26 1:00	2.2	246	3.6	1005
5/9/26 2:00	1.3	232	2.0	1006
5/9/26 3:00	1.0	225	1.2	1006
5/9/26 4:00	1.5	170	0.5	1006
5/9/26 5:00	0.3	ND	0.3	1006
5/9/26 6:00	1.3	197	3.2	1007
5/9/26 7:00	3.1	186	6.8	1008
5/9/26 8:00	3.5	191	10.0	1008
5/9/26 9:00	4.3	181	12.5	1008
5/9/26 10:00	5.0	167	13.6	1008
5/9/26 11:00	5.6	170	14.4	1008
5/9/26 12:00	6.1	184	15.1	1007
5/9/26 13:00	7.5	189	14.4	1007
5/9/26 14:00	7.5	185	13.4	1007

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/9/26 15:00	7.6	179	11.5	1008
5/9/26 16:00	6.6	184	9.3	1008
5/9/26 17:00	4.1	168	7.9	1008
5/9/26 18:00	4.1	148	7.1	1008
5/9/26 19:00	3.7	150	7.0	1008
5/9/26 20:00	3.1	131	6.9	1008
5/9/26 21:00	3.0	125	7.0	1008
5/9/26 22:00	1.7	115	7.0	1007
5/9/26 23:00	2.8	165	7.5	1006
5/10/26 0:00	6.1	169	8.9	1006
5/10/26 1:00	4.5	168	8.9	1006
5/10/26 2:00	4.9	173	9.0	1006
5/10/26 3:00	3.4	173	9.2	1006
5/10/26 4:00	3.0	160	9.9	1005
5/10/26 5:00	3.8	152	10.3	1005
5/10/26 6:00	5.2	174	10.8	1005
5/10/26 7:00	4.6	175	10.4	1005
5/10/26 8:00	4.6	176	10.5	1005
5/10/26 9:00	4.8	185	10.7	1006
5/10/26 10:00	4.6	188	11.9	1006
5/10/26 11:00	4.6	184	12.8	1006
5/10/26 12:00	4.5	176	13.4	1006
5/10/26 13:00	4.5	165	15.1	1005
5/10/26 14:00	5.9	174	16.3	1004
5/10/26 15:00	6.3	187	16.8	1004
5/10/26 16:00	4.8	170	16.7	1004
5/10/26 17:00	5.0	175	15.8	1004
5/10/26 18:00	5.9	175	13.2	1004
5/10/26 19:00	4.5	173	12.3	1005
5/10/26 20:00	2.8	178	11.5	1006
5/10/26 21:00	2.1	213	10.9	1006
5/10/26 22:00	2.1	186	10.8	1007
5/10/26 23:00	ND	ND	10.9	1007
5/11/26 0:00	1.5	320	10.2	1008
5/11/26 1:00	1.4	304	8.9	1008
5/11/26 2:00	1.6	306	7.7	1008
5/11/26 3:00	ND	ND	5.5	1008
5/11/26 4:00	1.9	315	5.0	1008
5/11/26 5:00	2.4	272	5.5	1009
5/11/26 6:00	1.7	276	7.9	1009
5/11/26 7:00	3.1	304	9.6	1010
5/11/26 8:00	3.4	309	11.1	1010
5/11/26 9:00	2.7	319	12.2	1010
5/11/26 10:00	3.3	323	13.5	1010
5/11/26 11:00	3.4	318	14.4	1009
5/11/26 12:00	3.2	272	14.4	1008
5/11/26 13:00	3.8	294	15.7	1008
5/11/26 14:00	3.9	293	14.5	1008
5/11/26 15:00	4.4	306	14.2	1008


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

5/11/26 16:00	6.3	317	13.4	1008
5/11/26 17:00	6.1	319	13.0	1008
5/11/26 18:00	4.9	323	12.4	1009
5/11/26 19:00	3.2	325	11.4	1009
5/11/26 20:00	2.6	310	10.6	1009
5/11/26 21:00	2.1	306	8.9	1010
5/11/26 22:00	3.6	312	8.1	1010
5/11/26 23:00	4.1	320	7.4	1010
5/12/26 0:00	4.3	332	6.0	1010
5/12/26 1:00	4.1	340	5.0	1010
5/12/26 2:00	4.2	339	4.8	1010
5/12/26 3:00	2.6	331	3.3	1010
5/12/26 4:00	2.1	328	2.0	1010
5/12/26 5:00	1.5	305	1.5	1011
5/12/26 6:00	3.1	316	4.6	1011
5/12/26 7:00	4.3	334	7.0	1011
5/12/26 8:00	3.7	342	8.7	1011
5/12/26 9:00	6.1	330	10.3	1011
5/12/26 10:00	6.5	333	10.8	1010
5/12/26 11:00	7.8	326	11.4	1010
5/12/26 12:00	6.9	319	11.6	1009
5/12/26 13:00	5.6	313	12.0	1009
5/12/26 14:00	6.5	321	12.5	1008
5/12/26 15:00	7.1	319	12.5	1008
5/12/26 16:00	7.0	334	12.0	1008
5/12/26 17:00	6.2	328	12.0	1009
5/12/26 18:00	6.4	328	11.1	1009
5/12/26 19:00	5.0	328	10.6	1010
5/12/26 20:00	2.4	303	10.0	1010
5/12/26 21:00	2.2	292	9.0	1011
5/12/26 22:00	2.4	302	9.0	1011
5/12/26 23:00	2.4	310	8.5	1011
5/13/26 0:00	2.0	290	7.0	1011
5/13/26 1:00	2.3	287	5.7	1011
5/13/26 2:00	2.8	274	5.5	1011
5/13/26 3:00	2.4	273	4.0	1011
5/13/26 4:00	2.1	263	1.9	1011
5/13/26 5:00	ND	ND	2.1	1012
5/13/26 6:00	ND	ND	3.9	1012
5/13/26 7:00	ND	ND	6.7	1012
5/13/26 8:00	1.5	45	8.9	1012
5/13/26 9:00	1.8	46	10.9	1012
5/13/26 10:00	2.1	5	11.9	1011
5/13/26 11:00	2.0	129	13.0	1011
5/13/26 12:00	4.0	172	13.1	1010

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (4/29/26 12:00 to 5/13/26 12:00)

BGR Wind Rose 4/29/26 12:00 - 5/13/26 12:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
5/13/26 12:00	4.0	172	13.1	1010
5/13/26 13:00	7.0	191	12.4	1010
5/13/26 14:00	6.9	191	11.6	1010
5/13/26 15:00	5.7	179	10.9	1009
5/13/26 16:00	4.2	155	8.5	1009
5/13/26 17:00	3.0	147	8.0	1009
5/13/26 18:00	2.3	110	7.2	1009
5/13/26 19:00	2.0	86	7.5	1008
5/13/26 20:00	2.5	114	7.9	1009
5/13/26 21:00	3.6	140	7.9	1008
5/13/26 22:00	2.8	152	7.9	1008
5/13/26 23:00	3.6	162	8.0	1008
5/14/26 0:00	3.7	162	8.0	1008
5/14/26 1:00	3.8	162	8.1	1007
5/14/26 2:00	3.5	158	8.0	1007
5/14/26 3:00	3.3	166	8.0	1006
5/14/26 4:00	2.9	167	8.1	1007
5/14/26 5:00	2.9	157	8.9	1007
5/14/26 6:00	3.1	146	9.1	1007
5/14/26 7:00	3.4	145	10.3	1007
5/14/26 8:00	4.2	142	11.9	1007
5/14/26 9:00	4.3	144	13.6	1007
5/14/26 10:00	4.7	132	15.7	1007
5/14/26 11:00	6.2	148	16.5	1006
5/14/26 12:00	5.7	143	17.5	1006
5/14/26 13:00	5.9	134	17.3	1005
5/14/26 14:00	5.3	145	17.2	1005
5/14/26 15:00	6.7	118	16.7	1004
5/14/26 16:00	8.1	120	16.0	1004
5/14/26 17:00	6.6	136	14.8	1004
5/14/26 18:00	4.7	118	12.9	1004
5/14/26 19:00	5.6	97	12.2	1003
5/14/26 20:00	4.0	55	12.2	1003
5/14/26 21:00	3.8	49	13.6	1003
5/14/26 22:00	3.4	55	13.9	1003
5/14/26 23:00	3.5	57	13.9	1003
5/15/26 0:00	4.1	50	12.9	1003
5/15/26 1:00	3.5	67	12.9	1003
5/15/26 2:00	3.2	72	12.7	1003
5/15/26 3:00	5.0	77	11.9	1003
5/15/26 4:00	3.5	62	11.0	1003
5/15/26 5:00	2.9	30	11.0	1003
5/15/26 6:00	3.4	26	11.0	1004
5/15/26 7:00	3.4	26	11.9	1004
5/15/26 8:00	3.9	29	12.5	1005
5/15/26 9:00	4.2	52	13.2	1005
5/15/26 10:00	3.9	55	14.1	1005

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/15/26 11:00	4.0	63	14.9	1005
5/15/26 12:00	2.1	57	15.8	1005
5/15/26 13:00	1.9	356	16.6	1005
5/15/26 14:00	1.9	340	17.0	1004
5/15/26 15:00	2.1	10	17.6	1004
5/15/26 16:00	2.1	4	18.0	1004
5/15/26 17:00	2.3	35	17.8	1004
5/15/26 18:00	2.8	60	15.0	1005
5/15/26 19:00	2.7	262	13.1	1005
5/15/26 20:00	1.5	181	12.9	1005
5/15/26 21:00	1.8	190	11.9	1005
5/15/26 22:00	2.0	206	11.9	1006
5/15/26 23:00	1.7	191	11.9	1006
5/16/26 0:00	2.0	201	11.5	1006
5/16/26 1:00	2.0	198	10.8	1006
5/16/26 2:00	1.6	195	9.8	1006
5/16/26 3:00	1.7	202	9.2	1006
5/16/26 4:00	1.5	209	8.9	1005
5/16/26 5:00	1.5	220	9.0	1006
5/16/26 6:00	1.5	200	10.5	1007
5/16/26 7:00	2.1	238	12.9	1007
5/16/26 8:00	2.4	228	15.7	1007
5/16/26 9:00	3.6	258	18.2	1006
5/16/26 10:00	3.7	256	20.0	1006
5/16/26 11:00	4.0	265	21.7	1006
5/16/26 12:00	4.4	263	22.9	1005
5/16/26 13:00	5.0	265	23.4	1004
5/16/26 14:00	4.2	267	24.0	1003
5/16/26 15:00	4.7	213	24.1	1002
5/16/26 16:00	5.3	180	23.6	1001
5/16/26 17:00	4.8	178	22.2	1001
5/16/26 18:00	5.7	186	21.9	1002
5/16/26 19:00	6.2	188	20.4	1001
5/16/26 20:00	5.7	185	17.8	1002
5/16/26 21:00	4.6	188	16.0	1002
5/16/26 22:00	4.7	189	14.8	1001
5/16/26 23:00	3.7	197	13.9	1001
5/17/26 0:00	3.4	175	13.1	1001
5/17/26 1:00	3.4	190	13.0	1000
5/17/26 2:00	4.3	194	12.9	1000
5/17/26 3:00	3.1	189	12.9	1000
5/17/26 4:00	2.2	200	12.3	1000
5/17/26 5:00	1.6	293	11.9	1001
5/17/26 6:00	1.9	244	15.0	1002
5/17/26 7:00	2.1	234	17.7	1002
5/17/26 8:00	4.2	268	20.3	1002
5/17/26 9:00	5.0	283	22.2	1002
5/17/26 10:00	5.6	293	22.7	1003
5/17/26 11:00	7.3	294	24.0	1003

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/17/26 12:00	7.1	295	24.3	1004
5/17/26 13:00	8.3	302	24.8	1004
5/17/26 14:00	7.1	307	24.2	1004
5/17/26 15:00	8.1	307	24.4	1004
5/17/26 16:00	6.8	301	24.9	1005
5/17/26 17:00	7.8	306	24.0	1006
5/17/26 18:00	8.4	316	22.8	1007
5/17/26 19:00	7.5	331	21.0	1008
5/17/26 20:00	6.5	340	18.9	1009
5/17/26 21:00	4.3	343	17.4	1010
5/17/26 22:00	4.4	338	16.1	1011
5/17/26 23:00	3.0	332	14.6	1011
5/18/26 0:00	2.9	286	14.3	1012
5/18/26 1:00	2.0	298	12.2	1013
5/18/26 2:00	2.7	274	12.2	1013
5/18/26 3:00	2.3	303	11.5	1014
5/18/26 4:00	2.5	15	11.0	1015
5/18/26 5:00	1.7	1	9.0	1016
5/18/26 6:00	2.3	42	10.4	1016
5/18/26 7:00	2.5	58	12.5	1017
5/18/26 8:00	2.7	75	14.2	1018
5/18/26 9:00	2.1	144	15.0	1018
5/18/26 10:00	1.5	164	15.8	1018
5/18/26 11:00	2.2	162	16.6	1017
5/18/26 12:00	3.5	182	17.3	1016
5/18/26 13:00	5.1	179	16.8	1015
5/18/26 14:00	4.4	181	15.9	1015
5/18/26 15:00	5.7	176	15.3	1015
5/18/26 16:00	5.2	176	14.0	1015
5/18/26 17:00	5.1	161	14.0	1014
5/18/26 18:00	5.6	175	14.6	1014
5/18/26 19:00	4.3	175	13.7	1013
5/18/26 20:00	4.0	174	13.0	1013
5/18/26 21:00	2.2	183	11.9	1013
5/18/26 22:00	1.5	190	10.8	1013
5/18/26 23:00	1.7	165	10.1	1012
5/19/26 0:00	ND	ND	9.1	1011
5/19/26 1:00	ND	ND	8.6	1010
5/19/26 2:00	2.3	188	8.9	1010
5/19/26 3:00	1.8	190	8.9	1009
5/19/26 4:00	1.9	198	8.9	1008
5/19/26 5:00	2.1	220	9.0	1008
5/19/26 6:00	1.7	187	10.6	1008
5/19/26 7:00	1.9	175	13.1	1008
5/19/26 8:00	1.5	152	16.1	1007
5/19/26 9:00	2.2	199	19.9	1007
5/19/26 10:00	2.3	167	23.9	1006
5/19/26 11:00	2.5	130	28.2	1005
5/19/26 12:00	5.2	257	30.6	1004

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/19/26 13:00	3.5	244	29.1	1003
5/19/26 14:00	3.5	202	29.4	1003
5/19/26 15:00	4.9	181	26.8	1002
5/19/26 16:00	2.9	194	24.6	1003
5/19/26 17:00	2.7	188	26.3	1002
5/19/26 18:00	3.6	190	24.5	1002
5/19/26 19:00	3.0	199	23.2	1002
5/19/26 20:00	2.6	194	21.8	1003
5/19/26 21:00	3.2	194	21.2	1003
5/19/26 22:00	2.0	190	19.1	1003
5/19/26 23:00	2.0	184	18.3	1002
5/20/26 0:00	1.9	201	17.7	1002
5/20/26 1:00	1.6	201	16.7	1002
5/20/26 2:00	3.1	203	17.4	1001
5/20/26 3:00	2.7	190	17.3	1001
5/20/26 4:00	1.7	204	16.4	1000
5/20/26 5:00	2.0	193	17.0	1001
5/20/26 6:00	3.1	190	18.6	1001
5/20/26 7:00	2.4	200	21.3	1001
5/20/26 8:00	3.1	193	22.3	1000
5/20/26 9:00	3.3	217	24.7	1000
5/20/26 10:00	4.7	254	28.0	1000
5/20/26 11:00	4.4	255	29.3	1000
5/20/26 12:00	5.8	270	29.0	999
5/20/26 13:00	6.8	257	29.0	999
5/20/26 14:00	6.5	285	29.2	999
5/20/26 15:00	5.6	266	29.3	998
5/20/26 16:00	6.3	270	30.0	998
5/20/26 17:00	6.8	295	29.3	999
5/20/26 18:00	5.2	294	27.9	1000
5/20/26 19:00	5.8	307	25.3	1001
5/20/26 20:00	5.2	307	23.0	1003
5/20/26 21:00	6.2	310	22.0	1004
5/20/26 22:00	6.7	320	20.3	1005
5/20/26 23:00	7.9	334	17.5	1006
5/21/26 0:00	8.1	338	15.8	1008
5/21/26 1:00	5.6	327	13.8	1008
5/21/26 2:00	5.0	324	12.6	1009
5/21/26 3:00	6.6	325	11.9	1010
5/21/26 4:00	4.9	319	10.7	1011
5/21/26 5:00	4.3	326	9.5	1012
5/21/26 6:00	5.8	314	9.1	1013
5/21/26 7:00	5.9	313	10.3	1014
5/21/26 8:00	5.6	322	11.0	1014
5/21/26 9:00	5.1	325	11.8	1014
5/21/26 10:00	4.3	309	12.2	1014
5/21/26 11:00	5.2	320	12.9	1014
5/21/26 12:00	5.0	329	14.0	1014
5/21/26 13:00	5.8	339	15.5	1014

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/21/26 14:00	4.9	332	16.1	1014
5/21/26 15:00	4.6	338	16.6	1013
5/21/26 16:00	5.0	340	16.5	1014
5/21/26 17:00	5.9	345	16.3	1014
5/21/26 18:00	6.3	341	15.6	1015
5/21/26 19:00	5.4	340	13.5	1015
5/21/26 20:00	5.0	331	11.9	1016
5/21/26 21:00	4.5	321	9.9	1017
5/21/26 22:00	4.4	318	9.2	1018
5/21/26 23:00	3.6	305	8.9	1018
5/22/26 0:00	2.7	295	7.7	1019
5/22/26 1:00	2.2	336	5.9	1019
5/22/26 2:00	ND	ND	3.7	1019
5/22/26 3:00	1.5	ND	3.2	1020
5/22/26 4:00	ND	ND	1.7	1020
5/22/26 5:00	1.5	325	2.4	1021
5/22/26 6:00	3.1	319	5.6	1022
5/22/26 7:00	4.2	328	8.3	1022
5/22/26 8:00	3.9	335	10.5	1022
5/22/26 9:00	4.6	342	11.8	1022
5/22/26 10:00	4.6	324	13.1	1021
5/22/26 11:00	6.4	325	15.1	1021
5/22/26 12:00	5.8	314	16.5	1020
5/22/26 13:00	5.1	323	17.9	1019
5/22/26 14:00	4.9	321	19.0	1018
5/22/26 15:00	5.4	322	19.3	1018
5/22/26 16:00	5.9	338	19.6	1017
5/22/26 17:00	6.1	330	19.1	1018
5/22/26 18:00	5.5	335	18.7	1018
5/22/26 19:00	4.9	336	17.2	1019
5/22/26 20:00	2.2	304	14.6	1020
5/22/26 21:00	2.1	296	12.3	1020
5/22/26 22:00	1.7	301	9.3	1021
5/22/26 23:00	ND	ND	8.4	1021
5/23/26 0:00	ND	ND	6.8	1022
5/23/26 1:00	ND	ND	6.1	1023
5/23/26 2:00	1.0	250	4.6	1023
5/23/26 3:00	ND	ND	3.8	1024
5/23/26 4:00	ND	ND	3.0	1024
5/23/26 5:00	ND	ND	3.0	1025
5/23/26 6:00	ND	ND	6.9	1026
5/23/26 7:00	2.1	353	10.9	1027
5/23/26 8:00	2.0	12	12.9	1027
5/23/26 9:00	1.9	36	14.9	1027
5/23/26 10:00	2.6	357	16.2	1027
5/23/26 11:00	2.5	8	17.0	1027
5/23/26 12:00	2.7	345	17.8	1026
5/23/26 13:00	2.4	327	18.3	1026
5/23/26 14:00	2.0	305	18.9	1026

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/23/26 15:00	1.9	327	18.9	1025
5/23/26 16:00	4.9	170	18.0	1025
5/23/26 17:00	6.5	189	15.3	1025
5/23/26 18:00	4.8	186	13.9	1026
5/23/26 19:00	3.9	176	12.6	1026
5/23/26 20:00	2.7	175	11.5	1026
5/23/26 21:00	2.0	177	10.5	1027
5/23/26 22:00	1.8	182	9.5	1027
5/23/26 23:00	2.2	185	8.9	1027
5/24/26 0:00	1.9	181	8.2	1027
5/24/26 1:00	1.7	194	7.5	1027
5/24/26 2:00	1.8	183	7.2	1027
5/24/26 3:00	1.9	183	6.9	1027
5/24/26 4:00	1.5	200	6.9	1027
5/24/26 5:00	1.5	190	6.7	1027
5/24/26 6:00	2.2	186	7.5	1028
5/24/26 7:00	1.8	193	9.4	1028
5/24/26 8:00	2.5	181	10.9	1028
5/24/26 9:00	2.9	169	11.5	1028
5/24/26 10:00	3.9	186	13.3	1028
5/24/26 11:00	3.8	187	14.0	1028
5/24/26 12:00	3.6	190	14.0	1028
5/24/26 13:00	3.6	198	14.0	1027
5/24/26 14:00	4.0	161	14.6	1026
5/24/26 15:00	5.7	177	15.6	1025
5/24/26 16:00	6.1	193	15.2	1025
5/24/26 17:00	4.8	186	13.4	1025
5/24/26 18:00	4.7	162	12.8	1024
5/24/26 19:00	2.8	151	11.3	1024
5/24/26 20:00	2.6	162	9.8	1024
5/24/26 21:00	1.5	114	7.8	1024
5/24/26 22:00	1.5	107	8.0	1023
5/24/26 23:00	1.6	107	8.0	1022
5/25/26 0:00	1.9	104	8.1	1021
5/25/26 1:00	1.5	117	8.4	1020
5/25/26 2:00	2.1	109	8.9	1019
5/25/26 3:00	2.7	115	9.0	1018
5/25/26 4:00	3.6	110	9.3	1016
5/25/26 5:00	3.0	125	10.2	1016
5/25/26 6:00	4.3	139	11.0	1014
5/25/26 7:00	4.3	131	11.3	1013
5/25/26 8:00	4.0	131	11.8	1012
5/25/26 9:00	5.0	148	12.0	1010
5/25/26 10:00	2.5	182	12.0	1009
5/25/26 11:00	2.0	220	11.9	1009
5/25/26 12:00	1.3	239	12.0	1007
5/25/26 13:00	1.9	295	13.4	1007
5/25/26 14:00	3.9	314	14.8	1006
5/25/26 15:00	4.1	319	16.4	1006


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

5/25/26 16:00	4.5	318	17.7	1005
5/25/26 17:00	3.4	311	18.4	1005
5/25/26 18:00	2.3	298	18.6	1005
5/25/26 19:00	2.0	283	17.5	1006
5/25/26 20:00	2.5	297	17.1	1007
5/25/26 21:00	3.0	297	16.7	1007
5/25/26 22:00	2.7	295	15.3	1008
5/25/26 23:00	2.3	268	14.1	1008
5/26/26 0:00	1.9	250	13.1	1008
5/26/26 1:00	1.9	263	12.8	1008
5/26/26 2:00	2.1	265	12.0	1008
5/26/26 3:00	2.5	250	12.0	1008
5/26/26 4:00	2.9	262	12.4	1008
5/26/26 5:00	3.3	261	12.3	1009
5/26/26 6:00	2.1	263	13.7	1009
5/26/26 7:00	3.0	270	16.6	1009
5/26/26 8:00	3.0	267	18.4	1009
5/26/26 9:00	3.9	272	20.6	1009
5/26/26 10:00	3.3	256	22.2	1008
5/26/26 11:00	3.3	267	23.4	1008
5/26/26 12:00	3.8	271	24.2	1007
5/26/26 13:00	3.3	263	25.8	1006
5/26/26 14:00	4.2	243	26.3	1005
5/26/26 15:00	4.6	229	26.9	1004
5/26/26 16:00	5.1	189	26.1	1003
5/26/26 17:00	6.1	171	24.0	1002
5/26/26 18:00	6.6	188	23.5	1002
5/26/26 19:00	5.0	187	22.2	1002
5/26/26 20:00	3.8	183	19.5	1002
5/26/26 21:00	3.8	189	18.0	1002
5/26/26 22:00	2.7	189	17.1	1002
5/26/26 23:00	3.7	183	16.9	1001
5/27/26 0:00	2.4	185	16.9	1001
5/27/26 1:00	1.7	184	15.8	1001
5/27/26 2:00	1.5	190	14.8	1000
5/27/26 3:00	1.5	350	14.5	1000
5/27/26 4:00	ND	ND	13.1	1000
5/27/26 5:00	1.5	200	13.2	1000
5/27/26 6:00	1.9	188	17.0	1000
5/27/26 7:00	2.0	192	19.2	1000
5/27/26 8:00	2.3	244	22.2	1001
5/27/26 9:00	2.4	243	23.8	1000
5/27/26 10:00	2.0	242	25.1	999
5/27/26 11:00	3.1	248	25.6	999

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (5/13/26 12:00 to 5/27/26 11:00)

BGR Wind Rose 5/13/26 12:00 - 5/27/26 11:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
5/27/26 11:00	3.1	275	25.6	999
5/27/26 12:00	3.7	277	26.7	998
5/27/26 13:00	3.7	275	26.4	997
5/27/26 14:00	3.8	294	26.0	997
5/27/26 15:00	4.1	310	25.9	997
5/27/26 16:00	7.6	334	25.6	997
5/27/26 17:00	7.7	344	24.7	998
5/27/26 18:00	7.4	338	22.8	999
5/27/26 19:00	6.6	334	21.0	1000
5/27/26 20:00	5.6	357	19.5	1000
5/27/26 21:00	5.7	5	18.3	1001
5/27/26 22:00	4.1	13	16.8	1001
5/27/26 23:00	3.5	8	15.3	1001
5/28/26 0:00	2.7	357	14.1	1001
5/28/26 1:00	3.1	3	13.8	1000
5/28/26 2:00	3.7	4	13.2	1001
5/28/26 3:00	3.3	8	12.5	1001
5/28/26 4:00	3.4	12	13.0	1001
5/28/26 5:00	3.4	8	12.9	1001
5/28/26 6:00	4.2	18	13.1	1001
5/28/26 7:00	4.3	17	14.0	1002
5/28/26 8:00	4.4	3	13.8	1002
5/28/26 9:00	4.9	19	13.9	1002
5/28/26 10:00	6.0	7	14.0	1002
5/28/26 11:00	6.9	3	14.8	1002
5/28/26 12:00	7.1	13	15.7	1002
5/28/26 13:00	6.9	1	15.7	1002
5/28/26 14:00	6.4	4	14.8	1002
5/28/26 15:00	7.0	13	14.0	1002
5/28/26 16:00	7.6	7	14.6	1002
5/28/26 17:00	7.1	15	13.2	1003
5/28/26 18:00	6.6	2	13.0	1003
5/28/26 19:00	5.7	2	12.2	1004
5/28/26 20:00	5.5	1	11.6	1004
5/28/26 21:00	4.9	357	11.0	1005
5/28/26 22:00	4.3	358	10.7	1004
5/28/26 23:00	3.6	338	9.7	1004
5/29/26 0:00	4.7	338	8.9	1004
5/29/26 1:00	3.3	329	7.2	1004
5/29/26 2:00	3.7	347	7.2	1004
5/29/26 3:00	4.1	337	7.9	1003
5/29/26 4:00	3.3	344	7.9	1004
5/29/26 5:00	3.2	325	7.6	1004
5/29/26 6:00	3.5	330	8.0	1004
5/29/26 7:00	4.0	344	8.5	1004
5/29/26 8:00	3.2	349	10.0	1004
5/29/26 9:00	3.4	356	10.9	1003

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

5/29/26 10:00	2.1	347	12.1	1003
5/29/26 11:00	3.3	13	13.2	1002
5/29/26 12:00	3.1	22	13.4	1002
5/29/26 13:00	2.6	39	13.6	1002
5/29/26 14:00	3.3	13	14.6	1002
5/29/26 15:00	3.2	4	15.6	1001
5/29/26 16:00	2.2	44	15.4	1001
5/29/26 17:00	3.3	47	14.7	1001
5/29/26 18:00	3.7	66	14.0	1001
5/29/26 19:00	3.4	81	13.5	1002
5/29/26 20:00	3.9	107	12.4	1002
5/29/26 21:00	3.0	111	11.9	1003
5/29/26 22:00	4.4	116	10.7	1004
5/29/26 23:00	5.5	105	9.1	1004
5/30/26 0:00	5.1	75	8.6	1005
5/30/26 1:00	6.2	66	7.4	1006
5/30/26 2:00	5.4	61	6.8	1006
5/30/26 3:00	5.8	46	4.7	1006
5/30/26 4:00	4.4	31	4.1	1006
5/30/26 5:00	4.5	32	4.2	1007
5/30/26 6:00	4.2	32	4.6	1008
5/30/26 7:00	4.2	42	5.0	1009
5/30/26 8:00	4.3	26	5.7	1009
5/30/26 9:00	5.8	26	6.8	1010
5/30/26 10:00	6.4	29	7.9	1010
5/30/26 11:00	5.5	24	8.6	1010
5/30/26 12:00	6.1	19	9.2	1011
5/30/26 13:00	6.9	27	10.5	1010
5/30/26 14:00	7.1	23	10.3	1011
5/30/26 15:00	6.9	31	11.3	1010
5/30/26 16:00	6.8	22	11.8	1010
5/30/26 17:00	5.5	28	11.9	1010
5/30/26 18:00	3.5	40	11.9	1010
5/30/26 19:00	1.8	90	10.9	1010
5/30/26 20:00	1.7	137	8.0	1010
5/30/26 21:00	0.0	ND	6.8	1010
5/30/26 22:00	ND	ND	5.8	1010
5/30/26 23:00	1.5	250	5.0	1009
5/31/26 0:00	1.5	247	4.2	1009
5/31/26 1:00	1.8	142	3.0	1008
5/31/26 2:00	ND	ND	3.0	1008
5/31/26 3:00	ND	ND	2.7	1007
5/31/26 4:00	ND	ND	1.6	1007
5/31/26 5:00	ND	ND	2.0	1007
5/31/26 6:00	1.5	10	4.4	1007
5/31/26 7:00	1.9	21	7.6	1007
5/31/26 8:00	1.8	61	9.4	1006
5/31/26 9:00	1.5	33	11.5	1006
5/31/26 10:00	2.1	344	13.6	1005

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

5/31/26 11:00	1.8	61	15.6	1005
5/31/26 12:00	2.2	298	17.3	1004
5/31/26 13:00	3.4	340	17.0	1003
5/31/26 14:00	3.0	279	16.7	1003
5/31/26 15:00	5.9	194	13.2	1003
5/31/26 16:00	5.7	186	10.9	1004
5/31/26 17:00	4.2	179	10.3	1004
5/31/26 18:00	4.4	191	9.4	1005
5/31/26 19:00	3.6	180	8.6	1005
5/31/26 20:00	2.5	180	7.9	1006
5/31/26 21:00	2.4	159	7.7	1006
5/31/26 22:00	2.0	162	7.0	1006
5/31/26 23:00	1.8	248	6.6	1007
6/1/26 0:00	ND	ND	5.7	1007
6/1/26 1:00	1.0	ND	5.7	1007
6/1/26 2:00	2.0	64	6.0	1008
6/1/26 3:00	1.5	ND	5.5	1008
6/1/26 4:00	ND	ND	3.6	1008
6/1/26 5:00	1.7	349	3.2	1009
6/1/26 6:00	2.9	11	6.3	1010
6/1/26 7:00	3.3	34	8.0	1010
6/1/26 8:00	4.3	27	10.3	1010
6/1/26 9:00	4.3	6	12.1	1010
6/1/26 10:00	3.1	27	13.6	1011
6/1/26 11:00	3.6	352	15.5	1011
6/1/26 12:00	4.3	2	16.2	1011
6/1/26 13:00	4.0	357	17.3	1010
6/1/26 14:00	3.5	9	18.1	1010
6/1/26 15:00	3.2	31	18.5	1010
6/1/26 16:00	2.3	5	18.8	1010
6/1/26 17:00	3.3	133	18.2	1010
6/1/26 18:00	5.9	184	14.2	1010
6/1/26 19:00	4.8	181	11.8	1011
6/1/26 20:00	4.0	181	10.2	1012
6/1/26 21:00	4.2	183	8.8	1012
6/1/26 22:00	3.4	197	8.0	1012
6/1/26 23:00	4.1	194	7.9	1012
6/2/26 0:00	3.7	198	7.9	1012
6/2/26 1:00	3.8	201	7.6	1012
6/2/26 2:00	3.6	199	7.0	1012
6/2/26 3:00	3.1	200	6.9	1012
6/2/26 4:00	2.0	198	6.5	1012
6/2/26 5:00	1.8	203	6.3	1011
6/2/26 6:00	1.6	212	7.2	1012
6/2/26 7:00	3.0	211	8.8	1011
6/2/26 8:00	2.5	229	13.8	1011
6/2/26 9:00	3.2	262	18.1	1010
6/2/26 10:00	4.1	285	18.9	1010
6/2/26 11:00	4.5	320	19.4	1010

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

6/2/26 12:00	4.8	320	20.6	1010
6/2/26 13:00	4.8	8	20.9	1010
6/2/26 14:00	5.5	13	20.9	1010
6/2/26 15:00	5.0	12	20.9	1010
6/2/26 16:00	3.9	356	20.6	1010
6/2/26 17:00	2.9	5	19.8	1011
6/2/26 18:00	2.9	359	18.9	1011
6/2/26 19:00	2.6	336	17.7	1012
6/2/26 20:00	1.5	319	16.3	1012
6/2/26 21:00	2.1	316	16.2	1012
6/2/26 22:00	2.2	318	15.7	1012
6/2/26 23:00	1.5	250	14.0	1012
6/3/26 0:00	1.5	240	12.8	1012
6/3/26 1:00	ND	ND	11.0	1012
6/3/26 2:00	ND	ND	8.7	1012
6/3/26 3:00	ND	ND	8.1	1012
6/3/26 4:00	ND	ND	7.8	1012
6/3/26 5:00	ND	ND	7.9	1013
6/3/26 6:00	ND	ND	11.1	1013
6/3/26 7:00	ND	ND	14.0	1014
6/3/26 8:00	1.0	128	17.3	1014
6/3/26 9:00	1.5	178	20.0	1014
6/3/26 10:00	2.8	193	22.1	1013
6/3/26 11:00	2.6	191	23.8	1013
6/3/26 12:00	1.6	124	25.2	1012
6/3/26 13:00	3.3	316	26.0	1012
6/3/26 14:00	4.4	206	25.6	1011
6/3/26 15:00	6.7	193	23.9	1011
6/3/26 16:00	7.0	195	21.7	1011
6/3/26 17:00	6.5	191	19.7	1011
6/3/26 18:00	6.4	184	18.1	1011
6/3/26 19:00	5.2	172	16.2	1012
6/3/26 20:00	4.3	178	15.1	1012
6/3/26 21:00	3.2	177	13.9	1012
6/3/26 22:00	2.3	194	13.3	1012
6/3/26 23:00	2.7	188	12.6	1012
6/4/26 0:00	2.1	191	11.9	1012
6/4/26 1:00	2.3	196	11.9	1012
6/4/26 2:00	2.0	191	11.5	1011
6/4/26 3:00	1.7	194	10.9	1011
6/4/26 4:00	1.8	186	10.3	1011
6/4/26 5:00	0.3	ND	9.4	1011
6/4/26 6:00	1.6	191	12.4	1011
6/4/26 7:00	2.1	200	15.5	1011
6/4/26 8:00	2.2	197	19.2	1011
6/4/26 9:00	1.9	202	23.2	1011
6/4/26 10:00	2.3	214	26.2	1010
6/4/26 11:00	3.1	225	28.3	1009
6/4/26 12:00	5.0	247	29.0	1008

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

6/4/26 13:00	4.5	246	29.3	1008
6/4/26 14:00	6.1	197	29.3	1007
6/4/26 15:00	6.4	179	27.8	1006
6/4/26 16:00	6.4	173	26.4	1006
6/4/26 17:00	6.2	175	25.9	1005
6/4/26 18:00	5.0	181	24.2	1005
6/4/26 19:00	4.8	182	21.9	1005
6/4/26 20:00	3.7	189	18.9	1005
6/4/26 21:00	3.4	195	17.3	1006
6/4/26 22:00	2.4	205	16.4	1006
6/4/26 23:00	1.3	212	14.7	1005
6/5/26 0:00	1.6	197	13.1	1005
6/5/26 1:00	1.5	200	12.8	1005
6/5/26 2:00	1.5	200	12.0	1005
6/5/26 3:00	1.5	10	11.6	1005
6/5/26 4:00	ND	ND	11.6	1005
6/5/26 5:00	1.9	330	12.5	1006
6/5/26 6:00	2.9	342	16.2	1006
6/5/26 7:00	3.8	15	18.2	1007
6/5/26 8:00	4.4	20	20.1	1006
6/5/26 9:00	4.1	9	21.5	1006
6/5/26 10:00	3.6	359	22.9	1006
6/5/26 11:00	3.8	353	23.8	1006
6/5/26 12:00	2.2	357	24.9	1006
6/5/26 13:00	2.2	346	26.0	1006
6/5/26 14:00	1.4	337	26.9	1005
6/5/26 15:00	2.0	340	27.2	1005
6/5/26 16:00	2.2	330	27.2	1005
6/5/26 17:00	2.9	43	26.0	1005
6/5/26 18:00	4.4	188	22.6	1006
6/5/26 19:00	4.1	192	20.3	1006
6/5/26 20:00	3.7	191	18.7	1007
6/5/26 21:00	2.7	182	17.7	1008
6/5/26 22:00	2.4	221	17.1	1008
6/5/26 23:00	3.2	181	15.9	1008
6/6/26 0:00	ND	ND	15.6	1008
6/6/26 1:00	1.9	179	15.1	1007
6/6/26 2:00	1.7	163	14.1	1007
6/6/26 3:00	ND	ND	12.9	1007
6/6/26 4:00	ND	ND	12.9	1006
6/6/26 5:00	ND	ND	13.9	1006
6/6/26 6:00	2.0	137	14.9	1006
6/6/26 7:00	2.0	216	15.9	1007
6/6/26 8:00	2.3	163	16.1	1007
6/6/26 9:00	3.7	189	16.9	1007
6/6/26 10:00	3.8	181	16.9	1006
6/6/26 11:00	3.6	148	18.3	1006
6/6/26 12:00	4.6	137	18.9	1004
6/6/26 13:00	4.1	134	18.0	1004

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

6/6/26 14:00	4.2	130	17.7	1003
6/6/26 15:00	3.8	119	15.9	1003
6/6/26 16:00	4.2	106	14.7	1002
6/6/26 17:00	3.1	128	13.8	1002
6/6/26 18:00	3.5	140	12.9	1001
6/6/26 19:00	3.4	148	12.8	1000
6/6/26 20:00	3.1	149	12.0	999
6/6/26 21:00	2.1	136	12.0	998
6/6/26 22:00	1.6	135	11.9	998
6/6/26 23:00	1.6	125	11.9	997
6/7/26 0:00	2.0	107	11.9	996
6/7/26 1:00	1.9	94	11.9	995
6/7/26 2:00	1.5	300	11.9	995
6/7/26 3:00	1.7	310	11.9	994
6/7/26 4:00	1.5	70	12.0	994
6/7/26 5:00	1.5	135	12.0	994
6/7/26 6:00	1.5	170	12.9	994
6/7/26 7:00	ND	ND	12.9	994
6/7/26 8:00	1.5	290	13.0	995
6/7/26 9:00	2.9	337	13.6	996
6/7/26 10:00	3.8	331	14.3	996
6/7/26 11:00	4.3	349	14.9	997
6/7/26 12:00	5.0	351	15.6	997
6/7/26 13:00	5.5	339	15.2	998
6/7/26 14:00	5.0	343	15.3	999
6/7/26 15:00	8.4	1	14.3	1001
6/7/26 16:00	7.4	3	13.0	1002
6/7/26 17:00	6.2	355	13.1	1004
6/7/26 18:00	6.4	356	13.9	1005
6/7/26 19:00	3.9	2	14.4	1007
6/7/26 20:00	1.9	310	12.4	1007
6/7/26 21:00	2.6	325	11.2	1008
6/7/26 22:00	1.8	355	11.0	1009
6/7/26 23:00	2.2	349	10.3	1010
6/8/26 0:00	1.8	350	9.0	1010
6/8/26 1:00	1.5	20	8.2	1010
6/8/26 2:00	1.5	330	7.3	1011
6/8/26 3:00	1.5	188	6.4	1012
6/8/26 4:00	ND	ND	6.2	1013
6/8/26 5:00	1.5	220	6.8	1014
6/8/26 6:00	ND	ND	8.9	1015
6/8/26 7:00	1.5	323	12.7	1015
6/8/26 8:00	1.9	333	15.6	1015
6/8/26 9:00	3.9	2	18.5	1015
6/8/26 10:00	4.1	14	20.2	1015
6/8/26 11:00	3.6	9	21.6	1015
6/8/26 12:00	3.2	317	22.7	1014
6/8/26 13:00	3.4	337	23.9	1014
6/8/26 14:00	4.6	1	25.4	1013


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

6/8/26 15:00	4.1	337	25.9	1013
6/8/26 16:00	3.0	322	26.0	1013
6/8/26 17:00	3.3	319	25.9	1012
6/8/26 18:00	2.4	340	24.9	1012
6/8/26 19:00	4.5	180	21.6	1012
6/8/26 20:00	2.8	178	19.0	1013
6/8/26 21:00	2.7	181	17.4	1013
6/8/26 22:00	2.4	191	16.6	1013
6/8/26 23:00	2.5	198	15.6	1013
6/9/26 0:00	1.6	183	13.1	1013
6/9/26 1:00	1.6	197	12.7	1013
6/9/26 2:00	1.7	194	11.9	1012
6/9/26 3:00	1.5	205	10.7	1012
6/9/26 4:00	1.5	207	9.7	1012
6/9/26 5:00	1.5	192	11.0	1012
6/9/26 6:00	1.6	200	12.8	1012
6/9/26 7:00	2.0	214	16.0	1012
6/9/26 8:00	2.5	240	20.2	1011
6/9/26 9:00	3.1	254	22.9	1010
6/9/26 10:00	3.6	269	25.0	1010
6/9/26 11:00	3.8	263	26.6	1009
6/9/26 12:00	3.2	262	27.6	1009
6/9/26 13:00	4.2	277	28.8	1008
6/9/26 14:00	4.2	260	28.9	1007
6/9/26 15:00	4.0	262	29.3	1006
6/9/26 16:00	3.9	244	29.1	1006
6/9/26 17:00	2.9	237	28.7	1005
6/9/26 18:00	2.5	218	27.9	1005
6/9/26 19:00	2.9	183	25.8	1005
6/9/26 20:00	2.5	173	22.5	1005
6/9/26 21:00	2.3	178	20.4	1006
6/9/26 22:00	2.8	187	19.8	1006
6/9/26 23:00	1.8	196	17.8	1006
6/10/26 0:00	ND	ND	15.9	1006
6/10/26 1:00	1.5	190	14.4	1006
6/10/26 2:00	ND	ND	14.0	1005
6/10/26 3:00	ND	ND	13.3	1005
6/10/26 4:00	ND	ND	13.4	1005
6/10/26 5:00	1.5	184	14.1	1005
6/10/26 6:00	ND	ND	16.7	1005
6/10/26 7:00	1.6	189	19.3	1005
6/10/26 8:00	1.9	178	22.5	1005
6/10/26 9:00	1.7	255	25.1	1004
6/10/26 10:00	2.6	240	27.1	1004
6/10/26 11:00	3.7	250	28.4	1003

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (5/27/26 11:00 to 6/10/26 11:00)

BGR Wind Rose 5/27/26 11:00 - 6/10/26 11:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
6/10/26 12:00	3.2	255	28.9	1003
6/10/26 13:00	3.5	243	28.9	1002
6/10/26 14:00	2.9	248	29.1	1002
6/10/26 15:00	4.4	194	29.1	1001
6/10/26 16:00	5.3	182	28.3	1001
6/10/26 17:00	5.1	185	27.3	1001
6/10/26 18:00	3.8	169	25.4	1001
6/10/26 19:00	3.0	178	23.6	1001
6/10/26 20:00	2.4	183	22.5	1001
6/10/26 21:00	2.8	198	21.8	1001
6/10/26 22:00	3.2	183	20.7	1001
6/10/26 23:00	2.2	191	18.9	1001
6/11/26 0:00	1.7	160	18.9	1000
6/11/26 1:00	2.1	182	18.2	1000
6/11/26 2:00	1.9	163	17.9	999
6/11/26 3:00	2.1	202	17.0	999
6/11/26 4:00	2.5	196	16.9	999
6/11/26 5:00	2.0	174	16.9	999
6/11/26 6:00	2.2	202	17.5	999
6/11/26 7:00	2.2	215	18.0	999
6/11/26 8:00	2.3	137	18.9	999
6/11/26 9:00	2.0	133	20.7	999
6/11/26 10:00	1.9	250	23.0	999
6/11/26 11:00	2.0	227	24.8	998
6/11/26 12:00	1.9	218	27.1	997
6/11/26 13:00	2.2	27	28.6	997
6/11/26 14:00	0.2	244	30.7	997
6/11/26 15:00	0.8	216	30.2	997
6/11/26 16:00	1.6	217	31.7	996
6/11/26 17:00	2.4	195	29.4	996
6/11/26 18:00	1.8	175	27.9	996
6/11/26 19:00	0.9	179	25.2	997
6/11/26 20:00	1.0	173	23.6	997
6/11/26 21:00	0.4	180	21.3	998
6/11/26 22:00	1.1	184	19.6	998
6/11/26 23:00	1.0	166	19.2	998
6/12/26 0:00	0.7	149	18.6	998
6/12/26 1:00	0.3	180	18.1	997
6/12/26 2:00	0.4	154	18.0	998
6/12/26 3:00	0.0	200	17.6	998
6/12/26 4:00	0.0	190	17.3	998
6/12/26 5:00	0.5	168	17.4	998
6/12/26 6:00	0.2	103	18.7	998
6/12/26 7:00	0.6	192	19.7	999
6/12/26 8:00	0.8	179	21.8	998
6/12/26 9:00	1.5	168	24.7	998
6/12/26 10:00	1.6	160	26.7	998

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/12/26 11:00	1.6	157	28.0	997
6/12/26 12:00	1.9	175	28.4	997
6/12/26 13:00	2.2	163	27.2	997
6/12/26 14:00	5.7	181	27.7	997
6/12/26 15:00	5.8	188	27.9	996
6/12/26 16:00	7.2	186	27.2	996
6/12/26 17:00	5.0	194	25.9	997
6/12/26 18:00	4.6	170	24.1	997
6/12/26 19:00	2.6	145	23.2	998
6/12/26 20:00	2.9	121	21.9	999
6/12/26 21:00	4.7	129	21.0	998
6/12/26 22:00	4.5	147	18.6	998
6/12/26 23:00	4.3	131	17.9	999
6/13/26 0:00	3.3	176	17.3	999
6/13/26 1:00	2.8	161	17.0	999
6/13/26 2:00	2.3	143	16.9	999
6/13/26 3:00	1.8	157	16.9	999
6/13/26 4:00	1.6	142	16.9	999
6/13/26 5:00	1.9	160	16.9	999
6/13/26 6:00	2.1	187	16.9	999
6/13/26 7:00	1.7	214	16.9	1000
6/13/26 8:00	1.7	273	17.7	1000
6/13/26 9:00	2.5	299	21.3	1000
6/13/26 10:00	3.1	298	23.8	1000
6/13/26 11:00	3.8	321	25.8	1000
6/13/26 12:00	3.6	316	26.9	1000
6/13/26 13:00	5.3	324	28.2	1000
6/13/26 14:00	4.5	327	28.5	1000
6/13/26 15:00	3.3	293	28.4	1000
6/13/26 16:00	2.8	282	28.5	999
6/13/26 17:00	2.4	300	28.7	999
6/13/26 18:00	3.0	247	27.1	999
6/13/26 19:00	4.1	186	23.7	1000
6/13/26 20:00	3.0	191	22.1	1001
6/13/26 21:00	3.1	186	19.4	1001
6/13/26 22:00	2.7	190	17.4	1002
6/13/26 23:00	2.7	186	16.6	1002
6/14/26 0:00	2.0	184	15.9	1002
6/14/26 1:00	2.1	183	15.7	1002
6/14/26 2:00	2.1	189	15.4	1002
6/14/26 3:00	1.9	186	15.0	1002
6/14/26 4:00	2.0	181	14.0	1002
6/14/26 5:00	2.2	185	14.3	1002
6/14/26 6:00	2.4	164	16.3	1002
6/14/26 7:00	2.9	177	18.6	1002
6/14/26 8:00	3.9	170	21.2	1002
6/14/26 9:00	3.5	194	23.6	1002
6/14/26 10:00	4.7	187	25.7	1002
6/14/26 11:00	6.5	189	26.8	1002

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/14/26 12:00	6.4	178	27.8	1001
6/14/26 13:00	7.9	177	27.4	1001
6/14/26 14:00	7.4	180	26.8	1000
6/14/26 15:00	6.4	174	24.6	1000
6/14/26 16:00	6.6	175	23.1	1000
6/14/26 17:00	3.3	200	21.8	1000
6/14/26 18:00	2.7	107	19.5	1000
6/14/26 19:00	3.0	150	19.6	999
6/14/26 20:00	4.0	165	19.9	999
6/14/26 21:00	3.7	156	19.1	998
6/14/26 22:00	4.7	170	18.4	998
6/14/26 23:00	2.9	161	17.9	997
6/15/26 0:00	5.4	162	17.9	996
6/15/26 1:00	5.3	167	17.9	996
6/15/26 2:00	5.0	168	18.0	996
6/15/26 3:00	5.4	171	18.1	995
6/15/26 4:00	5.7	174	17.9	995
6/15/26 5:00	4.8	176	17.5	995
6/15/26 6:00	3.8	159	16.9	995
6/15/26 7:00	3.4	152	16.9	994
6/15/26 8:00	3.4	142	16.9	994
6/15/26 9:00	2.6	194	16.6	994
6/15/26 10:00	1.5	20	17.0	994
6/15/26 11:00	1.7	284	18.0	994
6/15/26 12:00	2.8	330	19.6	994
6/15/26 13:00	3.0	328	21.4	994
6/15/26 14:00	4.4	353	22.7	994
6/15/26 15:00	3.8	338	23.5	993
6/15/26 16:00	4.3	320	23.6	993
6/15/26 17:00	3.2	313	23.3	994
6/15/26 18:00	2.7	307	22.7	994
6/15/26 19:00	2.2	314	21.9	994
6/15/26 20:00	2.0	302	19.3	995
6/15/26 21:00	4.5	308	18.7	996
6/15/26 22:00	3.6	311	18.3	997
6/15/26 23:00	2.8	304	17.8	997
6/16/26 0:00	2.5	303	17.6	997
6/16/26 1:00	3.2	287	16.9	997
6/16/26 2:00	3.0	298	16.9	997
6/16/26 3:00	2.5	294	15.6	997
6/16/26 4:00	3.7	287	15.9	998
6/16/26 5:00	3.9	296	15.8	998
6/16/26 6:00	4.3	303	15.1	999
6/16/26 7:00	4.6	309	16.2	999
6/16/26 8:00	5.6	312	17.7	999
6/16/26 9:00	6.4	324	19.0	999
6/16/26 10:00	5.2	308	20.0	999
6/16/26 11:00	4.4	305	21.2	999
6/16/26 12:00	4.9	309	21.5	999

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/16/26 13:00	4.7	298	21.7	999
6/16/26 14:00	4.7	308	22.6	999
6/16/26 15:00	4.1	313	23.2	998
6/16/26 16:00	3.8	326	23.6	998
6/16/26 17:00	3.2	316	23.6	998
6/16/26 18:00	2.9	316	23.3	998
6/16/26 19:00	1.7	288	20.4	999
6/16/26 20:00	1.8	260	18.5	1000
6/16/26 21:00	2.6	255	16.5	1001
6/16/26 22:00	1.5	155	15.0	1001
6/16/26 23:00	1.7	177	14.0	1001
6/17/26 0:00	ND	ND	12.8	1002
6/17/26 1:00	ND	ND	12.2	1002
6/17/26 2:00	ND	ND	11.2	1002
6/17/26 3:00	ND	ND	10.8	1002
6/17/26 4:00	1.5	225	11.2	1002
6/17/26 5:00	1.5	205	11.6	1002
6/17/26 6:00	1.5	360	13.6	1003
6/17/26 7:00	ND	ND	16.0	1003
6/17/26 8:00	1.5	360	18.8	1003
6/17/26 9:00	1.5	190	21.6	1003
6/17/26 10:00	2.4	144	23.4	1003
6/17/26 11:00	2.8	166	24.2	1003
6/17/26 12:00	2.5	165	24.4	1002
6/17/26 13:00	3.2	182	25.5	1002
6/17/26 14:00	3.5	194	25.9	1001
6/17/26 15:00	6.0	188	25.2	1001
6/17/26 16:00	6.7	181	24.2	1002
6/17/26 17:00	5.5	188	23.9	1001
6/17/26 18:00	5.2	186	22.7	1001
6/17/26 19:00	4.0	178	21.2	1002
6/17/26 20:00	2.8	174	18.7	1003
6/17/26 21:00	2.4	179	16.9	1003
6/17/26 22:00	2.0	172	15.6	1003
6/17/26 23:00	1.9	180	14.9	1003
6/18/26 0:00	2.0	181	14.0	1003
6/18/26 1:00	1.7	187	13.1	1003
6/18/26 2:00	1.5	150	11.8	1003
6/18/26 3:00	1.5	182	11.5	1003
6/18/26 4:00	2.3	164	12.9	1003
6/18/26 5:00	2.1	153	13.2	1003
6/18/26 6:00	2.4	162	14.1	1002
6/18/26 7:00	3.0	154	15.4	1003
6/18/26 8:00	4.6	177	15.6	1003
6/18/26 9:00	4.2	163	15.9	1002
6/18/26 10:00	3.5	152	15.9	1001
6/18/26 11:00	4.0	153	15.8	1001
6/18/26 12:00	4.1	149	14.8	1001
6/18/26 13:00	4.1	122	14.0	999

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/18/26 14:00	6.1	135	14.3	997
6/18/26 15:00	6.7	140	14.6	995
6/18/26 16:00	7.0	147	13.6	994
6/18/26 17:00	9.1	141	13.0	991
6/18/26 18:00	5.4	160	13.0	992
6/18/26 19:00	4.4	131	12.8	990
6/18/26 20:00	4.0	142	13.5	990
6/18/26 21:00	2.2	137	14.0	989
6/18/26 22:00	2.3	170	14.1	989
6/18/26 23:00	2.0	199	14.5	988
6/19/26 0:00	2.9	193	14.4	988
6/19/26 1:00	2.4	182	14.4	988
6/19/26 2:00	2.3	190	14.8	987
6/19/26 3:00	1.7	174	14.1	987
6/19/26 4:00	1.4	177	14.7	987
6/19/26 5:00	2.3	192	15.4	987
6/19/26 6:00	2.5	200	17.4	988
6/19/26 7:00	4.4	237	19.4	988
6/19/26 8:00	5.2	247	20.9	988
6/19/26 9:00	5.8	248	21.9	988
6/19/26 10:00	5.9	259	22.2	989
6/19/26 11:00	5.0	247	21.6	989
6/19/26 12:00	5.1	254	22.1	989
6/19/26 13:00	5.9	250	22.4	989
6/19/26 14:00	5.5	254	22.6	989
6/19/26 15:00	5.8	244	22.1	989
6/19/26 16:00	5.0	246	22.2	990
6/19/26 17:00	4.2	260	21.9	990
6/19/26 18:00	4.5	254	21.4	990
6/19/26 19:00	4.6	258	20.7	990
6/19/26 20:00	3.6	246	19.0	990
6/19/26 21:00	3.4	230	18.1	990
6/19/26 22:00	2.8	243	17.7	990
6/19/26 23:00	3.4	246	17.3	990
6/20/26 0:00	2.8	259	16.9	989
6/20/26 1:00	2.6	260	16.1	989
6/20/26 2:00	2.7	259	15.6	989
6/20/26 3:00	2.0	244	15.0	989
6/20/26 4:00	2.5	233	15.0	989
6/20/26 5:00	2.3	265	15.0	989
6/20/26 6:00	2.5	263	15.7	989
6/20/26 7:00	3.2	257	16.3	989
6/20/26 8:00	4.0	277	17.4	989
6/20/26 9:00	4.9	296	17.9	989
6/20/26 10:00	5.3	302	17.3	989
6/20/26 11:00	6.8	318	17.4	990
6/20/26 12:00	8.8	326	17.9	991
6/20/26 13:00	8.6	331	18.0	992
6/20/26 14:00	7.9	337	20.2	992

Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/20/26 15:00	7.7	329	19.5	993
6/20/26 16:00	7.8	313	20.0	994
6/20/26 17:00	6.9	319	20.5	994
6/20/26 18:00	4.9	316	20.1	995
6/20/26 19:00	2.9	300	19.1	995
6/20/26 20:00	1.8	266	17.2	996
6/20/26 21:00	2.4	259	15.5	997
6/20/26 22:00	2.1	236	15.3	997
6/20/26 23:00	2.4	251	15.4	997
6/21/26 0:00	2.2	255	14.9	998
6/21/26 1:00	2.7	252	14.1	998
6/21/26 2:00	2.2	242	13.9	998
6/21/26 3:00	1.6	233	13.0	998
6/21/26 4:00	1.5	190	11.8	999
6/21/26 5:00	1.7	211	12.2	999
6/21/26 6:00	2.1	223	14.1	1000
6/21/26 7:00	1.7	272	17.0	1000
6/21/26 8:00	2.0	285	19.0	1000
6/21/26 9:00	2.2	347	20.8	1000
6/21/26 10:00	2.3	354	21.7	1001
6/21/26 11:00	2.6	16	22.0	1001
6/21/26 12:00	3.2	9	22.2	1000
6/21/26 13:00	2.9	349	23.0	1000
6/21/26 14:00	3.0	356	23.0	1001
6/21/26 15:00	2.7	239	21.1	1001
6/21/26 16:00	4.2	195	21.4	1001
6/21/26 17:00	4.4	164	19.9	1002
6/21/26 18:00	3.0	86	18.0	1003
6/21/26 19:00	1.7	128	17.8	1004
6/21/26 20:00	1.7	328	16.9	1005
6/21/26 21:00	1.4	337	16.3	1005
6/21/26 22:00	ND	ND	14.2	1006
6/21/26 23:00	ND	ND	13.4	1006
6/22/26 0:00	1.6	175	13.6	1006
6/22/26 1:00	1.9	159	13.7	1007
6/22/26 2:00	2.2	221	12.9	1008
6/22/26 3:00	1.5	130	12.8	1008
6/22/26 4:00	1.4	130	14.1	1008
6/22/26 5:00	1.5	140	14.1	1009
6/22/26 6:00	1.5	95	14.7	1009
6/22/26 7:00	1.5	87	14.8	1010
6/22/26 8:00	1.6	103	15.1	1011
6/22/26 9:00	1.7	169	15.9	1011
6/22/26 10:00	1.9	185	17.2	1011
6/22/26 11:00	2.1	154	19.8	1011
6/22/26 12:00	3.0	165	21.6	1011
6/22/26 13:00	2.9	153	22.7	1010
6/22/26 14:00	3.1	170	23.1	1010
6/22/26 15:00	5.1	185	22.3	1010


Sprague Searsport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

6/22/26 16:00	5.2	187	21.4	1011
6/22/26 17:00	4.1	183	19.9	1011
6/22/26 18:00	5.0	176	18.7	1011
6/22/26 19:00	5.1	181	17.5	1011
6/22/26 20:00	3.2	166	16.8	1011
6/22/26 21:00	2.3	174	16.0	1011
6/22/26 22:00	2.2	169	15.9	1011
6/22/26 23:00	2.4	167	15.9	1011
6/23/26 0:00	3.5	157	15.3	1011
6/23/26 1:00	2.3	141	14.9	1010
6/23/26 2:00	3.2	137	14.9	1010
6/23/26 3:00	2.7	142	14.6	1009
6/23/26 4:00	2.0	136	14.2	1009
6/23/26 5:00	2.5	150	14.3	1009
6/23/26 6:00	3.5	105	14.6	1008
6/23/26 7:00	4.3	95	14.9	1007
6/23/26 8:00	3.8	92	14.9	1006
6/23/26 9:00	2.2	88	15.0	1005
6/23/26 10:00	2.3	84	15.4	1004
6/23/26 11:00	2.2	35	16.0	1004
6/23/26 12:00	2.5	350	16.7	1003
6/23/26 13:00	4.1	338	17.0	1003
6/23/26 14:00	4.2	337	17.5	1003
6/23/26 15:00	4.0	346	18.8	1003
6/23/26 16:00	4.5	3	20.0	1003
6/23/26 17:00	4.4	1	20.9	1002
6/23/26 18:00	3.3	12	20.0	1002
6/23/26 19:00	2.2	17	19.0	1002
6/23/26 20:00	1.9	4	17.8	1002
6/23/26 21:00	ND	ND	16.0	1003
6/23/26 22:00	ND	ND	15.5	1003
6/23/26 23:00	ND	ND	14.4	1003
6/24/26 0:00	ND	ND	14.3	1002
6/24/26 1:00	ND	ND	14.0	1002
6/24/26 2:00	ND	ND	14.0	1001
6/24/26 3:00	1.5	50	14.0	1001
6/24/26 4:00	1.6	305	14.4	1001
6/24/26 5:00	1.5	320	14.0	1001
6/24/26 6:00	1.6	310	15.5	1002
6/24/26 7:00	1.9	301	17.3	1002
6/24/26 8:00	2.1	327	19.5	1002
6/24/26 9:00	2.3	331	21.5	1001
6/24/26 10:00	4.1	332	22.9	1001
6/24/26 11:00	4.9	315	23.1	1001
6/24/26 12:00	5.5	310	24.2	1000

Sprague Searsport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (6/10/26 12:00 to 6/24/26 12:00)

BGR Wind Rose 6/10/26 12:00 - 6/24/26 12:00



Sprague Searsport Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 3,158 m
Terminal Fenceline Area = 107 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 263.2 m (± 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances From Adjacent Sites (m)	Notes
Site 1	BTEX	44.452543°	-68.898865°	to Site 2 =278.8 to Site 12 = 260.0	Site 1 is situated adjacent to the dock area and located 8.5 m inside fenceline for safe access.
Site 2	BTEX	44.452323°	-68.902000°	to Site 1 =278.8 to Site 3 = 239.5	Site 2 is 2 m inside the fenceline to avoid brush and vegetation and allow safe access.
Site 3	BTEX	44.452339°	-68.905029°	to Site 2 = 239.5 to Site 4 = 279.1	Site 3 is located between two warehouses that abut the fenceline and is 2.5 m inside the fenceline to avoid brush and vegetation and allow safe access.
Site 4	BTEX	44.453422°	-68.906708°	to Site 3 =279.1 to Site 5 = 285.8	Site 4 is located 17.3 m inside the fenceline to avoid swampy terrain, dense brush, and allow safe access.
Site 5	BTEX	44.455975°	-68.906269°	to Site 4 = 285.8 to Site 6 = 239.5	Site 5 is on the fenceline.
Site 6	BTEX	44.458018°	-68.906154°	to Site 5 = 239.5 to Site 7 = 262.7	Site 6 is on the fenceline.
Site 7	BTEX	44.460344°	-68.905925°	to Site 6 = 262.7 to Site 7 = 267.3	Site 7 is on the fenceline.
Site 8	BTEX	44.460944°	-68.903657°	to Site 7 = 267.3 to Site 9 = 264.9	Site 8 is on the fenceline.

Sprague Searsport Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 3,158 m
Terminal Fenceline Area = 107 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 263.2 m (± 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances From Adjacent Sites (m)	Notes
Site 9	BTEX	44.459783°	-68.901525°	to Site 8 = 264.9 to Site 10 = 262.1	Site 9 is on the fenceline.
Site 10	BTEX	44.457551°	-68.901666°	to Site 9 = 262.1 to Site 11 = 264.1	Site 10 is situated 14 m inside the fenceline to provide safe access away from railroad tracks located along this entire section of the fenceline.
Site 11	BTEX	44.455160°	-68.901370°	to Site 10 = 264.1 to Site 12 = 254.2	Site 11 is situated 21.6 m inside the fenceline because terrain and a long run of large pipes prevent closer access to the fenceline in this area.
Site 12	BTEX	44.454803°	-68.899471°	to Site 11 = 254.2 to Site 1 = 260.0	Site 12 is situated 5.8 m inside the fenceline to avoid potentially dangerous terrain adjacent to the asphalt detention pond.

Aerial View of the Sprague Searsport Terminal Fenceline Sampling Locations



APPENDIX A – LAB RESULTS

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 43 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 4/2/2026

Analytical Report
2026GC201

EPA Method 325B Analysis

Report Issue Date: 4/9/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GC201-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Enthalpy Analytical on April 2, 2026 at 21.4 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260318	C01529	Sample
SPRSEA-2-S-20260318	C20592	Sample
SPRSEA-3-S-20260318	B48715	Sample
SPRSEA-4-S-20260318	C55577	Sample
SPRSEA-5-S-20260318	B48609	Sample
SPRSEA-6-S-20260318	C56896	Sample
SPRSEA-6-D-20260318	C39259	Duplicate
SPRSEA-6-B-20260318	B47074	Blank
SPRSEA-7-S-20260318	C67413	Sample
SPRSEA-8-S-20260318	C01502	Sample
SPRSEA-9-S-20260318	C69457	Sample
SPRSEA-10-S-20260318	C70034	Sample
SPRSEA-11-S-20260318	C57484	Sample
SPRSEA-12-S-20260318	C01822	Sample
SPRSEA-12-D-20260318	C71727	Duplicate
SPRSEA-12-B-20260318	C71785	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M012026A_CC185154_R1) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GC201-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260318	C01529	0.504		0.604		0.282	ND	0.282	ND	0.282	ND
SPRSEA-2-S-20260318	C20592	0.505		0.532		0.282	ND	0.282	ND	0.282	ND
SPRSEA-3-S-20260318	B48715	0.544		0.451	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-4-S-20260318	C55577	0.405	J	0.410	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-5-S-20260318	B48609	0.495		0.317	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-6-S-20260318	C56896	0.412	J	0.383	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-6-D-20260318	C39259	0.393	J	0.361	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-6-B-20260318	B47074	0.193	ND	0.249	ND	0.282	ND	0.282	ND	0.282	ND
SPRSEA-7-S-20260318	C67413	0.381	J	0.305	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-8-S-20260318	C01502	0.443	J	0.403	J	0.282	ND	0.282	ND	0.282	ND
SPRSEA-9-S-20260318	C69457	0.480		0.638		0.282	ND	0.282	ND	0.282	ND
SPRSEA-10-S-20260318	C70034	0.719		2.04		0.325	J	1.15		0.454	J
SPRSEA-11-S-20260318	C57484	0.713		2.12		0.355	J	1.16		0.455	J
SPRSEA-12-S-20260318	C01822	0.601		1.26		0.282	ND	0.503	J	0.282	ND
SPRSEA-12-D-20260318	C71727	0.616		1.31		0.282	ND	0.644	J	0.282	ND
SPRSEA-12-B-20260318	C71785	0.193	ND	0.249	ND	0.282	ND	0.282	ND	0.282	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260318	C01529	0.504	0.158	6.51	32.7	0.642	20142	0.193	0.464	0.0606	0.145		M2601411.d	2026-04-02 20:52	1.012	8.088	39015	331620	56.0	8.031	-1.6%
SPRSEA-2-S-20260318	C20592	0.505	0.158	6.52	32.7	0.642	20140	0.193	0.464	0.0606	0.145		M2601412.d	2026-04-02 21:17	1.012	8.088	39394	334215	56.0	8.031	-0.8%
SPRSEA-3-S-20260318	B48715	0.544	0.170	7.03	32.7	0.642	20141	0.193	0.464	0.0606	0.145		M2601413.d	2026-04-02 21:42	1.012	8.088	42457	334394	56.0	8.031	-0.8%
SPRSEA-4-S-20260318	C55577	0.405	0.127	5.24	32.7	0.642	20141	0.193	0.464	0.0606	0.145	J	M2601414.d	2026-04-02 22:08	1.012	8.095	31389	331593	56.0	8.031	-1.6%
SPRSEA-5-S-20260318	B48609	0.495	0.155	6.40	32.7	0.642	20142	0.193	0.464	0.0606	0.145		M2601415.d	2026-04-02 22:33	1.012	8.088	37849	327385	56.0	8.031	-2.9%
SPRSEA-6-S-20260318	C56896	0.412	0.129	5.32	32.7	0.642	20143	0.193	0.464	0.0606	0.145	J	M2601416.d	2026-04-02 22:58	1.012	8.088	31369	326025	56.0	8.038	-3.3%
SPRSEA-6-D-20260318	C39259	0.393	0.123	5.08	32.7	0.642	20143	0.193	0.464	0.0606	0.145	J	M2601417.d	2026-04-02 23:24	1.012	8.095	29757	324455	56.0	8.038	-3.7%
SPRSEA-6-B-20260318	B47074	0.193	0.0606		32.7	0.642	20143	0.193	0.464	0.0606	0.145	ND	M2601410.d	2026-04-02 20:27	1.012	8.088	3025	334312	56.0	8.031	-0.8%
SPRSEA-7-S-20260318	C67413	0.381	0.119	4.92	32.7	0.642	20140	0.193	0.465	0.0606	0.145	J	M2601418.d	2026-04-02 23:49	1.012	8.088	28784	323693	56.0	8.031	-4.0%
SPRSEA-8-S-20260318	C01502	0.443	0.139	5.73	32.7	0.642	20141	0.193	0.464	0.0606	0.145	J	M2601419.d	2026-04-03 00:15	1.012	8.095	34041	328966	56.0	8.031	-2.4%
SPRSEA-9-S-20260318	C69457	0.480	0.150	6.20	32.7	0.642	20142	0.193	0.464	0.0606	0.145		M2601421.d	2026-04-03 01:05	1.012	8.088	36618	326776	56.0	8.031	-3.0%
SPRSEA-10-S-20260318	C70034	0.719	0.225	9.29	32.7	0.642	20142	0.193	0.464	0.0606	0.145		M2601422.d	2026-04-03 01:31	1.012	8.095	55134	328428	56.0	8.038	-2.6%
SPRSEA-11-S-20260318	C57484	0.713	0.223	9.21	32.7	0.642	20142	0.193	0.464	0.0606	0.145		M2601423.d	2026-04-03 01:56	1.012	8.095	54773	328972	56.0	8.031	-2.4%
SPRSEA-12-S-20260318	C01822	0.601	0.188	7.77	32.7	0.642	20138	0.193	0.465	0.0606	0.145		M2601424.d	2026-04-03 02:21	1.012	8.088	45834	326530	56.0	8.031	-3.1%
SPRSEA-12-D-20260318	C71727	0.616	0.193	7.96	32.7	0.642	20138	0.193	0.465	0.0606	0.145		M2601425.d	2026-04-03 02:47	1.012	8.088	46931	326108	56.0	8.031	-3.2%
SPRSEA-12-B-20260318	C71785	0.193	0.0606		32.7	0.642	20138	0.193	0.465	0.0606	0.145	ND	M2601426.d	2026-04-03 03:12	1.012	8.088	3241	327726	56.0	8.031	-2.8%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260318	C01529	0.604	0.160	6.06	32.7	0.498	20142	0.249	0.526	0.0662	0.140		M2601411.d	2026-04-02 20:52	1.252	10.817	40677	352214	65.7	10.717	-4.1%
SPRSEA-2-S-20260318	C20592	0.532	0.141	5.34	32.7	0.498	20140	0.249	0.526	0.0662	0.140		M2601412.d	2026-04-02 21:17	1.252	10.810	36528	359128	65.7	10.717	-2.2%
SPRSEA-3-S-20260318	B48715	0.451	0.120	4.53	32.7	0.498	20141	0.249	0.526	0.0662	0.140	J	M2601413.d	2026-04-02 21:42	1.252	10.810	30911	358250	65.7	10.717	-2.4%
SPRSEA-4-S-20260318	C55577	0.410	0.109	4.11	32.7	0.498	20141	0.249	0.526	0.0662	0.140	J	M2601414.d	2026-04-02 22:08	1.252	10.810	28080	358080	65.7	10.717	-2.5%
SPRSEA-5-S-20260318	B48609	0.317	0.0843	3.18	32.7	0.498	20142	0.249	0.526	0.0662	0.140	J	M2601415.d	2026-04-02 22:33	1.252	10.817	21070	347146	65.7	10.717	-5.4%
SPRSEA-6-S-20260318	C56896	0.383	0.102	3.85	32.7	0.498	20143	0.249	0.526	0.0662	0.140	J	M2601416.d	2026-04-02 22:58	1.252	10.817	26311	358925	65.7	10.717	-2.2%
SPRSEA-6-D-20260318	C39259	0.361	0.0958	3.62	32.7	0.498	20143	0.249	0.526	0.0662	0.140	J	M2601417.d	2026-04-02 23:24	1.252	10.810	24321	352511	65.7	10.717	-4.0%
SPRSEA-6-B-20260318	B47074	0.249	0.0662		32.7	0.498	20143	0.249	0.526	0.0662	0.140	ND	M2601410.d	2026-04-02 20:27	1.252	10.817	13001	367232	65.7	10.717	0.0%
SPRSEA-7-S-20260318	C67413	0.305	0.0809	3.06	32.7	0.498	20140	0.249	0.526	0.0662	0.140	J	M2601418.d	2026-04-02 23:49	1.252	10.810	20179	346459	65.7	10.717	-5.6%
SPRSEA-8-S-20260318	C01502	0.403	0.107	4.04	32.7	0.498	20141	0.249	0.526	0.0662	0.140	J	M2601419.d	2026-04-03 00:15	1.252	10.817	27026	350927	65.7	10.717	-4.4%
SPRSEA-9-S-20260318	C69457	0.638	0.169	6.40	32.7	0.498	20142	0.249	0.526	0.0662	0.140		M2601421.d	2026-04-03 01:05	1.252	10.817	43177	354121	65.7	10.717	-3.5%
SPRSEA-10-S-20260318	C70034	2.04	0.542	20.5	32.7	0.498	20142	0.249	0.526	0.0662	0.140		M2601422.d	2026-04-03 01:31	1.252	10.817	137860	353286	65.7	10.717	-3.8%
SPRSEA-11-S-20260318	C57484	2.12	0.563	21.3	32.7	0.498	20142	0.249	0.526	0.0662	0.140		M2601423.d	2026-04-03 01:56	1.252	10.810	143259	353146	65.7	10.717	-3.8%
SPRSEA-12-S-20260318	C01822	1.26	0.334	12.6	32.7	0.498	20138	0.249	0.526	0.0662	0.140		M2601424.d	2026-04-03 02:21	1.252	10.810	85241	354869	65.7	10.717	-3.3%
SPRSEA-12-D-20260318	C71727	1.31	0.347	13.1	32.7	0.498	20138	0.249	0.526	0.0662	0.140		M2601425.d	2026-04-03 02:47	1.252	10.810	88368	353265	65.7	10.717	-3.8%
SPRSEA-12-B-20260318	C71785	0.249	0.0662		32.7	0.498	20138	0.249	0.526	0.0662	0.140	ND	M2601426.d	2026-04-03 03:12	1.252	10.817	13569	359275	65.7	10.717	-2.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260318	C01529	0.282	0.0649		32.7	0.441	20142	0.282	0.618	0.0649	0.142	ND	M2601411.d	2026-04-02 20:52	1.352	13.002	4330	352214	65.7	10.717	-4.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260318	C20592	0.282	0.0649		32.7	0.441	20140	0.282	0.618	0.0649	0.142	ND	M2601412.d	2026-04-02 21:17	1.352	12.995	3963	359128	65.7	10.717	-2.2%
SPRSEA-3-S-20260318	B48715	0.282	0.0649		32.7	0.441	20141	0.282	0.618	0.0649	0.142	ND	M2601413.d	2026-04-02 21:42	1.352	13.002	2864	358250	65.7	10.717	-2.4%
SPRSEA-4-S-20260318	C55577	0.282	0.0649		32.7	0.441	20141	0.282	0.618	0.0649	0.142	ND	M2601414.d	2026-04-02 22:08	1.352	13.002	3066	358080	65.7	10.717	-2.5%
SPRSEA-5-S-20260318	B48609	0.282	0.0649		32.7	0.441	20142	0.282	0.618	0.0649	0.142	ND	M2601415.d	2026-04-02 22:33	1.352	12.995	1399	347146	65.7	10.717	-5.4%
SPRSEA-6-S-20260318	C56896	0.282	0.0649		32.7	0.441	20143	0.282	0.617	0.0649	0.142	ND	M2601416.d	2026-04-02 22:58	1.352	12.995	2299	358925	65.7	10.717	-2.2%
SPRSEA-6-D-20260318	C39259	0.282	0.0649		32.7	0.441	20143	0.282	0.617	0.0649	0.142	ND	M2601417.d	2026-04-02 23:24	1.352	13.002	2599	352511	65.7	10.717	-4.0%
SPRSEA-6-B-20260318	B47074	0.282	0.0649		32.7	0.441	20143	0.282	0.617	0.0649	0.142	ND	M2601410.d	2026-04-02 20:27	1.352	12.995	425	367232	65.7	10.717	0.0%
SPRSEA-7-S-20260318	C67413	0.282	0.0649		32.7	0.441	20140	0.282	0.618	0.0649	0.142	ND	M2601418.d	2026-04-02 23:49	1.352	12.995	1270	346459	65.7	10.717	-5.6%
SPRSEA-8-S-20260318	C01502	0.282	0.0649		32.7	0.441	20141	0.282	0.618	0.0649	0.142	ND	M2601419.d	2026-04-03 00:15	1.352	13.002	2500	350927	65.7	10.717	-4.4%
SPRSEA-9-S-20260318	C69457	0.282	0.0649		32.7	0.441	20142	0.282	0.618	0.0649	0.142	ND	M2601421.d	2026-04-03 01:05	1.352	12.995	6071	354121	65.7	10.717	-3.5%
SPRSEA-10-S-20260318	C70034	0.325	0.0749	2.89	32.7	0.441	20142	0.282	0.618	0.0649	0.142	J	M2601422.d	2026-04-03 01:31	1.352	13.002	20996	353286	65.7	10.717	-3.8%
SPRSEA-11-S-20260318	C57484	0.355	0.0819	3.15	32.7	0.441	20142	0.282	0.618	0.0649	0.142	J	M2601423.d	2026-04-03 01:56	1.352	12.995	22933	353146	65.7	10.717	-3.8%
SPRSEA-12-S-20260318	C01822	0.282	0.0649		32.7	0.441	20138	0.282	0.618	0.0649	0.142	ND	M2601424.d	2026-04-03 02:21	1.352	12.995	13804	354869	65.7	10.717	-3.3%
SPRSEA-12-D-20260318	C71727	0.282	0.0649		32.7	0.441	20138	0.282	0.618	0.0649	0.142	ND	M2601425.d	2026-04-03 02:47	1.352	12.995	12133	353265	65.7	10.717	-3.8%
SPRSEA-12-B-20260318	C71785	0.282	0.0649		32.7	0.441	20138	0.282	0.618	0.0649	0.142	ND	M2601426.d	2026-04-03 03:12	1.352	12.995	750	359275	65.7	10.717	-2.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260318	C01529	0.282	0.0649		32.7	0.441	20142	0.282	0.692	0.0649	0.159	ND	M2601411.d	2026-04-02 20:52	1.088	13.174	7660	352214	65.7	10.717	-4.1%
SPRSEA-2-S-20260318	C20592	0.282	0.0649		32.7	0.441	20140	0.282	0.692	0.0649	0.160	ND	M2601412.d	2026-04-02 21:17	1.088	13.174	5964	359128	65.7	10.717	-2.2%
SPRSEA-3-S-20260318	B48715	0.282	0.0649		32.7	0.441	20141	0.282	0.692	0.0649	0.159	ND	M2601413.d	2026-04-02 21:42	1.088	13.174	4963	358250	65.7	10.717	-2.4%
SPRSEA-4-S-20260318	C55577	0.282	0.0649		32.7	0.441	20141	0.282	0.692	0.0649	0.159	ND	M2601414.d	2026-04-02 22:08	1.088	13.174	4426	358080	65.7	10.717	-2.5%
SPRSEA-5-S-20260318	B48609	0.282	0.0649		32.7	0.441	20142	0.282	0.692	0.0649	0.159	ND	M2601415.d	2026-04-02 22:33	1.088	13.174	2513	347146	65.7	10.717	-5.4%
SPRSEA-6-S-20260318	C56896	0.282	0.0649		32.7	0.441	20143	0.282	0.692	0.0649	0.159	ND	M2601416.d	2026-04-02 22:58	1.088	13.174	2269	358925	65.7	10.717	-2.2%
SPRSEA-6-D-20260318	C39259	0.282	0.0649		32.7	0.441	20143	0.282	0.692	0.0649	0.159	ND	M2601417.d	2026-04-02 23:24	1.088	13.181	2156	352511	65.7	10.717	-4.0%
SPRSEA-6-B-20260318	B47074	0.282	0.0649		32.7	0.441	20143	0.282	0.692	0.0649	0.159	ND	M2601410.d	2026-04-02 20:27	1.088	13.174	849	367232	65.7	10.717	0.0%
SPRSEA-7-S-20260318	C67413	0.282	0.0649		32.7	0.441	20140	0.282	0.692	0.0649	0.160	ND	M2601418.d	2026-04-02 23:49	1.088	13.167	2405	346459	65.7	10.717	-5.6%
SPRSEA-8-S-20260318	C01502	0.282	0.0649		32.7	0.441	20141	0.282	0.692	0.0649	0.159	ND	M2601419.d	2026-04-03 00:15	1.088	13.174	5152	350927	65.7	10.717	-4.4%
SPRSEA-9-S-20260318	C69457	0.282	0.0649		32.7	0.441	20142	0.282	0.692	0.0649	0.159	ND	M2601421.d	2026-04-03 01:05	1.088	13.174	13241	354121	65.7	10.717	-3.5%
SPRSEA-10-S-20260318	C70034	1.15	0.264	10.2	32.7	0.441	20142	0.282	0.692	0.0649	0.159		M2601422.d	2026-04-03 01:31	1.088	13.174	59511	353286	65.7	10.717	-3.8%
SPRSEA-11-S-20260318	C57484	1.16	0.268	10.3	32.7	0.441	20142	0.282	0.692	0.0649	0.159		M2601423.d	2026-04-03 01:56	1.088	13.174	60368	353146	65.7	10.717	-3.8%
SPRSEA-12-S-20260318	C01822	0.503	0.116	4.46	32.7	0.441	20138	0.282	0.692	0.0649	0.160	J	M2601424.d	2026-04-03 02:21	1.088	13.174	26226	354869	65.7	10.717	-3.3%
SPRSEA-12-D-20260318	C71727	0.644	0.148	5.72	32.7	0.441	20138	0.282	0.692	0.0649	0.160	J	M2601425.d	2026-04-03 02:47	1.088	13.174	33449	353265	65.7	10.717	-3.8%
SPRSEA-12-B-20260318	C71785	0.282	0.0649		32.7	0.441	20138	0.282	0.692	0.0649	0.160	ND	M2601426.d	2026-04-03 03:12	1.088	13.203	856	359275	65.7	10.717	-2.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260318	C01529	0.282	0.0649		32.7	0.441	20142	0.282	0.644	0.0649	0.148	ND	M2601411.d	2026-04-02 20:52	1.107	13.675	2584	352214	65.7	10.717	-4.1%
SPRSEA-2-S-20260318	C20592	0.282	0.0649		32.7	0.441	20140	0.282	0.644	0.0649	0.148	ND	M2601412.d	2026-04-02 21:17	1.107	13.675	2444	359128	65.7	10.717	-2.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260318	B48715	0.282	0.0649		32.7	0.441	20141	0.282	0.644	0.0649	0.148	ND	M2601413.d	2026-04-02 21:42	1.107	13.676	1777	358250	65.7	10.717	-2.4%
SPRSEA-4-S-20260318	C55577	0.282	0.0649		32.7	0.441	20141	0.282	0.644	0.0649	0.148	ND	M2601414.d	2026-04-02 22:08	1.107	13.675	1845	358080	65.7	10.717	-2.5%
SPRSEA-5-S-20260318	B48609	0.282	0.0649		32.7	0.441	20142	0.282	0.644	0.0649	0.148	ND	M2601415.d	2026-04-02 22:33	1.107	13.683	1218	347146	65.7	10.717	-5.4%
SPRSEA-6-S-20260318	C56896	0.282	0.0649		32.7	0.441	20143	0.282	0.644	0.0649	0.148	ND	M2601416.d	2026-04-02 22:58	1.107	13.675	1185	358925	65.7	10.717	-2.2%
SPRSEA-6-D-20260318	C39259	0.282	0.0649		32.7	0.441	20143	0.282	0.644	0.0649	0.148	ND	M2601417.d	2026-04-02 23:24	1.107	13.675	1044	352511	65.7	10.717	-4.0%
SPRSEA-6-B-20260318	B47074	0.282	0.0649		32.7	0.441	20143	0.282	0.644	0.0649	0.148	ND	M2601410.d	2026-04-02 20:27	1.107	13.668	505	367232	65.7	10.717	0.0%
SPRSEA-7-S-20260318	C67413	0.282	0.0649		32.7	0.441	20140	0.282	0.644	0.0649	0.148	ND	M2601418.d	2026-04-02 23:49	1.107	13.675	1199	346459	65.7	10.717	-5.6%
SPRSEA-8-S-20260318	C01502	0.282	0.0649		32.7	0.441	20141	0.282	0.644	0.0649	0.148	ND	M2601419.d	2026-04-03 00:15	1.107	13.683	2200	350927	65.7	10.717	-4.4%
SPRSEA-9-S-20260318	C69457	0.282	0.0649		32.7	0.441	20142	0.282	0.644	0.0649	0.148	ND	M2601421.d	2026-04-03 01:05	1.107	13.675	5571	354121	65.7	10.717	-3.5%
SPRSEA-10-S-20260318	C70034	0.454	0.105	4.03	32.7	0.441	20142	0.282	0.644	0.0649	0.148	J	M2601422.d	2026-04-03 01:31	1.107	13.675	24016	353286	65.7	10.717	-3.8%
SPRSEA-11-S-20260318	C57484	0.455	0.105	4.04	32.7	0.441	20142	0.282	0.644	0.0649	0.148	J	M2601423.d	2026-04-03 01:56	1.107	13.675	24052	353146	65.7	10.717	-3.8%
SPRSEA-12-S-20260318	C01822	0.282	0.0649		32.7	0.441	20138	0.282	0.644	0.0649	0.148	ND	M2601424.d	2026-04-03 02:21	1.107	13.675	9625	354869	65.7	10.717	-3.3%
SPRSEA-12-D-20260318	C71727	0.282	0.0649		32.7	0.441	20138	0.282	0.644	0.0649	0.148	ND	M2601425.d	2026-04-03 02:47	1.107	13.675	12483	353265	65.7	10.717	-3.8%
SPRSEA-12-B-20260318	C71785	0.282	0.0649		32.7	0.441	20138	0.282	0.644	0.0649	0.148	ND	M2601426.d	2026-04-03 03:12	1.107	13.675	282	359275	65.7	10.717	-2.1%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260318	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260318	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260318	4.8%	Pass	6.1%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260318	2.5%	Pass	4.1%	Pass	ND	Pass	25%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2601408.d	C69441	Cal	1.012	1.030	1.012	-1.8%	-10%		Pass	
2026GC201 Method Blank-1	M2601409.d	C70535	Blank		1.030	1.012			-0.34%	Pass	ND
M325B CCV 5	M2601420.d	B46243	Check	1.006	1.030	1.012	-2.4%		-2.5%	Pass	
M325B CCV 5	M2601428.d	C33804	Check	1.004	1.030	1.012	-2.6%		0.18%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2601408.d	C69441	Cal	1.252	1.234	1.252	1.4%	-7.6%		Pass	
2026GC201 Method Blank-1	M2601409.d	C70535	Blank		1.234	1.252			2.0%	Pass	ND
M325B CCV 5	M2601420.d	B46243	Check	1.257	1.234	1.252	1.9%		-1.8%	Pass	
M325B CCV 5	M2601428.d	C33804	Check	1.184	1.234	1.252	-4.1%		1.5%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2601408.d	C69441	Cal	1.352	1.420	1.352	-4.7%	-7.6%		Pass	
2026GC201 Method Blank-1	M2601409.d	C70535	Blank		1.420	1.352			2.0%	Pass	ND
M325B CCV 5	M2601420.d	B46243	Check	1.336	1.420	1.352	-5.9%		-1.8%	Pass	
M325B CCV 5	M2601428.d	C33804	Check	1.250	1.420	1.352	-12%		1.5%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2601408.d	C69441	Cal	1.088	1.183	1.088	-8.0%	-7.6%		Pass	
2026GC201 Method Blank-1	M2601409.d	C70535	Blank		1.183	1.088			2.0%	Pass	ND
M325B CCV 5	M2601420.d	B46243	Check	1.041	1.183	1.088	-12%		-1.8%	Pass	
M325B CCV 5	M2601428.d	C33804	Check	0.966	1.183	1.088	-18%		1.5%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2601408.d	C69441	Cal	1.107	1.183	1.107	-6.4%	-7.6%		Pass	
2026GC201 Method Blank-1	M2601409.d	C70535	Blank		1.183	1.107			2.0%	Pass	ND
M325B CCV 5	M2601420.d	B46243	Check	1.076	1.183	1.107	-9.1%		-1.8%	Pass	
M325B CCV 5	M2601428.d	C33804	Check	0.993	1.183	1.107	-16%		1.5%	Pass	

Chromatograms


Name	2026GC201 Method Blank-1
Comment	C70535
Data File	M2601409.d
Acq. Date-Time	4/2/2026 8:01:42 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	335,898	
Benzene	Benzene-d6 (IS)	8.088	8.095	2,934	
Toluene-d8 (IS)		10.717	10.724	374,424	
Toluene	Toluene-d8 (IS)	10.817	10.817	10,067	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	647	
m-/p-Xylenes	Toluene-d8 (IS)	13.195	13.181	605	m
o-Xylene	Toluene-d8 (IS)	13.683	13.682	475	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601409.d
Counts
x10^3
13.683 min.
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.690 min, 7 scans) M2601409.d
Counts
x10^3
Lib Match Score=48.5
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.1
77.1
91.1
106.2
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260318
Comment	B47074
Data File	M2601410.d
Acq. Date-Time	4/2/2026 8:27:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	334,312	
Benzene	Benzene-d6 (IS)	8.088	8.095	3,025	
Toluene-d8 (IS)		10.717	10.724	367,232	
Toluene	Toluene-d8 (IS)	10.817	10.817	13,001	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	425	m
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	849	
o-Xylene	Toluene-d8 (IS)	13.668	13.682	505	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601410.d
Counts
x10^2
13.668 min.
Acquisition Time (min)


+ Scan (13.633-13.714 min, 12 scans) M2601410.d
Lib Match Score=43.9
Counts
x10^3
41.1
55.1
67.2
79.1
91.1
105.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260318
Comment	C01529
Data File	M2601411.d
Acq. Date-Time	4/2/2026 8:52:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	331,620	
Benzene	Benzene-d6 (IS)	8.088	8.095	39,015	
Toluene-d8 (IS)		10.717	10.724	352,214	
Toluene	Toluene-d8 (IS)	10.817	10.817	40,677	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	4,330	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	7,660	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	2,584	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601411.d
Counts
x10^3
13.675 min.
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.644-13.704 min, 9 scans) M2601411.d
Counts
x10^3
Lib Match Score=53.3
91.1
39.1
55.1
67.2
77.1
106.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260318
Comment	C20592
Data File	M2601412.d
Acq. Date-Time	4/2/2026 9:17:34 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	334,215	
Benzene	Benzene-d6 (IS)	8.088	8.095	39,394	
Toluene-d8 (IS)		10.717	10.724	359,128	
Toluene	Toluene-d8 (IS)	10.810	10.817	36,528	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	3,963	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	5,964	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	2,444	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601412.d
Counts
x10^3
13.675 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.654-13.702 min, 7 scans) M2601412.d
Lib Match Score=58.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
79.1
55.1
67.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260318
Comment	B48715
Data File	M2601413.d
Acq. Date-Time	4/2/2026 9:42:48 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	334,394	
Benzene	Benzene-d6 (IS)	8.088	8.095	42,457	
Toluene-d8 (IS)		10.717	10.724	358,250	
Toluene	Toluene-d8 (IS)	10.810	10.817	30,911	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	2,864	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	4,963	
o-Xylene	Toluene-d8 (IS)	13.676	13.682	1,777	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601413.d
Counts
x10^3
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
13.676 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.656-13.701 min, 6 scans) M2601413.d
Lib Match Score=54.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.2
55.1
67.2
78.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260318
Comment	C55577
Data File	M2601414.d
Acq. Date-Time	4/2/2026 10:08:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	331,593	
Benzene	Benzene-d6 (IS)	8.095	8.095	31,389	
Toluene-d8 (IS)		10.717	10.724	358,080	
Toluene	Toluene-d8 (IS)	10.810	10.817	28,080	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	3,066	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	4,426	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	1,845	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601414.d
Counts
x10^3
13.675 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.650-13.710 min, 8 scans) M2601414.d
Counts
x10^3
Lib Match Score=52.2
91.1
41.1
55.1
67.1
81.1
95.1
106.1
117.2
98.0
106.0
39.0
51.0
65.0
77.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260318
Comment	B48609
Data File	M2601415.d
Acq. Date-Time	4/2/2026 10:33:16 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	327,385	
Benzene	Benzene-d6 (IS)	8.088	8.095	37,849	
Toluene-d8 (IS)		10.717	10.724	347,146	
Toluene	Toluene-d8 (IS)	10.817	10.817	21,070	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	1,399	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	2,513	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	1,218	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601415.d
Counts
x10^3
13.683 min.
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.642-13.704 min, 8 scans) M2601415.d
Counts
x10^3
Lib Match Score=51.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
110.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260318
Comment	C56896
Data File	M2601416.d
Acq. Date-Time	4/2/2026 10:58:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	326,025	
Benzene	Benzene-d6 (IS)	8.088	8.095	31,369	
Toluene-d8 (IS)		10.717	10.724	358,925	
Toluene	Toluene-d8 (IS)	10.817	10.817	26,311	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	2,299	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	2,269	m
o-Xylene	Toluene-d8 (IS)	13.675	13.682	1,185	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601416.d
Counts
x10^3
* 13.675 min.
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.637-13.721 min, 12 scans) M2601416.d
Counts
x10^3
Lib Match Score=48.2
41.1
67.1
55.1
79.1
91.1
73.0
105.1
115.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260318
Comment	C39259
Data File	M2601417.d
Acq. Date-Time	4/2/2026 11:24:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	324,455	
Benzene	Benzene-d6 (IS)	8.095	8.095	29,757	
Toluene-d8 (IS)		10.717	10.724	352,511	
Toluene	Toluene-d8 (IS)	10.810	10.817	24,321	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	2,599	
m-/p-Xylenes	Toluene-d8 (IS)	13.181	13.181	2,156	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	1,044	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601417.d
Counts
x10^3
13.675 min.
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.656-13.700 min, 6 scans) M2601417.d
Counts
x10^3
Lib Match Score=50.1
39.1
67.1
91.2
55.1
79.1
106.1
115.0
73.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260318
Comment	C67413
Data File	M2601418.d
Acq. Date-Time	4/2/2026 11:49:59 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	323,693	
Benzene	Benzene-d6 (IS)	8.088	8.095	28,784	
Toluene-d8 (IS)		10.717	10.724	346,459	
Toluene	Toluene-d8 (IS)	10.810	10.817	20,179	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	1,270	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.181	2,405	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	1,199	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601418.d
Counts
x10^3
13.675 min.
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.697 min, 8 scans) M2601418.d
Counts
x10^3
Lib Match Score=50.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
51.1
67.1
77.1
91.1
95.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260318
Comment	C01502
Data File	M2601419.d
Acq. Date-Time	4/3/2026 12:15:17 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	328,966	
Benzene	Benzene-d6 (IS)	8.095	8.095	34,041	
Toluene-d8 (IS)		10.717	10.724	350,927	
Toluene	Toluene-d8 (IS)	10.817	10.817	27,026	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	2,500	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	5,152	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	2,200	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601419.d
Counts
x10^3
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.683 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.654-13.701 min, 6 scans) M2601419.d
Lib Match Score=52.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
41.1
55.1
67.1
81.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260318
Comment	C69457
Data File	M2601421.d
Acq. Date-Time	4/3/2026 1:05:56 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	326,776	
Benzene	Benzene-d6 (IS)	8.088	8.095	36,618	
Toluene-d8 (IS)		10.717	10.724	354,121	
Toluene	Toluene-d8 (IS)	10.817	10.817	43,177	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	6,071	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	13,241	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	5,571	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601421.d
Counts
x10^3
13.675 min.
4
3.5
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.648-13.714 min, 9 scans) M2601421.d
Counts
x10^3
Lib Match Score=62.7
91.1
1
0.5
0
-0.5
-1
-1.5
39.1
53.1
67.1
79.1
106.2
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260318
Comment	C70034
Data File	M2601422.d
Acq. Date-Time	4/3/2026 1:31:18 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	328,428	
Benzene	Benzene-d6 (IS)	8.095	8.095	55,134	
Toluene-d8 (IS)		10.717	10.724	353,286	
Toluene	Toluene-d8 (IS)	10.817	10.817	137,860	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	20,996	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	59,511	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	24,016	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601422.d
Counts
x10^4
13.675 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.711 min, 10 scans) M2601422.d
Counts
x10^3
Lib Match Score=78.7
91.1
106.1
39.1
51.1
65.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260318
Comment	C57484
Data File	M2601423.d
Acq. Date-Time	4/3/2026 1:56:37 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	328,972	
Benzene	Benzene-d6 (IS)	8.095	8.095	54,773	
Toluene-d8 (IS)		10.717	10.724	353,146	
Toluene	Toluene-d8 (IS)	10.810	10.817	143,259	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	22,933	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	60,368	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	24,052	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601423.d
Counts
x10^4
13.675 min.
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.636-13.718 min, 11 scans) M2601423.d
Counts
x10^3
Lib Match Score=78.2
91.1
106.1
39.1
51.1
65.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260318
Comment	C01822
Data File	M2601424.d
Acq. Date-Time	4/3/2026 2:21:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	326,530	
Benzene	Benzene-d6 (IS)	8.088	8.095	45,834	
Toluene-d8 (IS)		10.717	10.724	354,869	
Toluene	Toluene-d8 (IS)	10.810	10.817	85,241	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	13,804	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	26,226	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	9,625	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601424.d
Counts
x10^3
13.675 min.
6
5
4
3
2
1
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.704 min, 7 scans) M2601424.d
Counts
x10^3
Lib Match Score=75.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
65.1
77.1
111.1119.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260318
Comment	C71727
Data File	M2601425.d
Acq. Date-Time	4/3/2026 2:47:06 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	326,108	
Benzene	Benzene-d6 (IS)	8.088	8.095	46,931	
Toluene-d8 (IS)		10.717	10.724	353,265	
Toluene	Toluene-d8 (IS)	10.810	10.817	88,368	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	12,133	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	33,449	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	12,483	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2601425.d
Counts
x10^4
13.675 min.
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.643-13.704 min, 9 scans) M2601425.d
Counts
x10^3
Lib Match Score=73.8
91.1
106.1
41.1
51.1
67.1
77.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260318
Comment	C71785
Data File	M2601426.d
Acq. Date-Time	4/3/2026 3:12:23 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	327,726	
Benzene	Benzene-d6 (IS)	8.088	8.095	3,241	
Toluene-d8 (IS)		10.717	10.724	359,275	
Toluene	Toluene-d8 (IS)	10.817	10.817	13,569	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	750	m
m-/p-Xylenes	Toluene-d8 (IS)	13.203	13.181	856	m
o-Xylene	Toluene-d8 (IS)	13.675	13.682	282	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan M2601426.d
Counts
x10^2
13.675 min.
Acquisition Time (min)


+ Scan (13.654-13.683 min, 5 scans) M2601426.d
Lib Match Score=47.0
Counts
x10^3
41.1
55.1
67.0
73.2
77.1
91.1
106.0
115.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	1	M2600319.d	6.00	47291	56.0	381045	1.158	0.12
M012026A_CC185154_R1	Benzene	2	M2600320.d	12.01	83887	56.0	380400	1.029	-0.0015
M012026A_CC185154_R1	Benzene	3	M2600321.d	24.01	168805	56.0	376299	1.046	0.016
M012026A_CC185154_R1	Benzene	4	M2600322.d	48.03	327386	56.0	372850	1.024	-0.006
M012026A_CC185154_R1	Benzene	5	M2600323.d	120.07	782762	56.0	373607	0.977	-0.051
M012026A_CC185154_R1	Benzene	6	M2600324.d	240.14	1563679	56.0	371027	0.983	-0.046
M012026A_CC185154_R1	Benzene	7	M2600325.d	720.42	4754251	56.0	371746	0.994	-0.035
						Avg:	375282	1.030	
						%RSD:	1.1%	6.0%	
M012026A_CC185154_R1	Toluene	1	M2600319.d	5.27	48504	65.7	405524	1.489	0.21
M012026A_CC185154_R1	Toluene	2	M2600320.d	10.55	82026	65.7	395866	1.290	0.046
M012026A_CC185154_R1	Toluene	3	M2600321.d	21.09	168126	65.7	395224	1.324	0.073
M012026A_CC185154_R1	Toluene	4	M2600322.d	42.18	327584	65.7	398897	1.278	0.036
M012026A_CC185154_R1	Toluene	5	M2600323.d	105.46	718794	65.7	394499	1.134	-0.081
M012026A_CC185154_R1	Toluene	6	M2600324.d	210.92	1454148	65.7	394406	1.148	-0.07
M012026A_CC185154_R1	Toluene	7	M2600325.d	632.75	3721714	65.7	397058	0.973	-0.21
						Avg:	397353	1.234	
						%RSD:	1.0%	13.4%	
M012026A_CC185154_R1	Ethylbenzene	1	M2600319.d	5.48	52452	65.7	405524	1.550	0.092
M012026A_CC185154_R1	Ethylbenzene	2	M2600320.d	10.96	97997	65.7	395866	1.483	0.045
M012026A_CC185154_R1	Ethylbenzene	3	M2600321.d	21.92	212293	65.7	395224	1.609	0.13
M012026A_CC185154_R1	Ethylbenzene	4	M2600322.d	43.84	421948	65.7	398897	1.584	0.12
M012026A_CC185154_R1	Ethylbenzene	5	M2600323.d	109.60	868249	65.7	394499	1.318	-0.071
M012026A_CC185154_R1	Ethylbenzene	6	M2600324.d	219.21	1748598	65.7	394406	1.328	-0.065
M012026A_CC185154_R1	Ethylbenzene	7	M2600325.d	657.62	4235151	65.7	397058	1.065	-0.25
						Avg:	397353	1.420	
						%RSD:	1.0%	13.7%	
M012026A_CC185154_R1	m-/p-Xylenes	1	M2600319.d	6.14	46914	65.7	405524	1.237	0.046
M012026A_CC185154_R1	m-/p-Xylenes	2	M2600320.d	12.28	91320	65.7	395866	1.233	0.042
M012026A_CC185154_R1	m-/p-Xylenes	3	M2600321.d	24.57	194398	65.7	395224	1.315	0.11
M012026A_CC185154_R1	m-/p-Xylenes	4	M2600322.d	49.13	385594	65.7	398897	1.292	0.092
M012026A_CC185154_R1	m-/p-Xylenes	5	M2600323.d	122.84	796581	65.7	394499	1.079	-0.088
M012026A_CC185154_R1	m-/p-Xylenes	6	M2600324.d	245.67	1569012	65.7	394406	1.063	-0.1
M012026A_CC185154_R1	m-/p-Xylenes	7	M2600325.d	737.01	4731379	65.7	397058	1.062	-0.1
						Avg:	397353	1.183	
						%RSD:	1.0%	9.4%	
M012026A_CC185154_R1	o-Xylene	1	M2600319.d	5.71	44619	65.7	405524	1.265	0.069
M012026A_CC185154_R1	o-Xylene	2	M2600320.d	11.42	85697	65.7	395866	1.244	0.051
M012026A_CC185154_R1	o-Xylene	3	M2600321.d	22.85	185018	65.7	395224	1.345	0.14

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC201-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	o-Xylene	4	M2600322.d	45.69	379263	65.7	398897	1.366	0.15
M012026A_CC185154_R1	o-Xylene	5	M2600323.d	114.23	761099	65.7	394499	1.109	-0.063
M012026A_CC185154_R1	o-Xylene	6	M2600324.d	228.47	1535238	65.7	394406	1.119	-0.055
M012026A_CC185154_R1	o-Xylene	7	M2600325.d	685.41	3466627	65.7	397058	0.836	-0.29
						Avg:	397353	1.183	
						%RSD:	1.0%	15.4%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	ICV	M2600326.d	447.14	2914814	56.0	365974	0.998	-3.2%
M012026A_CC185154_R1	Toluene	ICV	M2600326.d	457.87	3108316	65.7	386128	1.154	-6.4%
M012026A_CC185154_R1	Ethylbenzene	ICV	M2600326.d	452.71	3527812	65.7	386128	1.325	-6.7%
M012026A_CC185154_R1	m-/p-Xylenes	ICV	M2600326.d	459.76	2910282	65.7	386128	1.076	-9.0%
M012026A_CC185154_R1	o-Xylene	ICV	M2600326.d	460.64	2752493	65.7	386128	1.016	-14.0%

M325B PDF Report ver.20260203

Sample Custody

ENTHALPY ANALYTICAL 2026GC201

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague Searsport	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	70 Trundy Road	Project Number:	PROJ-027966	Sample Event #	2026GC201
City:	Searsport	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04401	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C01529	S	3/18/26	12:33 PM	4/1/26	12:15 PM	KV/KV		
2	C20592	S	3/18/26	12:30 PM	4/1/26	12:10 PM	KV/KV		
3	B48715	S	3/18/26	12:24 PM	4/1/26	12:05 PM	KV/KV		
4	C55577	S	3/18/26	12:21 PM	4/1/26	12:02 PM	KV/KV		
5	B48609	S	3/18/26	12:16 PM	4/1/26	11:58 AM	KV/KV		
6	C56896	S	3/18/26	12:12 PM	4/1/26	11:55 AM	KV/KV		
6	C39259	D	3/18/26	12:12 PM	4/1/26	11:55 AM	KV/KV		
6	B47074	B	3/18/26	12:12 PM	4/1/26	11:55 AM	KV/KV		
7	C67413	S	3/18/26	12:08 PM	4/1/26	11:48 AM	KV/KV		
8	C01502	S	3/18/26	12:03 PM	4/1/26	11:44 AM	KV/KV		
9	C69457	S	3/18/26	12:00 PM	4/1/26	11:42 AM	KV/KV		
10	C70034	S	3/18/26	11:56 AM	4/1/26	11:38 AM	KV/KV		
11	C57484	S	3/18/26	12:44 PM	4/1/26	12:26 PM	KV/KV		
12	C01822	S	3/18/26	12:40 PM	4/1/26	12:18 PM	KV/KV		
12	C71727	D	3/18/26	12:40 PM	4/1/26	12:18 PM	KV/KV		
12	C71785	B	3/18/26	12:40 PM	4/1/26	12:18 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	4/1/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grundman	Paige Grundman	4-2-26	10:40am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	BTEX	Y	
mp: Blank Temp: 21.4 Fluke3		Add Custody Seal # below: 25E08581	

Comments:

This Is The Last Page Of This Report.

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 44 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 4/16/2026

Analytical Report
2026GC202

EPA Method 325B Analysis

Report Issue Date: 4/27/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GC202-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Enthalpy Analytical on April 16, 2026 at 21.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260401	C33423	Sample
SPRSEA-2-S-20260401	C01377	Sample
SPRSEA-3-S-20260401	C40503	Sample
SPRSEA-4-S-20260401	B46241	Sample
SPRSEA-5-S-20260401	B45024	Sample
SPRSEA-6-S-20260401	B45059	Sample
SPRSEA-6-D-20260401	C35900	Duplicate
SPRSEA-6-B-20260401	C40636	Blank
SPRSEA-7-S-20260401	C56862	Sample
SPRSEA-8-S-20260401	C69733	Sample
SPRSEA-9-S-20260401	C53631	Sample
SPRSEA-10-S-20260401	C68568	Sample
SPRSEA-11-S-20260401	C57580	Sample
SPRSEA-12-S-20260401	C38549	Sample
SPRSEA-12-D-20260401	C69420	Duplicate
SPRSEA-12-B-20260401	C39210	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D040726A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GC202-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260401	C33423	0.350	J	0.365	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-2-S-20260401	C01377	0.413	J	0.398	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-3-S-20260401	C40503	0.324	J	0.431	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-4-S-20260401	B46241	0.350	J	0.341	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-5-S-20260401	B45024	0.376	J	0.458	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-6-S-20260401	B45059	0.326	J	0.322	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-6-D-20260401	C35900	0.362	J	0.329	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-6-B-20260401	C40636	0.191	ND	0.246	ND	0.278	ND	0.278	ND	0.278	ND
SPRSEA-7-S-20260401	C56862	0.282	J	0.301	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-8-S-20260401	C69733	0.346	J	0.363	J	0.278	ND	0.278	ND	0.278	ND
SPRSEA-9-S-20260401	C53631	0.475		0.833		0.278	ND	0.361	J	0.278	ND
SPRSEA-10-S-20260401	C68568	0.805		2.69		0.471	J	1.66		0.663	
SPRSEA-11-S-20260401	C57580	0.655		1.60		0.286	J	0.887		0.336	J
SPRSEA-12-S-20260401	C38549	0.535		1.04		0.277	ND	0.390	J	0.277	ND
SPRSEA-12-D-20260401	C69420	0.522		1.08		0.277	ND	0.494	J	0.277	ND
SPRSEA-12-B-20260401	C39210	0.190	ND	0.245	ND	0.277	ND	0.277	ND	0.277	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260401	C33423	0.350	0.110	4.59	41.0	0.647	20266	0.191	0.456	0.0597	0.143	J	D2602215.d	2026-04-16 16:08	1.708	8.167	61026	438372	56.3	8.103	-3.1%
SPRSEA-2-S-20260401	C01377	0.413	0.129	5.41	41.0	0.647	20260	0.191	0.456	0.0597	0.143	J	D2602216.d	2026-04-16 16:34	1.708	8.160	72643	442750	56.3	8.103	-2.1%
SPRSEA-3-S-20260401	C40503	0.324	0.101	4.25	41.0	0.647	20261	0.191	0.456	0.0597	0.143	J	D2602217.d	2026-04-16 16:59	1.708	8.160	57741	448584	56.3	8.102	-0.8%
SPRSEA-4-S-20260401	B46241	0.350	0.110	4.59	41.0	0.647	20260	0.191	0.456	0.0597	0.143	J	D2602218.d	2026-04-16 17:25	1.708	8.160	62466	449314	56.3	8.103	-0.7%
SPRSEA-5-S-20260401	B45024	0.376	0.118	4.93	41.0	0.647	20255	0.191	0.456	0.0597	0.143	J	D2602219.d	2026-04-16 17:51	1.708	8.167	66615	445411	56.3	8.103	-1.5%
SPRSEA-6-S-20260401	B45059	0.326	0.102	4.27	41.0	0.647	20245	0.191	0.456	0.0598	0.143	J	D2602220.d	2026-04-16 18:17	1.708	8.160	58228	449592	56.3	8.102	-0.6%
SPRSEA-6-D-20260401	C35900	0.362	0.113	4.74	41.0	0.647	20245	0.191	0.456	0.0598	0.143	J	D2602221.d	2026-04-16 18:43	1.708	8.159	64852	451110	56.3	8.102	-0.3%
SPRSEA-6-B-20260401	C40636	0.191	0.0598		41.0	0.647	20245	0.191	0.456	0.0598	0.143	ND	D2602214.d	2026-04-16 15:42	1.708	8.160	12061	445309	56.3	8.102	-1.6%
SPRSEA-7-S-20260401	C56862	0.282	0.0885	3.70	41.0	0.647	20244	0.191	0.456	0.0598	0.143	J	D2602222.d	2026-04-16 19:09	1.708	8.160	50586	451004	56.3	8.102	-0.3%
SPRSEA-8-S-20260401	C69733	0.346	0.108	4.54	41.0	0.647	20239	0.191	0.457	0.0598	0.143	J	D2602223.d	2026-04-16 19:35	1.708	8.160	61333	445960	56.3	8.102	-1.4%
SPRSEA-9-S-20260401	C53631	0.475	0.149	6.21	41.0	0.647	20231	0.191	0.457	0.0598	0.143		D2602224.d	2026-04-16 20:01	1.708	8.160	84626	449384	56.3	8.102	-0.7%
SPRSEA-10-S-20260401	C68568	0.805	0.252	10.6	41.0	0.647	20345	0.190	0.454	0.0595	0.142		D2602226.d	2026-04-16 20:52	1.708	8.167	146100	454466	56.3	8.102	0.5%
SPRSEA-11-S-20260401	C57580	0.655	0.205	8.59	41.0	0.647	20288	0.190	0.455	0.0596	0.143		D2602227.d	2026-04-16 21:18	1.708	8.160	115308	442633	56.3	8.102	-2.1%
SPRSEA-12-S-20260401	C38549	0.535	0.168	7.03	41.0	0.647	20284	0.190	0.455	0.0597	0.143		D2602228.d	2026-04-16 21:44	1.708	8.160	97304	456702	56.3	8.102	1.0%
SPRSEA-12-D-20260401	C69420	0.522	0.164	6.85	41.0	0.647	20284	0.190	0.455	0.0597	0.143		D2602229.d	2026-04-16 22:09	1.708	8.160	95481	459620	56.3	8.102	1.6%
SPRSEA-12-B-20260401	C39210	0.190	0.0597		41.0	0.647	20284	0.190	0.455	0.0597	0.143	ND	D2602230.d	2026-04-16 22:35	1.708	8.160	16612	446610	56.3	8.103	-1.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260401	C33423	0.365	0.0969	3.71	41.0	0.502	20266	0.246	0.516	0.0652	0.137	J	D2602215.d	2026-04-16 16:08	2.053	10.889	52066	451150	66.1	10.796	-3.9%
SPRSEA-2-S-20260401	C01377	0.398	0.106	4.05	41.0	0.502	20260	0.246	0.516	0.0652	0.137	J	D2602216.d	2026-04-16 16:34	2.053	10.889	56186	447027	66.1	10.796	-4.8%
SPRSEA-3-S-20260401	C40503	0.431	0.115	4.39	41.0	0.502	20261	0.246	0.516	0.0652	0.137	J	D2602217.d	2026-04-16 16:59	2.053	10.889	60638	444537	66.1	10.796	-5.4%
SPRSEA-4-S-20260401	B46241	0.341	0.0907	3.47	41.0	0.502	20260	0.246	0.516	0.0652	0.137	J	D2602218.d	2026-04-16 17:25	2.053	10.889	49522	458745	66.1	10.796	-2.3%
SPRSEA-5-S-20260401	B45024	0.458	0.122	4.66	41.0	0.502	20255	0.246	0.516	0.0653	0.137	J	D2602219.d	2026-04-16 17:51	2.053	10.889	66243	457537	66.1	10.796	-2.6%
SPRSEA-6-S-20260401	B45059	0.322	0.0854	3.27	41.0	0.502	20245	0.246	0.516	0.0653	0.137	J	D2602220.d	2026-04-16 18:17	2.053	10.896	47834	470889	66.1	10.796	0.3%
SPRSEA-6-D-20260401	C35900	0.329	0.0874	3.35	41.0	0.502	20245	0.246	0.516	0.0653	0.137	J	D2602221.d	2026-04-16 18:43	2.053	10.889	48477	466334	66.1	10.795	-0.7%
SPRSEA-6-B-20260401	C40636	0.246	0.0653		41.0	0.502	20245	0.246	0.516	0.0653	0.137	ND	D2602214.d	2026-04-16 15:42	2.053	10.889	27526	461733	66.1	10.796	-1.7%
SPRSEA-7-S-20260401	C56862	0.301	0.0799	3.06	41.0	0.502	20244	0.246	0.516	0.0653	0.137	J	D2602222.d	2026-04-16 19:09	2.053	10.889	43784	460337	66.1	10.796	-2.0%
SPRSEA-8-S-20260401	C69733	0.363	0.0964	3.69	41.0	0.502	20239	0.246	0.517	0.0653	0.137	J	D2602223.d	2026-04-16 19:35	2.053	10.889	52619	458700	66.1	10.796	-2.3%
SPRSEA-9-S-20260401	C53631	0.833	0.221	8.47	41.0	0.502	20231	0.246	0.517	0.0653	0.137		D2602224.d	2026-04-16 20:01	2.053	10.889	122479	465653	66.1	10.796	-0.9%
SPRSEA-10-S-20260401	C68568	2.69	0.713	27.5	41.0	0.502	20345	0.245	0.514	0.0650	0.136		D2602226.d	2026-04-16 20:52	2.053	10.889	400421	469491	66.1	10.796	0.0%
SPRSEA-11-S-20260401	C57580	1.60	0.424	16.3	41.0	0.502	20288	0.245	0.515	0.0651	0.137		D2602227.d	2026-04-16 21:18	2.053	10.889	237929	470457	66.1	10.789	0.2%
SPRSEA-12-S-20260401	C38549	1.04	0.277	10.6	41.0	0.502	20284	0.245	0.515	0.0652	0.137		D2602228.d	2026-04-16 21:44	2.053	10.889	156044	473181	66.1	10.796	0.7%
SPRSEA-12-D-20260401	C69420	1.08	0.286	11.0	41.0	0.502	20284	0.245	0.515	0.0652	0.137		D2602229.d	2026-04-16 22:09	2.053	10.889	159642	468843	66.1	10.796	-0.2%
SPRSEA-12-B-20260401	C39210	0.245	0.0652		41.0	0.502	20284	0.245	0.515	0.0652	0.137	ND	D2602230.d	2026-04-16 22:35	2.053	10.889	35982	479109	66.1	10.796	2.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260401	C33423	0.278	0.0640		41.0	0.444	20266	0.278	0.606	0.0640	0.140	ND	D2602215.d	2026-04-16 16:08	2.053	13.074	8177	451150	66.1	10.796	-3.9%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260401	C01377	0.278	0.0640		41.0	0.444	20260	0.278	0.606	0.0640	0.140	ND	D2602216.d	2026-04-16 16:34	2.053	13.081	6964	447027	66.1	10.796	-4.8%
SPRSEA-3-S-20260401	C40503	0.278	0.0640		41.0	0.444	20261	0.278	0.606	0.0640	0.140	ND	D2602217.d	2026-04-16 16:59	2.053	13.081	8203	444537	66.1	10.796	-5.4%
SPRSEA-4-S-20260401	B46241	0.278	0.0640		41.0	0.444	20260	0.278	0.606	0.0640	0.140	ND	D2602218.d	2026-04-16 17:25	2.053	13.081	3153	458745	66.1	10.796	-2.3%
SPRSEA-5-S-20260401	B45024	0.278	0.0640		41.0	0.444	20255	0.278	0.606	0.0640	0.140	ND	D2602219.d	2026-04-16 17:51	2.053	13.081	11702	457537	66.1	10.796	-2.6%
SPRSEA-6-S-20260401	B45059	0.278	0.0641		41.0	0.444	20245	0.278	0.607	0.0641	0.140	ND	D2602220.d	2026-04-16 18:17	2.053	13.081	5286	470889	66.1	10.796	0.3%
SPRSEA-6-D-20260401	C35900	0.278	0.0641		41.0	0.444	20245	0.278	0.607	0.0641	0.140	ND	D2602221.d	2026-04-16 18:43	2.053	13.081	3598	466334	66.1	10.795	-0.7%
SPRSEA-6-B-20260401	C40636	0.278	0.0641		41.0	0.444	20245	0.278	0.607	0.0641	0.140	ND	D2602214.d	2026-04-16 15:42	2.053	13.074	2993	461733	66.1	10.796	-1.7%
SPRSEA-7-S-20260401	C56862	0.278	0.0641		41.0	0.444	20244	0.278	0.607	0.0641	0.140	ND	D2602222.d	2026-04-16 19:09	2.053	13.081	3567	460337	66.1	10.796	-2.0%
SPRSEA-8-S-20260401	C69733	0.278	0.0641		41.0	0.444	20239	0.278	0.607	0.0641	0.140	ND	D2602223.d	2026-04-16 19:35	2.053	13.074	5117	458700	66.1	10.796	-2.3%
SPRSEA-9-S-20260401	C53631	0.278	0.0641		41.0	0.444	20231	0.278	0.607	0.0641	0.140	ND	D2602224.d	2026-04-16 20:01	2.053	13.081	18409	465653	66.1	10.796	-0.9%
SPRSEA-10-S-20260401	C68568	0.471	0.109	4.26	41.0	0.444	20345	0.277	0.604	0.0637	0.139	J	D2602226.d	2026-04-16 20:52	2.053	13.081	62100	469491	66.1	10.796	0.0%
SPRSEA-11-S-20260401	C57580	0.286	0.0659	2.58	41.0	0.444	20288	0.277	0.605	0.0639	0.140	J	D2602227.d	2026-04-16 21:18	2.053	13.081	37663	470457	66.1	10.789	0.2%
SPRSEA-12-S-20260401	C38549	0.277	0.0639		41.0	0.444	20284	0.277	0.606	0.0639	0.140	ND	D2602228.d	2026-04-16 21:44	2.053	13.081	20295	473181	66.1	10.796	0.7%
SPRSEA-12-D-20260401	C69420	0.277	0.0639		41.0	0.444	20284	0.277	0.606	0.0639	0.140	ND	D2602229.d	2026-04-16 22:09	2.053	13.081	16835	468843	66.1	10.796	-0.2%
SPRSEA-12-B-20260401	C39210	0.277	0.0639		41.0	0.444	20284	0.277	0.606	0.0639	0.140	ND	D2602230.d	2026-04-16 22:35	2.053	13.067	4372	479109	66.1	10.796	2.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260401	C33423	0.278	0.0640		41.0	0.444	20266	0.278	0.679	0.0640	0.157	ND	D2602215.d	2026-04-16 16:08	1.530	13.253	10939	451150	66.1	10.796	-3.9%
SPRSEA-2-S-20260401	C01377	0.278	0.0640		41.0	0.444	20260	0.278	0.680	0.0640	0.157	ND	D2602216.d	2026-04-16 16:34	1.530	13.253	8015	447027	66.1	10.796	-4.8%
SPRSEA-3-S-20260401	C40503	0.278	0.0640		41.0	0.444	20261	0.278	0.679	0.0640	0.157	ND	D2602217.d	2026-04-16 16:59	1.530	13.260	12114	444537	66.1	10.796	-5.4%
SPRSEA-4-S-20260401	B46241	0.278	0.0640		41.0	0.444	20260	0.278	0.680	0.0640	0.157	ND	D2602218.d	2026-04-16 17:25	1.530	13.260	6963	458745	66.1	10.796	-2.3%
SPRSEA-5-S-20260401	B45024	0.278	0.0640		41.0	0.444	20255	0.278	0.680	0.0640	0.157	ND	D2602219.d	2026-04-16 17:51	1.530	13.253	16125	457537	66.1	10.796	-2.6%
SPRSEA-6-S-20260401	B45059	0.278	0.0641		41.0	0.444	20245	0.278	0.680	0.0641	0.157	ND	D2602220.d	2026-04-16 18:17	1.530	13.253	5189	470889	66.1	10.796	0.3%
SPRSEA-6-D-20260401	C35900	0.278	0.0641		41.0	0.444	20245	0.278	0.680	0.0641	0.157	ND	D2602221.d	2026-04-16 18:43	1.530	13.260	5707	466334	66.1	10.795	-0.7%
SPRSEA-6-B-20260401	C40636	0.278	0.0641		41.0	0.444	20245	0.278	0.680	0.0641	0.157	ND	D2602214.d	2026-04-16 15:42	1.530	13.253	1255	461733	66.1	10.796	-1.7%
SPRSEA-7-S-20260401	C56862	0.278	0.0641		41.0	0.444	20244	0.278	0.680	0.0641	0.157	ND	D2602222.d	2026-04-16 19:09	1.530	13.253	7722	460337	66.1	10.796	-2.0%
SPRSEA-8-S-20260401	C69733	0.278	0.0641		41.0	0.444	20239	0.278	0.680	0.0641	0.157	ND	D2602223.d	2026-04-16 19:35	1.530	13.260	14412	458700	66.1	10.796	-2.3%
SPRSEA-9-S-20260401	C53631	0.361	0.0832	3.25	41.0	0.444	20231	0.278	0.681	0.0641	0.157	J	D2602224.d	2026-04-16 20:01	1.530	13.253	35003	465653	66.1	10.796	-0.9%
SPRSEA-10-S-20260401	C68568	1.66	0.384	15.0	41.0	0.444	20345	0.277	0.677	0.0637	0.156		D2602226.d	2026-04-16 20:52	1.530	13.253	163636	469491	66.1	10.796	0.0%
SPRSEA-11-S-20260401	C57580	0.887	0.204	7.99	41.0	0.444	20288	0.277	0.679	0.0639	0.156		D2602227.d	2026-04-16 21:18	1.530	13.253	87106	470457	66.1	10.789	0.2%
SPRSEA-12-S-20260401	C38549	0.390	0.0900	3.52	41.0	0.444	20284	0.277	0.679	0.0639	0.156	J	D2602228.d	2026-04-16 21:44	1.530	13.253	38572	473181	66.1	10.796	0.7%
SPRSEA-12-D-20260401	C69420	0.494	0.114	4.45	41.0	0.444	20284	0.277	0.679	0.0639	0.156	J	D2602229.d	2026-04-16 22:09	1.530	13.253	48347	468843	66.1	10.796	-0.2%
SPRSEA-12-B-20260401	C39210	0.277	0.0639		41.0	0.444	20284	0.277	0.679	0.0639	0.156	ND	D2602230.d	2026-04-16 22:35	1.530	13.317	705	479109	66.1	10.796	2.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260401	C33423	0.278	0.0640		41.0	0.444	20266	0.278	0.632	0.0640	0.146	ND	D2602215.d	2026-04-16 16:08	1.554	13.754	4928	451150	66.1	10.796	-3.9%
SPRSEA-2-S-20260401	C01377	0.278	0.0640		41.0	0.444	20260	0.278	0.632	0.0640	0.146	ND	D2602216.d	2026-04-16 16:34	1.554	13.754	3479	447027	66.1	10.796	-4.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260401	C40503	0.278	0.0640		41.0	0.444	20261	0.278	0.632	0.0640	0.146	ND	D2602217.d	2026-04-16 16:59	1.554	13.754	5062	444537	66.1	10.796	-5.4%
SPRSEA-4-S-20260401	B46241	0.278	0.0640		41.0	0.444	20260	0.278	0.632	0.0640	0.146	ND	D2602218.d	2026-04-16 17:25	1.554	13.754	3221	458745	66.1	10.796	-2.3%
SPRSEA-5-S-20260401	B45024	0.278	0.0640		41.0	0.444	20255	0.278	0.632	0.0640	0.146	ND	D2602219.d	2026-04-16 17:51	1.554	13.754	5420	457537	66.1	10.796	-2.6%
SPRSEA-6-S-20260401	B45059	0.278	0.0641		41.0	0.444	20245	0.278	0.632	0.0641	0.146	ND	D2602220.d	2026-04-16 18:17	1.554	13.747	3047	470889	66.1	10.796	0.3%
SPRSEA-6-D-20260401	C35900	0.278	0.0641		41.0	0.444	20245	0.278	0.632	0.0641	0.146	ND	D2602221.d	2026-04-16 18:43	1.554	13.754	3507	466334	66.1	10.795	-0.7%
SPRSEA-6-B-20260401	C40636	0.278	0.0641		41.0	0.444	20245	0.278	0.632	0.0641	0.146	ND	D2602214.d	2026-04-16 15:42	1.554	13.926	0	461733	66.1	10.796	-1.7%
SPRSEA-7-S-20260401	C56862	0.278	0.0641		41.0	0.444	20244	0.278	0.632	0.0641	0.146	ND	D2602222.d	2026-04-16 19:09	1.554	13.754	4001	460337	66.1	10.796	-2.0%
SPRSEA-8-S-20260401	C69733	0.278	0.0641		41.0	0.444	20239	0.278	0.633	0.0641	0.146	ND	D2602223.d	2026-04-16 19:35	1.554	13.754	5958	458700	66.1	10.796	-2.3%
SPRSEA-9-S-20260401	C53631	0.278	0.0641		41.0	0.444	20231	0.278	0.633	0.0641	0.146	ND	D2602224.d	2026-04-16 20:01	1.554	13.754	13088	465653	66.1	10.796	-0.9%
SPRSEA-10-S-20260401	C68568	0.663	0.153	5.99	41.0	0.444	20345	0.277	0.629	0.0637	0.145		D2602226.d	2026-04-16 20:52	1.554	13.754	66169	469491	66.1	10.796	0.0%
SPRSEA-11-S-20260401	C57580	0.336	0.0775	3.03	41.0	0.444	20288	0.277	0.631	0.0639	0.145	J	D2602227.d	2026-04-16 21:18	1.554	13.754	33539	470457	66.1	10.789	0.2%
SPRSEA-12-S-20260401	C38549	0.277	0.0639		41.0	0.444	20284	0.277	0.631	0.0639	0.145	ND	D2602228.d	2026-04-16 21:44	1.554	13.754	15380	473181	66.1	10.796	0.7%
SPRSEA-12-D-20260401	C69420	0.277	0.0639		41.0	0.444	20284	0.277	0.631	0.0639	0.145	ND	D2602229.d	2026-04-16 22:09	1.554	13.754	20125	468843	66.1	10.796	-0.2%
SPRSEA-12-B-20260401	C39210	0.277	0.0639		41.0	0.444	20284	0.277	0.631	0.0639	0.145	ND	D2602230.d	2026-04-16 22:35	1.554	14.234	0	479109	66.1	10.796	2.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260401	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260401	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260401	10%	Pass	2.3%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260401	2.5%	Pass	3.2%	Pass	ND	Pass	23%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2602212.d	C70018	Cal	1.708	1.657	1.708	3.0%	-5.1%		Pass	
2026GC202 Method Blank-1	D2602213.d	C69592	Blank		1.657	1.708			-0.13%	Pass	ND
M325B CCV 5	D2602225.d	B35517	Check	1.691	1.657	1.708	2.1%		0.57%	Pass	
M325B CCV 5	D2602231.d	C73577	Check	1.670	1.657	1.708	0.76%		1.9%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2602212.d	C70018	Cal	2.053	2.138	2.053	-4.0%	-3.9%		Pass	
2026GC202 Method Blank-1	D2602213.d	C69592	Blank		2.138	2.053			-0.64%	Pass	ND
M325B CCV 5	D2602225.d	B35517	Check	2.131	2.138	2.053	-0.33%		0.80%	Pass	
M325B CCV 5	D2602231.d	C73577	Check	2.031	2.138	2.053	-5.0%		3.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2602212.d	C70018	Cal	2.053	2.315	2.053	-11%	-3.9%		Pass	
2026GC202 Method Blank-1	D2602213.d	C69592	Blank		2.315	2.053			-0.64%	Pass	ND
M325B CCV 5	D2602225.d	B35517	Check	2.107	2.315	2.053	-9.0%		0.80%	Pass	
M325B CCV 5	D2602231.d	C73577	Check	2.000	2.315	2.053	-14%		3.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2602212.d	C70018	Cal	1.530	1.850	1.530	-17%	-3.9%		Pass	
2026GC202 Method Blank-1	D2602213.d	C69592	Blank		1.850	1.530			-0.64%	Pass	ND
M325B CCV 5	D2602225.d	B35517	Check	1.531	1.850	1.530	-17%		0.80%	Pass	
M325B CCV 5	D2602231.d	C73577	Check	1.489	1.850	1.530	-20%		3.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2602212.d	C70018	Cal	1.554	1.883	1.554	-17%	-3.9%		Pass	
2026GC202 Method Blank-1	D2602213.d	C69592	Blank		1.883	1.554			-0.64%	Pass	ND
M325B CCV 5	D2602225.d	B35517	Check	1.598	1.883	1.554	-15%		0.80%	Pass	
M325B CCV 5	D2602231.d	C73577	Check	1.533	1.883	1.554	-19%		3.9%	Pass	

Chromatograms


Name	2026GC202 Method Blank-1
Comment	C69592
Data File	D2602213.d
Acq. Date-Time	4/16/2026 3:16:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	451,756	
Benzene	benzene-d6 (IS)	8.153	8.160	7,975	
Toluene-d8 (IS)		10.796	10.796	466,690	
Toluene	Toluene-d8 (IS)	10.889	10.889	18,164	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	3,406	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.252	1,297	
o-Xylene	Toluene-d8 (IS)	13.675	13.754	647	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602213.d
Counts
x10^3
13.675 min.
3
2.75
2.5
2.25
2
1.75
1.5
1.25
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.666-13.698 min, 5 scans) D2602213.d
Lib Match Score=41.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
56.1
67.1
81.1
94.1
105.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260401
Comment	C40636
Data File	D2602214.d
Acq. Date-Time	4/16/2026 3:42:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	445,309	
Benzene	benzene-d6 (IS)	8.160	8.160	12,061	
Toluene-d8 (IS)		10.796	10.796	461,733	
Toluene	Toluene-d8 (IS)	10.889	10.889	27,526	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	2,993	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	1,255	
o-Xylene	Toluene-d8 (IS)	13.926	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602214.d
Counts
x10^3
3.25
3
2.75
2.5
2.25
2
1.75
1.5
* 13.926 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.926-13.926 min, 1 scans) D2602214.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.0
82.2
91.1
106.2
120.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260401
Comment	C33423
Data File	D2602215.d
Acq. Date-Time	4/16/2026 4:08:23 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	438,372	
Benzene	benzene-d6 (IS)	8.167	8.160	61,026	
Toluene-d8 (IS)		10.796	10.796	451,150	
Toluene	Toluene-d8 (IS)	10.889	10.889	52,066	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	8,177	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	10,939	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	4,928	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602215.d
Counts
x10^3
6
5
4
3
2
1
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.721-13.776 min, 8 scans) D2602215.d
Lib Match Score=45.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
81.1
91.1
106.2
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260401
Comment	C01377
Data File	D2602216.d
Acq. Date-Time	4/16/2026 4:34:11 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	442,750	
Benzene	benzene-d6 (IS)	8.160	8.160	72,643	
Toluene-d8 (IS)		10.796	10.796	447,027	
Toluene	Toluene-d8 (IS)	10.889	10.889	56,186	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	6,964	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	8,015	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	3,479	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602216.d
Counts
x10^3
13.754 min.
Acquisition Time (min)


+ Scan (13.734-13.781 min, 6 scans) D2602216.d
Lib Match Score=43.5
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260401
Comment	C40503
Data File	D2602217.d
Acq. Date-Time	4/16/2026 4:59:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,584	
Benzene	benzene-d6 (IS)	8.160	8.160	57,741	
Toluene-d8 (IS)		10.796	10.796	444,537	
Toluene	Toluene-d8 (IS)	10.889	10.889	60,638	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	8,203	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	12,114	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	5,062	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602217.d
Counts
x10^3
13.754 min.
Acquisition Time (min)


+ Scan (13.711-13.776 min, 10 scans) D2602217.d
Lib Match Score=44.2
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260401
Comment	B46241
Data File	D2602218.d
Acq. Date-Time	4/16/2026 5:25:37 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	449,314	
Benzene	benzene-d6 (IS)	8.160	8.160	62,466	
Toluene-d8 (IS)		10.796	10.796	458,745	
Toluene	Toluene-d8 (IS)	10.889	10.889	49,522	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	3,153	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	6,963	m
o-Xylene	Toluene-d8 (IS)	13.754	13.754	3,221	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602218.d
Counts
x10^3
13.754 min.
4.5
4
3.5
3
2.5
2
1.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.714-13.769 min, 8 scans) D2602218.d
Lib Match Score=43.1
Counts
x10^3
41.1
55.1
67.1
81.1
91.2
106.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260401
Comment	B45024
Data File	D2602219.d
Acq. Date-Time	4/16/2026 5:51:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	445,411	
Benzene	benzene-d6 (IS)	8.167	8.160	66,615	
Toluene-d8 (IS)		10.796	10.796	457,537	
Toluene	Toluene-d8 (IS)	10.889	10.889	66,243	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	11,702	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	16,125	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	5,420	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602219.d
Counts
x10^3
13.754 min.
Acquisition Time (min)


+ Scan (13.727-13.776 min, 6 scans) D2602219.d
Lib Match Score=45.8
Counts
x10^3
41.1
55.1
67.1
79.1
91.1
105.1
118.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260401
Comment	B45059
Data File	D2602220.d
Acq. Date-Time	4/16/2026 6:17:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,592	
Benzene	benzene-d6 (IS)	8.160	8.160	58,228	
Toluene-d8 (IS)		10.796	10.796	470,889	
Toluene	Toluene-d8 (IS)	10.896	10.889	47,834	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	5,286	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	5,189	m
o-Xylene	Toluene-d8 (IS)	13.747	13.754	3,047	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602220.d
Counts
x10^3
13.747 min.
Acquisition Time (min)


+ Scan (13.718-13.787 min, 9 scans) D2602220.d
Lib Match Score=45.5
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260401
Comment	C35900
Data File	D2602221.d
Acq. Date-Time	4/16/2026 6:43:44 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	451,110	
Benzene	benzene-d6 (IS)	8.159	8.160	64,852	
Toluene-d8 (IS)		10.795	10.796	466,334	
Toluene	Toluene-d8 (IS)	10.889	10.889	48,477	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	3,598	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	5,707	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	3,507	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602221.d
Counts
x10^3
5
4
3
2
1
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.788 min, 9 scans) D2602221.d
Lib Match Score=44.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
119.1
73.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260401
Comment	C56862
Data File	D2602222.d
Acq. Date-Time	4/16/2026 7:09:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	451,004	
Benzene	benzene-d6 (IS)	8.160	8.160	50,586	
Toluene-d8 (IS)		10.796	10.796	460,337	
Toluene	Toluene-d8 (IS)	10.889	10.889	43,784	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	3,567	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	7,722	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	4,001	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602222.d
Counts
x10^3
13.754 min.
Acquisition Time (min)


+ Scan (13.726-13.779 min, 7 scans) D2602222.d
Counts
x10^3
Lib Match Score=44.3
41.1
55.1
67.1
79.1
91.1
105.1
120.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260401
Comment	C69733
Data File	D2602223.d
Acq. Date-Time	4/16/2026 7:35:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	445,960	
Benzene	benzene-d6 (IS)	8.160	8.160	61,333	
Toluene-d8 (IS)		10.796	10.796	458,700	
Toluene	Toluene-d8 (IS)	10.889	10.889	52,619	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	5,117	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	14,412	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	5,958	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602223.d
Counts
x10^4
13.754 min.
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.732-13.782 min, 7 scans) D2602223.d
Counts
x10^3
Lib Match Score=46.3
41.1
55.1
67.1
79.1
91.1
106.2
119.1
73.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260401
Comment	C53631
Data File	D2602224.d
Acq. Date-Time	4/16/2026 8:01:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,384	
Benzene	benzene-d6 (IS)	8.160	8.160	84,626	
Toluene-d8 (IS)		10.796	10.796	465,653	
Toluene	Toluene-d8 (IS)	10.889	10.889	122,479	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	18,409	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	35,003	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	13,088	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602224.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.723-13.782 min, 8 scans) D2602224.d
Lib Match Score=50.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
51.1
73.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260401
Comment	C68568
Data File	D2602226.d
Acq. Date-Time	4/16/2026 8:52:35 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	454,466	
Benzene	benzene-d6 (IS)	8.167	8.160	146,100	
Toluene-d8 (IS)		10.796	10.796	469,491	
Toluene	Toluene-d8 (IS)	10.889	10.889	400,421	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	62,100	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	163,636	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	66,169	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602226.d
Counts
x10^4
6
5
4
3
2
1
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.704-13.785 min, 11 scans) D2602226.d
Lib Match Score=60.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260401
Comment	C57580
Data File	D2602227.d
Acq. Date-Time	4/16/2026 9:18:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	442,633	
Benzene	benzene-d6 (IS)	8.160	8.160	115,308	
Toluene-d8 (IS)		10.789	10.796	470,457	
Toluene	Toluene-d8 (IS)	10.889	10.889	237,929	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	37,663	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	87,106	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	33,539	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602227.d
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.781 min, 7 scans) D2602227.d
Counts
x10^3
Lib Match Score=57.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
56.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260401
Comment	C38549
Data File	D2602228.d
Acq. Date-Time	4/16/2026 9:44:07 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	456,702	
Benzene	benzene-d6 (IS)	8.160	8.160	97,304	
Toluene-d8 (IS)		10.796	10.796	473,181	
Toluene	Toluene-d8 (IS)	10.889	10.889	156,044	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	20,295	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	38,572	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	15,380	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602228.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.726-13.786 min, 8 scans) D2602228.d
Counts
x10^3
Lib Match Score=50.3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
81.1
106.1
118.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260401
Comment	C69420
Data File	D2602229.d
Acq. Date-Time	4/16/2026 10:09:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	459,620	
Benzene	benzene-d6 (IS)	8.160	8.160	95,481	
Toluene-d8 (IS)		10.796	10.796	468,843	
Toluene	Toluene-d8 (IS)	10.889	10.889	159,642	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	16,835	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	48,347	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	20,125	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602229.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.718-13.795 min, 11 scans) D2602229.d
Lib Match Score=49.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
56.1
67.1
81.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260401
Comment	C39210
Data File	D2602230.d
Acq. Date-Time	4/16/2026 10:35:35 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	446,610	
Benzene	benzene-d6 (IS)	8.160	8.160	16,612	
Toluene-d8 (IS)		10.796	10.796	479,109	
Toluene	Toluene-d8 (IS)	10.889	10.889	35,982	
Ethylbenzene	Toluene-d8 (IS)	13.067	13.081	4,372	m
m-/p-Xylenes	Toluene-d8 (IS)	13.317	13.252	705	
o-Xylene	Toluene-d8 (IS)	14.234	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan D2602230.d
Counts
x10^3
3
2.75
2.5
2.25
2
1.75
1.5
1.25
* 14.234 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (14.234-14.234 min, 1 scans) D2602230.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.0
55.1
67.2
73.0
81.1
95.1
108.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	1	D2601972.d	5.98	83301	56.3	474115	1.655	-0.0011
D040726A_CC185154	Benzene	2	D2601973.d	11.96	173112	56.3	475128	1.716	0.036
D040726A_CC185154	Benzene	3	D2601974.d	23.92	360003	56.3	474359	1.788	0.079
D040726A_CC185154	Benzene	4	D2601975.d	47.83	701865	56.3	475636	1.738	0.049
D040726A_CC185154	Benzene	5	D2601982.d	120.74	1377294	56.3	482140	1.333	-0.2
D040726A_CC185154	Benzene	6	D2601977.d	239.16	3512579	56.3	480207	1.723	0.04
D040726A_CC185154	Benzene	7	D2601978.d	717.49	9955487	56.3	474355	1.648	-0.0057
						Avg:	476563	1.657	
						%RSD:	0.7%	9.1%	
D040726A_CC185154	Toluene	1	D2601972.d	5.25	98735	66.1	488961	2.540	0.19
D040726A_CC185154	Toluene	2	D2601973.d	10.50	187038	66.1	487793	2.412	0.13
D040726A_CC185154	Toluene	3	D2601974.d	21.01	364416	66.1	478365	2.396	0.12
D040726A_CC185154	Toluene	4	D2601975.d	42.01	681970	66.1	498574	2.151	0.0061
D040726A_CC185154	Toluene	5	D2601982.d	106.04	1255918	66.1	480361	1.629	-0.24
D040726A_CC185154	Toluene	6	D2601977.d	210.06	3098245	66.1	501234	1.944	-0.091
D040726A_CC185154	Toluene	7	D2601978.d	630.17	8810137	66.1	487817	1.893	-0.11
						Avg:	489015	2.138	
						%RSD:	1.7%	15.5%	
D040726A_CC185154	Ethylbenzene	1	D2601972.d	5.46	98587	66.1	488961	2.441	0.054
D040726A_CC185154	Ethylbenzene	2	D2601973.d	10.92	191396	66.1	487793	2.375	0.026
D040726A_CC185154	Ethylbenzene	3	D2601974.d	21.83	424072	66.1	478365	2.683	0.16
D040726A_CC185154	Ethylbenzene	4	D2601975.d	43.66	853901	66.1	498574	2.591	0.12
D040726A_CC185154	Ethylbenzene	5	D2601982.d	110.21	1462291	66.1	480361	1.825	-0.21
D040726A_CC185154	Ethylbenzene	6	D2601977.d	218.31	3588565	66.1	501234	2.167	-0.064
D040726A_CC185154	Ethylbenzene	7	D2601978.d	654.94	10257434	66.1	487817	2.121	-0.084
						Avg:	489015	2.315	
						%RSD:	1.7%	12.9%	
D040726A_CC185154	m-/p-Xylenes	1	D2601972.d	6.12	93635	66.1	488961	2.068	0.12
D040726A_CC185154	m-/p-Xylenes	2	D2601973.d	12.23	164118	66.1	487793	1.817	-0.018
D040726A_CC185154	m-/p-Xylenes	3	D2601974.d	24.47	383883	66.1	478365	2.167	0.17
D040726A_CC185154	m-/p-Xylenes	4	D2601975.d	48.93	750706	66.1	498574	2.033	0.099
D040726A_CC185154	m-/p-Xylenes	5	D2601982.d	123.52	1338750	66.1	480361	1.491	-0.19
D040726A_CC185154	m-/p-Xylenes	6	D2601977.d	244.67	3122200	66.1	501234	1.682	-0.091
D040726A_CC185154	m-/p-Xylenes	7	D2601978.d	734.01	9179744	66.1	487817	1.694	-0.085
						Avg:	489015	1.850	
						%RSD:	1.7%	13.3%	
D040726A_CC185154	o-Xylene	1	D2601972.d	5.69	89361	66.1	488961	2.122	0.13
D040726A_CC185154	o-Xylene	2	D2601973.d	11.38	162805	66.1	487793	1.938	0.029
D040726A_CC185154	o-Xylene	3	D2601974.d	22.75	357275	66.1	478365	2.169	0.15

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GC202-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	o-Xylene	4	D2601975.d	45.51	710513	66.1	498574	2.069	0.099
D040726A_CC185154	o-Xylene	5	D2601982.d	114.87	1268454	66.1	480361	1.519	-0.19
D040726A_CC185154	o-Xylene	6	D2601977.d	227.54	2930762	66.1	501234	1.698	-0.098
D040726A_CC185154	o-Xylene	7	D2601978.d	682.62	8389331	66.1	487817	1.664	-0.12
						Avg:	489015	1.883	
						%RSD:	1.7%	13.6%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	ICV	D2601979.d	178.34	2264657	56.3	480353	1.489	-10.0%
D040726A_CC185154	Toluene	ICV	D2601979.d	182.62	2373487	66.1	488019	1.759	-18.0%
D040726A_CC185154	Ethylbenzene	ICV	D2601979.d	180.57	2663581	66.1	488019	1.997	-14.0%
D040726A_CC185154	m-/p-Xylenes	ICV	D2601979.d	183.38	2085662	66.1	488019	1.540	-17.0%
D040726A_CC185154	o-Xylene	ICV	D2601979.d	183.73	2121448	66.1	488019	1.563	-17.0%

M325B PDF Report ver.20260203

Sample Custody

ENTHALPY ANALYTICAL

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GC202

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague Searsport	**Client Name:**	Montrose Air Quality Services, LLC	**PO#:**	
Site Address:	70 Trundy Road	**Project Number:**	PROJ-027966	**Sample Event #**	2026GC202
City:	Searsport	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@montrose-env.com		
Zip:	04401	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C33423	S	4/1/26	12:15 PM	4/15/26	2:01 PM	KV/LF		
2	C01377	S	4/1/26	12:10 PM	4/15/26	1:50 PM	KV/LF		
3	C40503	S	4/1/26	12:05 PM	4/15/26	1:46 PM	KV/LF		
4	B46241	S	4/1/26	12:02 PM	4/15/26	1:42 PM	KV/LF		
5	B45024 (1)	S	4/1/26	11:58 AM	4/15/26	1:33 PM	KV/LF		
6	B45059	S	4/1/26	11:55 AM	4/15/26	1:20 PM	KV/LF		
6	C35900	D	4/1/26	11:55 AM	4/15/26	1:20 PM	KV/LF		
6	C40636	B	4/1/26	11:55 AM	4/15/26	1:20 PM	KV/LF		
7	C56862	S	4/1/26	11:48 AM	4/15/26	1:12 PM	KV/LF		
8	C69733	S	4/1/26	11:44 AM	4/15/26	1:03 PM	KV/LF		
9	C53631	S	4/1/26	11:42 AM	4/15/26	12:53 PM	KV/LF		
10	C68568	S	4/1/26	11:38 AM	4/15/26	2:43 PM	KV/LF		
11	C57580	S	4/1/26	12:26 PM	4/15/26	2:34 PM	KV/LF		
12	C38549	S	4/1/26	12:18 PM	4/15/26	2:22 PM	KV/LF		
12	C69420	D	4/1/26	12:18 PM	4/15/26	2:22 PM	KV/LF		
12	C39210	B	4/1/26	12:18 PM	4/15/26	2:22 PM	KV/LF		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Lottie Franck	LF	4/15/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Anella McLamy	Anella McLamy	04/16/26	9:55 AM
Sample Condition Upon Receipt	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good, see (1)	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Ice Temp:	**Blank Temp:**	Add Custody Seal # below:	
	21.3° AGM 4/16/26 ~~FLUKE 3~~ FLUKE 4	25ED8747	

Comments:

(1) Tube B45024 had a loose brass cap. AGM 04/16/26

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-4412 • www.enthalpy.com

This Is The Last Page Of This Report.

ENTHALPY ANALYTICAL

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 45 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 4/30/2026

Analytical Report
2026GC203

EPA Method 325B Analysis

Report Issue Date: 5/7/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC203-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Onterris/Enthalpy on April 30, 2026 at 19.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260415	C57820	Sample
SPRSEA-2-S-20260415	C55576	Sample
SPRSEA-3-S-20260415	C57643	Sample
SPRSEA-4-S-20260415	B50929	Sample
SPRSEA-5-S-20260415	C69714	Sample
SPRSEA-6-S-20260415	C43665	Sample
SPRSEA-6-D-20260415	B14988	Duplicate
SPRSEA-6-B-20260415	B14918	Blank
SPRSEA-7-S-20260415	C14003	Sample
SPRSEA-8-S-20260415	B18415	Sample
SPRSEA-9-S-20260415	B46622	Sample
SPRSEA-10-S-20260415	C67282	Sample
SPRSEA-11-S-20260415	C57110	Sample
SPRSEA-12-S-20260415	C60206	Sample
SPRSEA-12-D-20260415	C53643	Duplicate
SPRSEA-12-B-20260415	C39268	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC203-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

3. Calibration

The BFB tune associated with the initial calibration failed to meet method criteria for the relative response of m/z 176. Because m/z 176 is not near the tuning region of the quant ion for the target analyte and the continuing calibration checks met the 30% difference criteria, the deviation is not expected to have an effect on the data. All other BFB criteria have been met for this analysis.

The initial calibration (E033126A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSEA-6-S-20260415 (tube ID C43665) and its corresponding duplicate SPRSEA-6-D-20260415 (tube ID B14988) failed to meet the 30% difference criterion for Benzene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for Benzene to denote this failure.

Toluene, m-/p-Xylenes, and o-Xylene was detected in method blank "2026GC203 Method Blank-1". The source of the contamination is not known but could be the result of artifacts on the tube, media/sample handling, analytical bias, or a combination thereof. However, since analyte was not detected in the field blanks, the lab believes that the sample data is not affected by the detection in the method blank.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260415	C57820	0.436	J,Pc	1.24		0.280	ND	0.758		0.294	J
SPRSEA-2-S-20260415	C55576	0.387	J,Pc	0.887		0.280	ND	0.346	J	0.280	ND
SPRSEA-3-S-20260415	C57643	0.385	J,Pc	0.885		0.280	ND	0.681	J	0.280	ND
SPRSEA-4-S-20260415	B50929	0.320	J,Pc	0.583		0.280	ND	0.280	ND	0.280	ND
SPRSEA-5-S-20260415	C69714	0.356	J,Pc	0.511	J	0.280	ND	0.280	ND	0.280	ND
SPRSEA-6-S-20260415	C43665	0.267	J,Pc	0.322	J	0.280	ND	0.280	ND	0.280	ND
SPRSEA-6-D-20260415	B14988	0.447	J,Pc	0.395	J	0.280	ND	0.280	ND	0.280	ND
SPRSEA-6-B-20260415	B14918	0.192	ND,Pc	0.396	J	0.280	ND	0.280	ND	0.280	ND
SPRSEA-7-S-20260415	C14003	0.273	J,Pc	0.452	J	0.280	ND	0.280	ND	0.280	ND
SPRSEA-8-S-20260415	B18415	0.374	J,Pc	0.485	J	0.279	ND	0.279	ND	0.279	ND
SPRSEA-9-S-20260415	B46622	0.433	J,Pc	0.941		0.279	ND	0.387	J	0.279	ND
SPRSEA-10-S-20260415	C67282	0.971	Pc	4.43		0.731		2.64		0.999	
SPRSEA-11-S-20260415	C57110	0.869	Pc	3.76		0.636		1.92		0.705	
SPRSEA-12-S-20260415	C60206	0.819	Pc	3.62		0.531	J	1.93		0.724	
SPRSEA-12-D-20260415	C53643	0.890	Pc	3.64		0.599	J	1.82		0.654	
SPRSEA-12-B-20260415	C39268	0.192	ND,Pc	0.261	J	0.280	ND	0.280	ND	0.280	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260415	C57820	0.436	0.137	5.68	44.7	0.649	20033	0.192	0.465	0.0602	0.146	J,Pc	E2602321.d	2026-04-30 15:48	1.022	8.052	37972	368891	56.3	7.995	-5.7%
SPRSEA-2-S-20260415	C55576	0.387	0.121	5.03	44.7	0.649	20041	0.192	0.465	0.0602	0.146	J,Pc	E2602322.d	2026-04-30 16:15	1.022	8.052	33909	371433	56.3	7.995	-5.0%
SPRSEA-3-S-20260415	C57643	0.385	0.120	5.00	44.7	0.649	20038	0.192	0.465	0.0602	0.146	J,Pc	E2602323.d	2026-04-30 16:41	1.022	8.052	33971	374262	56.3	7.995	-4.3%
SPRSEA-4-S-20260415	B50929	0.320	0.100	4.16	44.7	0.650	20039	0.192	0.465	0.0602	0.146	J,Pc	E2602324.d	2026-04-30 17:07	1.022	8.060	28224	373997	56.3	7.995	-4.4%
SPRSEA-5-S-20260415	C69714	0.356	0.111	4.63	44.7	0.650	20045	0.192	0.465	0.0601	0.146	J,Pc	E2602325.d	2026-04-30 17:33	1.022	8.052	31137	370667	56.3	7.995	-5.2%
SPRSEA-6-S-20260415	C43665	0.267	0.0836	3.48	44.7	0.650	20055	0.192	0.465	0.0601	0.146	J,Pc	E2602326.d	2026-04-30 18:00	1.022	8.059	23625	374858	56.3	7.995	-4.1%
SPRSEA-6-D-20260415	B14988	0.447	0.140	5.82	44.7	0.650	20055	0.192	0.465	0.0601	0.146	J,Pc	E2602327.d	2026-04-30 18:27	1.022	8.059	39747	376473	56.3	7.995	-3.7%
SPRSEA-6-B-20260415	B14918	0.192	0.0601		44.7	0.650	20055	0.192	0.465	0.0601	0.146	ND,Pc	E2602320.d	2026-04-30 15:22	1.022	8.052	14865	374699	56.3	7.995	-4.2%
SPRSEA-7-S-20260415	C14003	0.273	0.0854	3.55	44.7	0.650	20058	0.192	0.465	0.0601	0.146	J,Pc	E2602328.d	2026-04-30 18:54	1.022	8.052	24170	375289	56.3	7.995	-4.0%
SPRSEA-8-S-20260415	B18415	0.374	0.117	4.87	44.7	0.650	20064	0.192	0.464	0.0601	0.145	J,Pc	E2602329.d	2026-04-30 19:20	1.022	8.052	32870	372190	56.3	7.995	-4.8%
SPRSEA-9-S-20260415	B46622	0.433	0.136	5.64	44.7	0.650	20072	0.192	0.464	0.0601	0.145	J,Pc	E2602330.d	2026-04-30 19:46	1.022	8.052	38708	378227	56.3	7.995	-3.3%
SPRSEA-10-S-20260415	C67282	0.971	0.304	12.6	44.6	0.649	19958	0.193	0.467	0.0604	0.146	Pc	E2602332.d	2026-04-30 20:39	1.022	8.060	86296	378111	56.3	7.995	-3.3%
SPRSEA-11-S-20260415	C57110	0.869	0.272	11.3	44.6	0.649	20007	0.192	0.466	0.0603	0.146	Pc	E2602333.d	2026-04-30 21:05	1.022	8.052	77042	376238	56.3	7.995	-3.8%
SPRSEA-12-S-20260415	C60206	0.819	0.257	10.6	44.6	0.649	20017	0.192	0.466	0.0602	0.146	Pc	E2602334.d	2026-04-30 21:32	1.022	8.059	72229	374046	56.3	7.995	-4.4%
SPRSEA-12-D-20260415	C53643	0.890	0.279	11.6	44.6	0.649	20017	0.192	0.466	0.0602	0.146	Pc	E2602335.d	2026-04-30 21:58	1.022	8.059	78657	374791	56.3	7.995	-4.2%
SPRSEA-12-B-20260415	C39268	0.192	0.0602		44.6	0.649	20017	0.192	0.466	0.0602	0.146	ND,Pc	E2602336.d	2026-04-30 22:24	1.022	8.052	4557	378291	56.3	7.995	-3.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260415	C57820	1.24	0.331	12.6	44.7	0.504	20033	0.248	0.526	0.0657	0.140		E2602321.d	2026-04-30 15:48	1.254	10.796	91953	385320	66.1	10.695	-5.4%
SPRSEA-2-S-20260415	C55576	0.887	0.236	8.96	44.7	0.504	20041	0.247	0.526	0.0657	0.140		E2602322.d	2026-04-30 16:15	1.254	10.789	66535	391139	66.1	10.695	-4.0%
SPRSEA-3-S-20260415	C57643	0.885	0.235	8.94	44.7	0.504	20038	0.248	0.526	0.0657	0.140		E2602323.d	2026-04-30 16:41	1.254	10.788	67612	398297	66.1	10.695	-2.2%
SPRSEA-4-S-20260415	B50929	0.583	0.155	5.89	44.7	0.504	20039	0.247	0.526	0.0657	0.140		E2602324.d	2026-04-30 17:07	1.254	10.796	44313	396406	66.1	10.696	-2.7%
SPRSEA-5-S-20260415	C69714	0.511	0.136	5.16	44.7	0.504	20045	0.247	0.526	0.0657	0.140	J	E2602325.d	2026-04-30 17:33	1.254	10.796	38835	396483	66.1	10.695	-2.7%
SPRSEA-6-S-20260415	C43665	0.322	0.0856	3.26	44.7	0.504	20055	0.247	0.526	0.0657	0.140	J	E2602326.d	2026-04-30 18:00	1.254	10.796	24662	398540	66.1	10.695	-2.2%
SPRSEA-6-D-20260415	B14988	0.395	0.105	3.99	44.7	0.504	20055	0.247	0.526	0.0657	0.140	J	E2602327.d	2026-04-30 18:27	1.254	10.796	26212	346072	66.1	10.695	-15.1%
SPRSEA-6-B-20260415	B14918	0.396	0.105	4.00	44.7	0.504	20055	0.247	0.526	0.0657	0.140	J	E2602320.d	2026-04-30 15:22	1.254	10.796	30403	400217	66.1	10.696	-1.8%
SPRSEA-7-S-20260415	C14003	0.452	0.120	4.57	44.7	0.504	20058	0.247	0.526	0.0657	0.140	J	E2602328.d	2026-04-30 18:54	1.254	10.796	34956	403202	66.1	10.696	-1.0%
SPRSEA-8-S-20260415	B18415	0.485	0.129	4.90	44.7	0.504	20064	0.247	0.526	0.0656	0.140	J	E2602329.d	2026-04-30 19:20	1.254	10.796	35462	380924	66.1	10.696	-6.5%
SPRSEA-9-S-20260415	B46622	0.941	0.250	9.52	44.7	0.504	20072	0.247	0.525	0.0656	0.139		E2602330.d	2026-04-30 19:46	1.254	10.789	72024	398364	66.1	10.695	-2.2%
SPRSEA-10-S-20260415	C67282	4.43	1.18	44.6	44.6	0.504	19958	0.249	0.528	0.0660	0.140		E2602332.d	2026-04-30 20:39	1.254	10.796	340896	403058	66.1	10.696	-1.1%
SPRSEA-11-S-20260415	C57110	3.76	0.997	37.9	44.6	0.504	20007	0.248	0.527	0.0658	0.140		E2602333.d	2026-04-30 21:05	1.254	10.789	286321	398171	66.1	10.696	-2.3%
SPRSEA-12-S-20260415	C60206	3.62	0.961	36.5	44.6	0.504	20017	0.248	0.527	0.0658	0.140		E2602334.d	2026-04-30 21:32	1.254	10.796	282309	407211	66.1	10.695	-0.1%
SPRSEA-12-D-20260415	C53643	3.64	0.967	36.7	44.6	0.504	20017	0.248	0.527	0.0658	0.140		E2602335.d	2026-04-30 21:58	1.254	10.796	275263	394582	66.1	10.695	-3.2%
SPRSEA-12-B-20260415	C39268	0.261	0.0694	2.64	44.6	0.504	20017	0.248	0.527	0.0658	0.140	J	E2602336.d	2026-04-30 22:24	1.254	10.796	20429	408203	66.1	10.696	0.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260415	C57820	0.280	0.0645		44.7	0.446	20033	0.280	0.618	0.0645	0.143	ND	E2602321.d	2026-04-30 15:48	1.386	12.980	17068	385320	66.1	10.695	-5.4%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260415	C55576	0.280	0.0645		44.7	0.446	20041	0.280	0.618	0.0645	0.142	ND	E2602322.d	2026-04-30 16:15	1.386	12.980	8955	391139	66.1	10.695	-4.0%
SPRSEA-3-S-20260415	C57643	0.280	0.0645		44.7	0.446	20038	0.280	0.618	0.0645	0.142	ND	E2602323.d	2026-04-30 16:41	1.386	12.980	15367	398297	66.1	10.695	-2.2%
SPRSEA-4-S-20260415	B50929	0.280	0.0645		44.7	0.446	20039	0.280	0.618	0.0645	0.142	ND	E2602324.d	2026-04-30 17:07	1.386	12.988	5498	396406	66.1	10.696	-2.7%
SPRSEA-5-S-20260415	C69714	0.280	0.0645		44.7	0.446	20045	0.280	0.618	0.0645	0.142	ND	E2602325.d	2026-04-30 17:33	1.386	12.981	5406	396483	66.1	10.695	-2.7%
SPRSEA-6-S-20260415	C43665	0.280	0.0644		44.7	0.446	20055	0.280	0.618	0.0644	0.142	ND	E2602326.d	2026-04-30 18:00	1.386	12.980	3049	398540	66.1	10.695	-2.2%
SPRSEA-6-D-20260415	B14988	0.280	0.0644		44.7	0.446	20055	0.280	0.618	0.0644	0.142	ND	E2602327.d	2026-04-30 18:27	1.386	12.988	2293	346072	66.1	10.695	-15.1%
SPRSEA-6-B-20260415	B14918	0.280	0.0644		44.7	0.446	20055	0.280	0.618	0.0644	0.142	ND	E2602320.d	2026-04-30 15:22	1.386	12.981	1434	400217	66.1	10.696	-1.8%
SPRSEA-7-S-20260415	C14003	0.280	0.0644		44.7	0.446	20058	0.280	0.618	0.0644	0.142	ND	E2602328.d	2026-04-30 18:54	1.386	12.988	4186	403202	66.1	10.696	-1.0%
SPRSEA-8-S-20260415	B18415	0.279	0.0644		44.7	0.446	20064	0.279	0.617	0.0644	0.142	ND	E2602329.d	2026-04-30 19:20	1.386	12.981	5908	380924	66.1	10.696	-6.5%
SPRSEA-9-S-20260415	B46622	0.279	0.0644		44.7	0.446	20072	0.279	0.617	0.0644	0.142	ND	E2602330.d	2026-04-30 19:46	1.386	12.980	12179	398364	66.1	10.695	-2.2%
SPRSEA-10-S-20260415	C67282	0.731	0.168	6.51	44.6	0.446	19958	0.281	0.621	0.0647	0.143		E2602332.d	2026-04-30 20:39	1.386	12.981	55026	403058	66.1	10.696	-1.1%
SPRSEA-11-S-20260415	C57110	0.636	0.147	5.67	44.6	0.446	20007	0.280	0.619	0.0646	0.143		E2602333.d	2026-04-30 21:05	1.386	12.981	47395	398171	66.1	10.696	-2.3%
SPRSEA-12-S-20260415	C60206	0.531	0.122	4.74	44.6	0.446	20017	0.280	0.619	0.0645	0.143	J	E2602334.d	2026-04-30 21:32	1.386	12.980	40472	407211	66.1	10.695	-0.1%
SPRSEA-12-D-20260415	C53643	0.599	0.138	5.34	44.6	0.446	20017	0.280	0.619	0.0645	0.143	J	E2602335.d	2026-04-30 21:58	1.386	12.980	44239	394582	66.1	10.695	-3.2%
SPRSEA-12-B-20260415	C39268	0.280	0.0645		44.6	0.446	20017	0.280	0.619	0.0645	0.143	ND	E2602336.d	2026-04-30 22:24	1.386	12.981	1950	408203	66.1	10.696	0.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260415	C57820	0.758	0.175	6.77	44.7	0.446	20033	0.280	0.693	0.0645	0.160		E2602321.d	2026-04-30 15:48	1.097	13.160	43297	385320	66.1	10.695	-5.4%
SPRSEA-2-S-20260415	C55576	0.346	0.0798	3.10	44.7	0.446	20041	0.280	0.693	0.0645	0.160	J	E2602322.d	2026-04-30 16:15	1.097	13.160	20106	391139	66.1	10.695	-4.0%
SPRSEA-3-S-20260415	C57643	0.681	0.157	6.09	44.7	0.446	20038	0.280	0.693	0.0645	0.160	J	E2602323.d	2026-04-30 16:41	1.097	13.159	40245	398297	66.1	10.695	-2.2%
SPRSEA-4-S-20260415	B50929	0.280	0.0645		44.7	0.446	20039	0.280	0.693	0.0645	0.160	ND	E2602324.d	2026-04-30 17:07	1.097	13.160	8293	396406	66.1	10.696	-2.7%
SPRSEA-5-S-20260415	C69714	0.280	0.0645		44.7	0.446	20045	0.280	0.693	0.0645	0.160	ND	E2602325.d	2026-04-30 17:33	1.097	13.160	12923	396483	66.1	10.695	-2.7%
SPRSEA-6-S-20260415	C43665	0.280	0.0644		44.7	0.446	20055	0.280	0.692	0.0644	0.160	ND	E2602326.d	2026-04-30 18:00	1.097	13.167	7290	398540	66.1	10.695	-2.2%
SPRSEA-6-D-20260415	B14988	0.280	0.0644		44.7	0.446	20055	0.280	0.692	0.0644	0.160	ND	E2602327.d	2026-04-30 18:27	1.097	13.160	3469	346072	66.1	10.695	-15.1%
SPRSEA-6-B-20260415	B14918	0.280	0.0644		44.7	0.446	20055	0.280	0.692	0.0644	0.160	ND	E2602320.d	2026-04-30 15:22	1.097	13.153	1446	400217	66.1	10.696	-1.8%
SPRSEA-7-S-20260415	C14003	0.280	0.0644		44.7	0.446	20058	0.280	0.692	0.0644	0.160	ND	E2602328.d	2026-04-30 18:54	1.097	13.160	6450	403202	66.1	10.696	-1.0%
SPRSEA-8-S-20260415	B18415	0.279	0.0644		44.7	0.446	20064	0.279	0.692	0.0644	0.159	ND	E2602329.d	2026-04-30 19:20	1.097	13.160	10807	380924	66.1	10.696	-6.5%
SPRSEA-9-S-20260415	B46622	0.387	0.0892	3.47	44.7	0.446	20072	0.279	0.692	0.0644	0.159	J	E2602330.d	2026-04-30 19:46	1.097	13.160	22915	398364	66.1	10.695	-2.2%
SPRSEA-10-S-20260415	C67282	2.64	0.608	23.5	44.6	0.446	19958	0.281	0.696	0.0647	0.160		E2602332.d	2026-04-30 20:39	1.097	13.160	157120	403058	66.1	10.696	-1.1%
SPRSEA-11-S-20260415	C57110	1.92	0.442	17.1	44.6	0.446	20007	0.280	0.694	0.0646	0.160		E2602333.d	2026-04-30 21:05	1.097	13.160	112989	398171	66.1	10.696	-2.3%
SPRSEA-12-S-20260415	C60206	1.93	0.445	17.3	44.6	0.446	20017	0.280	0.694	0.0645	0.160		E2602334.d	2026-04-30 21:32	1.097	13.160	116638	407211	66.1	10.695	-0.1%
SPRSEA-12-D-20260415	C53643	1.82	0.419	16.2	44.6	0.446	20017	0.280	0.694	0.0645	0.160		E2602335.d	2026-04-30 21:58	1.097	13.160	106419	394582	66.1	10.695	-3.2%
SPRSEA-12-B-20260415	C39268	0.280	0.0645		44.6	0.446	20017	0.280	0.694	0.0645	0.160	ND	E2602336.d	2026-04-30 22:24	1.097	13.102	0	408203	66.1	10.696	0.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260415	C57820	0.294	0.0676	2.62	44.7	0.446	20033	0.280	0.645	0.0645	0.149	J	E2602321.d	2026-04-30 15:48	1.167	13.661	17843	385320	66.1	10.695	-5.4%
SPRSEA-2-S-20260415	C55576	0.280	0.0645		44.7	0.446	20041	0.280	0.644	0.0645	0.148	ND	E2602322.d	2026-04-30 16:15	1.167	13.661	7816	391139	66.1	10.695	-4.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260415	C57643	0.280	0.0645		44.7	0.446	20038	0.280	0.644	0.0645	0.149	ND	E2602323.d	2026-04-30 16:41	1.167	13.661	17043	398297	66.1	10.695	-2.2%
SPRSEA-4-S-20260415	B50929	0.280	0.0645		44.7	0.446	20039	0.280	0.644	0.0645	0.148	ND	E2602324.d	2026-04-30 17:07	1.167	13.661	3192	396406	66.1	10.696	-2.7%
SPRSEA-5-S-20260415	C69714	0.280	0.0645		44.7	0.446	20045	0.280	0.644	0.0645	0.148	ND	E2602325.d	2026-04-30 17:33	1.167	13.668	5595	396483	66.1	10.695	-2.7%
SPRSEA-6-S-20260415	C43665	0.280	0.0644		44.7	0.446	20055	0.280	0.644	0.0644	0.148	ND	E2602326.d	2026-04-30 18:00	1.167	13.668	2876	398540	66.1	10.695	-2.2%
SPRSEA-6-D-20260415	B14988	0.280	0.0644		44.7	0.446	20055	0.280	0.644	0.0644	0.148	ND	E2602327.d	2026-04-30 18:27	1.167	13.668	1482	346072	66.1	10.695	-15.1%
SPRSEA-6-B-20260415	B14918	0.280	0.0644		44.7	0.446	20055	0.280	0.644	0.0644	0.148	ND	E2602320.d	2026-04-30 15:22	1.167	13.668	812	400217	66.1	10.696	-1.8%
SPRSEA-7-S-20260415	C14003	0.280	0.0644		44.7	0.446	20058	0.280	0.644	0.0644	0.148	ND	E2602328.d	2026-04-30 18:54	1.167	13.668	2429	403202	66.1	10.696	-1.0%
SPRSEA-8-S-20260415	B18415	0.279	0.0644		44.7	0.446	20064	0.279	0.644	0.0644	0.148	ND	E2602329.d	2026-04-30 19:20	1.167	13.661	3988	380924	66.1	10.696	-6.5%
SPRSEA-9-S-20260415	B46622	0.279	0.0644		44.7	0.446	20072	0.279	0.643	0.0644	0.148	ND	E2602330.d	2026-04-30 19:46	1.167	13.661	9144	398364	66.1	10.695	-2.2%
SPRSEA-10-S-20260415	C67282	0.999	0.230	8.89	44.6	0.446	19958	0.281	0.647	0.0647	0.149		E2602332.d	2026-04-30 20:39	1.167	13.661	63312	403058	66.1	10.696	-1.1%
SPRSEA-11-S-20260415	C57110	0.705	0.162	6.29	44.6	0.446	20007	0.280	0.645	0.0646	0.149		E2602333.d	2026-04-30 21:05	1.167	13.661	44204	398171	66.1	10.696	-2.3%
SPRSEA-12-S-20260415	C60206	0.724	0.167	6.46	44.6	0.446	20017	0.280	0.645	0.0645	0.149		E2602334.d	2026-04-30 21:32	1.167	13.661	46485	407211	66.1	10.695	-0.1%
SPRSEA-12-D-20260415	C53643	0.654	0.151	5.84	44.6	0.446	20017	0.280	0.645	0.0645	0.149		E2602335.d	2026-04-30 21:58	1.167	13.661	40671	394582	66.1	10.695	-3.2%
SPRSEA-12-B-20260415	C39268	0.280	0.0645		44.6	0.446	20017	0.280	0.645	0.0645	0.149	ND	E2602336.d	2026-04-30 22:24	1.167	14.120	0	408203	66.1	10.696	0.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260415	ND	Pass	0.396	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260415	ND	Pass	0.261	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260415	50%	Fail	20%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260415	8.3%	Pass	0.62%	Pass	12%	Pass	6.0%	Pass	10%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2602318.d	C70089	Cal	1.022	1.039	1.022	-1.7%	19%		Pass	
2026GC203 Method Blank-1	E2602319.d	C43244	Blank		1.039	1.022			-2.5%	Pass	ND
M325B CCV 5	E2602331.d	C01383	Check	1.052	1.039	1.022	1.2%		-3.7%	Pass	
M325B CCV 5	E2602337.d	C43359	Check	1.041	1.039	1.022	0.25%		-3.0%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2602318.d	C70089	Cal	1.254	1.354	1.254	-7.4%	6.4%		Pass	
2026GC203 Method Blank-1	E2602319.d	C43244	Blank		1.354	1.254			16%	Fail	
M325B CCV 5	E2602331.d	C01383	Check	1.309	1.354	1.254	-3.4%		-3.5%	Pass	
M325B CCV 5	E2602337.d	C43359	Check	1.283	1.354	1.254	-5.2%		-3.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2602318.d	C70089	Cal	1.386	1.448	1.386	-4.2%	6.4%		Pass	
2026GC203 Method Blank-1	E2602319.d	C43244	Blank		1.448	1.386			16%	Pass	J
M325B CCV 5	E2602331.d	C01383	Check	1.401	1.448	1.386	-3.2%		-3.5%	Pass	
M325B CCV 5	E2602337.d	C43359	Check	1.485	1.448	1.386	2.6%		-3.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2602318.d	C70089	Cal	1.097	1.236	1.097	-11%	6.4%		Pass	
2026GC203 Method Blank-1	E2602319.d	C43244	Blank		1.236	1.097			16%	Fail	
M325B CCV 5	E2602331.d	C01383	Check	1.022	1.236	1.097	-17%		-3.5%	Pass	
M325B CCV 5	E2602337.d	C43359	Check	1.188	1.236	1.097	-3.9%		-3.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2602318.d	C70089	Cal	1.167	1.250	1.167	-6.7%	6.4%		Pass	
2026GC203 Method Blank-1	E2602319.d	C43244	Blank		1.250	1.167			16%	Fail	
M325B CCV 5	E2602331.d	C01383	Check	1.089	1.250	1.167	-13%		-3.5%	Pass	
M325B CCV 5	E2602337.d	C43359	Check	1.251	1.250	1.167	0.11%		-3.2%	Pass	

Chromatograms


Name	2026GC203 Method Blank-1
Comment	C43244
Data File	E2602319.d
Acq. Date-Time	4/30/2026 2:55:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	381,314	
Benzene	benzene-d6 (IS)	8.052	8.074	3,747	
Toluene-d8 (IS)		10.695	10.710	473,833	
Toluene	Toluene-d8 (IS)	10.789	10.803	194,858	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	46,121	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	75,669	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	64,054	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602319.d
Counts
x10^4
13.661 min.
3.5
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.628-13.717 min, 12 scans) E2602319.d
Counts
x10^3
Lib Match Score=76.3
91.1
106.1
39.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260415
Comment	B14918
Data File	E2602320.d
Acq. Date-Time	4/30/2026 3:22:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	374,699	
Benzene	benzene-d6 (IS)	8.052	8.074	14,865	
Toluene-d8 (IS)		10.696	10.710	400,217	
Toluene	Toluene-d8 (IS)	10.796	10.803	30,403	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	1,434	
m-/p-Xylenes	Toluene-d8 (IS)	13.153	13.174	1,446	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	812	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602320.d
Counts
x10^3
13.668 min.
1.8
1.6
1.4
1.2
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.682 min, 6 scans) E2602320.d
Lib Match Score=44.4
Counts
x10^3
41.1
67.1
55.1
77.1
93.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260415
Comment	C57820
Data File	E2602321.d
Acq. Date-Time	4/30/2026 3:48:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	368,891	
Benzene	benzene-d6 (IS)	8.052	8.074	37,972	
Toluene-d8 (IS)		10.695	10.710	385,320	
Toluene	Toluene-d8 (IS)	10.796	10.803	91,953	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	17,068	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	43,297	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	17,843	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602321.d
Counts
x10^4
13.661 min.
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.632-13.697 min, 10 scans) E2602321.d
Counts
x10^3
Lib Match Score=60.1
91.1
39.1
55.1
67.1
79.1
106.1
121.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260415
Comment	C55576
Data File	E2602322.d
Acq. Date-Time	4/30/2026 4:15:00 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	371,433	
Benzene	benzene-d6 (IS)	8.052	8.074	33,909	
Toluene-d8 (IS)		10.695	10.710	391,139	
Toluene	Toluene-d8 (IS)	10.789	10.803	66,535	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	8,955	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	20,106	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	7,816	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602322.d
Counts
x10^3
13.661 min.
Acquisition Time (min)


+ Scan (13.633-13.697 min, 9 scans) E2602322.d
Lib Match Score=54.9
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260415
Comment	C57643
Data File	E2602323.d
Acq. Date-Time	4/30/2026 4:41:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	374,262	
Benzene	benzene-d6 (IS)	8.052	8.074	33,971	
Toluene-d8 (IS)		10.695	10.710	398,297	
Toluene	Toluene-d8 (IS)	10.788	10.803	67,612	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	15,367	
m-/p-Xylenes	Toluene-d8 (IS)	13.159	13.174	40,245	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	17,043	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602323.d
Counts
x10^4
13.661 min.
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.627-13.723 min, 13 scans) E2602323.d
Counts
x10^3
Lib Match Score=58.5
91.1
41.1
55.1
67.1
79.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260415
Comment	B50929
Data File	E2602324.d
Acq. Date-Time	4/30/2026 5:07:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	373,997	
Benzene	benzene-d6 (IS)	8.060	8.074	28,224	
Toluene-d8 (IS)		10.696	10.710	396,406	
Toluene	Toluene-d8 (IS)	10.796	10.803	44,313	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	5,498	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	8,293	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	3,192	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602324.d
Counts
x10^3
13.661 min.
3.5
3
2.5
2
1.5
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.632-13.682 min, 7 scans) E2602324.d
Counts
x10^3
Lib Match Score=50.6
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260415
Comment	C69714
Data File	E2602325.d
Acq. Date-Time	4/30/2026 5:33:59 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	370,667	
Benzene	benzene-d6 (IS)	8.052	8.074	31,137	
Toluene-d8 (IS)		10.695	10.710	396,483	
Toluene	Toluene-d8 (IS)	10.796	10.803	38,835	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	5,406	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	12,923	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	5,595	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602325.d
Counts
x10^3
13.668 min.
4.5
4
3.5
3
2.5
2
1.5
1
0.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.630-13.689 min, 8 scans) E2602325.d
Counts
x10^3
Lib Match Score=53.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
73.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260415
Comment	C43665
Data File	E2602326.d
Acq. Date-Time	4/30/2026 6:00:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	374,858	
Benzene	benzene-d6 (IS)	8.059	8.074	23,625	
Toluene-d8 (IS)		10.695	10.710	398,540	
Toluene	Toluene-d8 (IS)	10.796	10.803	24,662	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	3,049	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	7,290	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	2,876	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602326.d
Counts
x10^3
13.668 min.
3
2.5
2
1.5
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.690 min, 7 scans) E2602326.d
Lib Match Score=49.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
67.1
91.1
81.1
55.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260415
Comment	B14988
Data File	E2602327.d
Acq. Date-Time	4/30/2026 6:27:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	376,473	
Benzene	benzene-d6 (IS)	8.059	8.074	39,747	
Toluene-d8 (IS)		10.695	10.710	346,072	
Toluene	Toluene-d8 (IS)	10.796	10.803	26,212	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	2,293	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	3,469	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	1,482	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602327.d
Counts
x10^3
13.668 min.
2.2
2
1.8
1.6
1.4
1.2
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.639-13.698 min, 9 scans) E2602327.d
Counts
x10^3
Lib Match Score=46.0
41.1
55.1
67.1
77.1
91.1
105.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260415
Comment	C14003
Data File	E2602328.d
Acq. Date-Time	4/30/2026 6:54:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	375,289	
Benzene	benzene-d6 (IS)	8.052	8.074	24,170	
Toluene-d8 (IS)		10.696	10.710	403,202	
Toluene	Toluene-d8 (IS)	10.796	10.803	34,956	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	4,186	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	6,450	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	2,429	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602328.d
Counts
x10^3
2.75
2.5
2.25
2
1.75
1.5
1.25
1
0.75
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.629-13.685 min, 8 scans) E2602328.d
Lib Match Score=47.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
67.1
91.1
79.1
55.1
105.1
115.1
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260415
Comment	B18415
Data File	E2602329.d
Acq. Date-Time	4/30/2026 7:20:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	372,190	
Benzene	benzene-d6 (IS)	8.052	8.074	32,870	
Toluene-d8 (IS)		10.696	10.710	380,924	
Toluene	Toluene-d8 (IS)	10.796	10.803	35,462	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	5,908	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	10,807	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	3,988	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602329.d
Counts
x10^3
13.661 min.
3.5
3
2.5
2
1.5
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.699 min, 8 scans) E2602329.d
Lib Match Score=50.3
Counts
x10^3
41.1
55.1
67.1
73.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260415
Comment	B46622
Data File	E2602330.d
Acq. Date-Time	4/30/2026 7:46:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	378,227	
Benzene	benzene-d6 (IS)	8.052	8.074	38,708	
Toluene-d8 (IS)		10.695	10.710	398,364	
Toluene	Toluene-d8 (IS)	10.789	10.803	72,024	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	12,179	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	22,915	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	9,144	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602330.d
Counts
x10^3
13.661 min.
6
5
4
3
2
1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.631-13.697 min, 10 scans) E2602330.d
Lib Match Score=55.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.1
79.1
73.2
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260415
Comment	C67282
Data File	E2602332.d
Acq. Date-Time	4/30/2026 8:39:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	378,111	
Benzene	benzene-d6 (IS)	8.060	8.074	86,296	
Toluene-d8 (IS)		10.696	10.710	403,058	
Toluene	Toluene-d8 (IS)	10.796	10.803	340,896	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	55,026	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	157,120	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	63,312	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602332.d
Counts
x10^4
13.661 min.
3.5
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.627-13.724 min, 13 scans) E2602332.d
Counts
x10^3
Lib Match Score=72.7
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260415
Comment	C57110
Data File	E2602333.d
Acq. Date-Time	4/30/2026 9:05:48 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	376,238	
Benzene	benzene-d6 (IS)	8.052	8.074	77,042	
Toluene-d8 (IS)		10.696	10.710	398,171	
Toluene	Toluene-d8 (IS)	10.789	10.803	286,321	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	47,395	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	112,989	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	44,204	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602333.d
Counts
x10^4
13.661 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.628-13.697 min, 9 scans) E2602333.d
Counts
x10^3
Lib Match Score=71.4
91.1
39.1
51.1
67.1
77.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260415
Comment	C60206
Data File	E2602334.d
Acq. Date-Time	4/30/2026 9:32:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	374,046	
Benzene	benzene-d6 (IS)	8.059	8.074	72,229	
Toluene-d8 (IS)		10.695	10.710	407,211	
Toluene	Toluene-d8 (IS)	10.796	10.803	282,309	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	40,472	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	116,638	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	46,485	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602334.d
Counts
x10^4
13.661 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.631-13.707 min, 11 scans) E2602334.d
Counts
x10^3
Lib Match Score=70.2
91.1
106.1
39.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260415
Comment	C53643
Data File	E2602335.d
Acq. Date-Time	4/30/2026 9:58:25 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	374,791	
Benzene	benzene-d6 (IS)	8.059	8.074	78,657	
Toluene-d8 (IS)		10.695	10.710	394,582	
Toluene	Toluene-d8 (IS)	10.796	10.803	275,263	
Ethylbenzene	Toluene-d8 (IS)	12.980	12.995	44,239	
m-/p-Xylenes	Toluene-d8 (IS)	13.160	13.174	106,419	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	40,671	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602335.d
Counts
x10^4
13.661 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.633-13.715 min, 11 scans) E2602335.d
Counts
x10^3
Lib Match Score=69.1
91.1
106.1
41.1
51.1
67.1
79.1
115.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260415
Comment	C39268
Data File	E2602336.d
Acq. Date-Time	4/30/2026 10:24:42 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	378,291	
Benzene	benzene-d6 (IS)	8.052	8.074	4,557	
Toluene-d8 (IS)		10.696	10.710	408,203	
Toluene	Toluene-d8 (IS)	10.796	10.803	20,429	
Ethylbenzene	Toluene-d8 (IS)	12.981	12.995	1,950	
m-/p-Xylenes	Toluene-d8 (IS)	13.102	13.174	ND	m
o-Xylene	Toluene-d8 (IS)	14.120	13.675	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan E2602336.d
Counts
x10^3
* 14.120 min.
2
1.8
1.6
1.4
1.2
1
0.8
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (14.120-14.120 min, 1 scans) E2602336.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
95.1
75.1
39.1
50.1
62.1
69.1
79.1
88.0
106.0
118.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	Benzene	1	E2601671.d	6.05	40525	56.3	324001	1.164	0.12
E033126A_CC185154	Benzene	2	E2601672.d	12.10	65768	56.3	320018	0.956	-0.079
E033126A_CC185154	Benzene	3	E2601673.d	24.21	143725	56.3	327962	1.020	-0.018
E033126A_CC185154	Benzene	4	E2601674.d	48.42	290266	56.3	326729	1.034	-0.005
E033126A_CC185154	Benzene	5	E2601675.d	121.04	713673	56.3	336494	0.987	-0.05
E033126A_CC185154	Benzene	6	E2601676.d	242.09	1499218	56.3	337451	1.034	-0.0048
E033126A_CC185154	Benzene	7	E2601677.d	726.26	4643684	56.3	334538	1.077	0.036
						Avg:	329599	1.039	
						%RSD:	2.0%	6.5%	
E033126A_CC185154	Toluene	1	E2601671.d	5.32	50200	66.1	369729	1.687	0.25
E033126A_CC185154	Toluene	2	E2601672.d	10.63	70637	66.1	360263	1.218	-0.1
E033126A_CC185154	Toluene	3	E2601673.d	21.26	166612	66.1	370909	1.396	0.031
E033126A_CC185154	Toluene	4	E2601674.d	42.53	317927	66.1	370606	1.333	-0.016
E033126A_CC185154	Toluene	5	E2601675.d	106.31	694460	66.1	377919	1.142	-0.16
E033126A_CC185154	Toluene	6	E2601676.d	212.62	2142734	66.1	456595	1.458	0.077
E033126A_CC185154	Toluene	7	E2601677.d	637.87	4502492	66.1	374854	1.244	-0.081
						Avg:	382982	1.354	
						%RSD:	8.6%	13.5%	
E033126A_CC185154	Ethylbenzene	1	E2601671.d	5.52	54312	66.1	369729	1.757	0.21
E033126A_CC185154	Ethylbenzene	2	E2601672.d	11.05	88330	66.1	360263	1.466	0.013
E033126A_CC185154	Ethylbenzene	3	E2601673.d	22.10	190213	66.1	370909	1.533	0.059
E033126A_CC185154	Ethylbenzene	4	E2601674.d	44.20	365402	66.1	370606	1.474	0.018
E033126A_CC185154	Ethylbenzene	5	E2601675.d	110.49	812434	66.1	377919	1.285	-0.11
E033126A_CC185154	Ethylbenzene	6	E2601676.d	220.98	1684104	66.1	456595	1.103	-0.24
E033126A_CC185154	Ethylbenzene	7	E2601677.d	662.95	5701250	66.1	374854	1.516	0.047
						Avg:	382982	1.448	
						%RSD:	8.6%	14.2%	
E033126A_CC185154	m-/p-Xylenes	1	E2601671.d	6.19	53870	66.1	369729	1.555	0.26
E033126A_CC185154	m-/p-Xylenes	2	E2601672.d	12.38	86644	66.1	360263	1.283	0.038
E033126A_CC185154	m-/p-Xylenes	3	E2601673.d	24.77	184421	66.1	370909	1.326	0.073
E033126A_CC185154	m-/p-Xylenes	4	E2601674.d	49.53	352253	66.1	370606	1.268	0.026
E033126A_CC185154	m-/p-Xylenes	5	E2601675.d	123.83	766584	66.1	377919	1.082	-0.12
E033126A_CC185154	m-/p-Xylenes	6	E2601676.d	247.66	1570306	66.1	456595	0.917	-0.26
E033126A_CC185154	m-/p-Xylenes	7	E2601677.d	742.99	5145734	66.1	374854	1.221	-0.012
						Avg:	382982	1.236	
						%RSD:	8.6%	16.1%	
E033126A_CC185154	o-Xylene	1	E2601671.d	5.76	49526	66.1	369729	1.537	0.23
E033126A_CC185154	o-Xylene	2	E2601672.d	11.52	81122	66.1	360263	1.292	0.034
E033126A_CC185154	o-Xylene	3	E2601673.d	23.03	171487	66.1	370909	1.326	0.061

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC203-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	o-Xylene	4	E2601674.d	46.06	332218	66.1	370606	1.286	0.029
E033126A_CC185154	o-Xylene	5	E2601675.d	115.16	720901	66.1	377919	1.094	-0.12
E033126A_CC185154	o-Xylene	6	E2601676.d	230.32	1473173	66.1	456595	0.925	-0.26
E033126A_CC185154	o-Xylene	7	E2601677.d	690.97	5050966	66.1	374854	1.288	0.031
						Avg:	382982	1.250	
						%RSD:	8.6%	15.4%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	Benzene	ICV	E2601678.d	180.48	923563	56.3	331658	0.869	-16.0%
E033126A_CC185154	Toluene	ICV	E2601678.d	184.81	1052072	66.1	375222	1.002	-26.0%
E033126A_CC185154	Ethylbenzene	ICV	E2601678.d	182.73	1258083	66.1	375222	1.212	-16.0%
E033126A_CC185154	m-/p-Xylenes	ICV	E2601678.d	185.57	969725	66.1	375222	0.920	-26.0%
E033126A_CC185154	o-Xylene	ICV	E2601678.d	185.93	992933	66.1	375222	0.940	-25.0%

M325B PDF Report ver.20260421

Sample Custody

EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

#VALUE! 2026GC203 **Page # 1 of # 1**

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague Searsport	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	70 Trundy Road	**Project Number:**	PROJ-027966	**Sample Event #**	2026GC203
City:	Searsport	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@onterris.com		
Zip:	04401	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C57820	S	4/15/26	2:01 PM	4/29/26	11:54 AM	LF/KV		
2	C55576	S	4/15/26	1:50 PM	4/29/26	11:51 AM	LF/KV		
3	C57643	S	4/15/26	1:46 PM	4/29/26	11:44 AM	LF/KV		
4	B50929	S	4/15/26	1:42 PM	4/29/26	11:41 AM	LF/KV		
5	C69714	S	4/15/26	1:33 PM	4/29/26	11:38 AM	LF/KV		
6	C43665	S	4/15/26	1:20 PM	4/29/26	11:35 AM	LF/KV		
6	B14988	D	4/15/26	1:20 PM	4/29/26	11:35 AM	LF/KV		
6	B14918	B	4/15/26	1:20 PM	4/29/26	11:35 AM	LF/KV		
7	C14003	S	4/15/26	1:12 PM	4/29/26	11:30 AM	LF/KV		
8	B18415	S	4/15/26	1:03 PM	4/29/26	11:27 AM	LF/KV		
9	B46622	S	4/15/26	12:53 PM	4/29/26	11:25 AM	LF/KV		
10	C67282	S	4/15/26	2:43 PM	4/29/26	11:21 AM	LF/KV		
11	C57110	S	4/15/26	2:34 PM	4/29/26	12:01 PM	LF/KV		
12	C60206	S	4/15/26	2:22 PM	4/29/26	11:59 AM	LF/KV		
12	C53643	D	4/15/26	2:22 PM	4/29/26	11:59 AM	LF/KV		
12	C39268	B	4/15/26	2:22 PM	4/29/26	11:59 AM	LF/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	4/29/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grundman	Paige Grundman	4-30-26	11:10am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Temp: / **Blank Temp:** 19.1 Flake 4		**Add Custody Seal # below:** 25E08818	

Comments:

This Is The Last Page Of This Report.

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 46 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 5/14/2026

Analytical Report
2026GC204

EPA Method 325B Analysis

Report Issue Date: 5/22/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC204-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Onterris/Enthalpy on May 14, 2026 at 19.4 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260429	C69451	Sample
SPRSEA-2-S-20260429	C57705	Sample
SPRSEA-3-S-20260429	C55713	Sample
SPRSEA-4-S-20260429	C24221	Sample
SPRSEA-5-S-20260429	C55317	Sample
SPRSEA-6-S-20260429	B15400	Sample
SPRSEA-6-D-20260429	B46629	Duplicate
SPRSEA-6-B-20260429	C61517	Blank
SPRSEA-7-S-20260429	C57467	Sample
SPRSEA-8-S-20260429	C69428	Sample
SPRSEA-9-S-20260429	C56922	Sample
SPRSEA-10-S-20260429	C35718	Sample
SPRSEA-11-S-20260429	B44253	Sample
SPRSEA-12-S-20260429	B34908	Sample
SPRSEA-12-D-20260429	C43627	Duplicate
SPRSEA-12-B-20260429	B50751	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (M012026A_CC185154_R1) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC204-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260429	C69451	0.380	J	0.791		0.276	ND	0.294	J	0.276	ND
SPRSEA-2-S-20260429	C57705	0.295	J	0.628		0.276	ND	0.276	ND	0.276	ND
SPRSEA-3-S-20260429	C55713	0.279	J	0.560		0.276	ND	0.276	ND	0.276	ND
SPRSEA-4-S-20260429	C24221	0.243	J	0.503	J	0.276	ND	0.276	ND	0.276	ND
SPRSEA-5-S-20260429	C55317	0.230	J	0.543		0.276	ND	0.276	ND	0.276	ND
SPRSEA-6-S-20260429	B15400	0.312	J	0.505	J	0.276	ND	0.276	ND	0.276	ND
SPRSEA-6-D-20260429	B46629	0.354	J	0.530		0.276	ND	0.276	ND	0.276	ND
SPRSEA-6-B-20260429	C61517	0.190	ND	0.244	ND	0.276	ND	0.276	ND	0.276	ND
SPRSEA-7-S-20260429	C57467	0.246	J	0.531		0.276	ND	0.276	ND	0.276	ND
SPRSEA-8-S-20260429	C69428	0.334	J	0.625		0.276	ND	0.276	ND	0.276	ND
SPRSEA-9-S-20260429	C56922	0.373	J	1.10		0.276	ND	0.474	J	0.276	ND
SPRSEA-10-S-20260429	C35718	1.04		4.25		0.702		2.29		0.914	
SPRSEA-11-S-20260429	B44253	0.685		1.50		0.276	ND	0.494	J	0.276	ND
SPRSEA-12-S-20260429	B34908	0.662		2.05		0.305	J	0.874		0.346	J
SPRSEA-12-D-20260429	C43627	0.618		2.07		0.316	J	0.936		0.359	J
SPRSEA-12-B-20260429	B50751	0.190	ND	0.278	J	0.276	ND	0.276	ND	0.276	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260429	C69451	0.380	0.119	5.01	48.9	0.652	20218	0.190	0.455	0.0594	0.143	J	M2602091.d	2026-05-14 18:15	1.007	8.088	30993	343943	56.0	8.031	-0.1%
SPRSEA-2-S-20260429	C57705	0.295	0.0924	3.89	48.9	0.652	20213	0.190	0.455	0.0594	0.143	J	M2602092.d	2026-05-14 18:42	1.007	8.088	23760	340015	56.0	8.031	-1.2%
SPRSEA-3-S-20260429	C55713	0.279	0.0875	3.68	48.9	0.652	20216	0.190	0.455	0.0594	0.143	J	M2602093.d	2026-05-14 19:08	1.007	8.088	22534	340525	56.0	8.031	-1.1%
SPRSEA-4-S-20260429	C24221	0.243	0.0762	3.21	48.9	0.652	20214	0.190	0.455	0.0594	0.143	J	M2602094.d	2026-05-14 19:33	1.007	8.095	19578	339818	56.0	8.031	-1.3%
SPRSEA-5-S-20260429	C55317	0.230	0.0722	3.04	48.8	0.652	20212	0.190	0.455	0.0594	0.143	J	M2602095.d	2026-05-14 20:00	1.007	8.088	18417	337438	56.0	8.031	-2.0%
SPRSEA-6-S-20260429	B15400	0.312	0.0977	4.11	48.8	0.652	20212	0.190	0.455	0.0594	0.143	J	M2602096.d	2026-05-14 20:26	1.007	8.088	24851	336420	56.0	8.031	-2.3%
SPRSEA-6-D-20260429	B46629	0.354	0.111	4.67	48.8	0.652	20212	0.190	0.455	0.0594	0.143	J	M2602097.d	2026-05-14 20:52	1.007	8.088	28219	336447	56.0	8.031	-2.3%
SPRSEA-6-B-20260429	C61517	0.190	0.0594		48.8	0.652	20212	0.190	0.455	0.0594	0.143	ND	M2602090.d	2026-05-14 17:50	1.007	8.088	4208	343748	56.0	8.031	-0.2%
SPRSEA-7-S-20260429	C57467	0.246	0.0772	3.25	48.8	0.652	20210	0.190	0.455	0.0594	0.143	J	M2602098.d	2026-05-14 21:18	1.007	8.088	19857	340220	56.0	8.031	-1.2%
SPRSEA-8-S-20260429	C69428	0.334	0.105	4.40	48.8	0.652	20208	0.190	0.456	0.0594	0.143	J	M2602099.d	2026-05-14 21:44	1.007	8.088	26925	340701	56.0	8.031	-1.0%
SPRSEA-9-S-20260429	C56922	0.373	0.117	4.92	48.8	0.652	20205	0.190	0.456	0.0594	0.143	J	M2602101.d	2026-05-14 22:37	1.007	8.088	29719	336343	56.0	8.031	-2.3%
SPRSEA-10-S-20260429	C35718	1.04	0.327	13.8	48.8	0.652	20204	0.190	0.456	0.0594	0.143		M2602102.d	2026-05-14 23:02	1.007	8.095	84291	341110	56.0	8.031	-0.9%
SPRSEA-11-S-20260429	B44253	0.685	0.215	9.04	48.9	0.652	20221	0.190	0.455	0.0594	0.143		M2602103.d	2026-05-14 23:28	1.007	8.088	54528	335834	56.0	8.031	-2.5%
SPRSEA-12-S-20260429	B34908	0.662	0.207	8.72	48.9	0.652	20218	0.190	0.455	0.0594	0.143		M2602104.d	2026-05-14 23:55	1.007	8.095	52236	333245	56.0	8.031	-3.2%
SPRSEA-12-D-20260429	C43627	0.618	0.193	8.14	48.9	0.652	20218	0.190	0.455	0.0594	0.143		M2602105.d	2026-05-15 00:22	1.007	8.095	49079	335333	56.0	8.038	-2.6%
SPRSEA-12-B-20260429	B50751	0.190	0.0594		48.9	0.652	20218	0.190	0.455	0.0594	0.143	ND	M2602106.d	2026-05-15 00:48	1.007	8.088	4011	335873	56.0	8.031	-2.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260429	C69451	0.791	0.210	8.10	48.9	0.506	20218	0.244	0.515	0.0649	0.137		M2602091.d	2026-05-14 18:15	1.240	10.810	57824	378272	65.7	10.717	0.1%
SPRSEA-2-S-20260429	C57705	0.628	0.167	6.43	48.9	0.506	20213	0.244	0.515	0.0649	0.137		M2602092.d	2026-05-14 18:42	1.240	10.817	44852	369526	65.7	10.717	-2.2%
SPRSEA-3-S-20260429	C55713	0.560	0.149	5.73	48.9	0.506	20216	0.244	0.515	0.0649	0.137		M2602093.d	2026-05-14 19:08	1.240	10.810	40396	373142	65.7	10.717	-1.2%
SPRSEA-4-S-20260429	C24221	0.503	0.134	5.15	48.9	0.506	20214	0.244	0.515	0.0649	0.137	J	M2602094.d	2026-05-14 19:33	1.240	10.810	36632	376784	65.7	10.717	-0.3%
SPRSEA-5-S-20260429	C55317	0.543	0.144	5.56	48.8	0.506	20212	0.244	0.515	0.0649	0.137		M2602095.d	2026-05-14 20:00	1.240	10.810	38659	368364	65.7	10.717	-2.5%
SPRSEA-6-S-20260429	B15400	0.505	0.134	5.17	48.8	0.506	20212	0.244	0.515	0.0649	0.137	J	M2602096.d	2026-05-14 20:26	1.240	10.810	36164	370634	65.7	10.717	-1.9%
SPRSEA-6-D-20260429	B46629	0.530	0.141	5.42	48.8	0.506	20212	0.244	0.515	0.0649	0.137		M2602097.d	2026-05-14 20:52	1.240	10.810	38513	376303	65.7	10.717	-0.4%
SPRSEA-6-B-20260429	C61517	0.244	0.0649		48.8	0.506	20212	0.244	0.515	0.0649	0.137	ND	M2602090.d	2026-05-14 17:50	1.240	10.810	13416	381969	65.7	10.717	1.1%
SPRSEA-7-S-20260429	C57467	0.531	0.141	5.43	48.8	0.506	20210	0.244	0.515	0.0649	0.137		M2602098.d	2026-05-14 21:18	1.240	10.810	38698	377513	65.7	10.717	-0.1%
SPRSEA-8-S-20260429	C69428	0.625	0.166	6.39	48.8	0.506	20208	0.244	0.515	0.0649	0.137		M2602099.d	2026-05-14 21:44	1.240	10.817	45129	373980	65.7	10.717	-1.0%
SPRSEA-9-S-20260429	C56922	1.10	0.291	11.2	48.8	0.506	20205	0.244	0.516	0.0649	0.137		M2602101.d	2026-05-14 22:37	1.240	10.810	79105	373634	65.7	10.717	-1.1%
SPRSEA-10-S-20260429	C35718	4.25	1.13	43.4	48.8	0.506	20204	0.244	0.516	0.0649	0.137		M2602102.d	2026-05-14 23:02	1.240	10.810	312122	380553	65.7	10.717	0.7%
SPRSEA-11-S-20260429	B44253	1.50	0.399	15.4	48.9	0.506	20221	0.244	0.515	0.0649	0.137		M2602103.d	2026-05-14 23:28	1.240	10.810	108567	373831	65.7	10.717	-1.1%
SPRSEA-12-S-20260429	B34908	2.05	0.543	20.9	48.9	0.506	20218	0.244	0.515	0.0649	0.137		M2602104.d	2026-05-14 23:55	1.240	10.817	147315	372725	65.7	10.717	-1.4%
SPRSEA-12-D-20260429	C43627	2.07	0.551	21.2	48.9	0.506	20218	0.244	0.515	0.0649	0.137		M2602105.d	2026-05-15 00:22	1.240	10.810	149417	372938	65.7	10.717	-1.3%
SPRSEA-12-B-20260429	B50751	0.278	0.0738	2.84	48.9	0.506	20218	0.244	0.515	0.0649	0.137	J	M2602106.d	2026-05-15 00:48	1.240	10.810	20332	378780	65.7	10.717	0.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260429	C69451	0.276	0.0636		48.9	0.448	20218	0.276	0.605	0.0636	0.139	ND	M2602091.d	2026-05-14 18:15	1.349	12.995	6840	378272	65.7	10.717	0.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260429	C57705	0.276	0.0637		48.9	0.448	20213	0.276	0.605	0.0637	0.140	ND	M2602092.d	2026-05-14 18:42	1.349	13.002	4501	369526	65.7	10.717	-2.2%
SPRSEA-3-S-20260429	C55713	0.276	0.0636		48.9	0.448	20216	0.276	0.605	0.0636	0.140	ND	M2602093.d	2026-05-14 19:08	1.349	12.995	5344	373142	65.7	10.717	-1.2%
SPRSEA-4-S-20260429	C24221	0.276	0.0637		48.9	0.448	20214	0.276	0.605	0.0637	0.140	ND	M2602094.d	2026-05-14 19:33	1.349	13.002	3384	376784	65.7	10.717	-0.3%
SPRSEA-5-S-20260429	C55317	0.276	0.0637		48.8	0.448	20212	0.276	0.606	0.0637	0.140	ND	M2602095.d	2026-05-14 20:00	1.349	12.995	3956	368364	65.7	10.717	-2.5%
SPRSEA-6-S-20260429	B15400	0.276	0.0637		48.8	0.448	20212	0.276	0.606	0.0637	0.140	ND	M2602096.d	2026-05-14 20:26	1.349	12.995	3279	370634	65.7	10.717	-1.9%
SPRSEA-6-D-20260429	B46629	0.276	0.0637		48.8	0.448	20212	0.276	0.606	0.0637	0.140	ND	M2602097.d	2026-05-14 20:52	1.349	12.995	6484	376303	65.7	10.717	-0.4%
SPRSEA-6-B-20260429	C61517	0.276	0.0637		48.8	0.448	20212	0.276	0.606	0.0637	0.140	ND	M2602090.d	2026-05-14 17:50	1.349	12.995	901	381969	65.7	10.717	1.1%
SPRSEA-7-S-20260429	C57467	0.276	0.0637		48.8	0.448	20210	0.276	0.606	0.0637	0.140	ND	M2602098.d	2026-05-14 21:18	1.349	12.995	3885	377513	65.7	10.717	-0.1%
SPRSEA-8-S-20260429	C69428	0.276	0.0637		48.8	0.448	20208	0.276	0.606	0.0637	0.140	ND	M2602099.d	2026-05-14 21:44	1.349	12.995	5088	373980	65.7	10.717	-1.0%
SPRSEA-9-S-20260429	C56922	0.276	0.0637		48.8	0.448	20205	0.276	0.606	0.0637	0.140	ND	M2602101.d	2026-05-14 22:37	1.349	12.995	12884	373634	65.7	10.717	-1.1%
SPRSEA-10-S-20260429	C35718	0.702	0.162	6.35	48.8	0.448	20204	0.276	0.606	0.0637	0.140		M2602102.d	2026-05-14 23:02	1.349	12.995	49632	380553	65.7	10.717	0.7%
SPRSEA-11-S-20260429	B44253	0.276	0.0636		48.9	0.448	20221	0.276	0.605	0.0636	0.139	ND	M2602103.d	2026-05-14 23:28	1.349	12.995	12764	373831	65.7	10.717	-1.1%
SPRSEA-12-S-20260429	B34908	0.305	0.0704	2.76	48.9	0.448	20218	0.276	0.605	0.0636	0.139	J	M2602104.d	2026-05-14 23:55	1.349	12.995	21167	372725	65.7	10.717	-1.4%
SPRSEA-12-D-20260429	C43627	0.316	0.0728	2.86	48.9	0.448	20218	0.276	0.605	0.0636	0.139	J	M2602105.d	2026-05-15 00:22	1.349	12.995	21901	372938	65.7	10.717	-1.3%
SPRSEA-12-B-20260429	B50751	0.276	0.0636		48.9	0.448	20218	0.276	0.605	0.0636	0.139	ND	M2602106.d	2026-05-15 00:48	1.349	12.995	644	378780	65.7	10.717	0.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260429	C69451	0.294	0.0678	2.66	48.9	0.448	20218	0.276	0.678	0.0636	0.156	J	M2602091.d	2026-05-14 18:15	1.050	13.174	16110	378272	65.7	10.717	0.1%
SPRSEA-2-S-20260429	C57705	0.276	0.0637		48.9	0.448	20213	0.276	0.679	0.0637	0.156	ND	M2602092.d	2026-05-14 18:42	1.050	13.174	10671	369526	65.7	10.717	-2.2%
SPRSEA-3-S-20260429	C55713	0.276	0.0636		48.9	0.448	20216	0.276	0.678	0.0636	0.156	ND	M2602093.d	2026-05-14 19:08	1.050	13.174	10687	373142	65.7	10.717	-1.2%
SPRSEA-4-S-20260429	C24221	0.276	0.0637		48.9	0.448	20214	0.276	0.679	0.0637	0.156	ND	M2602094.d	2026-05-14 19:33	1.050	13.174	5101	376784	65.7	10.717	-0.3%
SPRSEA-5-S-20260429	C55317	0.276	0.0637		48.8	0.448	20212	0.276	0.679	0.0637	0.156	ND	M2602095.d	2026-05-14 20:00	1.050	13.174	8576	368364	65.7	10.717	-2.5%
SPRSEA-6-S-20260429	B15400	0.276	0.0637		48.8	0.448	20212	0.276	0.679	0.0637	0.156	ND	M2602096.d	2026-05-14 20:26	1.050	13.174	5173	370634	65.7	10.717	-1.9%
SPRSEA-6-D-20260429	B46629	0.276	0.0637		48.8	0.448	20212	0.276	0.679	0.0637	0.156	ND	M2602097.d	2026-05-14 20:52	1.050	13.174	5609	376303	65.7	10.717	-0.4%
SPRSEA-6-B-20260429	C61517	0.276	0.0637		48.8	0.448	20212	0.276	0.679	0.0637	0.156	ND	M2602090.d	2026-05-14 17:50	1.050	13.174	849	381969	65.7	10.717	1.1%
SPRSEA-7-S-20260429	C57467	0.276	0.0637		48.8	0.448	20210	0.276	0.679	0.0637	0.156	ND	M2602098.d	2026-05-14 21:18	1.050	13.174	8570	377513	65.7	10.717	-0.1%
SPRSEA-8-S-20260429	C69428	0.276	0.0637		48.8	0.448	20208	0.276	0.679	0.0637	0.156	ND	M2602099.d	2026-05-14 21:44	1.050	13.174	12508	373980	65.7	10.717	-1.0%
SPRSEA-9-S-20260429	C56922	0.474	0.109	4.29	48.8	0.448	20205	0.276	0.679	0.0637	0.156	J	M2602101.d	2026-05-14 22:37	1.050	13.174	25636	373634	65.7	10.717	-1.1%
SPRSEA-10-S-20260429	C35718	2.29	0.527	20.7	48.8	0.448	20204	0.276	0.679	0.0637	0.156		M2602102.d	2026-05-14 23:02	1.050	13.174	125922	380553	65.7	10.717	0.7%
SPRSEA-11-S-20260429	B44253	0.494	0.114	4.48	48.9	0.448	20221	0.276	0.678	0.0636	0.156	J	M2602103.d	2026-05-14 23:28	1.050	13.174	26767	373831	65.7	10.717	-1.1%
SPRSEA-12-S-20260429	B34908	0.874	0.201	7.92	48.9	0.448	20218	0.276	0.678	0.0636	0.156		M2602104.d	2026-05-14 23:55	1.050	13.174	47199	372725	65.7	10.717	-1.4%
SPRSEA-12-D-20260429	C43627	0.936	0.216	8.47	48.9	0.448	20218	0.276	0.678	0.0636	0.156		M2602105.d	2026-05-15 00:22	1.050	13.174	50557	372938	65.7	10.717	-1.3%
SPRSEA-12-B-20260429	B50751	0.276	0.0636		48.9	0.448	20218	0.276	0.678	0.0636	0.156	ND	M2602106.d	2026-05-15 00:48	1.050	13.174	578	378780	65.7	10.717	0.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260429	C69451	0.276	0.0636		48.9	0.448	20218	0.276	0.631	0.0636	0.145	ND	M2602091.d	2026-05-14 18:15	1.058	13.675	6516	378272	65.7	10.717	0.1%
SPRSEA-2-S-20260429	C57705	0.276	0.0637		48.9	0.448	20213	0.276	0.631	0.0637	0.145	ND	M2602092.d	2026-05-14 18:42	1.058	13.675	4339	369526	65.7	10.717	-2.2%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260429	C55713	0.276	0.0636		48.9	0.448	20216	0.276	0.631	0.0636	0.145	ND	M2602093.d	2026-05-14 19:08	1.058	13.675	4300	373142	65.7	10.717	-1.2%
SPRSEA-4-S-20260429	C24221	0.276	0.0637		48.9	0.448	20214	0.276	0.631	0.0637	0.145	ND	M2602094.d	2026-05-14 19:33	1.058	13.676	1999	376784	65.7	10.717	-0.3%
SPRSEA-5-S-20260429	C55317	0.276	0.0637		48.8	0.448	20212	0.276	0.631	0.0637	0.145	ND	M2602095.d	2026-05-14 20:00	1.058	13.675	3615	368364	65.7	10.717	-2.5%
SPRSEA-6-S-20260429	B15400	0.276	0.0637		48.8	0.448	20212	0.276	0.631	0.0637	0.145	ND	M2602096.d	2026-05-14 20:26	1.058	13.675	1870	370634	65.7	10.717	-1.9%
SPRSEA-6-D-20260429	B46629	0.276	0.0637		48.8	0.448	20212	0.276	0.631	0.0637	0.145	ND	M2602097.d	2026-05-14 20:52	1.058	13.675	2172	376303	65.7	10.717	-0.4%
SPRSEA-6-B-20260429	C61517	0.276	0.0637		48.8	0.448	20212	0.276	0.631	0.0637	0.145	ND	M2602090.d	2026-05-14 17:50	1.058	13.668	369	381969	65.7	10.717	1.1%
SPRSEA-7-S-20260429	C57467	0.276	0.0637		48.8	0.448	20210	0.276	0.631	0.0637	0.145	ND	M2602098.d	2026-05-14 21:18	1.058	13.675	3588	377513	65.7	10.717	-0.1%
SPRSEA-8-S-20260429	C69428	0.276	0.0637		48.8	0.448	20208	0.276	0.631	0.0637	0.145	ND	M2602099.d	2026-05-14 21:44	1.058	13.675	4933	373980	65.7	10.717	-1.0%
SPRSEA-9-S-20260429	C56922	0.276	0.0637		48.8	0.448	20205	0.276	0.631	0.0637	0.145	ND	M2602101.d	2026-05-14 22:37	1.058	13.675	10329	373634	65.7	10.717	-1.1%
SPRSEA-10-S-20260429	C35718	0.914	0.211	8.27	48.8	0.448	20204	0.276	0.631	0.0637	0.145		M2602102.d	2026-05-14 23:02	1.058	13.676	50686	380553	65.7	10.717	0.7%
SPRSEA-11-S-20260429	B44253	0.276	0.0636		48.9	0.448	20221	0.276	0.631	0.0636	0.145	ND	M2602103.d	2026-05-14 23:28	1.058	13.675	10983	373831	65.7	10.717	-1.1%
SPRSEA-12-S-20260429	B34908	0.346	0.0797	3.13	48.9	0.448	20218	0.276	0.631	0.0636	0.145	J	M2602104.d	2026-05-14 23:55	1.058	13.675	18800	372725	65.7	10.717	-1.4%
SPRSEA-12-D-20260429	C43627	0.359	0.0828	3.25	48.9	0.448	20218	0.276	0.631	0.0636	0.145	J	M2602105.d	2026-05-15 00:22	1.058	13.675	19538	372938	65.7	10.717	-1.3%
SPRSEA-12-B-20260429	B50751	0.276	0.0636		48.9	0.448	20218	0.276	0.631	0.0636	0.145	ND	M2602106.d	2026-05-15 00:48	1.058	13.683	203	378780	65.7	10.717	0.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260429	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260429	ND	Pass	0.278	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260429	13%	Pass	4.8%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260429	6.9%	Pass	1.4%	Pass	3.4%	Pass	6.8%	Pass	3.8%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2602088.d	B45032	Cal	1.007	1.030	1.007	-2.3%	-8.3%		Pass	
2026GC204 Method Blank-1	M2602089.d	C70547	Blank		1.030	1.007			0.47%	Pass	ND
M325B CCV 5 REC	M2602100.d	B46961	Check	1.044	1.030	1.007	1.3%		-3.0%	Pass	
M325B CCV 5 REC	M2602107.d	C43684	Check	1.036	1.030	1.007	0.54%		-3.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2602088.d	B45032	Cal	1.240	1.234	1.240	0.48%	-4.9%		Pass	
2026GC204 Method Blank-1	M2602089.d	C70547	Blank		1.234	1.240			3.6%	Pass	J
M325B CCV 5 REC	M2602100.d	B46961	Check	1.281	1.234	1.240	3.9%		-1.1%	Pass	
M325B CCV 5 REC	M2602107.d	C43684	Check	1.299	1.234	1.240	5.3%		-2.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2602088.d	B45032	Cal	1.349	1.420	1.349	-5.0%	-4.9%		Pass	
2026GC204 Method Blank-1	M2602089.d	C70547	Blank		1.420	1.349			3.6%	Pass	ND
M325B CCV 5 REC	M2602100.d	B46961	Check	1.271	1.420	1.349	-10%		-1.1%	Pass	
M325B CCV 5 REC	M2602107.d	C43684	Check	1.306	1.420	1.349	-8.0%		-2.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2602088.d	B45032	Cal	1.050	1.183	1.050	-11%	-4.9%		Pass	
2026GC204 Method Blank-1	M2602089.d	C70547	Blank		1.183	1.050			3.6%	Pass	ND
M325B CCV 5 REC	M2602100.d	B46961	Check	0.991	1.183	1.050	-16%		-1.1%	Pass	
M325B CCV 5 REC	M2602107.d	C43684	Check	1.026	1.183	1.050	-13%		-2.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	M2602088.d	B45032	Cal	1.058	1.183	1.058	-11%	-4.9%		Pass	
2026GC204 Method Blank-1	M2602089.d	C70547	Blank		1.183	1.058			3.6%	Pass	ND
M325B CCV 5 REC	M2602100.d	B46961	Check	1.033	1.183	1.058	-13%		-1.1%	Pass	
M325B CCV 5 REC	M2602107.d	C43684	Check	1.059	1.183	1.058	-10%		-2.9%	Pass	

Chromatograms


Name	2026GC204 Method Blank-1
Comment	C70547
Data File	M2602089.d
Acq. Date-Time	5/14/2026 5:24:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	345,924	
Benzene	Benzene-d6 (IS)	8.088	8.095	7,838	
Toluene-d8 (IS)		10.717	10.724	391,342	
Toluene	Toluene-d8 (IS)	10.817	10.817	28,872	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	1,888	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	1,139	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	698	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602089.d
Counts
x10^2
13.683 min.
7
6
5
4
3
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.650-13.703 min, 7 scans) M2602089.d
Lib Match Score=49.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
79.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260429
Comment	C61517
Data File	M2602090.d
Acq. Date-Time	5/14/2026 5:50:06 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	343,748	
Benzene	Benzene-d6 (IS)	8.088	8.095	4,208	
Toluene-d8 (IS)		10.717	10.724	381,969	
Toluene	Toluene-d8 (IS)	10.810	10.817	13,416	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	901	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	849	
o-Xylene	Toluene-d8 (IS)	13.668	13.682	369	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602090.d
Counts
x10^2
13.668 min.
5.5
5
4.5
4
3.5
3
2.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.654-13.699 min, 7 scans) M2602090.d
Lib Match Score=48.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
81.1
91.1
105.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260429
Comment	C69451
Data File	M2602091.d
Acq. Date-Time	5/14/2026 6:15:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	343,943	
Benzene	Benzene-d6 (IS)	8.088	8.095	30,993	
Toluene-d8 (IS)		10.717	10.724	378,272	
Toluene	Toluene-d8 (IS)	10.810	10.817	57,824	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	6,840	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	16,110	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	6,516	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602091.d
Counts
x10^3
13.675 min.
4
3
2
1
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.725 min, 10 scans) M2602091.d
Lib Match Score=64.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260429
Comment	C57705
Data File	M2602092.d
Acq. Date-Time	5/14/2026 6:42:17 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	340,015	
Benzene	Benzene-d6 (IS)	8.088	8.095	23,760	
Toluene-d8 (IS)		10.717	10.724	369,526	
Toluene	Toluene-d8 (IS)	10.817	10.817	44,852	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	4,501	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	10,671	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	4,339	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602092.d
Counts
x10^3
13.675 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.733 min, 13 scans) M2602092.d
Counts
x10^3
Lib Match Score=57.8
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
73.1
81.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260429
Comment	C55713
Data File	M2602093.d
Acq. Date-Time	5/14/2026 7:08:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	340,525	
Benzene	Benzene-d6 (IS)	8.088	8.095	22,534	
Toluene-d8 (IS)		10.717	10.724	373,142	
Toluene	Toluene-d8 (IS)	10.810	10.817	40,396	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	5,344	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	10,687	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	4,300	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602093.d
Counts
x10^3
13.675 min.
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.709 min, 9 scans) M2602093.d
Counts
x10^3
Lib Match Score=60.4
91.1
41.1
55.1
67.1
79.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260429
Comment	C24221
Data File	M2602094.d
Acq. Date-Time	5/14/2026 7:33:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	339,818	
Benzene	Benzene-d6 (IS)	8.095	8.095	19,578	
Toluene-d8 (IS)		10.717	10.724	376,784	
Toluene	Toluene-d8 (IS)	10.810	10.817	36,632	
Ethylbenzene	Toluene-d8 (IS)	13.002	13.002	3,384	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	5,101	
o-Xylene	Toluene-d8 (IS)	13.676	13.682	1,999	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602094.d
Counts
x10^3
13.676 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.718 min, 11 scans) M2602094.d
Counts
x10^3
Lib Match Score=54.2
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260429
Comment	C55317
Data File	M2602095.d
Acq. Date-Time	5/14/2026 8:00:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	337,438	
Benzene	Benzene-d6 (IS)	8.088	8.095	18,417	
Toluene-d8 (IS)		10.717	10.724	368,364	
Toluene	Toluene-d8 (IS)	10.810	10.817	38,659	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	3,956	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	8,576	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	3,615	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602095.d
Counts
x10^3
13.675 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.711 min, 11 scans) M2602095.d
Counts
x10^3
Lib Match Score=58.8
91.1
41.1
67.1
55.1
79.1
106.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260429
Comment	B15400
Data File	M2602096.d
Acq. Date-Time	5/14/2026 8:26:14 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	336,420	
Benzene	Benzene-d6 (IS)	8.088	8.095	24,851	
Toluene-d8 (IS)		10.717	10.724	370,634	
Toluene	Toluene-d8 (IS)	10.810	10.817	36,164	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	3,279	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	5,173	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	1,870	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602096.d
Counts
x10^3
13.675 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.643-13.704 min, 8 scans) M2602096.d
Counts
x10^3
Lib Match Score=54.6
91.1
41.1
67.1
55.1
79.1
106.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260429
Comment	B46629
Data File	M2602097.d
Acq. Date-Time	5/14/2026 8:52:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	336,447	
Benzene	Benzene-d6 (IS)	8.088	8.095	28,219	
Toluene-d8 (IS)		10.717	10.724	376,303	
Toluene	Toluene-d8 (IS)	10.810	10.817	38,513	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	6,484	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	5,609	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	2,172	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602097.d
Counts
x10^3
13.675 min.
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.704 min, 8 scans) M2602097.d
Counts
x10^3
Lib Match Score=56.5
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260429
Comment	C57467
Data File	M2602098.d
Acq. Date-Time	5/14/2026 9:18:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	340,220	
Benzene	Benzene-d6 (IS)	8.088	8.095	19,857	
Toluene-d8 (IS)		10.717	10.724	377,513	
Toluene	Toluene-d8 (IS)	10.810	10.817	38,698	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	3,885	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	8,570	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	3,588	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602098.d
Counts
x10^3
13.675 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.635-13.703 min, 9 scans) M2602098.d
Counts
x10^3
Lib Match Score=58.6
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260429
Comment	C69428
Data File	M2602099.d
Acq. Date-Time	5/14/2026 9:44:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	340,701	
Benzene	Benzene-d6 (IS)	8.088	8.095	26,925	
Toluene-d8 (IS)		10.717	10.724	373,980	
Toluene	Toluene-d8 (IS)	10.817	10.817	45,129	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	5,088	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	12,508	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	4,933	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602099.d
Counts
x10^3
13.675 min.
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.643-13.761 min, 17 scans) M2602099.d
Counts
x10^3
Lib Match Score=58.1
91.1
41.1
55.1
67.1
79.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260429
Comment	C56922
Data File	M2602101.d
Acq. Date-Time	5/14/2026 10:37:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	336,343	
Benzene	Benzene-d6 (IS)	8.088	8.095	29,719	
Toluene-d8 (IS)		10.717	10.724	373,634	
Toluene	Toluene-d8 (IS)	10.810	10.817	79,105	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	12,884	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	25,636	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	10,329	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602101.d
Counts
x10^3
13.675 min.
Acquisition Time (min)


+ Scan (13.640-13.729 min, 13 scans) M2602101.d
Lib Match Score=66.9
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260429
Comment	C35718
Data File	M2602102.d
Acq. Date-Time	5/14/2026 11:02:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	341,110	
Benzene	Benzene-d6 (IS)	8.095	8.095	84,291	
Toluene-d8 (IS)		10.717	10.724	380,553	
Toluene	Toluene-d8 (IS)	10.810	10.817	312,122	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	49,632	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	125,922	
o-Xylene	Toluene-d8 (IS)	13.676	13.682	50,686	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602102.d
Counts
x10^4
13.676 min.
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.633-13.769 min, 20 scans) M2602102.d
Counts
x10^3
Lib Match Score=78.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260429
Comment	B44253
Data File	M2602103.d
Acq. Date-Time	5/14/2026 11:28:57 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	335,834	
Benzene	Benzene-d6 (IS)	8.088	8.095	54,528	
Toluene-d8 (IS)		10.717	10.724	373,831	
Toluene	Toluene-d8 (IS)	10.810	10.817	108,567	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	12,764	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	26,767	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	10,983	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602103.d
Counts
x10^3
13.675 min.
Acquisition Time (min)


+ Scan (13.640-13.725 min, 12 scans) M2602103.d
Lib Match Score=68.5
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260429
Comment	B34908
Data File	M2602104.d
Acq. Date-Time	5/14/2026 11:55:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	333,245	
Benzene	Benzene-d6 (IS)	8.095	8.095	52,236	
Toluene-d8 (IS)		10.717	10.724	372,725	
Toluene	Toluene-d8 (IS)	10.817	10.817	147,315	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	21,167	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	47,199	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	18,800	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602104.d
Counts
x10^4
13.675 min.
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.724 min, 11 scans) M2602104.d
Counts
x10^3
Lib Match Score=75.6
91.1
106.1
41.1
55.1
67.1
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260429
Comment	C43627
Data File	M2602105.d
Acq. Date-Time	5/15/2026 12:22:02 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.038	8.038	335,333	
Benzene	Benzene-d6 (IS)	8.095	8.095	49,079	
Toluene-d8 (IS)		10.717	10.724	372,938	
Toluene	Toluene-d8 (IS)	10.810	10.817	149,417	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	21,901	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	50,557	
o-Xylene	Toluene-d8 (IS)	13.675	13.682	19,538	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan M2602105.d
Counts
x10^4
13.675 min.
1.2
1
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.642-13.746 min, 14 scans) M2602105.d
Counts
x10^3
Lib Match Score=72.9
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260429
Comment	B50751
Data File	M2602106.d
Acq. Date-Time	5/15/2026 12:48:18 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.031	8.038	335,873	
Benzene	Benzene-d6 (IS)	8.088	8.095	4,011	
Toluene-d8 (IS)		10.717	10.724	378,780	
Toluene	Toluene-d8 (IS)	10.810	10.817	20,332	
Ethylbenzene	Toluene-d8 (IS)	12.995	13.002	644	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.181	578	
o-Xylene	Toluene-d8 (IS)	13.683	13.682	203	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan M2602106.d
Counts
x10^2
5
4.5
4
3.5
3
2.5
13.683 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.651-13.693 min, 6 scans) M2602106.d
Lib Match Score=46.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	1	M2600319.d	6.00	47291	56.0	381045	1.158	0.12
M012026A_CC185154_R1	Benzene	2	M2600320.d	12.01	83887	56.0	380400	1.029	-0.0015
M012026A_CC185154_R1	Benzene	3	M2600321.d	24.01	168805	56.0	376299	1.046	0.016
M012026A_CC185154_R1	Benzene	4	M2600322.d	48.03	327386	56.0	372850	1.024	-0.006
M012026A_CC185154_R1	Benzene	5	M2600323.d	120.07	782762	56.0	373607	0.977	-0.051
M012026A_CC185154_R1	Benzene	6	M2600324.d	240.14	1563679	56.0	371027	0.983	-0.046
M012026A_CC185154_R1	Benzene	7	M2600325.d	720.42	4754251	56.0	371746	0.994	-0.035
						Avg:	375282	1.030	
						%RSD:	1.1%	6.0%	
M012026A_CC185154_R1	Toluene	1	M2600319.d	5.27	48504	65.7	405524	1.489	0.21
M012026A_CC185154_R1	Toluene	2	M2600320.d	10.55	82026	65.7	395866	1.290	0.046
M012026A_CC185154_R1	Toluene	3	M2600321.d	21.09	168126	65.7	395224	1.324	0.073
M012026A_CC185154_R1	Toluene	4	M2600322.d	42.18	327584	65.7	398897	1.278	0.036
M012026A_CC185154_R1	Toluene	5	M2600323.d	105.46	718794	65.7	394499	1.134	-0.081
M012026A_CC185154_R1	Toluene	6	M2600324.d	210.92	1454148	65.7	394406	1.148	-0.07
M012026A_CC185154_R1	Toluene	7	M2600325.d	632.75	3721714	65.7	397058	0.973	-0.21
						Avg:	397353	1.234	
						%RSD:	1.0%	13.4%	
M012026A_CC185154_R1	Ethylbenzene	1	M2600319.d	5.48	52452	65.7	405524	1.550	0.092
M012026A_CC185154_R1	Ethylbenzene	2	M2600320.d	10.96	97997	65.7	395866	1.483	0.045
M012026A_CC185154_R1	Ethylbenzene	3	M2600321.d	21.92	212293	65.7	395224	1.609	0.13
M012026A_CC185154_R1	Ethylbenzene	4	M2600322.d	43.84	421948	65.7	398897	1.584	0.12
M012026A_CC185154_R1	Ethylbenzene	5	M2600323.d	109.60	868249	65.7	394499	1.318	-0.071
M012026A_CC185154_R1	Ethylbenzene	6	M2600324.d	219.21	1748598	65.7	394406	1.328	-0.065
M012026A_CC185154_R1	Ethylbenzene	7	M2600325.d	657.62	4235151	65.7	397058	1.065	-0.25
						Avg:	397353	1.420	
						%RSD:	1.0%	13.7%	
M012026A_CC185154_R1	m-/p-Xylenes	1	M2600319.d	6.14	46914	65.7	405524	1.237	0.046
M012026A_CC185154_R1	m-/p-Xylenes	2	M2600320.d	12.28	91320	65.7	395866	1.233	0.042
M012026A_CC185154_R1	m-/p-Xylenes	3	M2600321.d	24.57	194398	65.7	395224	1.315	0.11
M012026A_CC185154_R1	m-/p-Xylenes	4	M2600322.d	49.13	385594	65.7	398897	1.292	0.092
M012026A_CC185154_R1	m-/p-Xylenes	5	M2600323.d	122.84	796581	65.7	394499	1.079	-0.088
M012026A_CC185154_R1	m-/p-Xylenes	6	M2600324.d	245.67	1569012	65.7	394406	1.063	-0.1
M012026A_CC185154_R1	m-/p-Xylenes	7	M2600325.d	737.01	4731379	65.7	397058	1.062	-0.1
						Avg:	397353	1.183	
						%RSD:	1.0%	9.4%	
M012026A_CC185154_R1	o-Xylene	1	M2600319.d	5.71	44619	65.7	405524	1.265	0.069
M012026A_CC185154_R1	o-Xylene	2	M2600320.d	11.42	85697	65.7	395866	1.244	0.051
M012026A_CC185154_R1	o-Xylene	3	M2600321.d	22.85	185018	65.7	395224	1.345	0.14

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC204-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	o-Xylene	4	M2600322.d	45.69	379263	65.7	398897	1.366	0.15
M012026A_CC185154_R1	o-Xylene	5	M2600323.d	114.23	761099	65.7	394499	1.109	-0.063
M012026A_CC185154_R1	o-Xylene	6	M2600324.d	228.47	1535238	65.7	394406	1.119	-0.055
M012026A_CC185154_R1	o-Xylene	7	M2600325.d	685.41	3466627	65.7	397058	0.836	-0.29
						Avg:	397353	1.183	
						%RSD:	1.0%	15.4%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
M012026A_CC185154_R1	Benzene	ICV	M2600326.d	447.14	2914814	56.0	365974	0.998	-3.2%
M012026A_CC185154_R1	Toluene	ICV	M2600326.d	457.87	3108316	65.7	386128	1.154	-6.4%
M012026A_CC185154_R1	Ethylbenzene	ICV	M2600326.d	452.71	3527812	65.7	386128	1.325	-6.7%
M012026A_CC185154_R1	m-/p-Xylenes	ICV	M2600326.d	459.76	2910282	65.7	386128	1.076	-9.0%
M012026A_CC185154_R1	o-Xylene	ICV	M2600326.d	460.64	2752493	65.7	386128	1.016	-14.0%

M325B PDF Report ver.20260421

Sample Custody

2026GC204

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague Searsport	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	70 Trundy Road	**Project Number:**	PROJ-027966	**Sample Event #**	2026GC204
City:	Searsport	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@onterris.com		
Zip:	04401	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C69451	S	4/29/26	11:54 AM	5/13/26	12:52 PM	KV/LF		
2	C57705	S	4/29/26	11:51 AM	5/13/26	12:44 PM	KV/LF		
3	C55713	S	4/29/26	11:44 AM	5/13/26	12:40 PM	KV/LF		
4	C24221	S	4/29/26	11:41 AM	5/13/26	12:35 PM	KV/LF		
5	C55317	S	4/29/26	11:38 AM	5/13/26	12:30 PM	KV/LF		
6	B15400	S	4/29/26	11:35 AM	5/13/26	12:27 PM	KV/LF		
6	B46629	D	4/29/26	11:35 AM	5/13/26	12:27 PM	KV/LF		
6	C61517	B	4/29/26	11:35 AM	5/13/26	12:27 PM	KV/LF		
7	C57467	S	4/29/26	11:30 AM	5/13/26	12:20 PM	KV/LF		
8	C69428	S	4/29/26	11:27 AM	5/13/26	12:15 PM	KV/LF		
9	C56922	S	4/29/26	11:25 AM	5/13/26	12:10 PM	KV/LF		
10	C35718	S	4/29/26	11:21 AM	5/13/26	12:05 PM	KV/LF		
11	B44253	S	4/29/26	12:01 PM	5/13/26	1:02 PM	KV/LF		
12	B34908	S	4/29/26	11:59 AM	5/13/26	12:57 PM	KV/LF		
12	C43627	D	4/29/26	11:59 AM	5/13/26	12:57 PM	KV/LF		
12	B50751	B	4/29/26	11:59 AM	5/13/26	12:57 PM	KV/LF		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Lottie Franck	LF	5/13/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Anella McCamy	Anella McCamy	5/14/26	9:35 AM

Sample Condition Upon Receipt:			Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
			Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Ice Temp:	Blank Temp: 19.4°	FLUKE4		Add Custody Seal # below: 25E08974	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 806-1362 • FAX (919) 806-1372 www.onterris.com

This Is The Last Page Of This Report.

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 47 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 5/28/2026

Analytical Report
2026GC205

EPA Method 325B Analysis

Report Issue Date: 6/8/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature: Isabel C Obando

QA Review by Isabel Obando Marrero, Data Reviewer

Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC205-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Onterris/Enthalpy on May 28, 2026 at 21.2 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260513	C34192	Sample
SPRSEA-2-S-20260513	C55456	Sample
SPRSEA-3-S-20260513	C71490	Sample
SPRSEA-4-S-20260513	C00707	Sample
SPRSEA-5-S-20260513	B46915	Sample
SPRSEA-6-S-20260513	B35656	Sample
SPRSEA-6-D-20260513	B52691	Duplicate
SPRSEA-6-B-20260513	C70152	Blank
SPRSEA-7-S-20260513	C68567	Sample
SPRSEA-8-S-20260513	C43729	Sample
SPRSEA-9-S-20260513	C57131	Sample
SPRSEA-10-S-20260513	C53558	Sample
SPRSEA-11-S-20260513	B12199	Sample
SPRSEA-12-S-20260513	C35862	Sample
SPRSEA-12-D-20260513	C57654	Duplicate
SPRSEA-12-B-20260513	C71674	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-TD35 is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC205-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

3. Calibration

Both the BFB tune associated with the initial calibration abd the daily BFB check failed to meet method criteria for the relative response of m/z 173. Because m/z 173 is not near the tuning region of the quant ions for the target analytes and the continuing calibration checks met the 30% difference criteria, the deviation is not expected to have an effect on the data. All other BFB criteria have been met for this analysis.

The initial calibration (V051826A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

It was noted on the COC that sample SPRSEA-3-S-20260513 (tube ID C71490) had a broken diffusion cap screen upon collection. This sample has been flagged “Fe” to denote a field sampling error.

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260513	C34192	0.320	J	0.724		0.275	ND	0.294	J	0.275	ND
SPRSEA-2-S-20260513	C55456	0.323	J	0.659		0.275	ND	0.325	J	0.275	ND
SPRSEA-3-S-20260513	C71490	0.450	J,Fe	1.07	Fe	0.275	ND,Fe	0.603	J,Fe	0.275	ND,Fe
SPRSEA-4-S-20260513	C00707	0.350	J	0.741		0.276	ND	0.298	J	0.276	ND
SPRSEA-5-S-20260513	B46915	0.348	J	0.555		0.275	ND	0.275	ND	0.275	ND
SPRSEA-6-S-20260513	B35656	0.240	J	0.444	J	0.275	ND	0.275	ND	0.275	ND
SPRSEA-6-D-20260513	B52691	0.278	J	0.394	J	0.275	ND	0.275	ND	0.275	ND
SPRSEA-6-B-20260513	C70152	0.189	ND	0.243	ND	0.275	ND	0.275	ND	0.275	ND
SPRSEA-7-S-20260513	C68567	0.229	J	0.395	J	0.275	ND	0.275	ND	0.275	ND
SPRSEA-8-S-20260513	C43729	0.237	J	0.460	J	0.275	ND	0.275	ND	0.275	ND
SPRSEA-9-S-20260513	C57131	0.403	J	1.30		0.275	ND	0.729		0.275	ND
SPRSEA-10-S-20260513	C53558	1.22		4.60		0.674		2.24		0.883	
SPRSEA-11-S-20260513	B12199	0.941		3.03		0.437	J	1.39		0.468	J
SPRSEA-12-S-20260513	C35862	0.672		2.23		0.330	J	1.12		0.360	J
SPRSEA-12-D-20260513	C57654	0.622		2.12		0.342	J	0.972		0.366	J
SPRSEA-12-B-20260513	C71674	0.189	ND	0.243	ND	0.275	ND	0.275	ND	0.275	ND

Fe: Field Error. See report narrative for details
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260513	C34192	0.320	0.100	4.23	59.2	0.659	20082	0.189	0.455	0.0592	0.143	J	V2602496.D	2026-05-28 16:59	0.987	8.153	38142	857507	93.9	8.100	-9.3%
SPRSEA-2-S-20260513	C55456	0.323	0.101	4.28	59.2	0.659	20086	0.189	0.455	0.0592	0.143	J	V2602497.D	2026-05-28 17:40	0.987	8.159	38564	857103	93.9	8.100	-9.4%
SPRSEA-3-S-20260513	C71490	0.450	0.141	5.95	59.2	0.659	20083	0.189	0.455	0.0592	0.143	J,Fe	V2602498.D	2026-05-28 18:22	0.987	8.153	54712	874226	93.9	8.100	-7.6%
SPRSEA-4-S-20260513	C00707	0.350	0.110	4.62	59.2	0.659	20055	0.189	0.456	0.0593	0.143	J	V2602499.D	2026-05-28 19:03	0.987	8.153	40884	842069	93.9	8.100	-11.0%
SPRSEA-5-S-20260513	B46915	0.348	0.109	4.60	59.2	0.659	20089	0.189	0.455	0.0592	0.143	J	V2602500.D	2026-05-28 19:44	0.987	8.153	41442	856862	93.9	8.100	-9.4%
SPRSEA-6-S-20260513	B35656	0.240	0.0750	3.17	59.2	0.659	20089	0.189	0.455	0.0592	0.143	J	V2602501.D	2026-05-28 20:25	0.987	8.159	27805	834279	93.9	8.100	-11.8%
SPRSEA-6-D-20260513	B52691	0.278	0.0872	3.68	59.2	0.659	20089	0.189	0.455	0.0592	0.143	J	V2602502.D	2026-05-28 21:06	0.987	8.159	33482	864966	93.9	8.094	-8.5%
SPRSEA-6-B-20260513	C70152	0.189	0.0592		59.2	0.659	20089	0.189	0.455	0.0592	0.143	ND	V2602495.D	2026-05-28 16:18	0.987	8.159	5496	865456	93.9	8.106	-8.5%
SPRSEA-7-S-20260513	C68567	0.229	0.0717	3.03	59.2	0.659	20091	0.189	0.455	0.0592	0.143	J	V2602503.D	2026-05-28 21:47	0.987	8.159	26656	837464	93.9	8.094	-11.4%
SPRSEA-8-S-20260513	C43729	0.237	0.0743	3.14	59.2	0.659	20092	0.189	0.455	0.0592	0.142	J	V2602504.D	2026-05-28 22:28	0.987	8.159	28654	868318	93.9	8.094	-8.2%
SPRSEA-9-S-20260513	C57131	0.403	0.126	5.34	59.2	0.659	20095	0.189	0.455	0.0591	0.142	J	V2602506.D	2026-05-28 23:50	0.987	8.147	49396	880630	93.9	8.094	-6.9%
SPRSEA-10-S-20260513	C53558	1.22	0.381	16.1	59.2	0.659	20096	0.189	0.455	0.0591	0.142		V2602507.D	2026-05-29 00:32	0.987	8.147	141313	834156	93.9	8.094	-11.8%
SPRSEA-11-S-20260513	B12199	0.941	0.295	12.5	59.2	0.659	20083	0.189	0.455	0.0592	0.143		V2602508.D	2026-05-29 01:13	0.987	8.159	115063	879187	93.9	8.100	-7.0%
SPRSEA-12-S-20260513	C35862	0.672	0.210	8.89	59.2	0.659	20083	0.189	0.455	0.0592	0.143		V2602509.D	2026-05-29 01:54	0.987	8.153	80974	866451	93.9	8.088	-8.4%
SPRSEA-12-D-20260513	C57654	0.622	0.195	8.23	59.2	0.659	20083	0.189	0.455	0.0592	0.143		V2602510.D	2026-05-29 02:35	0.987	8.147	77064	890456	93.9	8.094	-5.8%
SPRSEA-12-B-20260513	C71674	0.189	0.0592		59.2	0.659	20083	0.189	0.455	0.0592	0.143	ND	V2602511.D	2026-05-29 03:16	0.987	8.141	13777	875933	93.9	8.087	-7.4%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260513	C34192	0.724	0.192	7.44	59.2	0.511	20082	0.243	0.515	0.0646	0.137		V2602496.D	2026-05-28 16:59	1.238	10.830	70389	841361	110.1	10.735	-7.8%
SPRSEA-2-S-20260513	C55456	0.659	0.175	6.77	59.2	0.511	20086	0.243	0.515	0.0646	0.137		V2602497.D	2026-05-28 17:40	1.238	10.824	64374	845973	110.1	10.729	-7.3%
SPRSEA-3-S-20260513	C71490	1.07	0.284	11.0	59.2	0.511	20083	0.243	0.515	0.0646	0.137	Fe	V2602498.D	2026-05-28 18:22	1.238	10.830	101492	821813	110.1	10.735	-9.9%
SPRSEA-4-S-20260513	C00707	0.741	0.197	7.60	59.2	0.511	20055	0.244	0.516	0.0647	0.137		V2602499.D	2026-05-28 19:03	1.238	10.824	71965	841845	110.1	10.735	-7.7%
SPRSEA-5-S-20260513	B46915	0.555	0.147	5.71	59.2	0.511	20089	0.243	0.515	0.0646	0.137		V2602500.D	2026-05-28 19:44	1.238	10.824	53422	832557	110.1	10.735	-8.7%
SPRSEA-6-S-20260513	B35656	0.444	0.118	4.56	59.2	0.511	20089	0.243	0.515	0.0646	0.137	J	V2602501.D	2026-05-28 20:25	1.238	10.824	42545	830309	110.1	10.729	-9.0%
SPRSEA-6-D-20260513	B52691	0.394	0.105	4.05	59.2	0.511	20089	0.243	0.515	0.0646	0.137	J	V2602502.D	2026-05-28 21:06	1.238	10.818	37734	828144	110.1	10.723	-9.2%
SPRSEA-6-B-20260513	C70152	0.243	0.0646		59.2	0.511	20089	0.243	0.515	0.0646	0.137	ND	V2602495.D	2026-05-28 16:18	1.238	10.824	6077	836146	110.1	10.735	-8.3%
SPRSEA-7-S-20260513	C68567	0.395	0.105	4.06	59.2	0.511	20091	0.243	0.515	0.0646	0.137	J	V2602503.D	2026-05-28 21:47	1.238	10.824	37494	820883	110.1	10.723	-10.0%
SPRSEA-8-S-20260513	C43729	0.460	0.122	4.73	59.2	0.511	20092	0.243	0.515	0.0646	0.137	J	V2602504.D	2026-05-28 22:28	1.238	10.824	45763	860404	110.1	10.729	-5.7%
SPRSEA-9-S-20260513	C57131	1.30	0.345	13.3	59.2	0.511	20095	0.243	0.515	0.0646	0.137		V2602506.D	2026-05-28 23:50	1.238	10.818	128131	854218	110.1	10.723	-6.4%
SPRSEA-10-S-20260513	C53558	4.60	1.22	47.3	59.2	0.511	20096	0.243	0.515	0.0646	0.137		V2602507.D	2026-05-29 00:32	1.238	10.818	459962	865226	110.1	10.729	-5.2%
SPRSEA-11-S-20260513	B12199	3.03	0.805	31.1	59.2	0.511	20083	0.243	0.515	0.0646	0.137		V2602508.D	2026-05-29 01:13	1.238	10.818	297244	849065	110.1	10.723	-6.9%
SPRSEA-12-S-20260513	C35862	2.23	0.593	22.9	59.2	0.511	20083	0.243	0.515	0.0646	0.137		V2602509.D	2026-05-29 01:54	1.238	10.818	216809	840102	110.1	10.723	-7.9%
SPRSEA-12-D-20260513	C57654	2.12	0.564	21.8	59.2	0.511	20083	0.243	0.515	0.0646	0.137		V2602510.D	2026-05-29 02:35	1.238	10.818	211238	860904	110.1	10.723	-5.6%
SPRSEA-12-B-20260513	C71674	0.243	0.0646		59.2	0.511	20083	0.243	0.515	0.0646	0.137	ND	V2602511.D	2026-05-29 03:16	1.238	10.818	10117	866148	110.1	10.723	-5.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260513	C34192	0.275	0.0634		59.2	0.452	20082	0.275	0.605	0.0634	0.139	ND	V2602496.D	2026-05-28 16:59	1.341	12.979	10229	841361	110.1	10.735	-7.8%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260513	C55456	0.275	0.0634		59.2	0.452	20086	0.275	0.605	0.0634	0.139	ND	V2602497.D	2026-05-28 17:40	1.341	12.979	8341	845973	110.1	10.729	-7.3%
SPRSEA-3-S-20260513	C71490	0.275	0.0634		59.2	0.452	20083	0.275	0.605	0.0634	0.139	ND,Fe	V2602498.D	2026-05-28 18:22	1.341	12.985	13426	821813	110.1	10.735	-9.9%
SPRSEA-4-S-20260513	C00707	0.276	0.0635		59.2	0.452	20055	0.276	0.606	0.0635	0.140	ND	V2602499.D	2026-05-28 19:03	1.341	12.985	9896	841845	110.1	10.735	-7.7%
SPRSEA-5-S-20260513	B46915	0.275	0.0634		59.2	0.452	20089	0.275	0.605	0.0634	0.139	ND	V2602500.D	2026-05-28 19:44	1.341	12.973	4606	832557	110.1	10.735	-8.7%
SPRSEA-6-S-20260513	B35656	0.275	0.0634		59.2	0.452	20089	0.275	0.605	0.0634	0.139	ND	V2602501.D	2026-05-28 20:25	1.341	12.979	5967	830309	110.1	10.729	-9.0%
SPRSEA-6-D-20260513	B52691	0.275	0.0634		59.2	0.452	20089	0.275	0.605	0.0634	0.139	ND	V2602502.D	2026-05-28 21:06	1.341	12.979	5124	828144	110.1	10.723	-9.2%
SPRSEA-6-B-20260513	C70152	0.275	0.0634		59.2	0.452	20089	0.275	0.605	0.0634	0.139	ND	V2602495.D	2026-05-28 16:18	1.341	12.984	1489	836146	110.1	10.735	-8.3%
SPRSEA-7-S-20260513	C68567	0.275	0.0634		59.2	0.452	20091	0.275	0.605	0.0634	0.139	ND	V2602503.D	2026-05-28 21:47	1.341	12.979	5157	820883	110.1	10.723	-10.0%
SPRSEA-8-S-20260513	C43729	0.275	0.0634		59.2	0.452	20092	0.275	0.605	0.0634	0.139	ND	V2602504.D	2026-05-28 22:28	1.341	12.972	3940	860404	110.1	10.729	-5.7%
SPRSEA-9-S-20260513	C57131	0.275	0.0634		59.2	0.452	20095	0.275	0.605	0.0634	0.139	ND	V2602506.D	2026-05-28 23:50	1.341	12.973	21860	854218	110.1	10.723	-6.4%
SPRSEA-10-S-20260513	C53558	0.674	0.155	6.13	59.2	0.452	20096	0.275	0.605	0.0634	0.139		V2602507.D	2026-05-29 00:32	1.341	12.967	64575	865226	110.1	10.729	-5.2%
SPRSEA-11-S-20260513	B12199	0.437	0.101	3.97	59.2	0.452	20083	0.275	0.605	0.0634	0.139	J	V2602508.D	2026-05-29 01:13	1.341	12.973	41084	849065	110.1	10.723	-6.9%
SPRSEA-12-S-20260513	C35862	0.330	0.0761	3.00	59.2	0.452	20083	0.275	0.605	0.0634	0.139	J	V2602509.D	2026-05-29 01:54	1.341	12.973	30671	840102	110.1	10.723	-7.9%
SPRSEA-12-D-20260513	C57654	0.342	0.0788	3.11	59.2	0.452	20083	0.275	0.605	0.0634	0.139	J	V2602510.D	2026-05-29 02:35	1.341	12.967	32577	860904	110.1	10.723	-5.6%
SPRSEA-12-B-20260513	C71674	0.275	0.0634		59.2	0.452	20083	0.275	0.605	0.0634	0.139	ND	V2602511.D	2026-05-29 03:16	1.341	12.966	783	866148	110.1	10.723	-5.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260513	C34192	0.294	0.0678	2.67	59.2	0.452	20082	0.275	0.678	0.0634	0.156	J	V2602496.D	2026-05-28 16:59	0.993	13.157	20276	841361	110.1	10.735	-7.8%
SPRSEA-2-S-20260513	C55456	0.325	0.0749	2.95	59.2	0.452	20086	0.275	0.678	0.0634	0.156	J	V2602497.D	2026-05-28 17:40	0.993	13.163	22524	845973	110.1	10.729	-7.3%
SPRSEA-3-S-20260513	C71490	0.603	0.139	5.47	59.2	0.452	20083	0.275	0.678	0.0634	0.156	J,Fe	V2602498.D	2026-05-28 18:22	0.993	13.163	40561	821813	110.1	10.735	-9.9%
SPRSEA-4-S-20260513	C00707	0.298	0.0688	2.71	59.2	0.452	20055	0.276	0.679	0.0635	0.157	J	V2602499.D	2026-05-28 19:03	0.993	13.157	20547	841845	110.1	10.735	-7.7%
SPRSEA-5-S-20260513	B46915	0.275	0.0634		59.2	0.452	20089	0.275	0.678	0.0634	0.156	ND	V2602500.D	2026-05-28 19:44	0.993	13.151	10263	832557	110.1	10.735	-8.7%
SPRSEA-6-S-20260513	B35656	0.275	0.0634		59.2	0.452	20089	0.275	0.678	0.0634	0.156	ND	V2602501.D	2026-05-28 20:25	0.993	13.157	11084	830309	110.1	10.729	-9.0%
SPRSEA-6-D-20260513	B52691	0.275	0.0634		59.2	0.452	20089	0.275	0.678	0.0634	0.156	ND	V2602502.D	2026-05-28 21:06	0.993	13.157	6607	828144	110.1	10.723	-9.2%
SPRSEA-6-B-20260513	C70152	0.275	0.0634		59.2	0.452	20089	0.275	0.678	0.0634	0.156	ND	V2602495.D	2026-05-28 16:18	0.993	13.151	1521	836146	110.1	10.735	-8.3%
SPRSEA-7-S-20260513	C68567	0.275	0.0634		59.2	0.452	20091	0.275	0.678	0.0634	0.156	ND	V2602503.D	2026-05-28 21:47	0.993	13.151	12266	820883	110.1	10.723	-10.0%
SPRSEA-8-S-20260513	C43729	0.275	0.0634		59.2	0.452	20092	0.275	0.678	0.0634	0.156	ND	V2602504.D	2026-05-28 22:28	0.993	13.145	12826	860404	110.1	10.729	-5.7%
SPRSEA-9-S-20260513	C57131	0.729	0.168	6.62	59.2	0.452	20095	0.275	0.678	0.0634	0.156		V2602506.D	2026-05-28 23:50	0.993	13.151	50996	854218	110.1	10.723	-6.4%
SPRSEA-10-S-20260513	C53558	2.24	0.515	20.3	59.2	0.452	20096	0.275	0.678	0.0634	0.156		V2602507.D	2026-05-29 00:32	0.993	13.145	158569	865226	110.1	10.729	-5.2%
SPRSEA-11-S-20260513	B12199	1.39	0.321	12.7	59.2	0.452	20083	0.275	0.678	0.0634	0.156		V2602508.D	2026-05-29 01:13	0.993	13.145	96995	849065	110.1	10.723	-6.9%
SPRSEA-12-S-20260513	C35862	1.12	0.257	10.1	59.2	0.452	20083	0.275	0.678	0.0634	0.156		V2602509.D	2026-05-29 01:54	0.993	13.151	76841	840102	110.1	10.723	-7.9%
SPRSEA-12-D-20260513	C57654	0.972	0.224	8.83	59.2	0.452	20083	0.275	0.678	0.0634	0.156		V2602510.D	2026-05-29 02:35	0.993	13.145	68543	860904	110.1	10.723	-5.6%
SPRSEA-12-B-20260513	C71674	0.275	0.0634		59.2	0.452	20083	0.275	0.678	0.0634	0.156	ND	V2602511.D	2026-05-29 03:16	0.993	13.162	1791	866148	110.1	10.723	-5.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260513	C34192	0.275	0.0634		59.2	0.452	20082	0.275	0.631	0.0634	0.145	ND	V2602496.D	2026-05-28 16:59	1.081	13.649	8218	841361	110.1	10.735	-7.8%
SPRSEA-2-S-20260513	C55456	0.275	0.0634		59.2	0.452	20086	0.275	0.631	0.0634	0.145	ND	V2602497.D	2026-05-28 17:40	1.081	13.649	9094	845973	110.1	10.729	-7.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260513	C71490	0.275	0.0634		59.2	0.452	20083	0.275	0.631	0.0634	0.145	ND,Fe	V2602498.D	2026-05-28 18:22	1.081	13.649	17279	821813	110.1	10.735	-9.9%
SPRSEA-4-S-20260513	C00707	0.276	0.0635		59.2	0.452	20055	0.276	0.632	0.0635	0.146	ND	V2602499.D	2026-05-28 19:03	1.081	13.655	7904	841845	110.1	10.735	-7.7%
SPRSEA-5-S-20260513	B46915	0.275	0.0634		59.2	0.452	20089	0.275	0.631	0.0634	0.145	ND	V2602500.D	2026-05-28 19:44	1.081	13.643	3790	832557	110.1	10.735	-8.7%
SPRSEA-6-S-20260513	B35656	0.275	0.0634		59.2	0.452	20089	0.275	0.631	0.0634	0.145	ND	V2602501.D	2026-05-28 20:25	1.081	13.643	3577	830309	110.1	10.729	-9.0%
SPRSEA-6-D-20260513	B52691	0.275	0.0634		59.2	0.452	20089	0.275	0.631	0.0634	0.145	ND	V2602502.D	2026-05-28 21:06	1.081	13.655	3320	828144	110.1	10.723	-9.2%
SPRSEA-6-B-20260513	C70152	0.275	0.0634		59.2	0.452	20089	0.275	0.631	0.0634	0.145	ND	V2602495.D	2026-05-28 16:18	1.081	13.637	1718	836146	110.1	10.735	-8.3%
SPRSEA-7-S-20260513	C68567	0.275	0.0634		59.2	0.452	20091	0.275	0.630	0.0634	0.145	ND	V2602503.D	2026-05-28 21:47	1.081	13.649	5772	820883	110.1	10.723	-10.0%
SPRSEA-8-S-20260513	C43729	0.275	0.0634		59.2	0.452	20092	0.275	0.630	0.0634	0.145	ND	V2602504.D	2026-05-28 22:28	1.081	13.643	5228	860404	110.1	10.729	-5.7%
SPRSEA-9-S-20260513	C57131	0.275	0.0634		59.2	0.452	20095	0.275	0.630	0.0634	0.145	ND	V2602506.D	2026-05-28 23:50	1.081	13.643	20365	854218	110.1	10.723	-6.4%
SPRSEA-10-S-20260513	C53558	0.883	0.203	8.02	59.2	0.452	20096	0.275	0.630	0.0634	0.145		V2602507.D	2026-05-29 00:32	1.081	13.643	68143	865226	110.1	10.729	-5.2%
SPRSEA-11-S-20260513	B12199	0.468	0.108	4.25	59.2	0.452	20083	0.275	0.631	0.0634	0.145	J	V2602508.D	2026-05-29 01:13	1.081	13.643	35430	849065	110.1	10.723	-6.9%
SPRSEA-12-S-20260513	C35862	0.360	0.0829	3.27	59.2	0.452	20083	0.275	0.631	0.0634	0.145	J	V2602509.D	2026-05-29 01:54	1.081	13.643	26963	840102	110.1	10.723	-7.9%
SPRSEA-12-D-20260513	C57654	0.366	0.0842	3.32	59.2	0.452	20083	0.275	0.631	0.0634	0.145	J	V2602510.D	2026-05-29 02:35	1.081	13.643	28065	860904	110.1	10.723	-5.6%
SPRSEA-12-B-20260513	C71674	0.275	0.0634		59.2	0.452	20083	0.275	0.631	0.0634	0.145	ND	V2602511.D	2026-05-29 03:16	1.081	13.649	1376	866148	110.1	10.723	-5.1%

Fe: Field Error. See report narrative for details
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260513	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260513	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260513	15%	Pass	12%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260513	7.7%	Pass	5.0%	Pass	3.6%	Pass	14%	Pass	1.6%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	V2602493.D	C71695	Cal	0.987	0.915	0.987	7.9%	-5.0%		Pass	
2026GC205 Method Blank-1	V2602494.D	C71480	Blank		0.915	0.987			-6.9%	Pass	ND
M325B CCV 5	V2602505.D	C43362	Check	0.980	0.915	0.987	7.1%		-5.9%	Pass	
M325B CCV 5	V2602512.D	C59987	Check	1.014	0.915	0.987	11%		-7.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	V2602493.D	C71695	Cal	1.238	1.151	1.238	7.6%	-8.0%		Pass	
2026GC205 Method Blank-1	V2602494.D	C71480	Blank		1.151	1.238			-4.3%	Pass	ND
M325B CCV 5	V2602505.D	C43362	Check	1.198	1.151	1.238	4.1%		-4.7%	Pass	
M325B CCV 5	V2602512.D	C59987	Check	1.191	1.151	1.238	3.5%		-1.8%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	V2602493.D	C71695	Cal	1.341	1.226	1.341	9.3%	-8.0%		Pass	
2026GC205 Method Blank-1	V2602494.D	C71480	Blank		1.226	1.341			-4.3%	Pass	ND
M325B CCV 5	V2602505.D	C43362	Check	1.270	1.226	1.341	3.6%		-4.7%	Pass	
M325B CCV 5	V2602512.D	C59987	Check	1.294	1.226	1.341	5.5%		-1.8%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	V2602493.D	C71695	Cal	0.993	0.997	0.993	-0.46%	-8.0%		Pass	
2026GC205 Method Blank-1	V2602494.D	C71480	Blank		0.997	0.993			-4.3%	Pass	ND
M325B CCV 5	V2602505.D	C43362	Check	0.994	0.997	0.993	-0.31%		-4.7%	Pass	
M325B CCV 5	V2602512.D	C59987	Check	0.985	0.997	0.993	-1.2%		-1.8%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	V2602493.D	C71695	Cal	1.081	1.035	1.081	4.4%	-8.0%		Pass	
2026GC205 Method Blank-1	V2602494.D	C71480	Blank		1.035	1.081			-4.3%	Pass	ND
M325B CCV 5	V2602505.D	C43362	Check	1.066	1.035	1.081	2.9%		-4.7%	Pass	
M325B CCV 5	V2602512.D	C59987	Check	1.044	1.035	1.081	0.81%		-1.8%	Pass	

Chromatograms


Name	2026GC205 Method Blank-1
Comment	C71480
Data File	V2602494.D
Acq. Date-Time	5/28/2026 3:37:19 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	880,312	
Benzene	Benzene-d6 (IS)	8.159	8.135	13,679	
Toluene-d8 (IS)		10.729	10.711	872,792	
Toluene	Toluene-d8 (IS)	10.836	10.806	9,677	
Ethylbenzene	Toluene-d8 (IS)	12.985	12.961	2,901	
m-/p-Xylenes	Toluene-d8 (IS)	13.157	13.157	2,745	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	2,299	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602494.D
Counts
x10^3
* 13.649 min.
2
1.5
1
0.5
0
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.628-13.679 min, 9 scans) V2602494.D
Counts
x10^3
Lib Match Score=46.0
91.1
41.1
54.2
67.2
81.0
95.1
106.0
114.9
125.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260513
Comment	C70152
Data File	V2602495.D
Acq. Date-Time	5/28/2026 4:18:42 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.106	8.082	865,456	
Benzene	Benzene-d6 (IS)	8.159	8.135	5,496	m
Toluene-d8 (IS)		10.735	10.711	836,146	
Toluene	Toluene-d8 (IS)	10.824	10.806	6,077	
Ethylbenzene	Toluene-d8 (IS)	12.984	12.961	1,489	m
m-/p-Xylenes	Toluene-d8 (IS)	13.151	13.157	1,521	
o-Xylene	Toluene-d8 (IS)	13.637	13.632	1,718	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602495.D
Counts
x10^3
1.2
1
0.8
0.6
0.4
0.2
0
* 13.637 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.614-13.679 min, 10 scans) V2602495.D
Lib Match Score=43.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
82.2
91.0
98.2
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260513
Comment	C34192
Data File	V2602496.D
Acq. Date-Time	5/28/2026 4:59:49 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	857,507	
Benzene	Benzene-d6 (IS)	8.153	8.135	38,142	
Toluene-d8 (IS)		10.735	10.711	841,361	
Toluene	Toluene-d8 (IS)	10.830	10.806	70,389	
Ethylbenzene	Toluene-d8 (IS)	12.979	12.961	10,229	
m-/p-Xylenes	Toluene-d8 (IS)	13.157	13.157	20,276	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	8,218	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602496.D
Counts
x10^3
13.649 min.
Acquisition Time (min)


+ Scan (13.614-13.697 min, 15 scans) V2602496.D
Lib Match Score=54.3
Counts
x10^3
91.1
106.2
39.2
55.1
67.1
79.1
115.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260513
Comment	C55456
Data File	V2602497.D
Acq. Date-Time	5/28/2026 5:40:53 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	857,103	
Benzene	Benzene-d6 (IS)	8.159	8.135	38,564	
Toluene-d8 (IS)		10.729	10.711	845,973	
Toluene	Toluene-d8 (IS)	10.824	10.806	64,374	
Ethylbenzene	Toluene-d8 (IS)	12.979	12.961	8,341	
m-/p-Xylenes	Toluene-d8 (IS)	13.163	13.157	22,524	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	9,094	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602497.D
Counts
x10^3
13.649 min.
Acquisition Time (min)


+ Scan (13.624-13.735 min, 19 scans) V2602497.D
Lib Match Score=54.6
Counts
x10^3
91.1
106.2
41.1
55.1
67.1
77.1
98.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260513
Comment	C71490
Data File	V2602498.D
Acq. Date-Time	5/28/2026 6:22:13 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	874,226	
Benzene	Benzene-d6 (IS)	8.153	8.135	54,712	
Toluene-d8 (IS)		10.735	10.711	821,813	
Toluene	Toluene-d8 (IS)	10.830	10.806	101,492	
Ethylbenzene	Toluene-d8 (IS)	12.985	12.961	13,426	
m-/p-Xylenes	Toluene-d8 (IS)	13.163	13.157	40,561	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	17,279	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602498.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.649 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.626-13.755 min, 22 scans) V2602498.D
Counts
x10^3
Lib Match Score=61.5
1
0.5
0
-0.5
-1
-1.5
91.1
106.2
41.0
55.1
67.1
77.1
100.0
111.3
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260513
Comment	C00707
Data File	V2602499.D
Acq. Date-Time	5/28/2026 7:03:19 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	842,069	
Benzene	Benzene-d6 (IS)	8.153	8.135	40,884	
Toluene-d8 (IS)		10.735	10.711	841,845	
Toluene	Toluene-d8 (IS)	10.824	10.806	71,965	
Ethylbenzene	Toluene-d8 (IS)	12.985	12.961	9,896	
m-/p-Xylenes	Toluene-d8 (IS)	13.157	13.157	20,547	
o-Xylene	Toluene-d8 (IS)	13.655	13.632	7,904	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602499.D
Counts
x10^3
6
5
4
3
2
1
0
13.655 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.622-13.685 min, 10 scans) V2602499.D
Lib Match Score=55.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
43.0
56.0
65.1
78.2
98.2
106.0
121.3
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260513
Comment	B46915
Data File	V2602500.D
Acq. Date-Time	5/28/2026 7:44:23 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	856,862	
Benzene	Benzene-d6 (IS)	8.153	8.135	41,442	
Toluene-d8 (IS)		10.735	10.711	832,557	
Toluene	Toluene-d8 (IS)	10.824	10.806	53,422	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.961	4,606	
m-/p-Xylenes	Toluene-d8 (IS)	13.151	13.157	10,263	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	3,790	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602500.D
Counts
x10^3
4
3
2
1
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.626-13.679 min, 9 scans) V2602500.D
Lib Match Score=51.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
51.1
67.1
78.1
106.0
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260513
Comment	B35656
Data File	V2602501.D
Acq. Date-Time	5/28/2026 8:25:29 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	834,279	
Benzene	Benzene-d6 (IS)	8.159	8.135	27,805	
Toluene-d8 (IS)		10.729	10.711	830,309	
Toluene	Toluene-d8 (IS)	10.824	10.806	42,545	
Ethylbenzene	Toluene-d8 (IS)	12.979	12.961	5,967	m
m-/p-Xylenes	Toluene-d8 (IS)	13.157	13.157	11,084	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	3,577	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602501.D
Counts
x10^3
3.5
3
2.5
2
1.5
1
0.5
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.627-13.679 min, 9 scans) V2602501.D
Lib Match Score=49.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
106.2
39.2
55.2
67.1
79.2
98.2
115.2
123.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260513
Comment	B52691
Data File	V2602502.D
Acq. Date-Time	5/28/2026 9:06:33 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	864,966	
Benzene	Benzene-d6 (IS)	8.159	8.135	33,482	
Toluene-d8 (IS)		10.723	10.711	828,144	
Toluene	Toluene-d8 (IS)	10.818	10.806	37,734	
Ethylbenzene	Toluene-d8 (IS)	12.979	12.961	5,124	
m-/p-Xylenes	Toluene-d8 (IS)	13.157	13.157	6,607	
o-Xylene	Toluene-d8 (IS)	13.655	13.632	3,320	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602502.D
Counts
x10^3
2.5
2
1.5
1
0.5
0
13.655 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.620-13.689 min, 11 scans) V2602502.D
Counts
x10^3
Lib Match Score=47.7
1
0.5
0
-0.5
-1
-1.5
91.1
39.0
51.0
67.2
81.0
106.0
115.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260513
Comment	C68567
Data File	V2602503.D
Acq. Date-Time	5/28/2026 9:47:40 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	837,464	
Benzene	Benzene-d6 (IS)	8.159	8.135	26,656	
Toluene-d8 (IS)		10.723	10.711	820,883	
Toluene	Toluene-d8 (IS)	10.824	10.806	37,494	
Ethylbenzene	Toluene-d8 (IS)	12.979	12.961	5,157	
m-/p-Xylenes	Toluene-d8 (IS)	13.151	13.157	12,266	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	5,772	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602503.D
Counts
x10^3
4
3
2
1
0
13.649 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.614-13.703 min, 15 scans) V2602503.D
Lib Match Score=49.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
43.1
55.1
67.1
79.2
95.0
106.1
120.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260513
Comment	C43729
Data File	V2602504.D
Acq. Date-Time	5/28/2026 10:28:43 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	868,318	
Benzene	Benzene-d6 (IS)	8.159	8.135	28,654	
Toluene-d8 (IS)		10.729	10.711	860,404	
Toluene	Toluene-d8 (IS)	10.824	10.806	45,763	
Ethylbenzene	Toluene-d8 (IS)	12.972	12.961	3,940	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.157	12,826	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	5,228	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602504.D
Counts
x10^3
13.643 min.
Acquisition Time (min)


+ Scan (13.620-13.690 min, 11 scans) V2602504.D
Lib Match Score=50.9
Counts
x10^3
91.1
41.1
55.2
67.0
77.0
98.2
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260513
Comment	C57131
Data File	V2602506.D
Acq. Date-Time	5/28/2026 11:50:58 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	880,630	
Benzene	Benzene-d6 (IS)	8.147	8.135	49,396	
Toluene-d8 (IS)		10.723	10.711	854,218	
Toluene	Toluene-d8 (IS)	10.818	10.806	128,131	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.961	21,860	
m-/p-Xylenes	Toluene-d8 (IS)	13.151	13.157	50,996	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	20,365	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602506.D
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.609-13.697 min, 14 scans) V2602506.D
Counts
x10^3
Lib Match Score=65.9
1
0.5
0
-0.5
-1
-1.5
91.1
106.2
111.2
39.0
51.1
65.2
79.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260513
Comment	C53558
Data File	V2602507.D
Acq. Date-Time	5/29/2026 12:32:04 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	834,156	
Benzene	Benzene-d6 (IS)	8.147	8.135	141,313	
Toluene-d8 (IS)		10.729	10.711	865,226	
Toluene	Toluene-d8 (IS)	10.818	10.806	459,962	
Ethylbenzene	Toluene-d8 (IS)	12.967	12.961	64,575	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.157	158,569	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	68,143	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602507.D
Counts
x10^4
5
4
3
2
1
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.608-13.748 min, 23 scans) V2602507.D
Lib Match Score=76.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
106.2
39.1
51.1
65.1
77.1
97.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260513
Comment	B12199
Data File	V2602508.D
Acq. Date-Time	5/29/2026 1:13:18 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.100	8.082	879,187	
Benzene	Benzene-d6 (IS)	8.159	8.135	115,063	
Toluene-d8 (IS)		10.723	10.711	849,065	
Toluene	Toluene-d8 (IS)	10.818	10.806	297,244	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.961	41,084	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.157	96,995	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	35,430	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602508.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.606-13.750 min, 25 scans) V2602508.D
Lib Match Score=68.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.2
106.2
39.1
55.1
69.1
77.1
98.2
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260513
Comment	C35862
Data File	V2602509.D
Acq. Date-Time	5/29/2026 1:54:23 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.088	8.082	866,451	
Benzene	Benzene-d6 (IS)	8.153	8.135	80,974	
Toluene-d8 (IS)		10.723	10.711	840,102	
Toluene	Toluene-d8 (IS)	10.818	10.806	216,809	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.961	30,671	
m-/p-Xylenes	Toluene-d8 (IS)	13.151	13.157	76,841	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	26,963	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602509.D
Counts
x10^4
2
1.5
1
0.5
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.605-13.719 min, 19 scans) V2602509.D
Lib Match Score=66.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
65.1
77.0
117.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260513
Comment	C57654
Data File	V2602510.D
Acq. Date-Time	5/29/2026 2:35:34 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.094	8.082	890,456	
Benzene	Benzene-d6 (IS)	8.147	8.135	77,064	
Toluene-d8 (IS)		10.723	10.711	860,904	
Toluene	Toluene-d8 (IS)	10.818	10.806	211,238	
Ethylbenzene	Toluene-d8 (IS)	12.967	12.961	32,577	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.157	68,543	
o-Xylene	Toluene-d8 (IS)	13.643	13.632	28,065	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan V2602510.D
Counts
x10^4
2
1.5
1
0.5
0
13.643 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.609-13.726 min, 20 scans) V2602510.D
Lib Match Score=67.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.2
39.0
56.1
65.0
79.1
98.2
117.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260513
Comment	C71674
Data File	V2602511.D
Acq. Date-Time	5/29/2026 3:16:38 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.087	8.082	875,933	
Benzene	Benzene-d6 (IS)	8.141	8.135	13,777	
Toluene-d8 (IS)		10.723	10.711	866,148	
Toluene	Toluene-d8 (IS)	10.818	10.806	10,117	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.961	783	
m-/p-Xylenes	Toluene-d8 (IS)	13.162	13.157	1,791	
o-Xylene	Toluene-d8 (IS)	13.649	13.632	1,376	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan V2602511.D
Counts
x10^3
* 13.649 min.
Acquisition Time (min)


+ Scan (13.621-13.679 min, 10 scans) V2602511.D
Lib Match Score=41.2
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
V051826A_CC185154	Benzene	1	V2602352.D	6.02	64376	93.9	1003955	1.000	0.093
V051826A_CC185154	Benzene	2	V2602353.D	12.04	125583	93.9	993799	0.985	0.077
V051826A_CC185154	Benzene	3	V2602354.D	24.09	206269	93.9	1008881	0.797	-0.13
V051826A_CC185154	Benzene	4	V2602355.D	48.18	412123	93.9	1004627	0.799	-0.13
V051826A_CC185154	Benzene	5	V2602356.D	120.44	1006336	93.9	964377	0.813	-0.11
V051826A_CC185154	Benzene	6	V2602357.D	240.88	2665132	93.9	988206	1.051	0.15
V051826A_CC185154	Benzene	7	V2602358.D	722.65	7412285	93.9	1003983	0.959	0.048
						Avg:	995404	0.915	
						%RSD:	1.6%	11.8%	
V051826A_CC185154	Toluene	1	V2602352.D	5.29	61572	110.1	1005940	1.274	0.11
V051826A_CC185154	Toluene	2	V2602353.D	10.58	135047	110.1	965064	1.457	0.27
V051826A_CC185154	Toluene	3	V2602354.D	21.16	195958	110.1	976347	1.045	-0.093
V051826A_CC185154	Toluene	4	V2602355.D	42.31	393572	110.1	966380	1.060	-0.079
V051826A_CC185154	Toluene	5	V2602356.D	105.78	888329	110.1	994304	0.930	-0.19
V051826A_CC185154	Toluene	6	V2602357.D	211.57	2357433	110.1	1017420	1.206	0.048
V051826A_CC185154	Toluene	7	V2602358.D	634.70	6354274	110.1	1014208	1.087	-0.056
						Avg:	991380	1.151	
						%RSD:	2.2%	15.2%	
V051826A_CC185154	Ethylbenzene	1	V2602352.D	5.50	61866	110.1	1005940	1.232	0.0047
V051826A_CC185154	Ethylbenzene	2	V2602353.D	10.99	133685	110.1	965064	1.387	0.13
V051826A_CC185154	Ethylbenzene	3	V2602354.D	21.99	221653	110.1	976347	1.137	-0.073
V051826A_CC185154	Ethylbenzene	4	V2602355.D	43.98	484017	110.1	966380	1.254	0.023
V051826A_CC185154	Ethylbenzene	5	V2602356.D	109.94	1054492	110.1	994304	1.062	-0.13
V051826A_CC185154	Ethylbenzene	6	V2602357.D	219.89	2650054	110.1	1017420	1.304	0.064
V051826A_CC185154	Ethylbenzene	7	V2602358.D	659.66	7327678	110.1	1014208	1.206	-0.016
						Avg:	991380	1.226	
						%RSD:	2.2%	8.7%	
V051826A_CC185154	m-/p-Xylenes	1	V2602352.D	6.16	56223	110.1	1005940	0.999	0.0016
V051826A_CC185154	m-/p-Xylenes	2	V2602353.D	12.32	119281	110.1	965064	1.105	0.11
V051826A_CC185154	m-/p-Xylenes	3	V2602354.D	24.64	204096	110.1	976347	0.934	-0.063
V051826A_CC185154	m-/p-Xylenes	4	V2602355.D	49.29	453340	110.1	966380	1.048	0.051
V051826A_CC185154	m-/p-Xylenes	5	V2602356.D	123.22	949446	110.1	994304	0.853	-0.14
V051826A_CC185154	m-/p-Xylenes	6	V2602357.D	246.43	2398123	110.1	1017420	1.053	0.056
V051826A_CC185154	m-/p-Xylenes	7	V2602358.D	739.29	6737026	110.1	1014208	0.989	-0.008
						Avg:	991380	0.997	
						%RSD:	2.2%	8.4%	
V051826A_CC185154	o-Xylene	1	V2602352.D	5.73	58363	110.1	1005940	1.115	0.077
V051826A_CC185154	o-Xylene	2	V2602353.D	11.46	112574	110.1	965064	1.121	0.083
V051826A_CC185154	o-Xylene	3	V2602354.D	22.92	203312	110.1	976347	1.000	-0.034

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC205-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
V051826A_CC185154	o-Xylene	4	V2602355.D	45.84	420071	110.1	966380	1.044	0.0086
V051826A_CC185154	o-Xylene	5	V2602356.D	114.59	925394	110.1	994304	0.894	-0.14
V051826A_CC185154	o-Xylene	6	V2602357.D	229.18	2294538	110.1	1017420	1.084	0.047
V051826A_CC185154	o-Xylene	7	V2602358.D	687.53	6263053	110.1	1014208	0.989	-0.045
						Avg:	991380	1.035	
						%RSD:	2.2%	7.8%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
V051826A_CC185154	Benzene	ICV	V2602359.D	179.69	1604067	93.9	998200	0.840	-8.2%
V051826A_CC185154	Toluene	ICV	V2602359.D	184.00	1706123	110.1	997605	1.023	-11.0%
V051826A_CC185154	Ethylbenzene	ICV	V2602359.D	181.93	1823575	110.1	997605	1.106	-9.8%
V051826A_CC185154	m-/p-Xylenes	ICV	V2602359.D	184.76	1395613	110.1	997605	0.834	-16.0%
V051826A_CC185154	o-Xylene	ICV	V2602359.D	185.11	1496089	110.1	997605	0.892	-14.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris™

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GC205 Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague Seasport	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	70 Trundy Road	**Project #:**	PROJ-027966	**Sample Event #:**	2026GC204
City:	Searsport	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04974	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C34192	S	5/13/26	12:52 PM	5/27/26	11:34 AM	LF/KV		
2	C55456	S	5/13/26	12:44 PM	5/27/26	11:30 AM	LF/KV		
3	C71490	S	5/13/26	12:40 PM	5/27/26	11:23 AM	LF/KV		
4	C00707	S	5/13/26	12:35 PM	5/27/26	10:50 AM	LF/KV		
5	B46915	S	5/13/26	12:30 PM	5/27/26	11:19 AM	LF/KV		
6	B35656	S	5/13/26	12:27 PM	5/27/26	11:16 AM	LF/KV		
6	B52691	D	5/13/26	12:27 PM	5/27/26	11:16 AM	LF/KV		
6	C70152	B	5/13/26	12:27 PM	5/27/26	11:16 AM	LF/KV		
7	C68567	S	5/13/26	12:20 PM	5/27/26	11:11 AM	LF/KV		
8	C43729	S	5/13/26	12:15 PM	5/27/26	11:07 AM	LF/KV		
9	C57131	S	5/13/26	12:10 PM	5/27/26	11:05 AM	LF/KV		
10	C53558	S	5/13/26	12:05 PM	5/27/26	11:01 AM	LF/KV		
11	B12199	S	5/13/26	1:02 PM	5/27/26	11:45 AM	LF/KV		
12	C35862	S	5/13/26	12:57 PM	5/27/26	11:40 AM	LF/KV		
12	C57654	D	5/13/26	12:57 PM	5/27/26	11:40 AM	LF/KV		
12	C71674	B	5/13/26	12:57 PM	5/27/26	11:40 AM	LF/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	5/27/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Ev Mauger		5/28/26	9:55 AM

Sample Condition Upon Receipt:	Compound List:	Custody Seal Intact? Y/N:	
good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 21.2 Fluke 4		**Custody Seal #:** 25E09183	

Comments:

Mesh/screen broken on Location 3 at arrival.

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is **expressly limited** to these terms and conditions

This Is The Last Page Of This Report.

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 48 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 6/11/2026

Analytical Report
2026GC206

EPA Method 325B Analysis

Report Issue Date: 6/22/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC206-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Onterris/Enthalpy on June 11, 2026 at 23.4 °C, which is above the method recommended 23.0 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260527	C55724	Sample
SPRSEA-2-S-20260527	C70050	Sample
SPRSEA-3-S-20260527	C39170	Sample
SPRSEA-4-S-20260527	B44248	Sample
SPRSEA-5-S-20260527	C59952	Sample
SPRSEA-6-S-20260527	C61524	Sample
SPRSEA-6-D-20260527	C71701	Duplicate
SPRSEA-6-B-20260527	C71605	Blank
SPRSEA-7-S-20260527	C70156	Sample
SPRSEA-8-S-20260527	C35856	Sample
SPRSEA-9-S-20260527	C33313	Sample
SPRSEA-10-S-20260527	C73618	Sample
SPRSEA-11-S-20260527	C33802	Sample
SPRSEA-12-S-20260527	C57553	Sample
SPRSEA-12-D-20260527	C32992	Duplicate
SPRSEA-12-B-20260527	C68601	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (K060926A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC206-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSEA-12-S-20260527 (tube ID C57553) and its corresponding duplicate SPRSEA-12-D-20260527 (tube ID C32992) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. All samples in the data set have been flagged “P” for m-/p-Xylenes to denote this failure.

The primary sample SPRSEA-12-S-20260527 (tube ID C57553) and its corresponding duplicate SPRSEA-12-D-20260527 (tube ID C32992) failed to meet the 30% difference criterion for o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument’s calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged “Pc” for o-Xylene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260527	C55724	0.330	J	0.978		0.273	ND	0.322	J,P	0.273	ND,Pc
SPRSEA-2-S-20260527	C70050	0.446	J	1.04		0.274	ND	0.427	J,P	0.274	ND,Pc
SPRSEA-3-S-20260527	C39170	0.398	J	1.14		0.274	ND	0.396	J,P	0.274	ND,Pc
SPRSEA-4-S-20260527	B44248	0.404	J	0.601		0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-5-S-20260527	C59952	0.255	J	0.624		0.274	ND	0.300	J,P	0.274	ND,Pc
SPRSEA-6-S-20260527	C61524	0.201	J	0.418	J	0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-6-D-20260527	C71701	0.258	J	0.342	J	0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-6-B-20260527	C71605	0.188	ND	0.242	ND	0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-7-S-20260527	C70156	0.207	J	0.338	J	0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-8-S-20260527	C35856	0.188	ND	0.309	J	0.274	ND	0.274	ND,P	0.274	ND,Pc
SPRSEA-9-S-20260527	C33313	0.275	J	0.755		0.274	ND	0.413	J,P	0.274	ND,Pc
SPRSEA-10-S-20260527	C73618	0.827		2.98		0.494	J	1.83	P	0.658	Pc
SPRSEA-11-S-20260527	C33802	1.33		5.29		0.805		2.47	P	0.947	Pc
SPRSEA-12-S-20260527	C57553	0.724		2.73		0.417	J	1.56	P	0.577	J,Pc
SPRSEA-12-D-20260527	C32992	0.726		2.64		0.412	J	1.00	P	0.352	J,Pc
SPRSEA-12-B-20260527	C68601	0.188	ND	0.242	ND	0.274	ND	0.274	ND,P	0.274	ND,Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260527	C55724	0.330	0.103	4.39	58.9	0.659	20215	0.188	0.452	0.0588	0.142	J	K2602203.D	2026-06-11 16:03	1.094	8.158	31263	350889	53.9	8.103	-2.5%
SPRSEA-2-S-20260527	C70050	0.446	0.140	5.93	58.9	0.659	20207	0.188	0.453	0.0588	0.142	J	K2602204.D	2026-06-11 16:31	1.094	8.165	41729	346670	53.9	8.103	-3.7%
SPRSEA-3-S-20260527	C39170	0.398	0.125	5.30	58.9	0.659	20209	0.188	0.452	0.0588	0.142	J	K2602205.D	2026-06-11 16:58	1.094	8.159	37722	350516	53.9	8.103	-2.6%
SPRSEA-4-S-20260527	B44248	0.404	0.126	5.37	58.9	0.659	20193	0.188	0.453	0.0589	0.142	J	K2602206.D	2026-06-11 17:26	1.094	8.159	38638	354678	53.9	8.104	-1.5%
SPRSEA-5-S-20260527	C59952	0.255	0.0799	3.40	58.9	0.659	20209	0.188	0.452	0.0588	0.142	J	K2602207.D	2026-06-11 17:53	1.094	8.165	24532	355990	53.9	8.104	-1.1%
SPRSEA-6-S-20260527	C61524	0.201	0.0630	2.68	58.9	0.659	20209	0.188	0.452	0.0588	0.142	J	K2602208.D	2026-06-11 18:21	1.094	8.159	18921	348398	53.9	8.104	-3.2%
SPRSEA-6-D-20260527	C71701	0.258	0.0809	3.44	58.9	0.659	20209	0.188	0.452	0.0588	0.142	J	K2602209.D	2026-06-11 18:49	1.094	8.165	24718	354350	53.9	8.104	-1.6%
SPRSEA-6-B-20260527	C71605	0.188	0.0588		58.9	0.659	20209	0.188	0.452	0.0588	0.142	ND	K2602202.D	2026-06-11 15:35	1.094	8.171	4649	348999	53.9	8.110	-3.1%
SPRSEA-7-S-20260527	C70156	0.207	0.0650	2.76	58.9	0.659	20205	0.188	0.453	0.0588	0.142	J	K2602210.D	2026-06-11 19:17	1.094	8.159	19313	344596	53.9	8.104	-4.3%
SPRSEA-8-S-20260527	C35856	0.188	0.0589		58.9	0.659	20198	0.188	0.453	0.0589	0.142	ND	K2602211.D	2026-06-11 19:45	1.094	8.159	14871	350013	53.9	8.104	-2.8%
SPRSEA-9-S-20260527	C33313	0.275	0.0863	3.66	58.9	0.659	20196	0.188	0.453	0.0589	0.142	J	K2602212.D	2026-06-11 20:12	1.094	8.159	25918	348594	53.9	8.104	-3.2%
SPRSEA-10-S-20260527	C73618	0.827	0.259	11.0	58.9	0.659	20196	0.188	0.453	0.0589	0.142		K2602214.D	2026-06-11 21:08	1.094	8.165	78350	350852	53.9	8.104	-2.5%
SPRSEA-11-S-20260527	C33802	1.33	0.417	17.7	58.9	0.659	20197	0.188	0.453	0.0589	0.142		K2602215.D	2026-06-11 21:36	1.094	8.165	123945	344843	53.9	8.104	-4.2%
SPRSEA-12-S-20260527	C57553	0.724	0.227	9.63	58.9	0.659	20214	0.188	0.452	0.0588	0.142		K2602216.D	2026-06-11 22:03	1.094	8.165	67115	343200	53.9	8.104	-4.7%
SPRSEA-12-D-20260527	C32992	0.726	0.227	9.66	58.9	0.659	20214	0.188	0.452	0.0588	0.142		K2602217.D	2026-06-11 22:31	1.094	8.165	66682	339979	53.9	8.103	-5.6%
SPRSEA-12-B-20260527	C68601	0.188	0.0588		58.9	0.659	20214	0.188	0.452	0.0588	0.142	ND	K2602218.D	2026-06-11 22:59	1.094	8.158	2060	344564	53.9	8.103	-4.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260527	C55724	0.978	0.260	10.1	58.9	0.511	20215	0.242	0.512	0.0642	0.136		K2602203.D	2026-06-11 16:03	1.312	10.881	78295	373970	63.3	10.783	-3.9%
SPRSEA-2-S-20260527	C70050	1.04	0.276	10.7	58.9	0.511	20207	0.242	0.512	0.0643	0.136		K2602204.D	2026-06-11 16:31	1.312	10.881	83428	375392	63.3	10.783	-3.5%
SPRSEA-3-S-20260527	C39170	1.14	0.303	11.8	58.9	0.511	20209	0.242	0.512	0.0643	0.136		K2602205.D	2026-06-11 16:58	1.312	10.875	93221	381022	63.3	10.783	-2.0%
SPRSEA-4-S-20260527	B44248	0.601	0.159	6.20	58.9	0.511	20193	0.242	0.512	0.0643	0.136		K2602206.D	2026-06-11 17:26	1.312	10.875	47592	370466	63.3	10.783	-4.8%
SPRSEA-5-S-20260527	C59952	0.624	0.166	6.45	58.9	0.511	20209	0.242	0.512	0.0643	0.136		K2602207.D	2026-06-11 17:53	1.312	10.875	50727	379679	63.3	10.783	-2.4%
SPRSEA-6-S-20260527	C61524	0.418	0.111	4.31	58.9	0.511	20209	0.242	0.512	0.0643	0.136	J	K2602208.D	2026-06-11 18:21	1.312	10.875	33792	377875	63.3	10.783	-2.9%
SPRSEA-6-D-20260527	C71701	0.342	0.0908	3.53	58.9	0.511	20209	0.242	0.512	0.0643	0.136	J	K2602209.D	2026-06-11 18:49	1.312	10.875	27630	377470	63.3	10.783	-3.0%
SPRSEA-6-B-20260527	C71605	0.242	0.0643		58.9	0.511	20209	0.242	0.512	0.0643	0.136	ND	K2602202.D	2026-06-11 15:35	1.312	10.887	3823	390312	63.3	10.783	0.3%
SPRSEA-7-S-20260527	C70156	0.338	0.0897	3.49	58.9	0.511	20205	0.242	0.512	0.0643	0.136	J	K2602210.D	2026-06-11 19:17	1.312	10.875	26886	371906	63.3	10.783	-4.4%
SPRSEA-8-S-20260527	C35856	0.309	0.0821	3.19	58.9	0.511	20198	0.242	0.512	0.0643	0.136	J	K2602211.D	2026-06-11 19:45	1.312	10.881	24598	372007	63.3	10.783	-4.4%
SPRSEA-9-S-20260527	C33313	0.755	0.200	7.79	58.9	0.511	20196	0.242	0.512	0.0643	0.136		K2602212.D	2026-06-11 20:12	1.312	10.875	60823	376676	63.3	10.783	-3.2%
SPRSEA-10-S-20260527	C73618	2.98	0.791	30.7	58.9	0.511	20196	0.242	0.512	0.0643	0.136		K2602214.D	2026-06-11 21:08	1.312	10.875	241090	378498	63.3	10.783	-2.7%
SPRSEA-11-S-20260527	C33802	5.29	1.41	54.7	58.9	0.511	20197	0.242	0.512	0.0643	0.136		K2602215.D	2026-06-11 21:36	1.312	10.875	420783	371483	63.3	10.783	-4.5%
SPRSEA-12-S-20260527	C57553	2.73	0.724	28.2	58.9	0.511	20214	0.242	0.512	0.0642	0.136		K2602216.D	2026-06-11 22:03	1.312	10.881	217307	372222	63.3	10.783	-4.3%
SPRSEA-12-D-20260527	C32992	2.64	0.702	27.3	58.9	0.511	20214	0.242	0.512	0.0642	0.136		K2602217.D	2026-06-11 22:31	1.312	10.881	209484	370267	63.3	10.783	-4.8%
SPRSEA-12-B-20260527	C68601	0.242	0.0642		58.9	0.511	20214	0.242	0.512	0.0642	0.136	ND	K2602218.D	2026-06-11 22:59	1.312	10.881	3403	374107	63.3	10.783	-3.8%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260527	C55724	0.273	0.0630		58.9	0.452	20215	0.273	0.601	0.0630	0.139	ND	K2602203.D	2026-06-11 16:03	1.386	13.053	9348	373970	63.3	10.783	-3.9%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260527	C70050	0.274	0.0631		58.9	0.452	20207	0.274	0.602	0.0631	0.139	ND	K2602204.D	2026-06-11 16:31	1.386	13.053	8391	375392	63.3	10.783	-3.5%
SPRSEA-3-S-20260527	C39170	0.274	0.0630		58.9	0.452	20209	0.274	0.602	0.0630	0.139	ND	K2602205.D	2026-06-11 16:58	1.386	13.053	13686	381022	63.3	10.783	-2.0%
SPRSEA-4-S-20260527	B44248	0.274	0.0631		58.9	0.452	20193	0.274	0.602	0.0631	0.139	ND	K2602206.D	2026-06-11 17:26	1.386	13.053	4158	370466	63.3	10.783	-4.8%
SPRSEA-5-S-20260527	C59952	0.274	0.0630		58.9	0.452	20209	0.274	0.602	0.0630	0.139	ND	K2602207.D	2026-06-11 17:53	1.386	13.053	7914	379679	63.3	10.783	-2.4%
SPRSEA-6-S-20260527	C61524	0.274	0.0630		58.9	0.452	20209	0.274	0.602	0.0630	0.139	ND	K2602208.D	2026-06-11 18:21	1.386	13.053	3735	377875	63.3	10.783	-2.9%
SPRSEA-6-D-20260527	C71701	0.274	0.0630		58.9	0.452	20209	0.274	0.602	0.0630	0.139	ND	K2602209.D	2026-06-11 18:49	1.386	13.059	2265	377470	63.3	10.783	-3.0%
SPRSEA-6-B-20260527	C71605	0.274	0.0630		58.9	0.452	20209	0.274	0.602	0.0630	0.139	ND	K2602202.D	2026-06-11 15:35	1.386	13.297	0	390312	63.3	10.783	0.3%
SPRSEA-7-S-20260527	C70156	0.274	0.0631		58.9	0.452	20205	0.274	0.602	0.0631	0.139	ND	K2602210.D	2026-06-11 19:17	1.386	13.047	3093	371906	63.3	10.783	-4.4%
SPRSEA-8-S-20260527	C35856	0.274	0.0631		58.9	0.452	20198	0.274	0.602	0.0631	0.139	ND	K2602211.D	2026-06-11 19:45	1.386	13.053	3108	372007	63.3	10.783	-4.4%
SPRSEA-9-S-20260527	C33313	0.274	0.0631		58.9	0.452	20196	0.274	0.602	0.0631	0.139	ND	K2602212.D	2026-06-11 20:12	1.386	13.059	10729	376676	63.3	10.783	-3.2%
SPRSEA-10-S-20260527	C73618	0.494	0.114	4.51	58.9	0.452	20196	0.274	0.602	0.0631	0.139	J	K2602214.D	2026-06-11 21:08	1.386	13.053	37397	378498	63.3	10.783	-2.7%
SPRSEA-11-S-20260527	C33802	0.805	0.185	7.35	58.9	0.452	20197	0.274	0.602	0.0631	0.139		K2602215.D	2026-06-11 21:36	1.386	13.053	59782	371483	63.3	10.783	-4.5%
SPRSEA-12-S-20260527	C57553	0.417	0.0960	3.81	58.9	0.452	20214	0.274	0.601	0.0630	0.139	J	K2602216.D	2026-06-11 22:03	1.386	13.053	31033	372222	63.3	10.783	-4.3%
SPRSEA-12-D-20260527	C32992	0.412	0.0950	3.77	58.9	0.452	20214	0.274	0.601	0.0630	0.139	J	K2602217.D	2026-06-11 22:31	1.386	13.059	30554	370267	63.3	10.783	-4.8%
SPRSEA-12-B-20260527	C68601	0.274	0.0630		58.9	0.452	20214	0.274	0.601	0.0630	0.139	ND	K2602218.D	2026-06-11 22:59	1.386	12.949	0	374107	63.3	10.783	-3.8%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260527	C55724	0.322	0.0743	2.95	58.9	0.452	20215	0.273	0.674	0.0630	0.155	J,P	K2602203.D	2026-06-11 16:03	0.964	13.230	16769	373970	63.3	10.783	-3.9%
SPRSEA-2-S-20260527	C70050	0.427	0.0985	3.91	58.9	0.452	20207	0.274	0.674	0.0631	0.155	J,P	K2602204.D	2026-06-11 16:31	0.964	13.230	22314	375392	63.3	10.783	-3.5%
SPRSEA-3-S-20260527	C39170	0.396	0.0913	3.62	58.9	0.452	20209	0.274	0.674	0.0630	0.155	J,P	K2602205.D	2026-06-11 16:58	0.964	13.224	20986	381022	63.3	10.783	-2.0%
SPRSEA-4-S-20260527	B44248	0.274	0.0631		58.9	0.452	20193	0.274	0.675	0.0631	0.156	ND,P	K2602206.D	2026-06-11 17:26	0.964	13.224	7987	370466	63.3	10.783	-4.8%
SPRSEA-5-S-20260527	C59952	0.300	0.0691	2.74	58.9	0.452	20209	0.274	0.674	0.0630	0.155	J,P	K2602207.D	2026-06-11 17:53	0.964	13.230	15829	379679	63.3	10.783	-2.4%
SPRSEA-6-S-20260527	C61524	0.274	0.0630		58.9	0.452	20209	0.274	0.674	0.0630	0.155	ND,P	K2602208.D	2026-06-11 18:21	0.964	13.236	8491	377875	63.3	10.783	-2.9%
SPRSEA-6-D-20260527	C71701	0.274	0.0630		58.9	0.452	20209	0.274	0.674	0.0630	0.155	ND,P	K2602209.D	2026-06-11 18:49	0.964	13.230	6103	377470	63.3	10.783	-3.0%
SPRSEA-6-B-20260527	C71605	0.274	0.0630		58.9	0.452	20209	0.274	0.674	0.0630	0.155	ND,P	K2602202.D	2026-06-11 15:35	0.964	13.658	0	390312	63.3	10.783	0.3%
SPRSEA-7-S-20260527	C70156	0.274	0.0631		58.9	0.452	20205	0.274	0.674	0.0631	0.155	ND,P	K2602210.D	2026-06-11 19:17	0.964	13.230	8249	371906	63.3	10.783	-4.4%
SPRSEA-8-S-20260527	C35856	0.274	0.0631		58.9	0.452	20198	0.274	0.675	0.0631	0.155	ND,P	K2602211.D	2026-06-11 19:45	0.964	13.230	6195	372007	63.3	10.783	-4.4%
SPRSEA-9-S-20260527	C33313	0.413	0.0952	3.77	58.9	0.452	20196	0.274	0.675	0.0631	0.155	J,P	K2602212.D	2026-06-11 20:12	0.964	13.230	21622	376676	63.3	10.783	-3.2%
SPRSEA-10-S-20260527	C73618	1.83	0.421	16.7	58.9	0.452	20196	0.274	0.675	0.0631	0.155	P	K2602214.D	2026-06-11 21:08	0.964	13.230	96164	378498	63.3	10.783	-2.7%
SPRSEA-11-S-20260527	C33802	2.47	0.569	22.6	58.9	0.452	20197	0.274	0.675	0.0631	0.155	P	K2602215.D	2026-06-11 21:36	0.964	13.230	127575	371483	63.3	10.783	-4.5%
SPRSEA-12-S-20260527	C57553	1.56	0.360	14.3	58.9	0.452	20214	0.274	0.674	0.0630	0.155	P	K2602216.D	2026-06-11 22:03	0.964	13.230	80912	372222	63.3	10.783	-4.3%
SPRSEA-12-D-20260527	C32992	1.00	0.230	9.14	58.9	0.452	20214	0.274	0.674	0.0630	0.155	P	K2602217.D	2026-06-11 22:31	0.964	13.230	51518	370267	63.3	10.783	-4.8%
SPRSEA-12-B-20260527	C68601	0.274	0.0630		58.9	0.452	20214	0.274	0.674	0.0630	0.155	ND,P	K2602218.D	2026-06-11 22:59	0.964	13.530	0	374107	63.3	10.783	-3.8%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260527	C55724	0.273	0.0630		58.9	0.452	20215	0.273	0.627	0.0630	0.144	ND,Pc	K2602203.D	2026-06-11 16:03	1.003	13.726	5946	373970	63.3	10.783	-3.9%
SPRSEA-2-S-20260527	C70050	0.274	0.0631		58.9	0.452	20207	0.274	0.627	0.0631	0.145	ND,Pc	K2602204.D	2026-06-11 16:31	1.003	13.726	8580	375392	63.3	10.783	-3.5%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260527	C39170	0.274	0.0630		58.9	0.452	20209	0.274	0.627	0.0630	0.144	ND,Pc	K2602205.D	2026-06-11 16:58	1.003	13.726	7160	381022	63.3	10.783	-2.0%
SPRSEA-4-S-20260527	B44248	0.274	0.0631		58.9	0.452	20193	0.274	0.628	0.0631	0.145	ND,Pc	K2602206.D	2026-06-11 17:26	1.003	13.732	3825	370466	63.3	10.783	-4.8%
SPRSEA-5-S-20260527	C59952	0.274	0.0630		58.9	0.452	20209	0.274	0.627	0.0630	0.144	ND,Pc	K2602207.D	2026-06-11 17:53	1.003	13.732	7249	379679	63.3	10.783	-2.4%
SPRSEA-6-S-20260527	C61524	0.274	0.0630		58.9	0.452	20209	0.274	0.627	0.0630	0.144	ND,Pc	K2602208.D	2026-06-11 18:21	1.003	13.732	3554	377875	63.3	10.783	-2.9%
SPRSEA-6-D-20260527	C71701	0.274	0.0630		58.9	0.452	20209	0.274	0.627	0.0630	0.144	ND,Pc	K2602209.D	2026-06-11 18:49	1.003	13.732	2779	377470	63.3	10.783	-3.0%
SPRSEA-6-B-20260527	C71605	0.274	0.0630		58.9	0.452	20209	0.274	0.627	0.0630	0.144	ND,Pc	K2602202.D	2026-06-11 15:35	1.003	13.658	0	390312	63.3	10.783	0.3%
SPRSEA-7-S-20260527	C70156	0.274	0.0631		58.9	0.452	20205	0.274	0.627	0.0631	0.145	ND,Pc	K2602210.D	2026-06-11 19:17	1.003	13.726	3446	371906	63.3	10.783	-4.4%
SPRSEA-8-S-20260527	C35856	0.274	0.0631		58.9	0.452	20198	0.274	0.627	0.0631	0.145	ND,Pc	K2602211.D	2026-06-11 19:45	1.003	13.732	1696	372007	63.3	10.783	-4.4%
SPRSEA-9-S-20260527	C33313	0.274	0.0631		58.9	0.452	20196	0.274	0.627	0.0631	0.145	ND,Pc	K2602212.D	2026-06-11 20:12	1.003	13.732	7167	376676	63.3	10.783	-3.2%
SPRSEA-10-S-20260527	C73618	0.658	0.152	6.01	58.9	0.452	20196	0.274	0.627	0.0631	0.145	Pc	K2602214.D	2026-06-11 21:08	1.003	13.726	36066	378498	63.3	10.783	-2.7%
SPRSEA-11-S-20260527	C33802	0.947	0.218	8.65	58.9	0.452	20197	0.274	0.627	0.0631	0.145	Pc	K2602215.D	2026-06-11 21:36	1.003	13.726	50911	371483	63.3	10.783	-4.5%
SPRSEA-12-S-20260527	C57553	0.577	0.133	5.27	58.9	0.452	20214	0.274	0.627	0.0630	0.144	J,Pc	K2602216.D	2026-06-11 22:03	1.003	13.726	31105	372222	63.3	10.783	-4.3%
SPRSEA-12-D-20260527	C32992	0.352	0.0811	3.22	58.9	0.452	20214	0.274	0.627	0.0630	0.144	J,Pc	K2602217.D	2026-06-11 22:31	1.003	13.726	18877	370267	63.3	10.783	-4.8%
SPRSEA-12-B-20260527	C68601	0.274	0.0630		58.9	0.452	20214	0.274	0.627	0.0630	0.144	ND,Pc	K2602218.D	2026-06-11 22:59	1.003	14.062	0	374107	63.3	10.783	-3.8%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260527	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260527	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260527	25%	Pass	20%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260527	0.30%	Pass	3.1%	Pass	1.0%	Pass	44%	Fail	48%	Fail

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602200.D	C20562	Cal	1.094	0.996	1.094	9.8%	3.1%		Pass	
2026GC206 Method Blank-1	K2602201.D	B51038	Blank		0.996	1.094			0.14%	Pass	ND
M325B CCV 5 REC	K2602213.D	C20562	Check	1.099	0.996	1.094	10%		-6.5%	Pass	
M325B CCV 5	K2602219.D	C01504	Check	1.110	0.996	1.094	11%		-5.0%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602200.D	C20562	Cal	1.312	1.262	1.312	3.9%	2.4%		Pass	
2026GC206 Method Blank-1	K2602201.D	B51038	Blank		1.262	1.312			1.0%	Pass	ND
M325B CCV 5 REC	K2602213.D	C20562	Check	1.336	1.262	1.312	5.9%		-5.5%	Pass	
M325B CCV 5	K2602219.D	C01504	Check	1.349	1.262	1.312	6.8%		-5.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602200.D	C20562	Cal	1.386	1.403	1.386	-1.2%	2.4%		Pass	
2026GC206 Method Blank-1	K2602201.D	B51038	Blank		1.403	1.386			1.0%	Pass	ND
M325B CCV 5 REC	K2602213.D	C20562	Check	1.399	1.403	1.386	-0.24%		-5.5%	Pass	
M325B CCV 5	K2602219.D	C01504	Check	1.453	1.403	1.386	3.6%		-5.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602200.D	C20562	Cal	0.964	1.094	0.964	-12%	2.4%		Pass	
2026GC206 Method Blank-1	K2602201.D	B51038	Blank		1.094	0.964			1.0%	Pass	ND
M325B CCV 5 REC	K2602213.D	C20562	Check	1.046	1.094	0.964	-4.4%		-5.5%	Pass	
M325B CCV 5	K2602219.D	C01504	Check	1.085	1.094	0.964	-0.81%		-5.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602200.D	C20562	Cal	1.003	1.105	1.003	-9.2%	2.4%		Pass	
2026GC206 Method Blank-1	K2602201.D	B51038	Blank		1.105	1.003			1.0%	Pass	ND
M325B CCV 5 REC	K2602213.D	C20562	Check	1.081	1.105	1.003	-2.1%		-5.5%	Pass	
M325B CCV 5	K2602219.D	C01504	Check	1.111	1.105	1.003	0.59%		-5.2%	Pass	

Chromatograms


Name	2026GC206 Method Blank-1
Comment	B51038
Data File	K2602201.D
Acq. Date-Time	6/11/2026 3:08:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	360,485	
Benzene	benzene-d6 (IS)	8.165	8.165	1,801	
Toluene-d8 (IS)		10.783	10.783	392,892	
Toluene	Toluene-d8 (IS)	10.875	10.881	4,378	
Ethylbenzene	Toluene-d8 (IS)	13.426	13.053	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.524	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	13.830	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602201.D
Counts
x10^3
* 13.830 min.
1.4
1.2
1
0.8
0.6
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.830-13.830 min, 1 scans) K2602201.D
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.2
55.1
67.0
63.9
73.2
79.0
91.0
115.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260527
Comment	C71605
Data File	K2602202.D
Acq. Date-Time	6/11/2026 3:35:55 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	348,999	
Benzene	benzene-d6 (IS)	8.171	8.165	4,649	
Toluene-d8 (IS)		10.783	10.783	390,312	
Toluene	Toluene-d8 (IS)	10.887	10.881	3,823	
Ethylbenzene	Toluene-d8 (IS)	13.297	13.053	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.658	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	13.658	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602202.D
Counts
x10^3
* 13.658 min.
1.4
1.2
1
0.8
0.6
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.658-13.658 min, 1 scans) K2602202.D
Counts
x10^3
41.1
55.0
67.0
73.0
81.0
91.0
108.2
118.0
0.5
0
-0.5
-1
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260527
Comment	C55724
Data File	K2602203.D
Acq. Date-Time	6/11/2026 4:03:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	350,889	
Benzene	benzene-d6 (IS)	8.158	8.165	31,263	
Toluene-d8 (IS)		10.783	10.783	373,970	
Toluene	Toluene-d8 (IS)	10.881	10.881	78,295	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	9,348	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	16,769	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	5,946	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602203.D
Counts
x10^3
13.726 min.
Acquisition Time (min)


+ Scan (13.695-13.762 min, 12 scans) K2602203.D
Lib Match Score=45.8
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260527
Comment	C70050
Data File	K2602204.D
Acq. Date-Time	6/11/2026 4:31:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	346,670	
Benzene	benzene-d6 (IS)	8.165	8.165	41,729	
Toluene-d8 (IS)		10.783	10.783	375,392	
Toluene	Toluene-d8 (IS)	10.881	10.881	83,428	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	8,391	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	22,314	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	8,580	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602204.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.695-13.756 min, 10 scans) K2602204.D
Lib Match Score=49.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.0
67.1
79.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260527
Comment	C39170
Data File	K2602205.D
Acq. Date-Time	6/11/2026 4:58:43 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	350,516	
Benzene	benzene-d6 (IS)	8.159	8.165	37,722	
Toluene-d8 (IS)		10.783	10.783	381,022	
Toluene	Toluene-d8 (IS)	10.875	10.881	93,221	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	13,686	
m-/p-Xylenes	Toluene-d8 (IS)	13.224	13.230	20,986	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	7,160	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602205.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.703-13.750 min, 7 scans) K2602205.D
Lib Match Score=50.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
55.1
67.1
77.1
120.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260527
Comment	B44248
Data File	K2602206.D
Acq. Date-Time	6/11/2026 5:26:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	354,678	
Benzene	benzene-d6 (IS)	8.159	8.165	38,638	
Toluene-d8 (IS)		10.783	10.783	370,466	
Toluene	Toluene-d8 (IS)	10.875	10.881	47,592	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	4,158	
m-/p-Xylenes	Toluene-d8 (IS)	13.224	13.230	7,987	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	3,825	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602206.D
Counts
x10^3
3.5
3
2.5
2
1.5
1
0.5
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.772 min, 12 scans) K2602206.D
Lib Match Score=44.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.1
79.1
91.1
105.1
119.0
51.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260527
Comment	C59952
Data File	K2602207.D
Acq. Date-Time	6/11/2026 5:53:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	355,990	
Benzene	benzene-d6 (IS)	8.165	8.165	24,532	
Toluene-d8 (IS)		10.783	10.783	379,679	
Toluene	Toluene-d8 (IS)	10.875	10.881	50,727	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	7,914	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	15,829	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	7,249	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602207.D
Counts
x10^3
6
5
4
3
2
1
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.756 min, 10 scans) K2602207.D
Lib Match Score=49.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.0
55.0
67.0
81.1
106.1
118.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260527
Comment	C61524
Data File	K2602208.D
Acq. Date-Time	6/11/2026 6:21:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	348,398	
Benzene	benzene-d6 (IS)	8.159	8.165	18,921	
Toluene-d8 (IS)		10.783	10.783	377,875	
Toluene	Toluene-d8 (IS)	10.875	10.881	33,792	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	3,735	
m-/p-Xylenes	Toluene-d8 (IS)	13.236	13.230	8,491	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	3,554	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602208.D
Counts
x10^3
13.732 min.
Acquisition Time (min)


+ Scan (13.708-13.751 min, 7 scans) K2602208.D
Lib Match Score=46.5
Counts
x10^3
91.1
41.1
55.1
67.1
79.1
106.0
116.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260527
Comment	C71701
Data File	K2602209.D
Acq. Date-Time	6/11/2026 6:49:59 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	354,350	
Benzene	benzene-d6 (IS)	8.165	8.165	24,718	
Toluene-d8 (IS)		10.783	10.783	377,470	
Toluene	Toluene-d8 (IS)	10.875	10.881	27,630	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	2,265	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	6,103	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	2,779	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602209.D
Counts
x10^3
3
2.5
2
1.5
1
0.5
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.700-13.762 min, 11 scans) K2602209.D
Lib Match Score=45.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
55.0
67.1
81.1
91.1
106.0
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260527
Comment	C70156
Data File	K2602210.D
Acq. Date-Time	6/11/2026 7:17:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	344,596	
Benzene	benzene-d6 (IS)	8.159	8.165	19,313	
Toluene-d8 (IS)		10.783	10.783	371,906	
Toluene	Toluene-d8 (IS)	10.875	10.881	26,886	
Ethylbenzene	Toluene-d8 (IS)	13.047	13.053	3,093	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	8,249	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	3,446	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602210.D
Counts
x10^3
4
3.5
3
2.5
2
1.5
1
0.5
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.703-13.755 min, 8 scans) K2602210.D
Lib Match Score=44.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.0
73.0
79.1
91.1
106.0
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260527
Comment	C35856
Data File	K2602211.D
Acq. Date-Time	6/11/2026 7:45:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	350,013	
Benzene	benzene-d6 (IS)	8.159	8.165	14,871	
Toluene-d8 (IS)		10.783	10.783	372,007	
Toluene	Toluene-d8 (IS)	10.881	10.881	24,598	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	3,108	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	6,195	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	1,696	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602211.D
Counts
x10^3
13.732 min.
2.5
2
1.5
1
0.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.708-13.744 min, 5 scans) K2602211.D
Counts
x10^3
Lib Match Score=43.2
39.1
55.0
67.1
81.0
91.1
105.1
116.9
0.5
0
-0.5
-1
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260527
Comment	C33313
Data File	K2602212.D
Acq. Date-Time	6/11/2026 8:12:42 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	348,594	
Benzene	benzene-d6 (IS)	8.159	8.165	25,918	
Toluene-d8 (IS)		10.783	10.783	376,676	
Toluene	Toluene-d8 (IS)	10.875	10.881	60,823	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	10,729	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	21,622	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	7,167	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602212.D
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.761 min, 10 scans) K2602212.D
Lib Match Score=47.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.0
91.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260527
Comment	C73618
Data File	K2602214.D
Acq. Date-Time	6/11/2026 9:08:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	350,852	
Benzene	benzene-d6 (IS)	8.165	8.165	78,350	
Toluene-d8 (IS)		10.783	10.783	378,498	
Toluene	Toluene-d8 (IS)	10.875	10.881	241,090	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	37,397	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	96,164	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	36,066	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602214.D
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.683-13.765 min, 14 scans) K2602214.D
Lib Match Score=64.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
67.1
77.0
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260527
Comment	C33802
Data File	K2602215.D
Acq. Date-Time	6/11/2026 9:36:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	344,843	
Benzene	benzene-d6 (IS)	8.165	8.165	123,945	
Toluene-d8 (IS)		10.783	10.783	371,483	
Toluene	Toluene-d8 (IS)	10.875	10.881	420,783	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	59,782	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	127,575	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	50,911	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602215.D
Counts
x10^4
4
3
2
1
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.690-13.769 min, 13 scans) K2602215.D
Lib Match Score=67.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
65.1
77.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260527
Comment	C57553
Data File	K2602216.D
Acq. Date-Time	6/11/2026 10:03:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	343,200	
Benzene	benzene-d6 (IS)	8.165	8.165	67,115	
Toluene-d8 (IS)		10.783	10.783	372,222	
Toluene	Toluene-d8 (IS)	10.881	10.881	217,307	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	31,033	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	80,912	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	31,105	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602216.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.757 min, 10 scans) K2602216.D
Lib Match Score=63.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
67.0
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260527
Comment	C32992
Data File	K2602217.D
Acq. Date-Time	6/11/2026 10:31:34 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	339,979	
Benzene	benzene-d6 (IS)	8.165	8.165	66,682	
Toluene-d8 (IS)		10.783	10.783	370,267	
Toluene	Toluene-d8 (IS)	10.881	10.881	209,484	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	30,554	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	51,518	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	18,877	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602217.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.760 min, 9 scans) K2602217.D
Lib Match Score=57.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.0
106.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260527
Comment	C68601
Data File	K2602218.D
Acq. Date-Time	6/11/2026 10:59:13 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	344,564	
Benzene	benzene-d6 (IS)	8.158	8.165	2,060	
Toluene-d8 (IS)		10.783	10.783	374,107	
Toluene	Toluene-d8 (IS)	10.881	10.881	3,403	
Ethylbenzene	Toluene-d8 (IS)	12.949	13.053	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.530	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	14.062	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan K2602218.D
Counts
x10^3
1.4
1.2
1
0.8
0.6
* 14.062 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (14.062-14.062 min, 1 scans) K2602218.D
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
54.1
67.0
73.1
81.1
90.9
106.2
117.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	1	K2602140.D	6.02	37927	53.9	352316	0.963	-0.033
K060926A_CC185154	Benzene	2	K2602141.D	12.05	85124	53.9	347908	1.095	0.099
K060926A_CC185154	Benzene	3	K2602142.D	24.09	154237	53.9	350347	0.985	-0.012
K060926A_CC185154	Benzene	4	K2602143.D	48.18	288954	53.9	347079	0.931	-0.065
K060926A_CC185154	Benzene	5	K2602144.D	120.45	780014	53.9	349144	1.000	0.0032
K060926A_CC185154	Benzene	6	K2602145.D	240.91	1681502	53.9	349141	1.077	0.081
K060926A_CC185154	Benzene	7	K2602146.D	722.72	4307350	53.9	347893	0.923	-0.073
						Avg:	349118	0.996	
						%RSD:	0.5%	6.7%	
K060926A_CC185154	Toluene	1	K2602140.D	5.29	46952	63.3	384857	1.460	0.16
K060926A_CC185154	Toluene	2	K2602141.D	10.58	94160	63.3	382687	1.472	0.17
K060926A_CC185154	Toluene	3	K2602142.D	21.16	163782	63.3	381323	1.285	0.018
K060926A_CC185154	Toluene	4	K2602143.D	42.32	293727	63.3	373497	1.177	-0.068
K060926A_CC185154	Toluene	5	K2602144.D	105.79	741607	63.3	377487	1.176	-0.069
K060926A_CC185154	Toluene	6	K2602145.D	211.59	1543424	63.3	376883	1.225	-0.029
K060926A_CC185154	Toluene	7	K2602146.D	634.77	4000807	63.3	382946	1.042	-0.17
						Avg:	379955	1.262	
						%RSD:	1.1%	12.5%	
K060926A_CC185154	Ethylbenzene	1	K2602140.D	5.50	51746	63.3	384857	1.548	0.1
K060926A_CC185154	Ethylbenzene	2	K2602141.D	11.00	106735	63.3	382687	1.606	0.14
K060926A_CC185154	Ethylbenzene	3	K2602142.D	21.99	199656	63.3	381323	1.507	0.075
K060926A_CC185154	Ethylbenzene	4	K2602143.D	43.98	362024	63.3	373497	1.395	-0.0053
K060926A_CC185154	Ethylbenzene	5	K2602144.D	109.95	868980	63.3	377487	1.325	-0.055
K060926A_CC185154	Ethylbenzene	6	K2602145.D	219.91	1755030	63.3	376883	1.341	-0.044
K060926A_CC185154	Ethylbenzene	7	K2602146.D	659.72	4372012	63.3	382946	1.096	-0.22
						Avg:	379955	1.403	
						%RSD:	1.1%	12.3%	
K060926A_CC185154	m-/p-Xylenes	1	K2602140.D	6.16	45369	63.3	384857	1.211	0.11
K060926A_CC185154	m-/p-Xylenes	2	K2602141.D	12.32	91043	63.3	382687	1.222	0.12
K060926A_CC185154	m-/p-Xylenes	3	K2602142.D	24.65	168518	63.3	381323	1.135	0.037
K060926A_CC185154	m-/p-Xylenes	4	K2602143.D	49.29	307960	63.3	373497	1.059	-0.032
K060926A_CC185154	m-/p-Xylenes	5	K2602144.D	123.23	735207	63.3	377487	1.001	-0.086
K060926A_CC185154	m-/p-Xylenes	6	K2602145.D	246.46	1528922	63.3	376883	1.042	-0.048
K060926A_CC185154	m-/p-Xylenes	7	K2602146.D	739.37	4424943	63.3	382946	0.989	-0.096
						Avg:	379955	1.094	
						%RSD:	1.1%	8.8%	
K060926A_CC185154	o-Xylene	1	K2602140.D	5.73	44139	63.3	384857	1.267	0.15
K060926A_CC185154	o-Xylene	2	K2602141.D	11.46	88287	63.3	382687	1.275	0.15
K060926A_CC185154	o-Xylene	3	K2602142.D	22.92	156327	63.3	381323	1.132	0.025

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC206-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	o-Xylene	4	K2602143.D	45.84	294544	63.3	373497	1.089	-0.014
K060926A_CC185154	o-Xylene	5	K2602144.D	114.60	698105	63.3	377487	1.022	-0.075
K060926A_CC185154	o-Xylene	6	K2602145.D	229.20	1422810	63.3	376883	1.043	-0.056
K060926A_CC185154	o-Xylene	7	K2602146.D	687.60	3759400	63.3	382946	0.904	-0.18
						Avg:	379955	1.105	
						%RSD:	1.1%	12.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	ICV	K2602147.D	179.65	1093758	53.9	350582	0.936	-6.1%
K060926A_CC185154	Toluene	ICV	K2602147.D	183.96	1208285	63.3	380158	1.094	-13.0%
K060926A_CC185154	Ethylbenzene	ICV	K2602147.D	181.89	1352167	63.3	380158	1.238	-12.0%
K060926A_CC185154	m-/p-Xylenes	ICV	K2602147.D	184.72	1013911	63.3	380158	0.914	-16.0%
K060926A_CC185154	o-Xylene	ICV	K2602147.D	185.08	1019413	63.3	380158	0.917	-17.0%

M325B PDF Report ver.20260421

Sample Custody

2026GC206

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague Seasport	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	70 Trundy Road	**Project #:**	PROJ-027966	**Sample Event #:**	2026GC206
City:	Searsport	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04974	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C55724	S	5/27/26	11:34 AM	6/10/26	12:29 PM	KV/KV		
2	C70050	S	5/27/26	11:30 AM	6/10/26	12:17 PM	KV/KV		
3	C39170	S	5/27/26	11:23 AM	6/10/26	12:12 PM	KV/KV		
4	B44248	S	5/27/26	10:50 AM	6/10/26	11:23 AM	KV/KV		
5	C59952	S	5/27/26	11:19 AM	6/10/26	12:08 PM	KV/KV		
6	C61524	S	5/27/26	11:16 AM	6/10/26	12:05 PM	KV/KV		
6	C71701	D	5/27/26	11:16 AM	6/10/26	12:05 PM	KV/KV		
6	C71605	B	5/27/26	11:16 AM	6/10/26	12:05 PM	KV/KV		
7	C70156	S	5/27/26	11:11 AM	6/10/26	11:56 AM	KV/KV		
8	C35856	S	5/27/26	11:07 AM	6/10/26	11:45 AM	KV/KV		
9	C33313	S	5/27/26	11:05 AM	6/10/26	11:41 AM	KV/KV		
10	C73618	S	5/27/26	11:01 AM	6/10/26	11:37 AM	KV/KV		
11	C33802	S	5/27/26	11:45 AM	6/10/26	12:22 PM	KV/KV		
12	C57553	S	5/27/26	11:40 AM	6/10/26	12:34 PM	KV/KV		
12	C32992	D	5/27/26	11:40 AM	6/10/26	12:34 PM	KV/KV		
12	C68601	B	5/27/26	11:40 AM	6/10/26	12:34 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/10/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Lauren LaChance		6/11/26	9:45 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Blank Temp: 23.4°C Fluke 4		**Custody Seal #:** 25E09333	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

Sprague - Searsport

70 Trundy Road
Searsport, ME 04974

Sampling Event 49 Sprague - Searsport

Client Project# PROJ-027966
Samples Received: 6/25/2026

Analytical Report
2026GC207

EPA Method 325B Analysis

Report Issue Date: 6/29/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 66
Sample Custody 69
    Chain of Custody 70

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC207-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

1. Custody

The samples were received at Onterris/Enthalpy on June 25, 2026 at 16.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSEA-1-S-20260610	C71500	Sample
SPRSEA-2-S-20260610	C57153	Sample
SPRSEA-3-S-20260610	C70901	Sample
SPRSEA-4-S-20260610	C56839	Sample
SPRSEA-5-S-20260610	C61647	Sample
SPRSEA-6-S-20260610	C70582	Sample
SPRSEA-6-D-20260610	C36931	Duplicate
SPRSEA-6-B-20260610	C38872	Blank
SPRSEA-7-S-20260610	C71592	Sample
SPRSEA-8-S-20260610	C01340	Sample
SPRSEA-9-S-20260610	C37023	Sample
SPRSEA-10-S-20260610	C59990	Sample
SPRSEA-11-S-20260610	B52713	Sample
SPRSEA-12-S-20260610	C35798	Sample
SPRSEA-12-D-20260610	C70056	Duplicate
SPRSEA-12-B-20260610	C43317	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D061126A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GC207-1
Client ID.	PROJ-027966 Site: Sprague - Searsport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSEA-12-S-20260610 (tube ID C35798) and its corresponding duplicate SPRSEA-12-D-20260610 (tube ID C70056) failed to meet the 30% difference criterion for m-/p-Xylenes and o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for m-/p-Xylenes and o-Xylene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSEA-1-S-20260610	C71500	0.371	J	0.675		0.272	ND	0.301	J,Pc	0.272	ND,Pc
SPRSEA-2-S-20260610	C57153	0.263	J	0.527		0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-3-S-20260610	C70901	0.451		0.906		0.272	ND	0.481	J,Pc	0.272	ND,Pc
SPRSEA-4-S-20260610	C56839	0.308	J	0.577		0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-5-S-20260610	C61647	0.414	J	0.813		0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-6-S-20260610	C70582	0.342	J	0.486	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-6-D-20260610	C36931	0.259	J	0.476	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-6-B-20260610	C38872	0.187	ND	0.240	ND	0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-7-S-20260610	C71592	0.290	J	0.347	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-8-S-20260610	C01340	0.300	J	0.506	J	0.272	ND	0.272	ND,Pc	0.272	ND,Pc
SPRSEA-9-S-20260610	C37023	0.747		1.18		0.272	ND	0.393	J,Pc	0.272	ND,Pc
SPRSEA-10-S-20260610	C59990	1.23		4.27		0.580	J	1.97	Pc	0.780	Pc
SPRSEA-11-S-20260610	B52713	0.737		2.13		0.364	J	0.950	Pc	0.391	J,Pc
SPRSEA-12-S-20260610	C35798	0.640		1.95		0.345	J	0.834	Pc	0.340	J,Pc
SPRSEA-12-D-20260610	C70056	0.750		2.30		0.359	J	1.26	Pc	0.504	J,Pc
SPRSEA-12-B-20260610	C43317	0.187	ND	0.240	ND	0.272	ND	0.272	ND,Pc	0.272	ND,Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260610	C71500	0.371	0.116	4.96	66.3	0.663	20193	0.187	0.450	0.0585	0.141	J	D2603695.d	2026-06-25 22:13	1.638	8.160	63597	429694	54.9	8.102	-2.7%
SPRSEA-2-S-20260610	C57153	0.263	0.0822	3.52	66.3	0.663	20193	0.187	0.450	0.0585	0.141	J	D2603696.d	2026-06-25 22:39	1.638	8.160	45662	435360	54.9	8.102	-1.5%
SPRSEA-3-S-20260610	C70901	0.451	0.141	6.03	66.3	0.663	20192	0.187	0.450	0.0585	0.141		D2603697.d	2026-06-25 23:05	1.638	8.160	79414	441315	54.9	8.102	-0.1%
SPRSEA-4-S-20260610	C56839	0.308	0.0966	4.13	66.3	0.663	20210	0.186	0.449	0.0584	0.141	J	D2603698.d	2026-06-25 23:31	1.638	8.167	53373	432883	54.9	8.103	-2.0%
SPRSEA-5-S-20260610	C61647	0.414	0.130	5.55	66.3	0.663	20192	0.187	0.450	0.0585	0.141	J	D2603699.d	2026-06-25 23:57	1.638	8.167	72649	439019	54.9	8.102	-0.6%
SPRSEA-6-S-20260610	C70582	0.342	0.107	4.57	66.3	0.663	20193	0.187	0.450	0.0585	0.141	J	D2603700.d	2026-06-26 00:23	1.638	8.160	59652	437271	54.9	8.102	-1.0%
SPRSEA-6-D-20260610	C36931	0.259	0.0813	3.47	66.3	0.663	20193	0.187	0.450	0.0585	0.141	J	D2603701.d	2026-06-26 00:50	1.638	8.160	45740	441412	54.9	8.102	-0.1%
SPRSEA-6-B-20260610	C38872	0.187	0.0585		66.3	0.663	20193	0.187	0.450	0.0585	0.141	ND	D2603694.d	2026-06-25 21:48	1.638	8.167	5329	414347	54.9	8.102	-6.2%
SPRSEA-7-S-20260610	C71592	0.290	0.0907	3.88	66.3	0.663	20197	0.187	0.450	0.0585	0.141	J	D2603702.d	2026-06-26 01:16	1.638	8.167	49622	429000	54.9	8.110	-2.9%
SPRSEA-8-S-20260610	C01340	0.300	0.0941	4.02	66.3	0.663	20203	0.187	0.449	0.0584	0.141	J	D2603703.d	2026-06-26 01:41	1.638	8.167	52655	438765	54.9	8.102	-0.7%
SPRSEA-9-S-20260610	C37023	0.747	0.234	10.0	66.3	0.663	20205	0.187	0.449	0.0584	0.141		D2603705.d	2026-06-26 02:33	1.638	8.167	130639	437622	54.9	8.103	-0.9%
SPRSEA-10-S-20260610	C59990	1.23	0.386	16.5	66.3	0.663	20205	0.187	0.449	0.0584	0.141		D2603706.d	2026-06-26 02:59	1.638	8.167	216038	439129	54.9	8.110	-0.6%
SPRSEA-11-S-20260610	B52713	0.737	0.231	9.88	66.3	0.663	20197	0.187	0.450	0.0585	0.141		D2603707.d	2026-06-26 03:25	1.638	8.167	129045	438180	54.9	8.103	-0.8%
SPRSEA-12-S-20260610	C35798	0.640	0.201	8.58	66.3	0.663	20194	0.187	0.450	0.0585	0.141		D2603708.d	2026-06-26 03:51	1.638	8.167	111789	437084	54.9	8.110	-1.1%
SPRSEA-12-D-20260610	C70056	0.750	0.235	10.0	66.3	0.663	20194	0.187	0.450	0.0585	0.141		D2603709.d	2026-06-26 04:17	1.638	8.167	131814	440246	54.9	8.102	-0.4%
SPRSEA-12-B-20260610	C43317	0.187	0.0585		66.3	0.663	20194	0.187	0.450	0.0585	0.141	ND	D2603710.d	2026-06-26 04:43	1.638	8.167	8363	439596	54.9	8.102	-0.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260610	C71500	0.675	0.179	7.02	66.3	0.515	20193	0.240	0.509	0.0639	0.135		D2603695.d	2026-06-25 22:13	2.097	10.889	101546	447201	64.8	10.789	0.0%
SPRSEA-2-S-20260610	C57153	0.527	0.140	5.48	66.3	0.515	20193	0.240	0.509	0.0639	0.135		D2603696.d	2026-06-25 22:39	2.097	10.889	79542	448636	64.8	10.789	0.3%
SPRSEA-3-S-20260610	C70901	0.906	0.241	9.42	66.3	0.515	20192	0.241	0.509	0.0639	0.135		D2603697.d	2026-06-25 23:05	2.097	10.889	138781	455634	64.8	10.789	1.9%
SPRSEA-4-S-20260610	C56839	0.577	0.153	6.00	66.3	0.515	20210	0.240	0.508	0.0638	0.135		D2603698.d	2026-06-25 23:31	2.097	10.889	87774	451902	64.8	10.789	1.1%
SPRSEA-5-S-20260610	C61647	0.813	0.216	8.45	66.3	0.515	20192	0.241	0.509	0.0639	0.135		D2603699.d	2026-06-25 23:57	2.097	10.881	122110	446729	64.8	10.788	-0.1%
SPRSEA-6-S-20260610	C70582	0.486	0.129	5.05	66.3	0.515	20193	0.240	0.509	0.0639	0.135	J	D2603700.d	2026-06-26 00:23	2.097	10.889	73710	451244	64.8	10.789	0.9%
SPRSEA-6-D-20260610	C36931	0.476	0.126	4.95	66.3	0.515	20193	0.240	0.509	0.0639	0.135	J	D2603701.d	2026-06-26 00:50	2.097	10.889	72632	453533	64.8	10.789	1.4%
SPRSEA-6-B-20260610	C38872	0.240	0.0639		66.3	0.515	20193	0.240	0.509	0.0639	0.135	ND	D2603694.d	2026-06-25 21:48	2.097	10.889	12987	435025	64.8	10.789	-2.7%
SPRSEA-7-S-20260610	C71592	0.347	0.0922	3.61	66.3	0.515	20197	0.240	0.509	0.0638	0.135	J	D2603702.d	2026-06-26 01:16	2.097	10.889	52437	449163	64.8	10.789	0.5%
SPRSEA-8-S-20260610	C01340	0.506	0.134	5.26	66.3	0.515	20203	0.240	0.509	0.0638	0.135	J	D2603703.d	2026-06-26 01:41	2.097	10.889	77050	453008	64.8	10.788	1.3%
SPRSEA-9-S-20260610	C37023	1.18	0.314	12.3	66.3	0.515	20205	0.240	0.509	0.0638	0.135		D2603705.d	2026-06-26 02:33	2.097	10.889	183968	462913	64.8	10.789	3.5%
SPRSEA-10-S-20260610	C59990	4.27	1.13	44.5	66.3	0.515	20205	0.240	0.509	0.0638	0.135		D2603706.d	2026-06-26 02:59	2.097	10.889	655826	456109	64.8	10.789	2.0%
SPRSEA-11-S-20260610	B52713	2.13	0.566	22.2	66.3	0.515	20197	0.240	0.509	0.0638	0.135		D2603707.d	2026-06-26 03:25	2.097	10.889	330004	460085	64.8	10.789	2.9%
SPRSEA-12-S-20260610	C35798	1.95	0.518	20.3	66.3	0.515	20194	0.240	0.509	0.0639	0.135		D2603708.d	2026-06-26 03:51	2.097	10.889	303884	463197	64.8	10.789	3.6%
SPRSEA-12-D-20260610	C70056	2.30	0.611	23.9	66.3	0.515	20194	0.240	0.509	0.0639	0.135		D2603709.d	2026-06-26 04:17	2.097	10.889	352068	454860	64.8	10.789	1.7%
SPRSEA-12-B-20260610	C43317	0.240	0.0639		66.3	0.515	20194	0.240	0.509	0.0639	0.135	ND	D2603710.d	2026-06-26 04:43	2.097	10.889	17060	460514	64.8	10.789	3.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260610	C71500	0.272	0.0627		66.3	0.455	20193	0.272	0.598	0.0627	0.138	ND	D2603695.d	2026-06-25 22:13	2.188	13.074	10343	447201	64.8	10.789	0.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-2-S-20260610	C57153	0.272	0.0627		66.3	0.455	20193	0.272	0.598	0.0627	0.138	ND	D2603696.d	2026-06-25 22:39	2.188	13.074	8478	448636	64.8	10.789	0.3%
SPRSEA-3-S-20260610	C70901	0.272	0.0627		66.3	0.455	20192	0.272	0.598	0.0627	0.138	ND	D2603697.d	2026-06-25 23:05	2.188	13.074	20452	455634	64.8	10.789	1.9%
SPRSEA-4-S-20260610	C56839	0.272	0.0626		66.3	0.455	20210	0.272	0.597	0.0626	0.138	ND	D2603698.d	2026-06-25 23:31	2.188	13.074	14069	451902	64.8	10.789	1.1%
SPRSEA-5-S-20260610	C61647	0.272	0.0627		66.3	0.455	20192	0.272	0.598	0.0627	0.138	ND	D2603699.d	2026-06-25 23:57	2.188	13.073	13027	446729	64.8	10.788	-0.1%
SPRSEA-6-S-20260610	C70582	0.272	0.0627		66.3	0.455	20193	0.272	0.598	0.0627	0.138	ND	D2603700.d	2026-06-26 00:23	2.188	13.074	5738	451244	64.8	10.789	0.9%
SPRSEA-6-D-20260610	C36931	0.272	0.0627		66.3	0.455	20193	0.272	0.598	0.0627	0.138	ND	D2603701.d	2026-06-26 00:50	2.188	13.074	9338	453533	64.8	10.789	1.4%
SPRSEA-6-B-20260610	C38872	0.272	0.0627		66.3	0.455	20193	0.272	0.598	0.0627	0.138	ND	D2603694.d	2026-06-25 21:48	2.188	13.066	3226	435025	64.8	10.789	-2.7%
SPRSEA-7-S-20260610	C71592	0.272	0.0626		66.3	0.455	20197	0.272	0.598	0.0626	0.138	ND	D2603702.d	2026-06-26 01:16	2.188	13.074	5888	449163	64.8	10.789	0.5%
SPRSEA-8-S-20260610	C01340	0.272	0.0626		66.3	0.455	20203	0.272	0.598	0.0626	0.138	ND	D2603703.d	2026-06-26 01:41	2.188	13.074	11373	453008	64.8	10.788	1.3%
SPRSEA-9-S-20260610	C37023	0.272	0.0626		66.3	0.455	20205	0.272	0.597	0.0626	0.138	ND	D2603705.d	2026-06-26 02:33	2.188	13.074	34725	462913	64.8	10.789	3.5%
SPRSEA-10-S-20260610	C59990	0.580	0.134	5.34	66.3	0.455	20205	0.272	0.597	0.0626	0.138	J	D2603706.d	2026-06-26 02:59	2.188	13.074	82114	456109	64.8	10.789	2.0%
SPRSEA-11-S-20260610	B52713	0.364	0.0839	3.35	66.3	0.455	20197	0.272	0.598	0.0626	0.138	J	D2603707.d	2026-06-26 03:25	2.188	13.074	51961	460085	64.8	10.789	2.9%
SPRSEA-12-S-20260610	C35798	0.345	0.0796	3.18	66.3	0.455	20194	0.272	0.598	0.0626	0.138	J	D2603708.d	2026-06-26 03:51	2.188	13.074	49627	463197	64.8	10.789	3.6%
SPRSEA-12-D-20260610	C70056	0.359	0.0828	3.30	66.3	0.455	20194	0.272	0.598	0.0626	0.138	J	D2603709.d	2026-06-26 04:17	2.188	13.074	50697	454860	64.8	10.789	1.7%
SPRSEA-12-B-20260610	C43317	0.272	0.0626		66.3	0.455	20194	0.272	0.598	0.0626	0.138	ND	D2603710.d	2026-06-26 04:43	2.188	13.088	1113	460514	64.8	10.789	3.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260610	C71500	0.301	0.0694	2.77	66.3	0.455	20193	0.272	0.670	0.0627	0.154	J,Pc	D2603695.d	2026-06-25 22:13	1.658	13.253	31681	447201	64.8	10.789	0.0%
SPRSEA-2-S-20260610	C57153	0.272	0.0627		66.3	0.455	20193	0.272	0.670	0.0627	0.154	ND,Pc	D2603696.d	2026-06-25 22:39	1.658	13.253	17929	448636	64.8	10.789	0.3%
SPRSEA-3-S-20260610	C70901	0.481	0.111	4.43	66.3	0.455	20192	0.272	0.670	0.0627	0.154	J,Pc	D2603697.d	2026-06-25 23:05	1.658	13.253	51578	455634	64.8	10.789	1.9%
SPRSEA-4-S-20260610	C56839	0.272	0.0626		66.3	0.455	20210	0.272	0.669	0.0626	0.154	ND,Pc	D2603698.d	2026-06-25 23:31	1.658	13.246	17700	451902	64.8	10.789	1.1%
SPRSEA-5-S-20260610	C61647	0.272	0.0627		66.3	0.455	20192	0.272	0.670	0.0627	0.154	ND,Pc	D2603699.d	2026-06-25 23:57	1.658	13.252	18328	446729	64.8	10.788	-0.1%
SPRSEA-6-S-20260610	C70582	0.272	0.0627		66.3	0.455	20193	0.272	0.670	0.0627	0.154	ND,Pc	D2603700.d	2026-06-26 00:23	1.658	13.245	16910	451244	64.8	10.789	0.9%
SPRSEA-6-D-20260610	C36931	0.272	0.0627		66.3	0.455	20193	0.272	0.670	0.0627	0.154	ND,Pc	D2603701.d	2026-06-26 00:50	1.658	13.245	14242	453533	64.8	10.789	1.4%
SPRSEA-6-B-20260610	C38872	0.272	0.0627		66.3	0.455	20193	0.272	0.670	0.0627	0.154	ND,Pc	D2603694.d	2026-06-25 21:48	1.658	13.253	1313	435025	64.8	10.789	-2.7%
SPRSEA-7-S-20260610	C71592	0.272	0.0626		66.3	0.455	20197	0.272	0.670	0.0626	0.154	ND,Pc	D2603702.d	2026-06-26 01:16	1.658	13.245	10725	449163	64.8	10.789	0.5%
SPRSEA-8-S-20260610	C01340	0.272	0.0626		66.3	0.455	20203	0.272	0.670	0.0626	0.154	ND,Pc	D2603703.d	2026-06-26 01:41	1.658	13.253	14604	453008	64.8	10.788	1.3%
SPRSEA-9-S-20260610	C37023	0.393	0.0905	3.61	66.3	0.455	20205	0.272	0.670	0.0626	0.154	J,Pc	D2603705.d	2026-06-26 02:33	1.658	13.246	42788	462913	64.8	10.789	3.5%
SPRSEA-10-S-20260610	C59990	1.97	0.453	18.1	66.3	0.455	20205	0.272	0.670	0.0626	0.154	Pc	D2603706.d	2026-06-26 02:59	1.658	13.246	211006	456109	64.8	10.789	2.0%
SPRSEA-11-S-20260610	B52713	0.950	0.219	8.73	66.3	0.455	20197	0.272	0.670	0.0626	0.154	Pc	D2603707.d	2026-06-26 03:25	1.658	13.246	102780	460085	64.8	10.789	2.9%
SPRSEA-12-S-20260610	C35798	0.834	0.192	7.67	66.3	0.455	20194	0.272	0.670	0.0626	0.154	Pc	D2603708.d	2026-06-26 03:51	1.658	13.246	90874	463197	64.8	10.789	3.6%
SPRSEA-12-D-20260610	C70056	1.26	0.291	11.6	66.3	0.455	20194	0.272	0.670	0.0626	0.154	Pc	D2603709.d	2026-06-26 04:17	1.658	13.246	135183	454860	64.8	10.789	1.7%
SPRSEA-12-B-20260610	C43317	0.272	0.0626		66.3	0.455	20194	0.272	0.670	0.0626	0.154	ND,Pc	D2603710.d	2026-06-26 04:43	1.658	13.238	1940	460514	64.8	10.789	3.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-1-S-20260610	C71500	0.272	0.0627		66.3	0.455	20193	0.272	0.623	0.0627	0.144	ND,Pc	D2603695.d	2026-06-25 22:13	1.675	13.747	12994	447201	64.8	10.789	0.0%
SPRSEA-2-S-20260610	C57153	0.272	0.0627		66.3	0.455	20193	0.272	0.623	0.0627	0.144	ND,Pc	D2603696.d	2026-06-25 22:39	1.675	13.747	8564	448636	64.8	10.789	0.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSEA-3-S-20260610	C70901	0.272	0.0627		66.3	0.455	20192	0.272	0.623	0.0627	0.144	ND,Pc	D2603697.d	2026-06-25 23:05	1.675	13.747	18271	455634	64.8	10.789	1.9%
SPRSEA-4-S-20260610	C56839	0.272	0.0626		66.3	0.455	20210	0.272	0.623	0.0626	0.143	ND,Pc	D2603698.d	2026-06-25 23:31	1.675	13.747	7737	451902	64.8	10.789	1.1%
SPRSEA-5-S-20260610	C61647	0.272	0.0627		66.3	0.455	20192	0.272	0.623	0.0627	0.144	ND,Pc	D2603699.d	2026-06-25 23:57	1.675	13.747	8584	446729	64.8	10.788	-0.1%
SPRSEA-6-S-20260610	C70582	0.272	0.0627		66.3	0.455	20193	0.272	0.623	0.0627	0.144	ND,Pc	D2603700.d	2026-06-26 00:23	1.675	13.747	6911	451244	64.8	10.789	0.9%
SPRSEA-6-D-20260610	C36931	0.272	0.0627		66.3	0.455	20193	0.272	0.623	0.0627	0.144	ND,Pc	D2603701.d	2026-06-26 00:50	1.675	13.747	4791	453533	64.8	10.789	1.4%
SPRSEA-6-B-20260610	C38872	0.272	0.0627		66.3	0.455	20193	0.272	0.623	0.0627	0.144	ND,Pc	D2603694.d	2026-06-25 21:48	1.675	14.055	0	435025	64.8	10.789	-2.7%
SPRSEA-7-S-20260610	C71592	0.272	0.0626		66.3	0.455	20197	0.272	0.623	0.0626	0.144	ND,Pc	D2603702.d	2026-06-26 01:16	1.675	13.747	3545	449163	64.8	10.789	0.5%
SPRSEA-8-S-20260610	C01340	0.272	0.0626		66.3	0.455	20203	0.272	0.623	0.0626	0.144	ND,Pc	D2603703.d	2026-06-26 01:41	1.675	13.747	4096	453008	64.8	10.788	1.3%
SPRSEA-9-S-20260610	C37023	0.272	0.0626		66.3	0.455	20205	0.272	0.623	0.0626	0.144	ND,Pc	D2603705.d	2026-06-26 02:33	1.675	13.747	18235	462913	64.8	10.789	3.5%
SPRSEA-10-S-20260610	C59990	0.780	0.180	7.17	66.3	0.455	20205	0.272	0.623	0.0626	0.144	Pc	D2603706.d	2026-06-26 02:59	1.675	13.747	84536	456109	64.8	10.789	2.0%
SPRSEA-11-S-20260610	B52713	0.391	0.0900	3.59	66.3	0.455	20197	0.272	0.623	0.0626	0.144	J,Pc	D2603707.d	2026-06-26 03:25	1.675	13.747	42707	460085	64.8	10.789	2.9%
SPRSEA-12-S-20260610	C35798	0.340	0.0783	3.12	66.3	0.455	20194	0.272	0.623	0.0626	0.144	J,Pc	D2603708.d	2026-06-26 03:51	1.675	13.747	37396	463197	64.8	10.789	3.6%
SPRSEA-12-D-20260610	C70056	0.504	0.116	4.63	66.3	0.455	20194	0.272	0.623	0.0626	0.144	J,Pc	D2603709.d	2026-06-26 04:17	1.675	13.747	54450	454860	64.8	10.789	1.7%
SPRSEA-12-B-20260610	C43317	0.272	0.0626		66.3	0.455	20194	0.272	0.623	0.0626	0.144	ND,Pc	D2603710.d	2026-06-26 04:43	1.675	13.661	0	460514	64.8	10.789	3.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSEA-6-B-20260610	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-B-20260610	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSEA-6-D-20260610	27%	Pass	2.0%	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSEA-12-D-20260610	16%	Pass	16%	Pass	3.9%	Pass	41%	Fail	39%	Fail

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2603692.d	C01434	Cal	1.638	1.528	1.638	7.2%	-14%		Pass	
2026GC207 Method Blank-1	D2603693.d	C57656	Blank		1.528	1.638			-0.97%	Pass	ND
M325B CCV 5	D2603704.d	C55297	Check	1.612	1.528	1.638	5.5%		-0.094%	Pass	
M325B CCV 5	D2603711.d	C61587	Check	1.619	1.528	1.638	5.9%		-0.56%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2603692.d	C01434	Cal	2.097	2.007	2.097	4.5%	-16%		Pass	
2026GC207 Method Blank-1	D2603693.d	C57656	Blank		2.007	2.097			4.0%	Pass	ND
M325B CCV 5	D2603704.d	C55297	Check	2.003	2.007	2.097	-0.23%		3.5%	Pass	
M325B CCV 5	D2603711.d	C61587	Check	1.986	2.007	2.097	-1.1%		4.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2603692.d	C01434	Cal	2.188	2.061	2.188	6.2%	-16%		Pass	
2026GC207 Method Blank-1	D2603693.d	C57656	Blank		2.061	2.188			4.0%	Pass	ND
M325B CCV 5	D2603704.d	C55297	Check	2.136	2.061	2.188	3.6%		3.5%	Pass	
M325B CCV 5	D2603711.d	C61587	Check	2.152	2.061	2.188	4.4%		4.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2603692.d	C01434	Cal	1.658	1.598	1.658	3.8%	-16%		Pass	
2026GC207 Method Blank-1	D2603693.d	C57656	Blank		1.598	1.658			4.0%	Pass	ND
M325B CCV 5	D2603704.d	C55297	Check	1.680	1.598	1.658	5.1%		3.5%	Pass	
M325B CCV 5	D2603711.d	C61587	Check	1.700	1.598	1.658	6.4%		4.0%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	D2603692.d	C01434	Cal	1.675	1.628	1.675	2.9%	-16%		Pass	
2026GC207 Method Blank-1	D2603693.d	C57656	Blank		1.628	1.675			4.0%	Pass	ND
M325B CCV 5	D2603704.d	C55297	Check	1.712	1.628	1.675	5.2%		3.5%	Pass	
M325B CCV 5	D2603711.d	C61587	Check	1.729	1.628	1.675	6.2%		4.0%	Pass	

Chromatograms


Name	2026GC207 Method Blank-1
Comment	C57656
Data File	D2603693.d
Acq. Date-Time	6/25/2026 9:22:14 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	437,506	
Benzene	benzene-d6 (IS)	8.167	8.167	11,199	
Toluene-d8 (IS)		10.796	10.796	464,889	
Toluene	Toluene-d8 (IS)	10.889	10.889	16,548	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	2,214	
m-/p-Xylenes	Toluene-d8 (IS)	13.375	13.253	ND	m
o-Xylene	Toluene-d8 (IS)	13.747	13.754	1,184	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603693.d
Counts
x10^3
13.747 min.
3.5
3.25
3
2.75
2.5
2.25
2
1.75
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.733-13.767 min, 4 scans) D2603693.d
Counts
x10^3
Lib Match Score=43.2
41.2
55.1
67.1
73.0
82.1
91.1
108.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-6-B-20260610
Comment	C38872
Data File	D2603694.d
Acq. Date-Time	6/25/2026 9:48:06 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	414,347	
Benzene	benzene-d6 (IS)	8.167	8.167	5,329	
Toluene-d8 (IS)		10.789	10.796	435,025	
Toluene	Toluene-d8 (IS)	10.889	10.889	12,987	
Ethylbenzene	Toluene-d8 (IS)	13.066	13.081	3,226	m
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.253	1,313	
o-Xylene	Toluene-d8 (IS)	14.055	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603694.d
Counts
x10^3
* 14.055 min.
3.5
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (14.055-14.055 min, 1 scans) D2603694.d
Counts
x10^3
41.1
55.2
67.1
79.2
91.1
109.0
124.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
1
0.5
0
-0.5
-1
-1.5
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-1-S-20260610
Comment	C71500
Data File	D2603695.d
Acq. Date-Time	6/25/2026 10:13:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	429,694	
Benzene	benzene-d6 (IS)	8.160	8.167	63,597	
Toluene-d8 (IS)		10.789	10.796	447,201	
Toluene	Toluene-d8 (IS)	10.889	10.889	101,546	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	10,343	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.253	31,681	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	12,994	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603695.d
Counts
x10^4
13.747 min.
1
0.8
0.6
0.4
0.2
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.720-13.780 min, 8 scans) D2603695.d
Counts
x10^3
Lib Match Score=47.1
41.1
55.1
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-2-S-20260610
Comment	C57153
Data File	D2603696.d
Acq. Date-Time	6/25/2026 10:39:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	435,360	
Benzene	benzene-d6 (IS)	8.160	8.167	45,662	
Toluene-d8 (IS)		10.789	10.796	448,636	
Toluene	Toluene-d8 (IS)	10.889	10.889	79,542	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	8,478	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.253	17,929	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	8,564	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603696.d
Counts
x10^3
13.747 min.
7
6
5
4
3
2
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.720-13.780 min, 8 scans) D2603696.d
Counts
x10^3
Lib Match Score=46.1
41.1
55.1
67.1
77.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-3-S-20260610
Comment	C70901
Data File	D2603697.d
Acq. Date-Time	6/25/2026 11:05:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	441,315	
Benzene	benzene-d6 (IS)	8.160	8.167	79,414	
Toluene-d8 (IS)		10.789	10.796	455,634	
Toluene	Toluene-d8 (IS)	10.889	10.889	138,781	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	20,452	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.253	51,578	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	18,271	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603697.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.719-13.776 min, 7 scans) D2603697.d
Lib Match Score=52.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-4-S-20260610
Comment	C56839
Data File	D2603698.d
Acq. Date-Time	6/25/2026 11:31:42 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	432,883	
Benzene	benzene-d6 (IS)	8.167	8.167	53,373	
Toluene-d8 (IS)		10.789	10.796	451,902	
Toluene	Toluene-d8 (IS)	10.889	10.889	87,774	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	14,069	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	17,700	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	7,737	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603698.d
Counts
x10^3
13.747 min.
Acquisition Time (min)


+ Scan (13.716-13.781 min, 9 scans) D2603698.d
Lib Match Score=45.6
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-5-S-20260610
Comment	C61647
Data File	D2603699.d
Acq. Date-Time	6/25/2026 11:57:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	439,019	
Benzene	benzene-d6 (IS)	8.167	8.167	72,649	
Toluene-d8 (IS)		10.788	10.796	446,729	
Toluene	Toluene-d8 (IS)	10.881	10.889	122,110	
Ethylbenzene	Toluene-d8 (IS)	13.073	13.081	13,027	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.253	18,328	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	8,584	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603699.d
Counts
x10^4
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.707-13.797 min, 12 scans) D2603699.d
Lib Match Score=44.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
73.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-6-S-20260610
Comment	C70582
Data File	D2603700.d
Acq. Date-Time	6/26/2026 12:23:21 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	437,271	
Benzene	benzene-d6 (IS)	8.160	8.167	59,652	
Toluene-d8 (IS)		10.789	10.796	451,244	
Toluene	Toluene-d8 (IS)	10.889	10.889	73,710	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	5,738	
m-/p-Xylenes	Toluene-d8 (IS)	13.245	13.253	16,910	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	6,911	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603700.d
Counts
x10^3
13.747 min.
Acquisition Time (min)


+ Scan (13.720-13.776 min, 8 scans) D2603700.d
Lib Match Score=45.0
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-6-D-20260610
Comment	C36931
Data File	D2603701.d
Acq. Date-Time	6/26/2026 12:50:14 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	441,412	
Benzene	benzene-d6 (IS)	8.160	8.167	45,740	
Toluene-d8 (IS)		10.789	10.796	453,533	
Toluene	Toluene-d8 (IS)	10.889	10.889	72,632	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	9,338	
m-/p-Xylenes	Toluene-d8 (IS)	13.245	13.253	14,242	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	4,791	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603701.d
Counts
x10^3
6
5
4
3
2
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.721-13.770 min, 7 scans) D2603701.d
Lib Match Score=43.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.0
81.1
93.1
106.1
121.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-7-S-20260610
Comment	C71592
Data File	D2603702.d
Acq. Date-Time	6/26/2026 1:16:00 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	429,000	
Benzene	benzene-d6 (IS)	8.167	8.167	49,622	
Toluene-d8 (IS)		10.789	10.796	449,163	
Toluene	Toluene-d8 (IS)	10.889	10.889	52,437	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	5,888	
m-/p-Xylenes	Toluene-d8 (IS)	13.245	13.253	10,725	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	3,545	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603702.d
Counts
x10^3
6
5
4
3
2
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.768 min, 5 scans) D2603702.d
Lib Match Score=44.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-8-S-20260610
Comment	C01340
Data File	D2603703.d
Acq. Date-Time	6/26/2026 1:41:59 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	438,765	
Benzene	benzene-d6 (IS)	8.167	8.167	52,655	
Toluene-d8 (IS)		10.788	10.796	453,008	
Toluene	Toluene-d8 (IS)	10.889	10.889	77,050	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	11,373	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.253	14,604	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	4,096	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603703.d
Counts
x10^3
7
6
5
4
3
2
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.725-13.768 min, 7 scans) D2603703.d
Lib Match Score=45.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
73.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-9-S-20260610
Comment	C37023
Data File	D2603705.d
Acq. Date-Time	6/26/2026 2:33:50 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	437,622	
Benzene	benzene-d6 (IS)	8.167	8.167	130,639	
Toluene-d8 (IS)		10.789	10.796	462,913	
Toluene	Toluene-d8 (IS)	10.889	10.889	183,968	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	34,725	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	42,788	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	18,235	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603705.d
Counts
x10^4
13.747 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.719-13.776 min, 9 scans) D2603705.d
Counts
x10^3
Lib Match Score=48.4
91.1
41.1
55.1
67.1
79.1
106.1
115.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSEA-10-S-20260610
Comment	C59990
Data File	D2603706.d
Acq. Date-Time	6/26/2026 2:59:44 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	439,129	
Benzene	benzene-d6 (IS)	8.167	8.167	216,038	
Toluene-d8 (IS)		10.789	10.796	456,109	
Toluene	Toluene-d8 (IS)	10.889	10.889	655,826	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	82,114	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	211,006	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	84,536	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603706.d
Counts
x10^4
13.747 min.
Acquisition Time (min)


+ Scan (13.713-13.796 min, 11 scans) D2603706.d
Counts
x10^3
Lib Match Score=60.1
91.1
106.1
41.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-11-S-20260610
Comment	B52713
Data File	D2603707.d
Acq. Date-Time	6/26/2026 3:25:32 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	438,180	
Benzene	benzene-d6 (IS)	8.167	8.167	129,045	
Toluene-d8 (IS)		10.789	10.796	460,085	
Toluene	Toluene-d8 (IS)	10.889	10.889	330,004	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	51,961	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	102,780	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	42,707	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603707.d
Counts
x10^4
13.747 min.
Acquisition Time (min)


+ Scan (13.704-13.790 min, 13 scans) D2603707.d
Counts
x10^3
Lib Match Score=52.5
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-12-S-20260610
Comment	C35798
Data File	D2603708.d
Acq. Date-Time	6/26/2026 3:51:20 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	437,084	
Benzene	benzene-d6 (IS)	8.167	8.167	111,789	
Toluene-d8 (IS)		10.789	10.796	463,197	
Toluene	Toluene-d8 (IS)	10.889	10.889	303,884	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	49,627	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	90,874	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	37,396	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603708.d
Counts
x10^4
13.747 min.
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.716-13.784 min, 10 scans) D2603708.d
Counts
x10^3
Lib Match Score=53.3
91.1
41.1
55.1
67.1
79.1
106.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSEA-12-D-20260610
Comment	C70056
Data File	D2603709.d
Acq. Date-Time	6/26/2026 4:17:13 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	440,246	
Benzene	benzene-d6 (IS)	8.167	8.167	131,814	
Toluene-d8 (IS)		10.789	10.796	454,860	
Toluene	Toluene-d8 (IS)	10.889	10.889	352,068	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	50,697	
m-/p-Xylenes	Toluene-d8 (IS)	13.246	13.253	135,183	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	54,450	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2603709.d
Counts
x10^4
13.747 min.
Acquisition Time (min)


+ Scan (13.714-13.776 min, 9 scans) D2603709.d
Counts
x10^3
Lib Match Score=58.2
91.1
106.1
41.1
55.1
67.1
77.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSEA-12-B-20260610
Comment	C43317
Data File	D2603710.d
Acq. Date-Time	6/26/2026 4:43:04 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.110	439,596	
Benzene	benzene-d6 (IS)	8.167	8.167	8,363	
Toluene-d8 (IS)		10.789	10.796	460,514	
Toluene	Toluene-d8 (IS)	10.889	10.889	17,060	
Ethylbenzene	Toluene-d8 (IS)	13.088	13.081	1,113	
m-/p-Xylenes	Toluene-d8 (IS)	13.238	13.253	1,940	
o-Xylene	Toluene-d8 (IS)	13.661	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan D2603710.d
Counts
x10^3
* 13.661 min.
3.5
3
2.5
2
1.5
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.661-13.661 min, 1 scans) D2603710.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
81.1
94.1
108.1
120.2
73.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D061126A_CC185154	Benzene	1	D2603379.d	6.02	90871	54.9	522317	1.586	0.038
D061126A_CC185154	Benzene	2	D2603380.d	12.05	188838	54.9	523546	1.644	0.076
D061126A_CC185154	Benzene	3	D2603381.d	24.09	298633	54.9	509420	1.336	-0.13
D061126A_CC185154	Benzene	4	D2603382.d	48.18	653155	54.9	520636	1.430	-0.064
D061126A_CC185154	Benzene	5	D2603383.d	120.45	1692087	54.9	511976	1.507	-0.014
D061126A_CC185154	Benzene	6	D2603384.d	240.91	3637612	54.9	511373	1.621	0.061
D061126A_CC185154	Benzene	7	D2603385.d	722.72	10483011	54.9	506526	1.573	0.029
						Avg:	515113	1.528	
						%RSD:	1.3%	7.3%	
D061126A_CC185154	Toluene	1	D2603379.d	5.29	102994	64.8	541274	2.332	0.16
D061126A_CC185154	Toluene	2	D2603380.d	10.58	216217	64.8	531725	2.492	0.24
D061126A_CC185154	Toluene	3	D2603381.d	21.16	318143	64.8	530151	1.839	-0.084
D061126A_CC185154	Toluene	4	D2603382.d	42.32	653616	64.8	531029	1.886	-0.061
D061126A_CC185154	Toluene	5	D2603383.d	105.79	1563815	64.8	530849	1.805	-0.1
D061126A_CC185154	Toluene	6	D2603384.d	211.59	3236417	64.8	527447	1.880	-0.063
D061126A_CC185154	Toluene	7	D2603385.d	634.77	9332341	64.8	524761	1.817	-0.095
						Avg:	531034	2.007	
						%RSD:	1.0%	14.0%	
D061126A_CC185154	Ethylbenzene	1	D2603379.d	5.50	95504	64.8	541274	2.081	0.0098
D061126A_CC185154	Ethylbenzene	2	D2603380.d	11.00	215039	64.8	531725	2.385	0.16
D061126A_CC185154	Ethylbenzene	3	D2603381.d	21.99	330682	64.8	530151	1.839	-0.11
D061126A_CC185154	Ethylbenzene	4	D2603382.d	43.98	777347	64.8	531029	2.158	0.047
D061126A_CC185154	Ethylbenzene	5	D2603383.d	109.95	1758290	64.8	530849	1.953	-0.052
D061126A_CC185154	Ethylbenzene	6	D2603384.d	219.91	3607005	64.8	527447	2.016	-0.022
D061126A_CC185154	Ethylbenzene	7	D2603385.d	659.72	10641577	64.8	524761	1.993	-0.033
						Avg:	531034	2.061	
						%RSD:	1.0%	8.5%	
D061126A_CC185154	m-/p-Xylenes	1	D2603379.d	6.16	85866	64.8	541274	1.669	0.045
D061126A_CC185154	m-/p-Xylenes	2	D2603380.d	12.32	180173	64.8	531725	1.783	0.12
D061126A_CC185154	m-/p-Xylenes	3	D2603381.d	24.65	294512	64.8	530151	1.461	-0.086
D061126A_CC185154	m-/p-Xylenes	4	D2603382.d	49.29	698308	64.8	531029	1.730	0.082
D061126A_CC185154	m-/p-Xylenes	5	D2603383.d	123.23	1486899	64.8	530849	1.474	-0.078
D061126A_CC185154	m-/p-Xylenes	6	D2603384.d	246.46	3042063	64.8	527447	1.517	-0.051
D061126A_CC185154	m-/p-Xylenes	7	D2603385.d	739.37	9292364	64.8	524761	1.553	-0.028
						Avg:	531034	1.598	
						%RSD:	1.0%	8.0%	
D061126A_CC185154	o-Xylene	1	D2603379.d	5.73	86052	64.8	541274	1.799	0.11
D061126A_CC185154	o-Xylene	2	D2603380.d	11.46	168252	64.8	531725	1.790	0.1
D061126A_CC185154	o-Xylene	3	D2603381.d	22.92	280277	64.8	530151	1.496	-0.081

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GC207-1 EPA Method 325B Analysis
Client No.: PROJ-027966 Site: Sprague - Searsport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D061126A_CC185154	o-Xylene	4	D2603382.d	45.84	652460	64.8	531029	1.738	0.068
D061126A_CC185154	o-Xylene	5	D2603383.d	114.60	1408677	64.8	530849	1.501	-0.078
D061126A_CC185154	o-Xylene	6	D2603384.d	229.20	2867069	64.8	527447	1.538	-0.055
D061126A_CC185154	o-Xylene	7	D2603385.d	687.60	8527064	64.8	524761	1.532	-0.059
						Avg:	531034	1.628	
						%RSD:	1.0%	8.6%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D061126A_CC185154	Benzene	ICV	D2603386.d	179.65	2256759	54.9	515521	1.338	-12.0%
D061126A_CC185154	Toluene	ICV	D2603386.d	183.96	2386107	64.8	526774	1.596	-20.0%
D061126A_CC185154	Ethylbenzene	ICV	D2603386.d	181.89	2591413	64.8	526774	1.754	-15.0%
D061126A_CC185154	m-/p-Xylenes	ICV	D2603386.d	184.72	1886032	64.8	526774	1.257	-21.0%
D061126A_CC185154	o-Xylene	ICV	D2603386.d	185.08	1910060	64.8	526774	1.270	-22.0%

M325B PDF Report ver.20260421

Sample Custody

2026GC207 EPA Method 325 A/B

Onterris

Field Test Data Sheet and Chain of Custody Record

Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
* All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague Seasport	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	70 Trundy Road	Project #:	PROJ-027966	Sample Event #:	2026GC301
City:	Searsport	Project Manager:	Sabarish Selvarajan	Sorbent Type:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@onterris.com	Quote #:	
Zip:	04974	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C71500	S	6/10/26	12:29 PM	6/24/26	1:02 PM	KV/KV		
2	C57153	S	6/10/26	12:17 PM	6/24/26	12:50 PM	KV/KV		
3	C70901	S	6/10/26	12:12 PM	6/24/26	12:44 PM	KV/KV		
4	C56839	S	6/10/26	11:23 AM	6/24/26	12:13 PM	KV/KV		
5	C61647	S	6/10/26	12:08 PM	6/24/26	12:40 PM	KV/KV		
6	C70582	S	6/10/26	12:05 PM	6/24/26	12:38 PM	KV/KV		
6	C36931	D	6/10/26	12:05 PM	6/24/26	12:38 PM	KV/KV		
6	C38872	B	6/10/26	12:05 PM	6/24/26	12:38 PM	KV/KV		
7	C71592	S	6/10/26	11:56 AM	6/24/26	12:33 PM	KV/KV		
8	C01340	S	6/10/26	11:45 AM	6/24/26	12:28 PM	KV/KV		
9	C37023	S	6/10/26	11:41 AM	6/24/26	12:26 PM	KV/KV		
10	C59990	S	6/10/26	11:37 AM	6/24/26	12:22 PM	KV/KV		
11	B52713	S	6/10/26	12:22 PM	6/24/26	12:59 PM	KV/KV		
12	C35798	S	6/10/26	12:34 PM	6/24/26	1:08 PM	KV/KV		
12	C70056	D	6/10/26	12:34 PM	6/24/26	1:08 PM	KV/KV		
12	C43317	B	6/10/26	12:34 PM	6/24/26	1:08 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/24/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Susan Pierce	Susan Pierce	6/25/2026	9:25AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 16.5 Fluke4		Custody Seal #: 25D01063	

Comments:

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

APPENDIX B

No data was invalidated in Quarter 2, 2026.

Appendix C - Corrective Action Plan

ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	**ONTERRIS PERSONNEL RESPONSIBLE**	**DATE DUE**	**COMMENTS**
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Onterris staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Onterris has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Onterris project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Ongoing since 2/3/26	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Ongoing since 2/3/26	Field personnel required to perform a secondary review of samples prior to leaving the site to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	Ongoing since 2/3/26	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Ongoing since 2/3/26	Review of sample documentation within 3 business days of receipt.
Review of fleet tracking data	Project Manager	Ongoing since 2/3/26	Review of vehicle monitoring device on a weekly basis to confirm field personnel movements.
Periodic on site field assessments	Project Manager	Completed Week of 6/22/26	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Ongoing since 2/3/26	Scheduled cadence of status update meetings between Onterris project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	As needed.	Promptly notify client of any irregularities in sampling within 3 business days of discovery.