Fenceline Monitoring Report
Sprague Operating Resources LLC
South Portland Maine Terminal

Quarter Data Report

Prepared for: Sprague Operating Resources LLC
185 International Drive
Portsmouth, NH 03801

Facility Sprague Operating Resources LLC
59 Main Street
South Portland, ME 04106

Prepared By: Onterris
45 U.S. Hwy. 46 East
Suite 601
Pine Brook, NJ 07058

Reporting Period: Quarter 2, 2026
Report Date: August 11, 2026

Report Number: 047AA-031333-RT-1288

45 U.S. Hwy. 46 East, Suite 601
Pine Brook, NJ 07058
T: +1.973.575.2555
Onterris.com

For Planet & Progress

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	P	Field duplicate(s) exceed 30%RPD
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260331	C20382	0.806		0.559	J	1.62		0.52	J	2.19	
SPRSPO-1-D-20260331	C55743	0.715		0.608	J	2.11		0.624	J	2.29	
SPRSPO-1-B-20260331	C40143	0.192	ND	0.280	ND	0.280	ND	0.280	ND	0.266	J
SPRSPO-2-S-20260331	C38914	0.554		0.423	J	0.778		0.280	ND	1.41	
SPRSPO-3-S-20260331	C15903	0.623		0.280	ND	0.667	J	0.280	ND	1.30	
SPRSPO-4-S-20260331	C33477	0.513		0.280	ND	0.444	J	0.280	ND	1.11	
SPRSPO-5-S-20260331	C38562	0.490		0.280	ND	0.378	J	0.280	ND	1.11	
SPRSPO-6-S-20260331	C37042	0.457	J	0.280	ND	0.355	J	0.280	ND	1.20	
SPRSPO-7-S-20260331	C16143	0.563		0.280	ND	0.415	J	0.280	ND	1.52	
SPRSPO-8-S-20260331	C32879	0.411	J	0.280	ND	0.317	J	0.280	ND	0.822	
SPRSPO-9-S-20260331	C20610	0.560		0.280	ND	0.537	J	0.280	ND	1.13	
SPRSPO-10-S-20260331	C20483	0.495		0.280	ND	0.455	J	0.280	ND	1.15	
SPRSPO-11-S-20260331	C01663	0.477		0.280	ND	0.341	J	0.280	ND	0.841	
SPRSPO-12-S-20260331	C37491	0.576		0.298	J	0.801		0.305	J	1.58	
SPRSPO-13-S-20260331	B33978	0.517		0.279	ND	0.736		0.279	ND	1.29	
SPRSPO-13-D-20260331	B49610	0.545		0.279	ND	0.775		0.279	ND	1.27	
SPRSPO-13-B-20260331	C39221	0.192	ND	0.279	ND	0.279	ND	0.279	ND	0.247	ND
SPRSPO-14-S-20260331	B18367	0.746		0.356	J	0.995		0.356	J	1.61	
SPRSPO-15-S-20260331	C00590	0.649		0.325	J	0.994		0.345	J	1.65	
SPRSPO-16-S-20260331	C43192	0.719		0.418	J	1.26		0.420	J	2.02	
SPRSPO-1-S-20260414	C39121	1.26		0.840		2.61		0.876		4.80	
SPRSPO-1-D-20260414	B16947	1.39		0.892		2.70		0.840		5.00	
SPRSPO-1-B-20260414	C00758	0.190	ND	0.277	ND	0.277	ND	0.277	ND	0.245	ND
SPRSPO-2-S-20260414	C55489	0.675		0.358	J	1.01		0.342	J	2.47	
SPRSPO-3-S-20260414	C37495	0.581		0.277	ND	0.682		0.277	ND	1.62	
SPRSPO-4-S-20260414	C57553	0.462		0.277	ND	0.618	J	0.277	ND	1.37	
SPRSPO-5-S-20260414	C39020	0.359	J	0.277	ND	0.349	J	0.277	ND	1.01	
SPRSPO-6-S-20260414	C32835	0.374	J	0.277	ND	0.316	J	0.277	ND	1.18	
SPRSPO-7-S-20260414	B34531	0.458		0.277	ND	0.464	J	0.277	ND	2.20	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	P	Field duplicate(s) exceed 30%RPD
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-8-S-20260414	C61572	0.406	J	0.277	ND	0.524	J	0.277	ND	0.914	
SPRSPO-9-S-20260414	C27848	0.557		0.294	J	0.759		0.298	J	1.47	
SPRSPO-10-S-20260414	C33438	0.540		0.296	J	0.745		0.277	ND	1.39	
SPRSPO-11-S-20260414	C69659	0.565		0.277	ND	0.846		0.313	J	1.39	
SPRSPO-12-S-20260414	B44468	0.875		0.347	J	0.825		0.292	J	2.01	
SPRSPO-13-S-20260414	C71763	0.729		0.393	J	1.32		0.470	J	2.06	
SPRSPO-13-D-20260414	C70605	0.687		0.367	J	1.21		0.444	J	1.96	
SPRSPO-13-B-20260414	C60302	0.191	ND	0.278	ND	0.278	ND	0.278	ND	0.246	ND
SPRSPO-14-S-20260414	C34132	0.701		0.441	J	1.15		0.427	J	2.13	
SPRSPO-15-S-20260414	C71565	0.977		0.630		2.12		0.725		3.39	
SPRSPO-16-S-20260414	C73574	1.29		0.830		2.68		0.893		4.26	
SPRSPO-1-S-20260428	C69577	1.77	B	0.663		2.07	Pc	0.673		2.77	
SPRSPO-1-D-20260428	C69771	1.59	B	0.657		2.18	Pc	0.703		2.73	
SPRSPO-1-B-20260428	C70899	0.876		0.276	ND	0.276	ND,Pc	0.276	ND	0.403	J
SPRSPO-2-S-20260428	C36909	1.40	B	0.338	J	0.795	Pc	0.276	ND	1.75	
SPRSPO-3-S-20260428	B49637	0.754	B	0.443	J	0.908	Pc	0.309	J	2.47	
SPRSPO-4-S-20260428	C20586	0.501	B	0.276	ND	0.370	J,Pc	0.276	ND	1.10	
SPRSPO-5-S-20260428	C39165	0.772	B	0.276	ND	0.276	ND,Pc	0.276	ND	0.798	
SPRSPO-6-S-20260428	C71592	1.33	B	0.276	ND	0.319	J,Pc	0.276	ND	1.05	
SPRSPO-7-S-20260428	C38589	0.395	J,B	0.276	ND	0.357	J,Pc	0.276	ND	1.17	
SPRSPO-8-S-20260428	C56941	0.537	B	0.276	ND	0.322	J,Pc	0.276	ND	1.15	
SPRSPO-9-S-20260428	C40572	1.20	B	0.276	ND	0.478	J,Pc	0.276	ND	1.17	
SPRSPO-10-S-20260428	C55290	1.01	B	0.276	ND	0.415	J,Pc	0.276	ND	1.16	
SPRSPO-11-S-20260428	C37418	0.559	B	0.276	ND	0.549	J,Pc	0.276	ND	1.39	
SPRSPO-12-S-20260428	B50800	1.21	B	0.276	ND	0.656	J,Pc	0.276	ND	1.67	
SPRSPO-13-S-20260428	C70585	0.582	B	0.320	J	0.969	Pc	0.361	J	1.63	
SPRSPO-13-D-20260428	B47807	0.634	B	0.281	J	0.638	J,Pc	0.276	ND	1.83	
SPRSPO-13-B-20260428	C43382	0.189	ND	0.276	ND	0.276	ND,Pc	0.276	ND	0.244	ND
SPRSPO-14-S-20260428	B52953	0.562	B	0.322	J	0.724	Pc	0.276	ND	1.45	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	P	Field duplicate(s) exceed 30%RPD
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-15-S-20260428	C00682	0.854	B	0.605		1.65	Pc	0.595	J	2.94	
SPRSPO-16-S-20260428	C40538	0.972	B	0.71		1.81	Pc	0.638		3.30	
SPRSPO-1-S-20260512	B48525	1.37		0.814		2.28	P	0.762	Pc	4.23	
SPRSPO-1-D-20260512	C70202	1.30		1.01		3.52	P	1.15	Pc	4.81	
SPRSPO-1-B-20260512	C43688	0.189	ND	0.276	ND	0.276	ND,P	0.276	ND,Pc	0.244	ND
SPRSPO-2-S-20260512	B46241	0.644		0.360	J	0.973	P	0.345	J,Pc	2.00	
SPRSPO-3-S-20260512	B34975	0.604		0.319	J	0.769	P	0.275	ND,Pc	1.59	
SPRSPO-4-S-20260512	C70057	0.773		0.353	J	1.14	P	0.394	J,Pc	2.01	
SPRSPO-5-S-20260512	C39229	0.455		0.276	ND	0.592	J,P	0.276	ND,Pc	1.32	
SPRSPO-6-S-20260512	C73599	0.429	J	0.275	ND	0.483	J,P	0.275	ND,Pc	1.19	
SPRSPO-7-S-20260512	C55517	0.482		0.275	ND	0.650	J,P	0.275	ND,Pc	2.25	
SPRSPO-8-S-20260512	C43208	0.413	J	0.276	ND	0.433	J,P	0.276	ND,Pc	1.02	
SPRSPO-9-S-20260512	C01849	0.561		0.276	ND	0.635	J,P	0.276	ND,Pc	1.35	
SPRSPO-10-S-20260512	B51012	0.496		0.276	ND	0.591	J,P	0.276	ND,Pc	1.32	
SPRSPO-11-S-20260512	C40517	0.505		0.276	ND	0.609	J,P	0.276	ND,Pc	1.34	
SPRSPO-12-S-20260512	C40159	0.609		0.338	J	0.851	P	0.298	J,Pc	1.85	
SPRSPO-13-S-20260512	C56900	0.671		0.413	J	1.23	P	0.415	J,Pc	2.11	
SPRSPO-13-D-20260512	C43291	0.709		0.426	J	1.23	P	0.424	J,Pc	2.12	
SPRSPO-13-B-20260512	C37478	0.190	ND	0.276	ND	0.276	ND,P	0.276	ND,Pc	0.245	ND
SPRSPO-14-S-20260512	C57580	0.784		0.515	J	1.45	P	0.525	J,Pc	2.48	
SPRSPO-15-S-20260512	C20509	1.19		0.810		1.95	P	0.702	Pc	4.06	
SPRSPO-16-S-20260512	C33016	1.40		1.07		2.85	P	1.00	Pc	5.12	
SPRSPO-1-S-20260526	C70099	0.949		0.981		3.38	P	1.11	Pc	4.01	
SPRSPO-1-D-20260526	C37437	0.939		0.867		1.92	P	0.613	J,Pc	3.88	
SPRSPO-1-B-20260526	C57138	0.187	ND	0.272	ND	0.272	ND,P	0.272	ND,Pc	0.241	ND
SPRSPO-2-S-20260526	C69494	0.600		0.50	J	1.64	P	0.549	J,Pc	2.41	
SPRSPO-3-S-20260526	C35732	0.434	J	0.351	J	0.90	P	0.318	J,Pc	1.88	
SPRSPO-4-S-20260526	C16067	0.438	J	0.285	J	0.723	P	0.273	ND,Pc	1.64	
SPRSPO-5-S-20260526	C32999	0.369	J	0.273	ND	0.602	J,P	0.273	ND,Pc	1.50	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	P	Field duplicate(s) exceed 30%RPD
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-6-S-20260526	C56927	0.310	J	0.273	ND	0.713	P	0.273	ND,Pc	1.53	
SPRSPO-7-S-20260526	C70191	0.309	J	0.273	ND	0.749	P	0.281	J,Pc	1.73	
SPRSPO-8-S-20260526	C55302	0.288	J	0.273	ND	0.596	J,P	0.273	ND,Pc	0.970	
SPRSPO-9-S-20260526	B52750	0.368	J	0.272	ND	0.549	J,P	0.272	ND,Pc	1.21	
SPRSPO-10-S-20260526	C01873	0.349	J	0.272	ND	0.541	J,P	0.272	ND,Pc	1.09	
SPRSPO-11-S-20260526	C71465	0.402	J	0.272	ND	0.621	J,P	0.272	ND,Pc	1.15	
SPRSPO-12-S-20260526	C55561	0.553		0.484	J	1.22	P	0.407	J,Pc	2.24	
SPRSPO-13-S-20260526	C01403	0.555		0.477	J	1.29	P	0.447	J,Pc	2.17	
SPRSPO-13-D-20260526	B38433	0.575		0.419	J	1.03	P	0.345	J,Pc	2.12	
SPRSPO-13-B-20260526	C61445	0.187	ND	0.272	ND	0.272	ND,P	0.272	ND,Pc	0.241	ND
SPRSPO-14-S-20260526	B33564	0.566		0.540	J	1.41	P	0.518	J,Pc	2.38	
SPRSPO-15-S-20260526	C43660	0.863		0.866		2.39	P	0.842	Pc	3.93	
SPRSPO-16-S-20260526	C67363	1.02		0.973		2.63	P	0.923	Pc	4.38	
SPRSPO-1-S-20260609	C59926	1.32		1.04		3.58		1.18		5.15	
SPRSPO-1-D-20260609	C70555	1.31		1.01		3.41		1.14		5.04	
SPRSPO-1-B-20260609	C60002	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
SPRSPO-2-S-20260609	B48670	0.947		0.438	J	1.25		0.435	J	2.83	
SPRSPO-3-S-20260609	C02000	0.727		0.366	J	1.11		0.394	J	2.29	
SPRSPO-4-S-20260609	C65340	0.749		0.379	J	1.10		0.397	J	2.74	
SPRSPO-5-S-20260609	B47851	0.583		0.272	ND	0.514	J	0.272	ND	2.19	
SPRSPO-6-S-20260609	C40642	0.384	J	0.275	J	0.710		0.272	ND	2.23	
SPRSPO-7-S-20260609	C70539	0.432	J	0.272	ND	0.799		0.324	J	2.44	
SPRSPO-8-S-20260609	C67447	0.404	J	0.272	ND	0.601	J	0.272	ND	1.13	
SPRSPO-9-S-20260609	C56942	0.516		0.366	J	1.23		0.470	J	1.88	
SPRSPO-10-S-20260609	C69479	0.586		0.272	ND	0.861		0.339	J	1.59	
SPRSPO-11-S-20260609	C01839	0.557		0.333	J	0.772		0.272	ND	1.68	
SPRSPO-12-S-20260609	C20587	0.722		0.387	J	1.01		0.347	J	2.29	
SPRSPO-13-S-20260609	C70184	0.676		0.481	J	1.60		0.594	J	2.38	
SPRSPO-13-D-20260609	C69802	0.765		0.477	J	1.62		0.598	J	2.43	

Sprague South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	P	Field duplicate(s) exceed 30%RPD
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-13-B-20260609	C38518	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
SPRSPO-14-S-20260609	C43602	0.808		0.548	J	1.42		0.516	J	2.69	
SPRSPO-15-S-20260609	C38882	1.02		0.826		2.38		0.830		4.41	
SPRSPO-16-S-20260609	C43860	1.11		0.819		2.69		0.930		4.51	
Quarter 2, 2026 Maximum		1.77		1.07		3.58		1.18		5.15	
Quarter 2, 2026 Average		0.684		0.407		1.04		0.406		2.03	
Rolling Annual Maximum		3.58		4.97		18.2		6.34		20.6	
Rolling Annual Average		0.958		0.695		2.01		0.763		3.23	

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-S-20260331	1	Benzene	Sample	0.806	ug/m3	0.192	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-S-20260331	1	Ethylbenzene	Sample	0.559	ug/m3	0.28	ug/m3	J	Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-S-20260331	1	m-/p-Xylenes	Sample	1.62	ug/m3	0.28	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-S-20260331	1	o-Xylene	Sample	0.52	ug/m3	0.28	ug/m3	J	Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-S-20260331	1	Toluene	Sample	2.19	ug/m3	0.248	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-D-20260331	1	Benzene	Duplicate	0.715	ug/m3	0.192	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-D-20260331	1	Ethylbenzene	Duplicate	0.608	ug/m3	0.28	ug/m3	J	Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-D-20260331	1	m-/p-Xylenes	Duplicate	2.11	ug/m3	0.28	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-D-20260331	1	o-Xylene	Duplicate	0.624	ug/m3	0.28	ug/m3	J	Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-D-20260331	1	Toluene	Duplicate	2.29	ug/m3	0.248	ug/m3		Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-B-20260331	1	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-B-20260331	1	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-B-20260331	1	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-B-20260331	1	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-1-B-20260331	1	Toluene	Blank	0.266	ug/m3	0.248	ug/m3	J	Y	3/31/2026	10:58	4/14/2026	09:51
SPRSPO-2-S-20260331	2	Benzene	Sample	0.554	ug/m3	0.192	ug/m3		Y	3/31/2026	11:01	4/14/2026	10:00
SPRSPO-2-S-20260331	2	Ethylbenzene	Sample	0.423	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:01	4/14/2026	10:00
SPRSPO-2-S-20260331	2	m-/p-Xylenes	Sample	0.778	ug/m3	0.28	ug/m3		Y	3/31/2026	11:01	4/14/2026	10:00
SPRSPO-2-S-20260331	2	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:01	4/14/2026	10:00
SPRSPO-2-S-20260331	2	Toluene	Sample	1.41	ug/m3	0.247	ug/m3		Y	3/31/2026	11:01	4/14/2026	10:00
SPRSPO-3-S-20260331	3	Benzene	Sample	0.623	ug/m3	0.192	ug/m3		Y	3/31/2026	11:03	4/14/2026	10:09
SPRSPO-3-S-20260331	3	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:03	4/14/2026	10:09
SPRSPO-3-S-20260331	3	m-/p-Xylenes	Sample	0.667	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:03	4/14/2026	10:09
SPRSPO-3-S-20260331	3	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:03	4/14/2026	10:09
SPRSPO-3-S-20260331	3	Toluene	Sample	1.3	ug/m3	0.247	ug/m3		Y	3/31/2026	11:03	4/14/2026	10:09
SPRSPO-4-S-20260331	4	Benzene	Sample	0.513	ug/m3	0.192	ug/m3		Y	3/31/2026	11:06	4/14/2026	10:13
SPRSPO-4-S-20260331	4	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:06	4/14/2026	10:13
SPRSPO-4-S-20260331	4	m-/p-Xylenes	Sample	0.444	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:06	4/14/2026	10:13
SPRSPO-4-S-20260331	4	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:06	4/14/2026	10:13
SPRSPO-4-S-20260331	4	Toluene	Sample	1.11	ug/m3	0.247	ug/m3		Y	3/31/2026	11:06	4/14/2026	10:13
SPRSPO-5-S-20260331	5	Benzene	Sample	0.49	ug/m3	0.192	ug/m3		Y	3/31/2026	11:08	4/14/2026	10:16
SPRSPO-5-S-20260331	5	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:08	4/14/2026	10:16

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-5-S-20260331	5	m-/p-Xylenes	Sample	0.378	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:08	4/14/2026	10:16
SPRSPO-5-S-20260331	5	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:08	4/14/2026	10:16
SPRSPO-5-S-20260331	5	Toluene	Sample	1.11	ug/m3	0.247	ug/m3		Y	3/31/2026	11:08	4/14/2026	10:16
SPRSPO-6-S-20260331	6	Benzene	Sample	0.457	ug/m3	0.192	ug/m3	J	Y	3/31/2026	11:13	4/14/2026	10:22
SPRSPO-6-S-20260331	6	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:13	4/14/2026	10:22
SPRSPO-6-S-20260331	6	m-/p-Xylenes	Sample	0.355	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:13	4/14/2026	10:22
SPRSPO-6-S-20260331	6	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:13	4/14/2026	10:22
SPRSPO-6-S-20260331	6	Toluene	Sample	1.2	ug/m3	0.247	ug/m3		Y	3/31/2026	11:13	4/14/2026	10:22
SPRSPO-7-S-20260331	7	Benzene	Sample	0.563	ug/m3	0.192	ug/m3		Y	3/31/2026	11:16	4/14/2026	10:25
SPRSPO-7-S-20260331	7	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:16	4/14/2026	10:25
SPRSPO-7-S-20260331	7	m-/p-Xylenes	Sample	0.415	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:16	4/14/2026	10:25
SPRSPO-7-S-20260331	7	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:16	4/14/2026	10:25
SPRSPO-7-S-20260331	7	Toluene	Sample	1.52	ug/m3	0.247	ug/m3		Y	3/31/2026	11:16	4/14/2026	10:25
SPRSPO-8-S-20260331	8	Benzene	Sample	0.411	ug/m3	0.192	ug/m3	J	Y	3/31/2026	11:20	4/14/2026	10:30
SPRSPO-8-S-20260331	8	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:20	4/14/2026	10:30
SPRSPO-8-S-20260331	8	m-/p-Xylenes	Sample	0.317	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:20	4/14/2026	10:30
SPRSPO-8-S-20260331	8	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:20	4/14/2026	10:30
SPRSPO-8-S-20260331	8	Toluene	Sample	0.822	ug/m3	0.247	ug/m3		Y	3/31/2026	11:20	4/14/2026	10:30
SPRSPO-9-S-20260331	9	Benzene	Sample	0.56	ug/m3	0.192	ug/m3		Y	3/31/2026	11:29	4/14/2026	10:37
SPRSPO-9-S-20260331	9	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:29	4/14/2026	10:37
SPRSPO-9-S-20260331	9	m-/p-Xylenes	Sample	0.537	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:29	4/14/2026	10:37
SPRSPO-9-S-20260331	9	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:29	4/14/2026	10:37
SPRSPO-9-S-20260331	9	Toluene	Sample	1.13	ug/m3	0.247	ug/m3		Y	3/31/2026	11:29	4/14/2026	10:37
SPRSPO-10-S-20260331	10	Benzene	Sample	0.495	ug/m3	0.192	ug/m3		Y	3/31/2026	11:32	4/14/2026	10:39
SPRSPO-10-S-20260331	10	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:32	4/14/2026	10:39
SPRSPO-10-S-20260331	10	m-/p-Xylenes	Sample	0.455	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:32	4/14/2026	10:39
SPRSPO-10-S-20260331	10	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:32	4/14/2026	10:39
SPRSPO-10-S-20260331	10	Toluene	Sample	1.15	ug/m3	0.247	ug/m3		Y	3/31/2026	11:32	4/14/2026	10:39
SPRSPO-11-S-20260331	11	Benzene	Sample	0.477	ug/m3	0.192	ug/m3		Y	3/31/2026	11:35	4/14/2026	10:42
SPRSPO-11-S-20260331	11	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:35	4/14/2026	10:42
SPRSPO-11-S-20260331	11	m-/p-Xylenes	Sample	0.341	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:35	4/14/2026	10:42
SPRSPO-11-S-20260331	11	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	11:35	4/14/2026	10:42

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20260331	11	Toluene	Sample	0.841	ug/m3	0.247	ug/m3		Y	3/31/2026	11:35	4/14/2026	10:42
SPRSPO-12-S-20260331	12	Benzene	Sample	0.576	ug/m3	0.192	ug/m3		Y	3/31/2026	11:38	4/14/2026	10:45
SPRSPO-12-S-20260331	12	Ethylbenzene	Sample	0.298	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:38	4/14/2026	10:45
SPRSPO-12-S-20260331	12	m-/p-Xylenes	Sample	0.801	ug/m3	0.28	ug/m3		Y	3/31/2026	11:38	4/14/2026	10:45
SPRSPO-12-S-20260331	12	o-Xylene	Sample	0.305	ug/m3	0.28	ug/m3	J	Y	3/31/2026	11:38	4/14/2026	10:45
SPRSPO-12-S-20260331	12	Toluene	Sample	1.58	ug/m3	0.247	ug/m3		Y	3/31/2026	11:38	4/14/2026	10:45
SPRSPO-13-S-20260331	13	Benzene	Sample	0.517	ug/m3	0.192	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-S-20260331	13	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-S-20260331	13	m-/p-Xylenes	Sample	0.736	ug/m3	0.279	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-S-20260331	13	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-S-20260331	13	Toluene	Sample	1.29	ug/m3	0.247	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-D-20260331	13	Benzene	Duplicate	0.545	ug/m3	0.192	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-D-20260331	13	Ethylbenzene	Duplicate	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-D-20260331	13	m-/p-Xylenes	Duplicate	0.775	ug/m3	0.279	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-D-20260331	13	o-Xylene	Duplicate	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-D-20260331	13	Toluene	Duplicate	1.27	ug/m3	0.247	ug/m3		Y	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-B-20260331	13	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-B-20260331	13	Ethylbenzene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-B-20260331	13	m-/p-Xylenes	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-B-20260331	13	o-Xylene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-13-B-20260331	13	Toluene	Blank	<0.247	ug/m3	0.247	ug/m3	ND	N	3/31/2026	11:40	4/14/2026	10:55
SPRSPO-14-S-20260331	14	Benzene	Sample	0.746	ug/m3	0.192	ug/m3		Y	3/31/2026	12:00	4/14/2026	11:00
SPRSPO-14-S-20260331	14	Ethylbenzene	Sample	0.356	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:00	4/14/2026	11:00
SPRSPO-14-S-20260331	14	m-/p-Xylenes	Sample	0.995	ug/m3	0.28	ug/m3		Y	3/31/2026	12:00	4/14/2026	11:00
SPRSPO-14-S-20260331	14	o-Xylene	Sample	0.356	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:00	4/14/2026	11:00
SPRSPO-14-S-20260331	14	Toluene	Sample	1.61	ug/m3	0.247	ug/m3		Y	3/31/2026	12:00	4/14/2026	11:00
SPRSPO-15-S-20260331	15	Benzene	Sample	0.649	ug/m3	0.192	ug/m3		Y	3/31/2026	12:08	4/14/2026	11:03
SPRSPO-15-S-20260331	15	Ethylbenzene	Sample	0.325	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:08	4/14/2026	11:03
SPRSPO-15-S-20260331	15	m-/p-Xylenes	Sample	0.994	ug/m3	0.28	ug/m3		Y	3/31/2026	12:08	4/14/2026	11:03
SPRSPO-15-S-20260331	15	o-Xylene	Sample	0.345	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:08	4/14/2026	11:03
SPRSPO-15-S-20260331	15	Toluene	Sample	1.65	ug/m3	0.247	ug/m3		Y	3/31/2026	12:08	4/14/2026	11:03
SPRSPO-16-S-20260331	16	Benzene	Sample	0.719	ug/m3	0.192	ug/m3		Y	3/31/2026	12:10	4/14/2026	11:08

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-16-S-20260331	16	Ethylbenzene	Sample	0.418	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:10	4/14/2026	11:08
SPRSPO-16-S-20260331	16	m-/p-Xylenes	Sample	1.26	ug/m3	0.28	ug/m3		Y	3/31/2026	12:10	4/14/2026	11:08
SPRSPO-16-S-20260331	16	o-Xylene	Sample	0.42	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:10	4/14/2026	11:08
SPRSPO-16-S-20260331	16	Toluene	Sample	2.02	ug/m3	0.247	ug/m3		Y	3/31/2026	12:10	4/14/2026	11:08
SPRSPO-1-S-20260414	1	Benzene	Sample	1.26	ug/m3	0.19	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-S-20260414	1	Ethylbenzene	Sample	0.84	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-S-20260414	1	m-/p-Xylenes	Sample	2.61	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-S-20260414	1	o-Xylene	Sample	0.876	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-S-20260414	1	Toluene	Sample	4.8	ug/m3	0.245	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-D-20260414	1	Benzene	Duplicate	1.39	ug/m3	0.19	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-D-20260414	1	Ethylbenzene	Duplicate	0.892	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-D-20260414	1	m-/p-Xylenes	Duplicate	2.7	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-D-20260414	1	o-Xylene	Duplicate	0.84	ug/m3	0.277	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-D-20260414	1	Toluene	Duplicate	5	ug/m3	0.245	ug/m3		Y	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-B-20260414	1	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-B-20260414	1	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-B-20260414	1	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-B-20260414	1	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-1-B-20260414	1	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	4/14/2026	09:51	4/28/2026	10:40
SPRSPO-2-S-20260414	2	Benzene	Sample	0.675	ug/m3	0.19	ug/m3		Y	4/14/2026	10:00	4/28/2026	10:42
SPRSPO-2-S-20260414	2	Ethylbenzene	Sample	0.358	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:00	4/28/2026	10:42
SPRSPO-2-S-20260414	2	m-/p-Xylenes	Sample	1.01	ug/m3	0.277	ug/m3		Y	4/14/2026	10:00	4/28/2026	10:42
SPRSPO-2-S-20260414	2	o-Xylene	Sample	0.342	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:00	4/28/2026	10:42
SPRSPO-2-S-20260414	2	Toluene	Sample	2.47	ug/m3	0.245	ug/m3		Y	4/14/2026	10:00	4/28/2026	10:42
SPRSPO-3-S-20260414	3	Benzene	Sample	0.581	ug/m3	0.19	ug/m3		Y	4/14/2026	10:09	4/28/2026	10:44
SPRSPO-3-S-20260414	3	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:09	4/28/2026	10:44
SPRSPO-3-S-20260414	3	m-/p-Xylenes	Sample	0.682	ug/m3	0.277	ug/m3		Y	4/14/2026	10:09	4/28/2026	10:44
SPRSPO-3-S-20260414	3	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:09	4/28/2026	10:44
SPRSPO-3-S-20260414	3	Toluene	Sample	1.62	ug/m3	0.245	ug/m3		Y	4/14/2026	10:09	4/28/2026	10:44
SPRSPO-4-S-20260414	4	Benzene	Sample	0.462	ug/m3	0.19	ug/m3		Y	4/14/2026	10:13	4/28/2026	10:46
SPRSPO-4-S-20260414	4	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:13	4/28/2026	10:46
SPRSPO-4-S-20260414	4	m-/p-Xylenes	Sample	0.618	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:13	4/28/2026	10:46

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-4-S-20260414	4	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:13	4/28/2026	10:46
SPRSPO-4-S-20260414	4	Toluene	Sample	1.37	ug/m3	0.245	ug/m3		Y	4/14/2026	10:13	4/28/2026	10:46
SPRSPO-5-S-20260414	5	Benzene	Sample	0.359	ug/m3	0.19	ug/m3	J	Y	4/14/2026	10:16	4/28/2026	10:48
SPRSPO-5-S-20260414	5	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:16	4/28/2026	10:48
SPRSPO-5-S-20260414	5	m-/p-Xylenes	Sample	0.349	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:16	4/28/2026	10:48
SPRSPO-5-S-20260414	5	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:16	4/28/2026	10:48
SPRSPO-5-S-20260414	5	Toluene	Sample	1.01	ug/m3	0.245	ug/m3		Y	4/14/2026	10:16	4/28/2026	10:48
SPRSPO-6-S-20260414	6	Benzene	Sample	0.374	ug/m3	0.19	ug/m3	J	Y	4/14/2026	10:22	4/28/2026	10:53
SPRSPO-6-S-20260414	6	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:22	4/28/2026	10:53
SPRSPO-6-S-20260414	6	m-/p-Xylenes	Sample	0.316	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:22	4/28/2026	10:53
SPRSPO-6-S-20260414	6	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:22	4/28/2026	10:53
SPRSPO-6-S-20260414	6	Toluene	Sample	1.18	ug/m3	0.245	ug/m3		Y	4/14/2026	10:22	4/28/2026	10:53
SPRSPO-7-S-20260414	7	Benzene	Sample	0.458	ug/m3	0.19	ug/m3		Y	4/14/2026	10:25	4/28/2026	10:56
SPRSPO-7-S-20260414	7	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:25	4/28/2026	10:56
SPRSPO-7-S-20260414	7	m-/p-Xylenes	Sample	0.464	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:25	4/28/2026	10:56
SPRSPO-7-S-20260414	7	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:25	4/28/2026	10:56
SPRSPO-7-S-20260414	7	Toluene	Sample	2.2	ug/m3	0.245	ug/m3		Y	4/14/2026	10:25	4/28/2026	10:56
SPRSPO-8-S-20260414	8	Benzene	Sample	0.406	ug/m3	0.19	ug/m3	J	Y	4/14/2026	10:30	4/28/2026	11:00
SPRSPO-8-S-20260414	8	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:30	4/28/2026	11:00
SPRSPO-8-S-20260414	8	m-/p-Xylenes	Sample	0.524	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:30	4/28/2026	11:00
SPRSPO-8-S-20260414	8	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:30	4/28/2026	11:00
SPRSPO-8-S-20260414	8	Toluene	Sample	0.914	ug/m3	0.245	ug/m3		Y	4/14/2026	10:30	4/28/2026	11:00
SPRSPO-9-S-20260414	9	Benzene	Sample	0.557	ug/m3	0.19	ug/m3		Y	4/14/2026	10:37	4/28/2026	11:09
SPRSPO-9-S-20260414	9	Ethylbenzene	Sample	0.294	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:37	4/28/2026	11:09
SPRSPO-9-S-20260414	9	m-/p-Xylenes	Sample	0.759	ug/m3	0.277	ug/m3		Y	4/14/2026	10:37	4/28/2026	11:09
SPRSPO-9-S-20260414	9	o-Xylene	Sample	0.298	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:37	4/28/2026	11:09
SPRSPO-9-S-20260414	9	Toluene	Sample	1.47	ug/m3	0.245	ug/m3		Y	4/14/2026	10:37	4/28/2026	11:09
SPRSPO-10-S-20260414	10	Benzene	Sample	0.54	ug/m3	0.19	ug/m3		Y	4/14/2026	10:39	4/28/2026	11:11
SPRSPO-10-S-20260414	10	Ethylbenzene	Sample	0.296	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:39	4/28/2026	11:11
SPRSPO-10-S-20260414	10	m-/p-Xylenes	Sample	0.745	ug/m3	0.277	ug/m3		Y	4/14/2026	10:39	4/28/2026	11:11
SPRSPO-10-S-20260414	10	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:39	4/28/2026	11:11
SPRSPO-10-S-20260414	10	Toluene	Sample	1.39	ug/m3	0.245	ug/m3		Y	4/14/2026	10:39	4/28/2026	11:11

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-11-S-20260414	11	Benzene	Sample	0.565	ug/m3	0.19	ug/m3		Y	4/14/2026	10:42	4/28/2026	11:13
SPRSPO-11-S-20260414	11	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	10:42	4/28/2026	11:13
SPRSPO-11-S-20260414	11	m-/p-Xylenes	Sample	0.846	ug/m3	0.277	ug/m3		Y	4/14/2026	10:42	4/28/2026	11:13
SPRSPO-11-S-20260414	11	o-Xylene	Sample	0.313	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:42	4/28/2026	11:13
SPRSPO-11-S-20260414	11	Toluene	Sample	1.39	ug/m3	0.245	ug/m3		Y	4/14/2026	10:42	4/28/2026	11:13
SPRSPO-12-S-20260414	12	Benzene	Sample	0.875	ug/m3	0.19	ug/m3		Y	4/14/2026	10:45	4/28/2026	11:15
SPRSPO-12-S-20260414	12	Ethylbenzene	Sample	0.347	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:45	4/28/2026	11:15
SPRSPO-12-S-20260414	12	m-/p-Xylenes	Sample	0.825	ug/m3	0.277	ug/m3		Y	4/14/2026	10:45	4/28/2026	11:15
SPRSPO-12-S-20260414	12	o-Xylene	Sample	0.292	ug/m3	0.277	ug/m3	J	Y	4/14/2026	10:45	4/28/2026	11:15
SPRSPO-12-S-20260414	12	Toluene	Sample	2.01	ug/m3	0.245	ug/m3		Y	4/14/2026	10:45	4/28/2026	11:15
SPRSPO-13-S-20260414	13	Benzene	Sample	0.729	ug/m3	0.191	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-S-20260414	13	Ethylbenzene	Sample	0.393	ug/m3	0.278	ug/m3	J	Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-S-20260414	13	m-/p-Xylenes	Sample	1.32	ug/m3	0.278	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-S-20260414	13	o-Xylene	Sample	0.47	ug/m3	0.278	ug/m3	J	Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-S-20260414	13	Toluene	Sample	2.06	ug/m3	0.246	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-D-20260414	13	Benzene	Duplicate	0.687	ug/m3	0.191	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-D-20260414	13	Ethylbenzene	Duplicate	0.367	ug/m3	0.278	ug/m3	J	Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-D-20260414	13	m-/p-Xylenes	Duplicate	1.21	ug/m3	0.278	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-D-20260414	13	o-Xylene	Duplicate	0.444	ug/m3	0.278	ug/m3	J	Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-D-20260414	13	Toluene	Duplicate	1.96	ug/m3	0.246	ug/m3		Y	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-B-20260414	13	Benzene	Blank	<0.191	ug/m3	0.191	ug/m3	ND	N	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-B-20260414	13	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-B-20260414	13	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-B-20260414	13	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-13-B-20260414	13	Toluene	Blank	<0.246	ug/m3	0.246	ug/m3	ND	N	4/14/2026	10:55	4/28/2026	11:17
SPRSPO-14-S-20260414	14	Benzene	Sample	0.701	ug/m3	0.191	ug/m3		Y	4/14/2026	11:00	4/28/2026	11:19
SPRSPO-14-S-20260414	14	Ethylbenzene	Sample	0.441	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:00	4/28/2026	11:19
SPRSPO-14-S-20260414	14	m-/p-Xylenes	Sample	1.15	ug/m3	0.278	ug/m3		Y	4/14/2026	11:00	4/28/2026	11:19
SPRSPO-14-S-20260414	14	o-Xylene	Sample	0.427	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:00	4/28/2026	11:19
SPRSPO-14-S-20260414	14	Toluene	Sample	2.13	ug/m3	0.246	ug/m3		Y	4/14/2026	11:00	4/28/2026	11:19
SPRSPO-15-S-20260414	15	Benzene	Sample	0.977	ug/m3	0.191	ug/m3		Y	4/14/2026	11:03	4/28/2026	11:26
SPRSPO-15-S-20260414	15	Ethylbenzene	Sample	0.63	ug/m3	0.278	ug/m3		Y	4/14/2026	11:03	4/28/2026	11:26

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-15-S-20260414	15	m-/p-Xylenes	Sample	2.12	ug/m3	0.278	ug/m3		Y	4/14/2026	11:03	4/28/2026	11:26
SPRSPO-15-S-20260414	15	o-Xylene	Sample	0.725	ug/m3	0.278	ug/m3		Y	4/14/2026	11:03	4/28/2026	11:26
SPRSPO-15-S-20260414	15	Toluene	Sample	3.39	ug/m3	0.246	ug/m3		Y	4/14/2026	11:03	4/28/2026	11:26
SPRSPO-16-S-20260414	16	Benzene	Sample	1.29	ug/m3	0.191	ug/m3		Y	4/14/2026	11:08	4/28/2026	11:28
SPRSPO-16-S-20260414	16	Ethylbenzene	Sample	0.83	ug/m3	0.278	ug/m3		Y	4/14/2026	11:08	4/28/2026	11:28
SPRSPO-16-S-20260414	16	m-/p-Xylenes	Sample	2.68	ug/m3	0.278	ug/m3		Y	4/14/2026	11:08	4/28/2026	11:28
SPRSPO-16-S-20260414	16	o-Xylene	Sample	0.893	ug/m3	0.278	ug/m3		Y	4/14/2026	11:08	4/28/2026	11:28
SPRSPO-16-S-20260414	16	Toluene	Sample	4.26	ug/m3	0.246	ug/m3		Y	4/14/2026	11:08	4/28/2026	11:28
SPRSPO-1-S-20260428	1	Benzene	Sample	1.77	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-S-20260428	1	Ethylbenzene	Sample	0.663	ug/m3	0.276	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-S-20260428	1	m-/p-Xylenes	Sample	2.07	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-S-20260428	1	o-Xylene	Sample	0.673	ug/m3	0.276	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-S-20260428	1	Toluene	Sample	2.77	ug/m3	0.244	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-D-20260428	1	Benzene	Duplicate	1.59	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-D-20260428	1	Ethylbenzene	Duplicate	0.657	ug/m3	0.276	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-D-20260428	1	m-/p-Xylenes	Duplicate	2.18	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-D-20260428	1	o-Xylene	Duplicate	0.703	ug/m3	0.276	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-D-20260428	1	Toluene	Duplicate	2.73	ug/m3	0.244	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-B-20260428	1	Benzene	Blank	0.876	ug/m3	0.19	ug/m3		Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-B-20260428	1	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-B-20260428	1	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-B-20260428	1	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-1-B-20260428	1	Toluene	Blank	0.403	ug/m3	0.244	ug/m3	J	Y	4/28/2026	10:40	5/12/2026	11:03
SPRSPO-2-S-20260428	2	Benzene	Sample	1.4	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:42	5/12/2026	11:15
SPRSPO-2-S-20260428	2	Ethylbenzene	Sample	0.338	ug/m3	0.276	ug/m3	J	Y	4/28/2026	10:42	5/12/2026	11:15
SPRSPO-2-S-20260428	2	m-/p-Xylenes	Sample	0.795	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	10:42	5/12/2026	11:15
SPRSPO-2-S-20260428	2	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:42	5/12/2026	11:15
SPRSPO-2-S-20260428	2	Toluene	Sample	1.75	ug/m3	0.244	ug/m3		Y	4/28/2026	10:42	5/12/2026	11:15
SPRSPO-3-S-20260428	3	Benzene	Sample	0.754	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:44	5/12/2026	11:19
SPRSPO-3-S-20260428	3	Ethylbenzene	Sample	0.443	ug/m3	0.276	ug/m3	J	Y	4/28/2026	10:44	5/12/2026	11:19
SPRSPO-3-S-20260428	3	m-/p-Xylenes	Sample	0.908	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	10:44	5/12/2026	11:19
SPRSPO-3-S-20260428	3	o-Xylene	Sample	0.309	ug/m3	0.276	ug/m3	J	Y	4/28/2026	10:44	5/12/2026	11:19

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20260428	3	Toluene	Sample	2.47	ug/m3	0.244	ug/m3		Y	4/28/2026	10:44	5/12/2026	11:19
SPRSPO-4-S-20260428	4	Benzene	Sample	0.501	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:46	5/12/2026	11:22
SPRSPO-4-S-20260428	4	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:46	5/12/2026	11:22
SPRSPO-4-S-20260428	4	m-/p-Xylenes	Sample	0.37	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	10:46	5/12/2026	11:22
SPRSPO-4-S-20260428	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:46	5/12/2026	11:22
SPRSPO-4-S-20260428	4	Toluene	Sample	1.1	ug/m3	0.244	ug/m3		Y	4/28/2026	10:46	5/12/2026	11:22
SPRSPO-5-S-20260428	5	Benzene	Sample	0.772	ug/m3	0.189	ug/m3	B	Y	4/28/2026	10:48	5/12/2026	11:49
SPRSPO-5-S-20260428	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:48	5/12/2026	11:49
SPRSPO-5-S-20260428	5	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	4/28/2026	10:48	5/12/2026	11:49
SPRSPO-5-S-20260428	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:48	5/12/2026	11:49
SPRSPO-5-S-20260428	5	Toluene	Sample	0.798	ug/m3	0.244	ug/m3		Y	4/28/2026	10:48	5/12/2026	11:49
SPRSPO-6-S-20260428	6	Benzene	Sample	1.33	ug/m3	0.19	ug/m3	B	Y	4/28/2026	10:53	5/12/2026	11:34
SPRSPO-6-S-20260428	6	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:53	5/12/2026	11:34
SPRSPO-6-S-20260428	6	m-/p-Xylenes	Sample	0.319	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	10:53	5/12/2026	11:34
SPRSPO-6-S-20260428	6	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:53	5/12/2026	11:34
SPRSPO-6-S-20260428	6	Toluene	Sample	1.05	ug/m3	0.244	ug/m3		Y	4/28/2026	10:53	5/12/2026	11:34
SPRSPO-7-S-20260428	7	Benzene	Sample	0.395	ug/m3	0.19	ug/m3	J,B	Y	4/28/2026	10:56	5/12/2026	11:40
SPRSPO-7-S-20260428	7	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:56	5/12/2026	11:40
SPRSPO-7-S-20260428	7	m-/p-Xylenes	Sample	0.357	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	10:56	5/12/2026	11:40
SPRSPO-7-S-20260428	7	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	10:56	5/12/2026	11:40
SPRSPO-7-S-20260428	7	Toluene	Sample	1.17	ug/m3	0.244	ug/m3		Y	4/28/2026	10:56	5/12/2026	11:40
SPRSPO-8-S-20260428	8	Benzene	Sample	0.537	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:00	5/12/2026	11:58
SPRSPO-8-S-20260428	8	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:00	5/12/2026	11:58
SPRSPO-8-S-20260428	8	m-/p-Xylenes	Sample	0.322	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:00	5/12/2026	11:58
SPRSPO-8-S-20260428	8	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:00	5/12/2026	11:58
SPRSPO-8-S-20260428	8	Toluene	Sample	1.15	ug/m3	0.244	ug/m3		Y	4/28/2026	11:00	5/12/2026	11:58
SPRSPO-9-S-20260428	9	Benzene	Sample	1.2	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:09	5/12/2026	12:01
SPRSPO-9-S-20260428	9	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:09	5/12/2026	12:01
SPRSPO-9-S-20260428	9	m-/p-Xylenes	Sample	0.478	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:09	5/12/2026	12:01
SPRSPO-9-S-20260428	9	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:09	5/12/2026	12:01
SPRSPO-9-S-20260428	9	Toluene	Sample	1.17	ug/m3	0.244	ug/m3		Y	4/28/2026	11:09	5/12/2026	12:01
SPRSPO-10-S-20260428	10	Benzene	Sample	1.01	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:11	5/12/2026	12:05

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-10-S-20260428	10	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:11	5/12/2026	12:05
SPRSPO-10-S-20260428	10	m-/p-Xylenes	Sample	0.415	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:11	5/12/2026	12:05
SPRSPO-10-S-20260428	10	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:11	5/12/2026	12:05
SPRSPO-10-S-20260428	10	Toluene	Sample	1.16	ug/m3	0.244	ug/m3		Y	4/28/2026	11:11	5/12/2026	12:05
SPRSPO-11-S-20260428	11	Benzene	Sample	0.559	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:13	5/12/2026	12:10
SPRSPO-11-S-20260428	11	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:13	5/12/2026	12:10
SPRSPO-11-S-20260428	11	m-/p-Xylenes	Sample	0.549	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:13	5/12/2026	12:10
SPRSPO-11-S-20260428	11	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:13	5/12/2026	12:10
SPRSPO-11-S-20260428	11	Toluene	Sample	1.39	ug/m3	0.244	ug/m3		Y	4/28/2026	11:13	5/12/2026	12:10
SPRSPO-12-S-20260428	12	Benzene	Sample	1.21	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:15	5/12/2026	12:15
SPRSPO-12-S-20260428	12	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:15	5/12/2026	12:15
SPRSPO-12-S-20260428	12	m-/p-Xylenes	Sample	0.656	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:15	5/12/2026	12:15
SPRSPO-12-S-20260428	12	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:15	5/12/2026	12:15
SPRSPO-12-S-20260428	12	Toluene	Sample	1.67	ug/m3	0.244	ug/m3		Y	4/28/2026	11:15	5/12/2026	12:15
SPRSPO-13-S-20260428	13	Benzene	Sample	0.582	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:17	5/12/2026	12:20
SPRSPO-13-S-20260428	13	Ethylbenzene	Sample	0.32	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:17	5/12/2026	12:20
SPRSPO-13-S-20260428	13	m-/p-Xylenes	Sample	0.969	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	11:17	5/12/2026	12:20
SPRSPO-13-S-20260428	13	o-Xylene	Sample	0.361	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:17	5/12/2026	12:20
SPRSPO-13-S-20260428	13	Toluene	Sample	1.63	ug/m3	0.244	ug/m3		Y	4/28/2026	11:17	5/12/2026	12:20
SPRSPO-13-D-20260428	13	Benzene	Duplicate	0.634	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:17	5/12/2026	12:22
SPRSPO-13-D-20260428	13	Ethylbenzene	Duplicate	0.281	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:17	5/12/2026	12:22
SPRSPO-13-D-20260428	13	m-/p-Xylenes	Duplicate	0.638	ug/m3	0.276	ug/m3	J,Pc	Y	4/28/2026	11:17	5/12/2026	12:22
SPRSPO-13-D-20260428	13	o-Xylene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:17	5/12/2026	12:22
SPRSPO-13-D-20260428	13	Toluene	Duplicate	1.83	ug/m3	0.244	ug/m3		Y	4/28/2026	11:17	5/12/2026	12:22
SPRSPO-13-B-20260428	13	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	4/28/2026	11:17	5/12/2026	12:25
SPRSPO-13-B-20260428	13	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:17	5/12/2026	12:25
SPRSPO-13-B-20260428	13	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	4/28/2026	11:17	5/12/2026	12:25
SPRSPO-13-B-20260428	13	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:17	5/12/2026	12:25
SPRSPO-13-B-20260428	13	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	4/28/2026	11:17	5/12/2026	12:25
SPRSPO-14-S-20260428	14	Benzene	Sample	0.562	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:19	5/12/2026	12:32
SPRSPO-14-S-20260428	14	Ethylbenzene	Sample	0.322	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:19	5/12/2026	12:32
SPRSPO-14-S-20260428	14	m-/p-Xylenes	Sample	0.724	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	11:19	5/12/2026	12:32

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-14-S-20260428	14	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:19	5/12/2026	12:32
SPRSPO-14-S-20260428	14	Toluene	Sample	1.45	ug/m3	0.244	ug/m3		Y	4/28/2026	11:19	5/12/2026	12:32
SPRSPO-15-S-20260428	15	Benzene	Sample	0.854	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:26	5/12/2026	12:32
SPRSPO-15-S-20260428	15	Ethylbenzene	Sample	0.605	ug/m3	0.276	ug/m3		Y	4/28/2026	11:26	5/12/2026	12:32
SPRSPO-15-S-20260428	15	m-/p-Xylenes	Sample	1.65	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	11:26	5/12/2026	12:32
SPRSPO-15-S-20260428	15	o-Xylene	Sample	0.595	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:26	5/12/2026	12:32
SPRSPO-15-S-20260428	15	Toluene	Sample	2.94	ug/m3	0.244	ug/m3		Y	4/28/2026	11:26	5/12/2026	12:32
SPRSPO-16-S-20260428	16	Benzene	Sample	0.972	ug/m3	0.189	ug/m3	B	Y	4/28/2026	11:28	5/12/2026	12:32
SPRSPO-16-S-20260428	16	Ethylbenzene	Sample	0.71	ug/m3	0.276	ug/m3		Y	4/28/2026	11:28	5/12/2026	12:32
SPRSPO-16-S-20260428	16	m-/p-Xylenes	Sample	1.81	ug/m3	0.276	ug/m3	Pc	Y	4/28/2026	11:28	5/12/2026	12:32
SPRSPO-16-S-20260428	16	o-Xylene	Sample	0.638	ug/m3	0.276	ug/m3		Y	4/28/2026	11:28	5/12/2026	12:32
SPRSPO-16-S-20260428	16	Toluene	Sample	3.3	ug/m3	0.244	ug/m3		Y	4/28/2026	11:28	5/12/2026	12:32
SPRSPO-1-S-20260512	1	Benzene	Sample	1.37	ug/m3	0.189	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-S-20260512	1	Ethylbenzene	Sample	0.814	ug/m3	0.276	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-S-20260512	1	m-/p-Xylenes	Sample	2.28	ug/m3	0.276	ug/m3	P	Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-S-20260512	1	o-Xylene	Sample	0.762	ug/m3	0.276	ug/m3	Pc	Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-S-20260512	1	Toluene	Sample	4.23	ug/m3	0.244	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-D-20260512	1	Benzene	Duplicate	1.3	ug/m3	0.189	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-D-20260512	1	Ethylbenzene	Duplicate	1.01	ug/m3	0.276	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-D-20260512	1	m-/p-Xylenes	Duplicate	3.52	ug/m3	0.276	ug/m3	P	Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-D-20260512	1	o-Xylene	Duplicate	1.15	ug/m3	0.276	ug/m3	Pc	Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-D-20260512	1	Toluene	Duplicate	4.81	ug/m3	0.244	ug/m3		Y	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-B-20260512	1	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-B-20260512	1	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-B-20260512	1	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND,P	N	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-B-20260512	1	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-1-B-20260512	1	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	5/12/2026	11:03	5/26/2026	09:32
SPRSPO-2-S-20260512	2	Benzene	Sample	0.644	ug/m3	0.189	ug/m3		Y	5/12/2026	11:15	5/26/2026	10:12
SPRSPO-2-S-20260512	2	Ethylbenzene	Sample	0.36	ug/m3	0.275	ug/m3	J	Y	5/12/2026	11:15	5/26/2026	10:12
SPRSPO-2-S-20260512	2	m-/p-Xylenes	Sample	0.973	ug/m3	0.275	ug/m3	P	Y	5/12/2026	11:15	5/26/2026	10:12
SPRSPO-2-S-20260512	2	o-Xylene	Sample	0.345	ug/m3	0.275	ug/m3	J,Pc	Y	5/12/2026	11:15	5/26/2026	10:12
SPRSPO-2-S-20260512	2	Toluene	Sample	2	ug/m3	0.243	ug/m3		Y	5/12/2026	11:15	5/26/2026	10:12

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-3-S-20260512	3	Benzene	Sample	0.604	ug/m3	0.189	ug/m3		Y	5/12/2026	11:19	5/26/2026	10:15
SPRSPO-3-S-20260512	3	Ethylbenzene	Sample	0.319	ug/m3	0.275	ug/m3	J	Y	5/12/2026	11:19	5/26/2026	10:15
SPRSPO-3-S-20260512	3	m-/p-Xylenes	Sample	0.769	ug/m3	0.275	ug/m3	P	Y	5/12/2026	11:19	5/26/2026	10:15
SPRSPO-3-S-20260512	3	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND,Pc	N	5/12/2026	11:19	5/26/2026	10:15
SPRSPO-3-S-20260512	3	Toluene	Sample	1.59	ug/m3	0.243	ug/m3		Y	5/12/2026	11:19	5/26/2026	10:15
SPRSPO-4-S-20260512	4	Benzene	Sample	0.773	ug/m3	0.189	ug/m3		Y	5/12/2026	11:22	5/26/2026	10:17
SPRSPO-4-S-20260512	4	Ethylbenzene	Sample	0.353	ug/m3	0.275	ug/m3	J	Y	5/12/2026	11:22	5/26/2026	10:17
SPRSPO-4-S-20260512	4	m-/p-Xylenes	Sample	1.14	ug/m3	0.275	ug/m3	P	Y	5/12/2026	11:22	5/26/2026	10:17
SPRSPO-4-S-20260512	4	o-Xylene	Sample	0.394	ug/m3	0.275	ug/m3	J,Pc	Y	5/12/2026	11:22	5/26/2026	10:17
SPRSPO-4-S-20260512	4	Toluene	Sample	2.01	ug/m3	0.243	ug/m3		Y	5/12/2026	11:22	5/26/2026	10:17
SPRSPO-5-S-20260512	5	Benzene	Sample	0.455	ug/m3	0.189	ug/m3		Y	5/12/2026	11:49	5/26/2026	10:18
SPRSPO-5-S-20260512	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	11:49	5/26/2026	10:18
SPRSPO-5-S-20260512	5	m-/p-Xylenes	Sample	0.592	ug/m3	0.276	ug/m3	J,P	Y	5/12/2026	11:49	5/26/2026	10:18
SPRSPO-5-S-20260512	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	11:49	5/26/2026	10:18
SPRSPO-5-S-20260512	5	Toluene	Sample	1.32	ug/m3	0.244	ug/m3		Y	5/12/2026	11:49	5/26/2026	10:18
SPRSPO-6-S-20260512	6	Benzene	Sample	0.429	ug/m3	0.189	ug/m3	J	Y	5/12/2026	11:34	5/26/2026	10:24
SPRSPO-6-S-20260512	6	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/12/2026	11:34	5/26/2026	10:24
SPRSPO-6-S-20260512	6	m-/p-Xylenes	Sample	0.483	ug/m3	0.275	ug/m3	J,P	Y	5/12/2026	11:34	5/26/2026	10:24
SPRSPO-6-S-20260512	6	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND,Pc	N	5/12/2026	11:34	5/26/2026	10:24
SPRSPO-6-S-20260512	6	Toluene	Sample	1.19	ug/m3	0.244	ug/m3		Y	5/12/2026	11:34	5/26/2026	10:24
SPRSPO-7-S-20260512	7	Benzene	Sample	0.482	ug/m3	0.189	ug/m3		Y	5/12/2026	11:40	5/26/2026	10:26
SPRSPO-7-S-20260512	7	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/12/2026	11:40	5/26/2026	10:26
SPRSPO-7-S-20260512	7	m-/p-Xylenes	Sample	0.65	ug/m3	0.275	ug/m3	J,P	Y	5/12/2026	11:40	5/26/2026	10:26
SPRSPO-7-S-20260512	7	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND,Pc	N	5/12/2026	11:40	5/26/2026	10:26
SPRSPO-7-S-20260512	7	Toluene	Sample	2.25	ug/m3	0.244	ug/m3		Y	5/12/2026	11:40	5/26/2026	10:26
SPRSPO-8-S-20260512	8	Benzene	Sample	0.413	ug/m3	0.189	ug/m3	J	Y	5/12/2026	11:58	5/26/2026	10:05
SPRSPO-8-S-20260512	8	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	11:58	5/26/2026	10:05
SPRSPO-8-S-20260512	8	m-/p-Xylenes	Sample	0.433	ug/m3	0.276	ug/m3	J,P	Y	5/12/2026	11:58	5/26/2026	10:05
SPRSPO-8-S-20260512	8	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	11:58	5/26/2026	10:05
SPRSPO-8-S-20260512	8	Toluene	Sample	1.02	ug/m3	0.244	ug/m3		Y	5/12/2026	11:58	5/26/2026	10:05
SPRSPO-9-S-20260512	9	Benzene	Sample	0.561	ug/m3	0.19	ug/m3		Y	5/12/2026	12:01	5/26/2026	09:44
SPRSPO-9-S-20260512	9	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	12:01	5/26/2026	09:44

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-9-S-20260512	9	m-/p-Xylenes	Sample	0.635	ug/m3	0.276	ug/m3	J,P	Y	5/12/2026	12:01	5/26/2026	09:44
SPRSPO-9-S-20260512	9	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	12:01	5/26/2026	09:44
SPRSPO-9-S-20260512	9	Toluene	Sample	1.35	ug/m3	0.244	ug/m3		Y	5/12/2026	12:01	5/26/2026	09:44
SPRSPO-10-S-20260512	10	Benzene	Sample	0.496	ug/m3	0.19	ug/m3		Y	5/12/2026	12:05	5/26/2026	09:47
SPRSPO-10-S-20260512	10	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	12:05	5/26/2026	09:47
SPRSPO-10-S-20260512	10	m-/p-Xylenes	Sample	0.591	ug/m3	0.276	ug/m3	J,P	Y	5/12/2026	12:05	5/26/2026	09:47
SPRSPO-10-S-20260512	10	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	12:05	5/26/2026	09:47
SPRSPO-10-S-20260512	10	Toluene	Sample	1.32	ug/m3	0.244	ug/m3		Y	5/12/2026	12:05	5/26/2026	09:47
SPRSPO-11-S-20260512	11	Benzene	Sample	0.505	ug/m3	0.19	ug/m3		Y	5/12/2026	12:10	5/26/2026	09:49
SPRSPO-11-S-20260512	11	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	12:10	5/26/2026	09:49
SPRSPO-11-S-20260512	11	m-/p-Xylenes	Sample	0.609	ug/m3	0.276	ug/m3	J,P	Y	5/12/2026	12:10	5/26/2026	09:49
SPRSPO-11-S-20260512	11	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	12:10	5/26/2026	09:49
SPRSPO-11-S-20260512	11	Toluene	Sample	1.34	ug/m3	0.244	ug/m3		Y	5/12/2026	12:10	5/26/2026	09:49
SPRSPO-12-S-20260512	12	Benzene	Sample	0.609	ug/m3	0.19	ug/m3		Y	5/12/2026	12:15	5/26/2026	09:53
SPRSPO-12-S-20260512	12	Ethylbenzene	Sample	0.338	ug/m3	0.276	ug/m3	J	Y	5/12/2026	12:15	5/26/2026	09:53
SPRSPO-12-S-20260512	12	m-/p-Xylenes	Sample	0.851	ug/m3	0.276	ug/m3	P	Y	5/12/2026	12:15	5/26/2026	09:53
SPRSPO-12-S-20260512	12	o-Xylene	Sample	0.298	ug/m3	0.276	ug/m3	J,Pc	Y	5/12/2026	12:15	5/26/2026	09:53
SPRSPO-12-S-20260512	12	Toluene	Sample	1.85	ug/m3	0.244	ug/m3		Y	5/12/2026	12:15	5/26/2026	09:53
SPRSPO-13-S-20260512	13	Benzene	Sample	0.671	ug/m3	0.19	ug/m3		Y	5/12/2026	12:20	5/26/2026	09:57
SPRSPO-13-S-20260512	13	Ethylbenzene	Sample	0.413	ug/m3	0.276	ug/m3	J	Y	5/12/2026	12:20	5/26/2026	09:57
SPRSPO-13-S-20260512	13	m-/p-Xylenes	Sample	1.23	ug/m3	0.276	ug/m3	P	Y	5/12/2026	12:20	5/26/2026	09:57
SPRSPO-13-S-20260512	13	o-Xylene	Sample	0.415	ug/m3	0.276	ug/m3	J,Pc	Y	5/12/2026	12:20	5/26/2026	09:57
SPRSPO-13-S-20260512	13	Toluene	Sample	2.11	ug/m3	0.244	ug/m3		Y	5/12/2026	12:20	5/26/2026	09:57
SPRSPO-13-D-20260512	13	Benzene	Duplicate	0.709	ug/m3	0.19	ug/m3		Y	5/12/2026	12:22	5/26/2026	09:57
SPRSPO-13-D-20260512	13	Ethylbenzene	Duplicate	0.426	ug/m3	0.276	ug/m3	J	Y	5/12/2026	12:22	5/26/2026	09:57
SPRSPO-13-D-20260512	13	m-/p-Xylenes	Duplicate	1.23	ug/m3	0.276	ug/m3	P	Y	5/12/2026	12:22	5/26/2026	09:57
SPRSPO-13-D-20260512	13	o-Xylene	Duplicate	0.424	ug/m3	0.276	ug/m3	J,Pc	Y	5/12/2026	12:22	5/26/2026	09:57
SPRSPO-13-D-20260512	13	Toluene	Duplicate	2.12	ug/m3	0.244	ug/m3		Y	5/12/2026	12:22	5/26/2026	09:57
SPRSPO-13-B-20260512	13	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	5/12/2026	12:25	5/26/2026	09:57
SPRSPO-13-B-20260512	13	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	12:25	5/26/2026	09:57
SPRSPO-13-B-20260512	13	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND,P	N	5/12/2026	12:25	5/26/2026	09:57
SPRSPO-13-B-20260512	13	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND,Pc	N	5/12/2026	12:25	5/26/2026	09:57

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20260512	13	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	5/12/2026	12:25	5/26/2026	09:57
SPRSPO-14-S-20260512	14	Benzene	Sample	0.784	ug/m3	0.19	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:40
SPRSPO-14-S-20260512	14	Ethylbenzene	Sample	0.515	ug/m3	0.277	ug/m3	J	Y	5/12/2026	12:32	5/26/2026	09:40
SPRSPO-14-S-20260512	14	m-/p-Xylenes	Sample	1.45	ug/m3	0.277	ug/m3	P	Y	5/12/2026	12:32	5/26/2026	09:40
SPRSPO-14-S-20260512	14	o-Xylene	Sample	0.525	ug/m3	0.277	ug/m3	J,Pc	Y	5/12/2026	12:32	5/26/2026	09:40
SPRSPO-14-S-20260512	14	Toluene	Sample	2.48	ug/m3	0.245	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:40
SPRSPO-15-S-20260512	15	Benzene	Sample	1.19	ug/m3	0.19	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:38
SPRSPO-15-S-20260512	15	Ethylbenzene	Sample	0.81	ug/m3	0.277	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:38
SPRSPO-15-S-20260512	15	m-/p-Xylenes	Sample	1.95	ug/m3	0.277	ug/m3	P	Y	5/12/2026	12:32	5/26/2026	09:38
SPRSPO-15-S-20260512	15	o-Xylene	Sample	0.702	ug/m3	0.277	ug/m3	Pc	Y	5/12/2026	12:32	5/26/2026	09:38
SPRSPO-15-S-20260512	15	Toluene	Sample	4.06	ug/m3	0.245	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:38
SPRSPO-16-S-20260512	16	Benzene	Sample	1.4	ug/m3	0.19	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:39
SPRSPO-16-S-20260512	16	Ethylbenzene	Sample	1.07	ug/m3	0.277	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:39
SPRSPO-16-S-20260512	16	m-/p-Xylenes	Sample	2.85	ug/m3	0.277	ug/m3	P	Y	5/12/2026	12:32	5/26/2026	09:39
SPRSPO-16-S-20260512	16	o-Xylene	Sample	1	ug/m3	0.277	ug/m3	Pc	Y	5/12/2026	12:32	5/26/2026	09:39
SPRSPO-16-S-20260512	16	Toluene	Sample	5.12	ug/m3	0.245	ug/m3		Y	5/12/2026	12:32	5/26/2026	09:39
SPRSPO-1-S-20260526	1	Benzene	Sample	0.949	ug/m3	0.187	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-S-20260526	1	Ethylbenzene	Sample	0.981	ug/m3	0.272	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-S-20260526	1	m-/p-Xylenes	Sample	3.38	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-S-20260526	1	o-Xylene	Sample	1.11	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-S-20260526	1	Toluene	Sample	4.01	ug/m3	0.241	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-D-20260526	1	Benzene	Duplicate	0.939	ug/m3	0.187	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-D-20260526	1	Ethylbenzene	Duplicate	0.867	ug/m3	0.272	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-D-20260526	1	m-/p-Xylenes	Duplicate	1.92	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-D-20260526	1	o-Xylene	Duplicate	0.613	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-D-20260526	1	Toluene	Duplicate	3.88	ug/m3	0.241	ug/m3		Y	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-B-20260526	1	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-B-20260526	1	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-B-20260526	1	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,P	N	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-B-20260526	1	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-1-B-20260526	1	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	5/26/2026	09:32	6/9/2026	11:08
SPRSPO-2-S-20260526	2	Benzene	Sample	0.6	ug/m3	0.187	ug/m3		Y	5/26/2026	10:12	6/9/2026	11:14

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-2-S-20260526	2	Ethylbenzene	Sample	0.5	ug/m3	0.273	ug/m3	J	Y	5/26/2026	10:12	6/9/2026	11:14
SPRSPO-2-S-20260526	2	m-/p-Xylenes	Sample	1.64	ug/m3	0.273	ug/m3	P	Y	5/26/2026	10:12	6/9/2026	11:14
SPRSPO-2-S-20260526	2	o-Xylene	Sample	0.549	ug/m3	0.273	ug/m3	J,Pc	Y	5/26/2026	10:12	6/9/2026	11:14
SPRSPO-2-S-20260526	2	Toluene	Sample	2.41	ug/m3	0.241	ug/m3		Y	5/26/2026	10:12	6/9/2026	11:14
SPRSPO-3-S-20260526	3	Benzene	Sample	0.434	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:15	6/9/2026	11:17
SPRSPO-3-S-20260526	3	Ethylbenzene	Sample	0.351	ug/m3	0.273	ug/m3	J	Y	5/26/2026	10:15	6/9/2026	11:17
SPRSPO-3-S-20260526	3	m-/p-Xylenes	Sample	0.9	ug/m3	0.273	ug/m3	P	Y	5/26/2026	10:15	6/9/2026	11:17
SPRSPO-3-S-20260526	3	o-Xylene	Sample	0.318	ug/m3	0.273	ug/m3	J,Pc	Y	5/26/2026	10:15	6/9/2026	11:17
SPRSPO-3-S-20260526	3	Toluene	Sample	1.88	ug/m3	0.241	ug/m3		Y	5/26/2026	10:15	6/9/2026	11:17
SPRSPO-4-S-20260526	4	Benzene	Sample	0.438	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:17	6/9/2026	11:21
SPRSPO-4-S-20260526	4	Ethylbenzene	Sample	0.285	ug/m3	0.273	ug/m3	J	Y	5/26/2026	10:17	6/9/2026	11:21
SPRSPO-4-S-20260526	4	m-/p-Xylenes	Sample	0.723	ug/m3	0.273	ug/m3	P	Y	5/26/2026	10:17	6/9/2026	11:21
SPRSPO-4-S-20260526	4	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	5/26/2026	10:17	6/9/2026	11:21
SPRSPO-4-S-20260526	4	Toluene	Sample	1.64	ug/m3	0.241	ug/m3		Y	5/26/2026	10:17	6/9/2026	11:21
SPRSPO-5-S-20260526	5	Benzene	Sample	0.369	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:18	6/9/2026	11:24
SPRSPO-5-S-20260526	5	Ethylbenzene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	5/26/2026	10:18	6/9/2026	11:24
SPRSPO-5-S-20260526	5	m-/p-Xylenes	Sample	0.602	ug/m3	0.273	ug/m3	J,P	Y	5/26/2026	10:18	6/9/2026	11:24
SPRSPO-5-S-20260526	5	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	5/26/2026	10:18	6/9/2026	11:24
SPRSPO-5-S-20260526	5	Toluene	Sample	1.5	ug/m3	0.241	ug/m3		Y	5/26/2026	10:18	6/9/2026	11:24
SPRSPO-6-S-20260526	6	Benzene	Sample	0.31	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:24	6/9/2026	11:27
SPRSPO-6-S-20260526	6	Ethylbenzene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	5/26/2026	10:24	6/9/2026	11:27
SPRSPO-6-S-20260526	6	m-/p-Xylenes	Sample	0.713	ug/m3	0.273	ug/m3	P	Y	5/26/2026	10:24	6/9/2026	11:27
SPRSPO-6-S-20260526	6	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	5/26/2026	10:24	6/9/2026	11:27
SPRSPO-6-S-20260526	6	Toluene	Sample	1.53	ug/m3	0.241	ug/m3		Y	5/26/2026	10:24	6/9/2026	11:27
SPRSPO-7-S-20260526	7	Benzene	Sample	0.309	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:26	6/9/2026	11:30
SPRSPO-7-S-20260526	7	Ethylbenzene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	5/26/2026	10:26	6/9/2026	11:30
SPRSPO-7-S-20260526	7	m-/p-Xylenes	Sample	0.749	ug/m3	0.273	ug/m3	P	Y	5/26/2026	10:26	6/9/2026	11:30
SPRSPO-7-S-20260526	7	o-Xylene	Sample	0.281	ug/m3	0.273	ug/m3	J,Pc	Y	5/26/2026	10:26	6/9/2026	11:30
SPRSPO-7-S-20260526	7	Toluene	Sample	1.73	ug/m3	0.241	ug/m3		Y	5/26/2026	10:26	6/9/2026	11:30
SPRSPO-8-S-20260526	8	Benzene	Sample	0.288	ug/m3	0.187	ug/m3	J	Y	5/26/2026	10:05	6/9/2026	11:37
SPRSPO-8-S-20260526	8	Ethylbenzene	Sample	<0.273	ug/m3	0.273	ug/m3	ND	N	5/26/2026	10:05	6/9/2026	11:37
SPRSPO-8-S-20260526	8	m-/p-Xylenes	Sample	0.596	ug/m3	0.273	ug/m3	J,P	Y	5/26/2026	10:05	6/9/2026	11:37

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-8-S-20260526	8	o-Xylene	Sample	<0.273	ug/m3	0.273	ug/m3	ND,Pc	N	5/26/2026	10:05	6/9/2026	11:37
SPRSPO-8-S-20260526	8	Toluene	Sample	0.97	ug/m3	0.241	ug/m3		Y	5/26/2026	10:05	6/9/2026	11:37
SPRSPO-9-S-20260526	9	Benzene	Sample	0.368	ug/m3	0.187	ug/m3	J	Y	5/26/2026	09:44	6/9/2026	11:46
SPRSPO-9-S-20260526	9	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	09:44	6/9/2026	11:46
SPRSPO-9-S-20260526	9	m-/p-Xylenes	Sample	0.549	ug/m3	0.272	ug/m3	J,P	Y	5/26/2026	09:44	6/9/2026	11:46
SPRSPO-9-S-20260526	9	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	09:44	6/9/2026	11:46
SPRSPO-9-S-20260526	9	Toluene	Sample	1.21	ug/m3	0.241	ug/m3		Y	5/26/2026	09:44	6/9/2026	11:46
SPRSPO-10-S-20260526	10	Benzene	Sample	0.349	ug/m3	0.187	ug/m3	J	Y	5/26/2026	09:47	6/9/2026	11:49
SPRSPO-10-S-20260526	10	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	09:47	6/9/2026	11:49
SPRSPO-10-S-20260526	10	m-/p-Xylenes	Sample	0.541	ug/m3	0.272	ug/m3	J,P	Y	5/26/2026	09:47	6/9/2026	11:49
SPRSPO-10-S-20260526	10	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	09:47	6/9/2026	11:49
SPRSPO-10-S-20260526	10	Toluene	Sample	1.09	ug/m3	0.241	ug/m3		Y	5/26/2026	09:47	6/9/2026	11:49
SPRSPO-11-S-20260526	11	Benzene	Sample	0.402	ug/m3	0.187	ug/m3	J	Y	5/26/2026	09:49	6/9/2026	11:52
SPRSPO-11-S-20260526	11	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	09:49	6/9/2026	11:52
SPRSPO-11-S-20260526	11	m-/p-Xylenes	Sample	0.621	ug/m3	0.272	ug/m3	J,P	Y	5/26/2026	09:49	6/9/2026	11:52
SPRSPO-11-S-20260526	11	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	09:49	6/9/2026	11:52
SPRSPO-11-S-20260526	11	Toluene	Sample	1.15	ug/m3	0.241	ug/m3		Y	5/26/2026	09:49	6/9/2026	11:52
SPRSPO-12-S-20260526	12	Benzene	Sample	0.553	ug/m3	0.187	ug/m3		Y	5/26/2026	09:53	6/9/2026	11:55
SPRSPO-12-S-20260526	12	Ethylbenzene	Sample	0.484	ug/m3	0.272	ug/m3	J	Y	5/26/2026	09:53	6/9/2026	11:55
SPRSPO-12-S-20260526	12	m-/p-Xylenes	Sample	1.22	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:53	6/9/2026	11:55
SPRSPO-12-S-20260526	12	o-Xylene	Sample	0.407	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	09:53	6/9/2026	11:55
SPRSPO-12-S-20260526	12	Toluene	Sample	2.24	ug/m3	0.241	ug/m3		Y	5/26/2026	09:53	6/9/2026	11:55
SPRSPO-13-S-20260526	13	Benzene	Sample	0.555	ug/m3	0.187	ug/m3		Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-S-20260526	13	Ethylbenzene	Sample	0.477	ug/m3	0.272	ug/m3	J	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-S-20260526	13	m-/p-Xylenes	Sample	1.29	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-S-20260526	13	o-Xylene	Sample	0.447	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-S-20260526	13	Toluene	Sample	2.17	ug/m3	0.241	ug/m3		Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-D-20260526	13	Benzene	Duplicate	0.575	ug/m3	0.187	ug/m3		Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-D-20260526	13	Ethylbenzene	Duplicate	0.419	ug/m3	0.272	ug/m3	J	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-D-20260526	13	m-/p-Xylenes	Duplicate	1.03	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-D-20260526	13	o-Xylene	Duplicate	0.345	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-D-20260526	13	Toluene	Duplicate	2.12	ug/m3	0.241	ug/m3		Y	5/26/2026	09:57	6/9/2026	11:58

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-B-20260526	13	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-B-20260526	13	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-B-20260526	13	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,P	N	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-B-20260526	13	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-13-B-20260526	13	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	5/26/2026	09:57	6/9/2026	11:58
SPRSPO-14-S-20260526	14	Benzene	Sample	0.566	ug/m3	0.187	ug/m3		Y	5/26/2026	09:40	6/9/2026	12:02
SPRSPO-14-S-20260526	14	Ethylbenzene	Sample	0.54	ug/m3	0.272	ug/m3	J	Y	5/26/2026	09:40	6/9/2026	12:02
SPRSPO-14-S-20260526	14	m-/p-Xylenes	Sample	1.41	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:40	6/9/2026	12:02
SPRSPO-14-S-20260526	14	o-Xylene	Sample	0.518	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	09:40	6/9/2026	12:02
SPRSPO-14-S-20260526	14	Toluene	Sample	2.38	ug/m3	0.24	ug/m3		Y	5/26/2026	09:40	6/9/2026	12:02
SPRSPO-15-S-20260526	15	Benzene	Sample	0.863	ug/m3	0.187	ug/m3		Y	5/26/2026	09:38	6/9/2026	12:12
SPRSPO-15-S-20260526	15	Ethylbenzene	Sample	0.866	ug/m3	0.272	ug/m3		Y	5/26/2026	09:38	6/9/2026	12:12
SPRSPO-15-S-20260526	15	m-/p-Xylenes	Sample	2.39	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:38	6/9/2026	12:12
SPRSPO-15-S-20260526	15	o-Xylene	Sample	0.842	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	09:38	6/9/2026	12:12
SPRSPO-15-S-20260526	15	Toluene	Sample	3.93	ug/m3	0.24	ug/m3		Y	5/26/2026	09:38	6/9/2026	12:12
SPRSPO-16-S-20260526	16	Benzene	Sample	1.02	ug/m3	0.187	ug/m3		Y	5/26/2026	09:39	6/9/2026	12:14
SPRSPO-16-S-20260526	16	Ethylbenzene	Sample	0.973	ug/m3	0.272	ug/m3		Y	5/26/2026	09:39	6/9/2026	12:14
SPRSPO-16-S-20260526	16	m-/p-Xylenes	Sample	2.63	ug/m3	0.272	ug/m3	P	Y	5/26/2026	09:39	6/9/2026	12:14
SPRSPO-16-S-20260526	16	o-Xylene	Sample	0.923	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	09:39	6/9/2026	12:14
SPRSPO-16-S-20260526	16	Toluene	Sample	4.38	ug/m3	0.24	ug/m3		Y	5/26/2026	09:39	6/9/2026	12:14
SPRSPO-1-S-20260609	1	Benzene	Sample	1.32	ug/m3	0.187	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-S-20260609	1	Ethylbenzene	Sample	1.04	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-S-20260609	1	m-/p-Xylenes	Sample	3.58	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-S-20260609	1	o-Xylene	Sample	1.18	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-S-20260609	1	Toluene	Sample	5.15	ug/m3	0.241	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-D-20260609	1	Benzene	Duplicate	1.31	ug/m3	0.187	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-D-20260609	1	Ethylbenzene	Duplicate	1.01	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-D-20260609	1	m-/p-Xylenes	Duplicate	3.41	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-D-20260609	1	o-Xylene	Duplicate	1.14	ug/m3	0.272	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-D-20260609	1	Toluene	Duplicate	5.04	ug/m3	0.241	ug/m3		Y	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-B-20260609	1	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-B-20260609	1	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:08	6/23/2026	10:48

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-1-B-20260609	1	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-B-20260609	1	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-1-B-20260609	1	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	6/9/2026	11:08	6/23/2026	10:48
SPRSPO-2-S-20260609	2	Benzene	Sample	0.947	ug/m3	0.187	ug/m3		Y	6/9/2026	11:14	6/23/2026	10:52
SPRSPO-2-S-20260609	2	Ethylbenzene	Sample	0.438	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:14	6/23/2026	10:52
SPRSPO-2-S-20260609	2	m-/p-Xylenes	Sample	1.25	ug/m3	0.272	ug/m3		Y	6/9/2026	11:14	6/23/2026	10:52
SPRSPO-2-S-20260609	2	o-Xylene	Sample	0.435	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:14	6/23/2026	10:52
SPRSPO-2-S-20260609	2	Toluene	Sample	2.83	ug/m3	0.241	ug/m3		Y	6/9/2026	11:14	6/23/2026	10:52
SPRSPO-3-S-20260609	3	Benzene	Sample	0.727	ug/m3	0.187	ug/m3		Y	6/9/2026	11:17	6/23/2026	10:56
SPRSPO-3-S-20260609	3	Ethylbenzene	Sample	0.366	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:17	6/23/2026	10:56
SPRSPO-3-S-20260609	3	m-/p-Xylenes	Sample	1.11	ug/m3	0.272	ug/m3		Y	6/9/2026	11:17	6/23/2026	10:56
SPRSPO-3-S-20260609	3	o-Xylene	Sample	0.394	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:17	6/23/2026	10:56
SPRSPO-3-S-20260609	3	Toluene	Sample	2.29	ug/m3	0.241	ug/m3		Y	6/9/2026	11:17	6/23/2026	10:56
SPRSPO-4-S-20260609	4	Benzene	Sample	0.749	ug/m3	0.187	ug/m3		Y	6/9/2026	11:21	6/23/2026	10:59
SPRSPO-4-S-20260609	4	Ethylbenzene	Sample	0.379	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:21	6/23/2026	10:59
SPRSPO-4-S-20260609	4	m-/p-Xylenes	Sample	1.1	ug/m3	0.272	ug/m3		Y	6/9/2026	11:21	6/23/2026	10:59
SPRSPO-4-S-20260609	4	o-Xylene	Sample	0.397	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:21	6/23/2026	10:59
SPRSPO-4-S-20260609	4	Toluene	Sample	2.74	ug/m3	0.241	ug/m3		Y	6/9/2026	11:21	6/23/2026	10:59
SPRSPO-5-S-20260609	5	Benzene	Sample	0.583	ug/m3	0.187	ug/m3		Y	6/9/2026	11:24	6/23/2026	11:01
SPRSPO-5-S-20260609	5	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:24	6/23/2026	11:01
SPRSPO-5-S-20260609	5	m-/p-Xylenes	Sample	0.514	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:24	6/23/2026	11:01
SPRSPO-5-S-20260609	5	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:24	6/23/2026	11:01
SPRSPO-5-S-20260609	5	Toluene	Sample	2.19	ug/m3	0.241	ug/m3		Y	6/9/2026	11:24	6/23/2026	11:01
SPRSPO-6-S-20260609	6	Benzene	Sample	0.384	ug/m3	0.187	ug/m3	J	Y	6/9/2026	11:27	6/23/2026	11:07
SPRSPO-6-S-20260609	6	Ethylbenzene	Sample	0.275	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:27	6/23/2026	11:07
SPRSPO-6-S-20260609	6	m-/p-Xylenes	Sample	0.71	ug/m3	0.272	ug/m3		Y	6/9/2026	11:27	6/23/2026	11:07
SPRSPO-6-S-20260609	6	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:27	6/23/2026	11:07
SPRSPO-6-S-20260609	6	Toluene	Sample	2.23	ug/m3	0.241	ug/m3		Y	6/9/2026	11:27	6/23/2026	11:07
SPRSPO-7-S-20260609	7	Benzene	Sample	0.432	ug/m3	0.187	ug/m3	J	Y	6/9/2026	11:30	6/23/2026	11:10
SPRSPO-7-S-20260609	7	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:30	6/23/2026	11:10
SPRSPO-7-S-20260609	7	m-/p-Xylenes	Sample	0.799	ug/m3	0.272	ug/m3		Y	6/9/2026	11:30	6/23/2026	11:10
SPRSPO-7-S-20260609	7	o-Xylene	Sample	0.324	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:30	6/23/2026	11:10

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-7-S-20260609	7	Toluene	Sample	2.44	ug/m3	0.241	ug/m3		Y	6/9/2026	11:30	6/23/2026	11:10
SPRSPO-8-S-20260609	8	Benzene	Sample	0.404	ug/m3	0.187	ug/m3	J	Y	6/9/2026	11:37	6/23/2026	11:17
SPRSPO-8-S-20260609	8	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:37	6/23/2026	11:17
SPRSPO-8-S-20260609	8	m-/p-Xylenes	Sample	0.601	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:37	6/23/2026	11:17
SPRSPO-8-S-20260609	8	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:37	6/23/2026	11:17
SPRSPO-8-S-20260609	8	Toluene	Sample	1.13	ug/m3	0.241	ug/m3		Y	6/9/2026	11:37	6/23/2026	11:17
SPRSPO-9-S-20260609	9	Benzene	Sample	0.516	ug/m3	0.187	ug/m3		Y	6/9/2026	11:46	6/23/2026	11:26
SPRSPO-9-S-20260609	9	Ethylbenzene	Sample	0.366	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:46	6/23/2026	11:26
SPRSPO-9-S-20260609	9	m-/p-Xylenes	Sample	1.23	ug/m3	0.272	ug/m3		Y	6/9/2026	11:46	6/23/2026	11:26
SPRSPO-9-S-20260609	9	o-Xylene	Sample	0.47	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:46	6/23/2026	11:26
SPRSPO-9-S-20260609	9	Toluene	Sample	1.88	ug/m3	0.241	ug/m3		Y	6/9/2026	11:46	6/23/2026	11:26
SPRSPO-10-S-20260609	10	Benzene	Sample	0.586	ug/m3	0.187	ug/m3		Y	6/9/2026	11:49	6/23/2026	11:28
SPRSPO-10-S-20260609	10	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:49	6/23/2026	11:28
SPRSPO-10-S-20260609	10	m-/p-Xylenes	Sample	0.861	ug/m3	0.272	ug/m3		Y	6/9/2026	11:49	6/23/2026	11:28
SPRSPO-10-S-20260609	10	o-Xylene	Sample	0.339	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:49	6/23/2026	11:28
SPRSPO-10-S-20260609	10	Toluene	Sample	1.59	ug/m3	0.241	ug/m3		Y	6/9/2026	11:49	6/23/2026	11:28
SPRSPO-11-S-20260609	11	Benzene	Sample	0.557	ug/m3	0.187	ug/m3		Y	6/9/2026	11:52	6/23/2026	11:30
SPRSPO-11-S-20260609	11	Ethylbenzene	Sample	0.333	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:52	6/23/2026	11:30
SPRSPO-11-S-20260609	11	m-/p-Xylenes	Sample	0.772	ug/m3	0.272	ug/m3		Y	6/9/2026	11:52	6/23/2026	11:30
SPRSPO-11-S-20260609	11	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:52	6/23/2026	11:30
SPRSPO-11-S-20260609	11	Toluene	Sample	1.68	ug/m3	0.241	ug/m3		Y	6/9/2026	11:52	6/23/2026	11:30
SPRSPO-12-S-20260609	12	Benzene	Sample	0.722	ug/m3	0.187	ug/m3		Y	6/9/2026	11:55	6/23/2026	11:32
SPRSPO-12-S-20260609	12	Ethylbenzene	Sample	0.387	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:55	6/23/2026	11:32
SPRSPO-12-S-20260609	12	m-/p-Xylenes	Sample	1.01	ug/m3	0.272	ug/m3		Y	6/9/2026	11:55	6/23/2026	11:32
SPRSPO-12-S-20260609	12	o-Xylene	Sample	0.347	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:55	6/23/2026	11:32
SPRSPO-12-S-20260609	12	Toluene	Sample	2.29	ug/m3	0.241	ug/m3		Y	6/9/2026	11:55	6/23/2026	11:32
SPRSPO-13-S-20260609	13	Benzene	Sample	0.676	ug/m3	0.187	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-S-20260609	13	Ethylbenzene	Sample	0.481	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-S-20260609	13	m-/p-Xylenes	Sample	1.6	ug/m3	0.272	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-S-20260609	13	o-Xylene	Sample	0.594	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-S-20260609	13	Toluene	Sample	2.38	ug/m3	0.241	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-D-20260609	13	Benzene	Duplicate	0.765	ug/m3	0.187	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34

Sprague South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
SPRSPO-13-D-20260609	13	Ethylbenzene	Duplicate	0.477	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-D-20260609	13	m-/p-Xylenes	Duplicate	1.62	ug/m3	0.272	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-D-20260609	13	o-Xylene	Duplicate	0.598	ug/m3	0.272	ug/m3	J	Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-D-20260609	13	Toluene	Duplicate	2.43	ug/m3	0.241	ug/m3		Y	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-B-20260609	13	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-B-20260609	13	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-B-20260609	13	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-B-20260609	13	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-13-B-20260609	13	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	6/9/2026	11:58	6/23/2026	11:34
SPRSPO-14-S-20260609	14	Benzene	Sample	0.808	ug/m3	0.187	ug/m3		Y	6/9/2026	12:02	6/23/2026	11:36
SPRSPO-14-S-20260609	14	Ethylbenzene	Sample	0.548	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:02	6/23/2026	11:36
SPRSPO-14-S-20260609	14	m-/p-Xylenes	Sample	1.42	ug/m3	0.272	ug/m3		Y	6/9/2026	12:02	6/23/2026	11:36
SPRSPO-14-S-20260609	14	o-Xylene	Sample	0.516	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:02	6/23/2026	11:36
SPRSPO-14-S-20260609	14	Toluene	Sample	2.69	ug/m3	0.241	ug/m3		Y	6/9/2026	12:02	6/23/2026	11:36
SPRSPO-15-S-20260609	15	Benzene	Sample	1.02	ug/m3	0.187	ug/m3		Y	6/9/2026	12:12	6/23/2026	11:47
SPRSPO-15-S-20260609	15	Ethylbenzene	Sample	0.826	ug/m3	0.272	ug/m3		Y	6/9/2026	12:12	6/23/2026	11:47
SPRSPO-15-S-20260609	15	m-/p-Xylenes	Sample	2.38	ug/m3	0.272	ug/m3		Y	6/9/2026	12:12	6/23/2026	11:47
SPRSPO-15-S-20260609	15	o-Xylene	Sample	0.83	ug/m3	0.272	ug/m3		Y	6/9/2026	12:12	6/23/2026	11:47
SPRSPO-15-S-20260609	15	Toluene	Sample	4.41	ug/m3	0.241	ug/m3		Y	6/9/2026	12:12	6/23/2026	11:47
SPRSPO-16-S-20260609	16	Benzene	Sample	1.11	ug/m3	0.187	ug/m3		Y	6/9/2026	12:14	6/23/2026	11:51
SPRSPO-16-S-20260609	16	Ethylbenzene	Sample	0.819	ug/m3	0.272	ug/m3		Y	6/9/2026	12:14	6/23/2026	11:51
SPRSPO-16-S-20260609	16	m-/p-Xylenes	Sample	2.69	ug/m3	0.272	ug/m3		Y	6/9/2026	12:14	6/23/2026	11:51
SPRSPO-16-S-20260609	16	o-Xylene	Sample	0.93	ug/m3	0.272	ug/m3		Y	6/9/2026	12:14	6/23/2026	11:51
SPRSPO-16-S-20260609	16	Toluene	Sample	4.51	ug/m3	0.241	ug/m3		Y	6/9/2026	12:14	6/23/2026	11:51

FLM Data Flag Abbreviations - EPA Method 325B	
FLAG	**EXPLANATION**
ND	The analyte was not present above the Method Detection Limit
B	Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
P	Field duplicate(s) exceed 30%RPD
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
3/31/26 11:00	5.6	54	4.2	1013
3/31/26 12:00	4.7	49	4.3	1013
3/31/26 13:00	4.0	43	4.2	1013
3/31/26 14:00	2.9	43	4.9	1014
3/31/26 15:00	3.5	56	4.7	1013
3/31/26 16:00	3.9	60	4.4	1013
3/31/26 17:00	3.3	61	4.3	1013
3/31/26 18:00	3.1	82	4.0	1013
3/31/26 19:00	2.7	92	3.7	1013
3/31/26 20:00	2.4	111	3.0	1013
3/31/26 21:00	3.0	93	3.0	1012
3/31/26 22:00	2.9	136	3.0	1012
3/31/26 23:00	2.4	160	2.9	1011
4/1/26 0:00	1.4	241	2.9	1009
4/1/26 1:00	1.5	225	2.9	1008
4/1/26 2:00	2.6	252	2.9	1008
4/1/26 3:00	1.6	178	3.0	1007
4/1/26 4:00	1.9	194	3.0	1007
4/1/26 5:00	2.1	192	3.1	1007
4/1/26 6:00	1.5	190	3.0	1008
4/1/26 7:00	1.7	23	3.7	1009
4/1/26 8:00	2.5	52	4.0	1010
4/1/26 9:00	2.5	63	4.3	1012
4/1/26 10:00	1.7	106	5.2	1013
4/1/26 11:00	2.4	73	6.3	1014
4/1/26 12:00	2.7	57	7.1	1015
4/1/26 13:00	2.1	92	8.9	1016
4/1/26 14:00	4.0	55	11.0	1016
4/1/26 15:00	4.7	8	11.8	1017
4/1/26 16:00	3.9	25	11.5	1018
4/1/26 17:00	5.2	4	10.7	1020
4/1/26 18:00	6.2	7	8.4	1021
4/1/26 19:00	5.8	4	6.8	1023
4/1/26 20:00	5.1	5	5.9	1024
4/1/26 21:00	4.8	4	5.7	1026
4/1/26 22:00	5.0	13	4.9	1026
4/1/26 23:00	5.9	35	4.0	1027
4/2/26 0:00	5.3	45	3.2	1028
4/2/26 1:00	4.5	38	3.0	1028
4/2/26 2:00	4.4	35	2.6	1029
4/2/26 3:00	4.2	34	2.0	1029
4/2/26 4:00	4.1	35	1.9	1030
4/2/26 5:00	4.5	29	1.5	1030
4/2/26 6:00	4.9	48	1.0	1031
4/2/26 7:00	4.8	47	1.0	1031
4/2/26 8:00	4.1	35	1.6	1032
4/2/26 9:00	4.3	45	1.9	1033

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/2/26 10:00	4.4	50	2.4	1034
4/2/26 11:00	4.6	67	2.9	1034
4/2/26 12:00	5.5	103	3.0	1034
4/2/26 13:00	5.9	95	3.6	1034
4/2/26 14:00	5.7	98	3.1	1033
4/2/26 15:00	5.9	95	2.8	1033
4/2/26 16:00	5.5	103	2.0	1033
4/2/26 17:00	5.2	101	2.0	1033
4/2/26 18:00	5.0	95	2.0	1033
4/2/26 19:00	5.0	91	1.9	1033
4/2/26 20:00	4.5	94	1.9	1033
4/2/26 21:00	4.1	91	1.9	1033
4/2/26 22:00	3.6	107	1.3	1032
4/2/26 23:00	2.8	105	1.6	1032
4/3/26 0:00	2.0	111	1.9	1032
4/3/26 1:00	3.3	119	2.0	1031
4/3/26 2:00	3.6	127	1.9	1030
4/3/26 3:00	3.2	134	1.9	1029
4/3/26 4:00	3.1	130	1.9	1028
4/3/26 5:00	2.9	137	1.9	1027
4/3/26 6:00	2.5	145	2.9	1026
4/3/26 7:00	2.7	148	2.9	1026
4/3/26 8:00	3.1	155	2.9	1025
4/3/26 9:00	2.9	159	3.7	1024
4/3/26 10:00	3.2	168	3.9	1023
4/3/26 11:00	3.2	178	4.0	1021
4/3/26 12:00	2.7	177	4.1	1019
4/3/26 13:00	3.5	187	5.0	1018
4/3/26 14:00	2.8	189	5.4	1017
4/3/26 15:00	2.4	180	6.0	1015
4/3/26 16:00	3.3	187	6.0	1014
4/3/26 17:00	2.6	188	6.9	1014
4/3/26 18:00	2.2	182	7.0	1013
4/3/26 19:00	2.0	183	6.2	1012
4/3/26 20:00	1.5	180	5.6	1012
4/3/26 21:00	2.0	203	5.4	1012
4/3/26 22:00	1.6	237	6.0	1011
4/3/26 23:00	2.2	226	6.8	1010
4/4/26 0:00	3.0	232	7.6	1010
4/4/26 1:00	4.1	230	10.5	1010
4/4/26 2:00	3.8	232	11.7	1010
4/4/26 3:00	2.9	313	11.3	1012
4/4/26 4:00	3.4	332	10.6	1014
4/4/26 5:00	4.8	337	10.7	1016
4/4/26 6:00	5.9	335	9.4	1017
4/4/26 7:00	7.9	351	8.9	1019
4/4/26 8:00	6.4	15	8.2	1021
4/4/26 9:00	6.6	27	8.4	1023
4/4/26 10:00	6.2	25	8.7	1024

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/4/26 11:00	6.0	64	8.2	1025
4/4/26 12:00	5.1	81	8.8	1025
4/4/26 13:00	6.4	102	8.3	1026
4/4/26 14:00	6.4	106	7.1	1026
4/4/26 15:00	5.9	129	6.3	1027
4/4/26 16:00	5.5	129	6.0	1027
4/4/26 17:00	6.2	135	4.8	1027
4/4/26 18:00	5.6	128	3.3	1027
4/4/26 19:00	4.9	113	3.0	1027
4/4/26 20:00	5.3	110	2.9	1027
4/4/26 21:00	4.6	121	2.9	1027
4/4/26 22:00	5.3	120	2.9	1027
4/4/26 23:00	4.9	119	2.9	1025
4/5/26 0:00	4.8	125	2.9	1024
4/5/26 1:00	4.8	137	3.0	1023
4/5/26 2:00	5.6	140	3.0	1022
4/5/26 3:00	4.9	145	2.9	1020
4/5/26 4:00	3.9	142	2.9	1018
4/5/26 5:00	3.3	139	3.0	1016
4/5/26 6:00	2.5	125	3.0	1015
4/5/26 7:00	2.3	108	3.9	1013
4/5/26 8:00	2.5	105	3.9	1011
4/5/26 9:00	1.8	70	4.0	1009
4/5/26 10:00	2.1	351	5.0	1008
4/5/26 11:00	1.5	4	5.6	1007
4/5/26 12:00	2.1	282	6.8	1005
4/5/26 13:00	3.3	255	6.9	1005
4/5/26 14:00	2.0	208	6.9	1003
4/5/26 15:00	3.1	192	6.5	1003
4/5/26 16:00	2.7	175	6.3	1001
4/5/26 17:00	2.2	205	6.4	1002
4/5/26 18:00	2.6	215	7.1	1002
4/5/26 19:00	3.0	243	7.9	1002
4/5/26 20:00	3.5	255	7.9	1003
4/5/26 21:00	4.9	252	7.9	1004
4/5/26 22:00	6.3	266	6.9	1004
4/5/26 23:00	4.4	268	5.9	1004
4/6/26 0:00	4.1	274	5.9	1004
4/6/26 1:00	3.9	266	5.4	1003
4/6/26 2:00	3.8	257	5.4	1003
4/6/26 3:00	3.1	246	5.7	1003
4/6/26 4:00	3.8	248	4.7	1003
4/6/26 5:00	4.1	276	4.6	1004
4/6/26 6:00	4.9	271	3.9	1005
4/6/26 7:00	5.2	274	4.2	1005
4/6/26 8:00	7.4	280	5.8	1006
4/6/26 9:00	7.9	278	6.4	1006
4/6/26 10:00	7.9	281	7.0	1006
4/6/26 11:00	9.0	282	7.1	1007

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/6/26 12:00	8.8	282	7.2	1007
4/6/26 13:00	9.9	287	7.6	1007
4/6/26 14:00	9.0	290	8.0	1008
4/6/26 15:00	9.7	289	7.6	1008
4/6/26 16:00	8.1	307	6.7	1008
4/6/26 17:00	6.9	327	6.0	1009
4/6/26 18:00	6.5	316	5.0	1011
4/6/26 19:00	5.4	313	3.2	1012
4/6/26 20:00	3.1	309	2.4	1014
4/6/26 21:00	4.0	284	1.9	1015
4/6/26 22:00	2.1	271	0.9	1015
4/6/26 23:00	1.7	225	0.6	1016
4/7/26 0:00	1.5	250	-1.6	1016
4/7/26 1:00	2.0	229	-1.2	1016
4/7/26 2:00	2.3	233	-1.6	1016
4/7/26 3:00	1.6	233	-2.1	1017
4/7/26 4:00	1.5	220	-2.8	1017
4/7/26 5:00	1.5	225	-3.2	1017
4/7/26 6:00	1.5	235	-2.3	1018
4/7/26 7:00	ND	ND	-1.4	1019
4/7/26 8:00	1.5	20	0.7	1019
4/7/26 9:00	1.5	150	2.1	1019
4/7/26 10:00	2.6	159	1.4	1019
4/7/26 11:00	1.9	148	0.7	1020
4/7/26 12:00	2.2	93	0.2	1019
4/7/26 13:00	3.1	90	1.0	1019
4/7/26 14:00	3.2	80	1.0	1019
4/7/26 15:00	3.2	88	1.6	1019
4/7/26 16:00	2.8	89	2.0	1019
4/7/26 17:00	2.0	90	2.0	1019
4/7/26 18:00	1.7	94	2.0	1020
4/7/26 19:00	1.5	160	1.9	1021
4/7/26 20:00	1.7	223	1.6	1022
4/7/26 21:00	4.1	292	0.9	1023
4/7/26 22:00	4.2	316	0.9	1024
4/7/26 23:00	5.3	327	0.5	1025
4/8/26 0:00	5.6	326	-0.9	1027
4/8/26 1:00	5.0	338	-1.3	1028
4/8/26 2:00	5.6	333	-2.1	1028
4/8/26 3:00	5.0	338	-2.6	1029
4/8/26 4:00	3.8	341	-3.1	1030
4/8/26 5:00	3.5	348	-3.8	1031
4/8/26 6:00	3.1	349	-3.8	1032
4/8/26 7:00	3.4	346	-2.3	1033
4/8/26 8:00	4.8	353	-0.8	1034
4/8/26 9:00	4.1	8	1.0	1034
4/8/26 10:00	4.2	19	1.9	1035
4/8/26 11:00	2.3	4	2.7	1035
4/8/26 12:00	2.7	321	3.5	1034

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/8/26 13:00	2.7	268	4.3	1034
4/8/26 14:00	3.9	186	5.0	1033
4/8/26 15:00	5.0	171	4.0	1032
4/8/26 16:00	5.0	175	3.2	1032
4/8/26 17:00	4.7	186	3.0	1032
4/8/26 18:00	4.1	188	2.3	1032
4/8/26 19:00	2.9	194	1.7	1032
4/8/26 20:00	3.3	215	0.9	1033
4/8/26 21:00	2.0	202	0.5	1033
4/8/26 22:00	1.5	210	-0.8	1033
4/8/26 23:00	2.0	228	-1.1	1033
4/9/26 0:00	1.9	229	-1.1	1034
4/9/26 1:00	1.5	222	-1.3	1033
4/9/26 2:00	1.5	273	-2.0	1033
4/9/26 3:00	ND	ND	-3.0	1033
4/9/26 4:00	1.5	230	-2.8	1033
4/9/26 5:00	1.9	208	-2.1	1033
4/9/26 6:00	2.5	207	-1.1	1033
4/9/26 7:00	2.6	216	0.4	1034
4/9/26 8:00	3.5	214	2.5	1034
4/9/26 9:00	3.3	196	5.1	1033
4/9/26 10:00	4.4	193	7.0	1033
4/9/26 11:00	5.9	196	8.0	1033
4/9/26 12:00	7.1	186	8.2	1032
4/9/26 13:00	7.4	170	7.7	1031
4/9/26 14:00	8.1	171	6.6	1031
4/9/26 15:00	8.6	175	6.0	1030
4/9/26 16:00	8.2	174	6.0	1029
4/9/26 17:00	6.2	176	6.0	1029
4/9/26 18:00	5.5	181	5.2	1028
4/9/26 19:00	5.1	184	4.0	1028
4/9/26 20:00	5.3	180	3.9	1028
4/9/26 21:00	5.4	182	4.4	1027
4/9/26 22:00	5.7	195	4.9	1027
4/9/26 23:00	5.4	195	4.2	1027
4/10/26 0:00	3.7	194	3.9	1027
4/10/26 1:00	4.8	190	3.9	1026
4/10/26 2:00	3.9	197	3.9	1025
4/10/26 3:00	3.4	198	3.2	1025
4/10/26 4:00	3.5	202	3.0	1025
4/10/26 5:00	3.2	205	2.9	1024
4/10/26 6:00	2.5	197	2.9	1024
4/10/26 7:00	4.1	208	3.8	1024
4/10/26 8:00	3.8	215	5.9	1023
4/10/26 9:00	2.6	217	8.2	1022
4/10/26 10:00	3.9	163	9.7	1022
4/10/26 11:00	4.6	149	9.8	1021
4/10/26 12:00	5.2	156	11.3	1020
4/10/26 13:00	5.8	171	11.7	1019

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/10/26 14:00	5.4	178	12.5	1018
4/10/26 15:00	6.5	183	12.6	1017
4/10/26 16:00	6.0	179	11.7	1016
4/10/26 17:00	5.5	181	9.5	1015
4/10/26 18:00	4.9	185	9.0	1014
4/10/26 19:00	5.0	187	9.0	1014
4/10/26 20:00	5.1	188	9.8	1013
4/10/26 21:00	4.1	190	10.0	1013
4/10/26 22:00	2.9	193	10.0	1013
4/10/26 23:00	2.1	168	9.2	1012
4/11/26 0:00	2.5	55	9.0	1013
4/11/26 1:00	1.8	112	8.0	1012
4/11/26 2:00	1.4	110	8.2	1011
4/11/26 3:00	3.2	344	8.3	1011
4/11/26 4:00	3.2	329	9.0	1013
4/11/26 5:00	3.6	339	9.3	1013
4/11/26 6:00	5.9	334	8.8	1015
4/11/26 7:00	5.9	335	8.6	1016
4/11/26 8:00	7.6	333	9.1	1016
4/11/26 9:00	6.5	338	10.3	1017
4/11/26 10:00	7.0	314	11.2	1017
4/11/26 11:00	6.9	329	11.1	1017
4/11/26 12:00	6.6	321	11.0	1017
4/11/26 13:00	6.5	320	11.9	1017
4/11/26 14:00	7.6	336	11.8	1017
4/11/26 15:00	8.1	335	11.9	1017
4/11/26 16:00	7.8	330	11.3	1018
4/11/26 17:00	7.6	330	10.2	1019
4/11/26 18:00	8.2	331	8.9	1020
4/11/26 19:00	6.6	333	7.3	1021
4/11/26 20:00	4.5	322	6.4	1023
4/11/26 21:00	5.3	317	5.8	1024
4/11/26 22:00	4.2	306	4.2	1024
4/11/26 23:00	3.7	314	4.0	1025
4/12/26 0:00	3.2	253	3.5	1025
4/12/26 1:00	4.0	296	2.2	1026
4/12/26 2:00	4.0	304	2.0	1026
4/12/26 3:00	3.4	322	2.5	1027
4/12/26 4:00	3.1	305	1.4	1027
4/12/26 5:00	2.5	292	1.4	1028
4/12/26 6:00	2.8	290	1.4	1029
4/12/26 7:00	3.0	301	3.8	1030
4/12/26 8:00	4.2	327	6.5	1030
4/12/26 9:00	5.0	341	7.8	1030
4/12/26 10:00	4.0	11	9.2	1030
4/12/26 11:00	2.2	84	9.4	1029
4/12/26 12:00	4.1	179	10.3	1029
4/12/26 13:00	6.4	164	9.0	1028
4/12/26 14:00	6.4	173	8.7	1028


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

4/12/26 15:00	5.3	175	8.8	1027
4/12/26 16:00	5.4	186	7.3	1027
4/12/26 17:00	4.9	192	6.8	1026
4/12/26 18:00	4.9	194	6.0	1026
4/12/26 19:00	3.8	197	6.0	1026
4/12/26 20:00	3.0	191	6.0	1026
4/12/26 21:00	3.1	176	5.9	1026
4/12/26 22:00	3.7	160	5.9	1025
4/12/26 23:00	3.4	166	5.9	1024
4/13/26 0:00	3.3	171	5.9	1023
4/13/26 1:00	4.0	187	5.5	1023
4/13/26 2:00	3.6	186	4.6	1022
4/13/26 3:00	3.8	184	4.0	1021
4/13/26 4:00	4.4	183	4.9	1020
4/13/26 5:00	5.2	190	5.8	1018
4/13/26 6:00	5.5	194	5.9	1017
4/13/26 7:00	4.9	193	6.0	1017
4/13/26 8:00	4.9	191	6.4	1015
4/13/26 9:00	3.8	199	7.2	1014
4/13/26 10:00	3.3	217	9.4	1012
4/13/26 11:00	5.0	237	12.3	1011
4/13/26 12:00	3.8	226	12.4	1009
4/13/26 13:00	2.5	162	11.8	1008
4/13/26 14:00	2.1	135	12.7	1007
4/13/26 15:00	2.9	181	13.0	1006
4/13/26 16:00	1.7	134	13.0	1005
4/13/26 17:00	1.9	135	13.0	1005
4/13/26 18:00	2.7	102	13.4	1005
4/13/26 19:00	2.3	127	11.9	1005
4/13/26 20:00	3.1	244	15.8	1006
4/13/26 21:00	3.1	239	16.9	1007
4/13/26 22:00	3.3	230	16.3	1007
4/13/26 23:00	2.9	230	15.9	1007
4/14/26 0:00	2.5	243	15.0	1008
4/14/26 1:00	3.1	248	14.7	1008
4/14/26 2:00	2.2	252	13.2	1008
4/14/26 3:00	3.1	266	13.4	1009
4/14/26 4:00	2.9	284	13.0	1009
4/14/26 5:00	1.9	293	11.9	1010
4/14/26 6:00	2.1	360	11.0	1011
4/14/26 7:00	1.7	126	13.1	1011
4/14/26 8:00	2.1	150	15.2	1012
4/14/26 9:00	1.6	139	17.7	1012
4/14/26 10:00	2.2	162	18.6	1012

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (3/31/26 11:00 to 4/14/26 10:00)

PWM Wind Rose 3/31/26 11:00 - 4/14/26 10:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
4/14/26 10:00	2.2	162	18.6	1012
4/14/26 11:00	4.6	95	19.2	1012
4/14/26 12:00	5.3	124	19.6	1011
4/14/26 13:00	6.0	129	19.5	1011
4/14/26 14:00	6.0	140	18.5	1010
4/14/26 15:00	4.7	116	17.7	1009
4/14/26 16:00	5.4	111	14.8	1008
4/14/26 17:00	3.8	116	12.8	1008
4/14/26 18:00	4.5	57	11.3	1008
4/14/26 19:00	4.2	50	10.4	1008
4/14/26 20:00	4.0	83	10.5	1007
4/14/26 21:00	3.5	83	8.8	1007
4/14/26 22:00	2.4	45	8.1	1007
4/14/26 23:00	2.0	27	8.6	1007
4/15/26 0:00	1.8	341	9.0	1007
4/15/26 1:00	1.8	246	9.6	1007
4/15/26 2:00	1.8	263	9.5	1007
4/15/26 3:00	1.7	330	10.0	1007
4/15/26 4:00	1.5	30	10.2	1007
4/15/26 5:00	1.7	84	10.3	1007
4/15/26 6:00	1.6	86	10.0	1008
4/15/26 7:00	1.7	83	10.0	1010
4/15/26 8:00	2.1	106	10.8	1010
4/15/26 9:00	1.8	107	11.0	1011
4/15/26 10:00	1.6	98	11.9	1011
4/15/26 11:00	1.5	65	13.4	1012
4/15/26 12:00	2.2	84	15.0	1011
4/15/26 13:00	2.0	173	15.8	1011
4/15/26 14:00	3.5	106	14.5	1010
4/15/26 15:00	3.1	147	14.0	1010
4/15/26 16:00	2.8	165	12.8	1010
4/15/26 17:00	2.6	171	11.0	1010
4/15/26 18:00	3.1	172	9.6	1011
4/15/26 19:00	1.7	193	9.0	1011
4/15/26 20:00	2.1	255	9.0	1012
4/15/26 21:00	1.5	65	9.4	1012
4/15/26 22:00	1.5	135	9.3	1012
4/15/26 23:00	1.7	124	9.0	1012
4/16/26 0:00	2.3	103	9.0	1011
4/16/26 1:00	1.9	86	8.8	1011
4/16/26 2:00	2.4	71	8.5	1011
4/16/26 3:00	2.5	47	8.0	1010
4/16/26 4:00	2.1	103	8.1	1010
4/16/26 5:00	2.3	89	8.0	1010
4/16/26 6:00	2.8	84	7.7	1010
4/16/26 7:00	3.0	67	7.8	1010
4/16/26 8:00	2.0	16	8.0	1011

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/16/26 9:00	1.5	33	8.9	1011
4/16/26 10:00	1.9	47	9.9	1011
4/16/26 11:00	2.5	98	10.8	1011
4/16/26 12:00	2.8	105	11.0	1010
4/16/26 13:00	3.5	91	11.6	1009
4/16/26 14:00	3.6	104	10.9	1009
4/16/26 15:00	3.3	119	9.8	1008
4/16/26 16:00	3.2	83	9.0	1007
4/16/26 17:00	4.0	84	8.0	1007
4/16/26 18:00	2.8	104	7.0	1007
4/16/26 19:00	2.4	98	7.0	1006
4/16/26 20:00	1.9	95	6.1	1006
4/16/26 21:00	1.7	138	6.0	1006
4/16/26 22:00	1.6	116	6.0	1005
4/16/26 23:00	3.2	23	6.0	1005
4/17/26 0:00	3.9	351	7.0	1007
4/17/26 1:00	2.2	33	7.0	1005
4/17/26 2:00	3.0	108	7.1	1003
4/17/26 3:00	2.0	268	7.7	1004
4/17/26 4:00	2.7	215	7.9	1005
4/17/26 5:00	1.8	1	8.0	1005
4/17/26 6:00	2.2	351	8.2	1005
4/17/26 7:00	1.8	359	9.2	1006
4/17/26 8:00	3.1	164	10.1	1008
4/17/26 9:00	2.6	181	8.9	1009
4/17/26 10:00	3.3	51	11.2	1010
4/17/26 11:00	3.3	44	12.8	1010
4/17/26 12:00	3.8	81	15.2	1010
4/17/26 13:00	3.6	102	16.7	1010
4/17/26 14:00	4.0	105	17.2	1010
4/17/26 15:00	3.8	102	17.9	1010
4/17/26 16:00	3.3	95	18.0	1010
4/17/26 17:00	3.5	112	18.0	1011
4/17/26 18:00	2.9	167	14.9	1012
4/17/26 19:00	1.7	204	13.0	1013
4/17/26 20:00	1.5	250	11.7	1014
4/17/26 21:00	1.3	285	10.4	1015
4/17/26 22:00	1.6	321	9.5	1015
4/17/26 23:00	ND	ND	8.7	1015
4/18/26 0:00	1.5	108	7.7	1016
4/18/26 1:00	1.7	350	7.4	1016
4/18/26 2:00	ND	ND	6.7	1016
4/18/26 3:00	1.6	ND	5.7	1016
4/18/26 4:00	2.3	304	5.3	1016
4/18/26 5:00	2.3	349	5.2	1018
4/18/26 6:00	2.2	66	6.4	1019
4/18/26 7:00	2.9	101	8.1	1019
4/18/26 8:00	4.2	100	8.0	1020
4/18/26 9:00	3.2	93	8.5	1020

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/18/26 10:00	4.3	93	10.9	1020
4/18/26 11:00	5.4	93	11.5	1020
4/18/26 12:00	6.2	91	11.5	1020
4/18/26 13:00	7.6	92	11.0	1019
4/18/26 14:00	6.9	97	9.9	1019
4/18/26 15:00	6.7	96	8.4	1018
4/18/26 16:00	5.5	97	7.4	1017
4/18/26 17:00	5.0	96	6.8	1017
4/18/26 18:00	5.3	92	6.0	1016
4/18/26 19:00	4.2	95	5.9	1016
4/18/26 20:00	4.8	94	6.0	1015
4/18/26 21:00	4.0	111	7.5	1013
4/18/26 22:00	2.9	95	6.0	1014
4/18/26 23:00	3.1	92	6.0	1013
4/19/26 0:00	3.7	88	5.9	1012
4/19/26 1:00	2.9	109	5.9	1012
4/19/26 2:00	2.0	107	5.9	1011
4/19/26 3:00	1.7	124	5.9	1010
4/19/26 4:00	1.7	133	5.9	1009
4/19/26 5:00	1.7	118	6.0	1008
4/19/26 6:00	2.3	141	6.0	1007
4/19/26 7:00	1.8	169	6.0	1007
4/19/26 8:00	2.0	159	6.0	1006
4/19/26 9:00	2.6	154	6.2	1005
4/19/26 10:00	1.8	195	6.3	1005
4/19/26 11:00	1.7	202	6.9	1005
4/19/26 12:00	2.3	306	7.0	1004
4/19/26 13:00	3.5	326	7.4	1004
4/19/26 14:00	4.1	310	7.4	1004
4/19/26 15:00	7.0	339	7.1	1003
4/19/26 16:00	5.5	327	5.9	1004
4/19/26 17:00	6.2	319	4.5	1005
4/19/26 18:00	4.3	328	3.2	1006
4/19/26 19:00	5.1	317	2.5	1007
4/19/26 20:00	3.7	322	2.0	1008
4/19/26 21:00	2.5	278	1.3	1009
4/19/26 22:00	1.8	212	1.1	1010
4/19/26 23:00	2.0	229	0.8	1011
4/20/26 0:00	2.3	229	-0.1	1011
4/20/26 1:00	1.5	220	-0.3	1012
4/20/26 2:00	1.4	240	-1.1	1012
4/20/26 3:00	1.5	235	-1.1	1013
4/20/26 4:00	1.6	236	-1.3	1013
4/20/26 5:00	1.8	237	-1.1	1013
4/20/26 6:00	1.9	246	-0.7	1014
4/20/26 7:00	2.7	257	1.8	1015
4/20/26 8:00	4.3	259	4.0	1015
4/20/26 9:00	4.6	265	6.1	1015
4/20/26 10:00	5.4	271	6.7	1016

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/20/26 11:00	6.4	284	7.4	1016
4/20/26 12:00	6.2	278	7.5	1016
4/20/26 13:00	6.8	290	8.3	1016
4/20/26 14:00	6.9	320	6.9	1017
4/20/26 15:00	6.4	320	7.0	1017
4/20/26 16:00	6.2	325	7.3	1017
4/20/26 17:00	5.5	329	6.6	1018
4/20/26 18:00	6.1	332	5.8	1019
4/20/26 19:00	4.6	338	4.1	1020
4/20/26 20:00	4.3	350	2.5	1021
4/20/26 21:00	3.2	355	1.3	1022
4/20/26 22:00	2.3	350	0.9	1023
4/20/26 23:00	1.9	1	0.7	1023
4/21/26 0:00	1.5	15	-0.6	1024
4/21/26 1:00	1.9	300	-1.6	1024
4/21/26 2:00	1.8	290	-3.2	1024
4/21/26 3:00	2.0	288	-3.5	1024
4/21/26 4:00	1.6	296	-3.7	1025
4/21/26 5:00	1.7	281	-3.7	1025
4/21/26 6:00	1.5	285	-3.0	1025
4/21/26 7:00	1.6	295	-0.5	1026
4/21/26 8:00	ND	ND	2.2	1026
4/21/26 9:00	1.9	307	3.9	1026
4/21/26 10:00	2.0	5	4.4	1025
4/21/26 11:00	3.0	118	5.2	1025
4/21/26 12:00	4.0	163	5.3	1024
4/21/26 13:00	5.0	150	5.9	1024
4/21/26 14:00	5.4	172	6.1	1023
4/21/26 15:00	5.9	170	5.6	1023
4/21/26 16:00	6.3	164	5.2	1022
4/21/26 17:00	5.9	170	4.2	1022
4/21/26 18:00	5.7	176	3.9	1022
4/21/26 19:00	4.8	190	3.0	1022
4/21/26 20:00	3.9	190	2.9	1022
4/21/26 21:00	3.4	187	2.9	1022
4/21/26 22:00	3.3	194	2.9	1022
4/21/26 23:00	3.7	191	2.9	1022
4/22/26 0:00	3.2	188	3.0	1022
4/22/26 1:00	2.6	198	3.0	1021
4/22/26 2:00	1.9	194	2.9	1020
4/22/26 3:00	1.5	218	2.0	1020
4/22/26 4:00	1.6	231	1.4	1020
4/22/26 5:00	1.5	215	1.4	1020
4/22/26 6:00	1.5	210	2.4	1020
4/22/26 7:00	3.0	210	3.8	1020
4/22/26 8:00	3.1	196	5.6	1020
4/22/26 9:00	4.6	179	6.9	1019
4/22/26 10:00	5.5	172	7.1	1019
4/22/26 11:00	5.4	182	6.9	1018

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/22/26 12:00	5.5	189	6.5	1018
4/22/26 13:00	5.8	189	6.2	1018
4/22/26 14:00	5.5	192	6.0	1017
4/22/26 15:00	4.7	191	6.7	1016
4/22/26 16:00	4.9	187	6.8	1015
4/22/26 17:00	5.1	194	6.5	1015
4/22/26 18:00	4.1	193	6.0	1014
4/22/26 19:00	4.3	189	6.0	1014
4/22/26 20:00	3.1	187	6.0	1014
4/22/26 21:00	3.2	188	6.0	1014
4/22/26 22:00	2.8	192	5.9	1014
4/22/26 23:00	2.8	199	5.9	1013
4/23/26 0:00	2.2	206	5.9	1013
4/23/26 1:00	2.3	201	5.9	1012
4/23/26 2:00	3.0	197	5.9	1011
4/23/26 3:00	2.2	205	5.5	1010
4/23/26 4:00	1.5	186	4.3	1010
4/23/26 5:00	1.6	212	3.9	1009
4/23/26 6:00	1.2	354	3.6	1009
4/23/26 7:00	1.8	285	4.4	1009
4/23/26 8:00	2.4	324	5.3	1009
4/23/26 9:00	2.6	343	8.5	1008
4/23/26 10:00	6.1	322	11.1	1008
4/23/26 11:00	7.9	333	11.9	1007
4/23/26 12:00	8.2	334	13.1	1007
4/23/26 13:00	7.7	348	13.0	1007
4/23/26 14:00	7.2	0	12.9	1007
4/23/26 15:00	6.8	14	13.0	1006
4/23/26 16:00	7.1	11	12.8	1006
4/23/26 17:00	7.0	353	11.9	1006
4/23/26 18:00	6.6	359	10.8	1007
4/23/26 19:00	5.4	8	8.6	1007
4/23/26 20:00	3.5	16	7.1	1008
4/23/26 21:00	3.5	17	6.5	1008
4/23/26 22:00	2.2	24	5.2	1008
4/23/26 23:00	3.6	10	4.3	1008
4/24/26 0:00	4.9	350	4.8	1008
4/24/26 1:00	3.3	353	3.8	1008
4/24/26 2:00	3.7	359	3.0	1007
4/24/26 3:00	3.4	306	2.4	1007
4/24/26 4:00	2.8	301	1.3	1007
4/24/26 5:00	2.9	328	1.9	1008
4/24/26 6:00	3.1	315	2.2	1008
4/24/26 7:00	4.2	329	4.1	1008
4/24/26 8:00	4.0	349	6.6	1008
4/24/26 9:00	4.0	348	7.7	1008
4/24/26 10:00	3.9	341	8.7	1008
4/24/26 11:00	5.4	340	8.9	1008
4/24/26 12:00	5.2	345	9.3	1007

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/24/26 13:00	5.8	11	9.7	1007
4/24/26 14:00	4.2	24	10.0	1007
4/24/26 15:00	3.2	75	9.2	1008
4/24/26 16:00	3.7	172	7.4	1008
4/24/26 17:00	3.9	162	7.0	1009
4/24/26 18:00	2.7	173	6.9	1010
4/24/26 19:00	1.7	165	6.2	1011
4/24/26 20:00	1.8	103	5.7	1012
4/24/26 21:00	2.5	43	4.9	1013
4/24/26 22:00	3.7	39	4.7	1014
4/24/26 23:00	1.6	1	3.9	1014
4/25/26 0:00	1.7	292	2.5	1014
4/25/26 1:00	1.8	299	1.0	1014
4/25/26 2:00	2.1	288	0.3	1014
4/25/26 3:00	1.4	284	-0.4	1015
4/25/26 4:00	1.6	274	-1.1	1015
4/25/26 5:00	1.7	281	-1.4	1015
4/25/26 6:00	1.5	283	-0.1	1016
4/25/26 7:00	1.8	288	3.1	1016
4/25/26 8:00	2.1	327	6.4	1016
4/25/26 9:00	3.0	349	8.5	1016
4/25/26 10:00	3.2	61	9.1	1016
4/25/26 11:00	2.9	92	10.3	1015
4/25/26 12:00	2.9	130	11.0	1015
4/25/26 13:00	3.0	200	11.6	1015
4/25/26 14:00	4.6	166	12.0	1014
4/25/26 15:00	5.4	170	11.8	1014
4/25/26 16:00	5.8	189	10.8	1014
4/25/26 17:00	5.6	201	9.2	1014
4/25/26 18:00	4.3	192	9.0	1014
4/25/26 19:00	3.2	203	7.7	1014
4/25/26 20:00	3.1	210	6.7	1015
4/25/26 21:00	2.0	232	5.9	1015
4/25/26 22:00	1.5	234	5.3	1015
4/25/26 23:00	1.5	228	3.9	1015
4/26/26 0:00	1.5	220	3.6	1016
4/26/26 1:00	1.8	207	3.4	1015
4/26/26 2:00	2.0	227	3.8	1015
4/26/26 3:00	1.5	292	2.9	1015
4/26/26 4:00	2.1	280	2.3	1016
4/26/26 5:00	2.1	283	1.4	1016
4/26/26 6:00	1.6	295	2.4	1016
4/26/26 7:00	1.5	320	6.6	1017
4/26/26 8:00	1.9	58	9.9	1017
4/26/26 9:00	2.1	91	11.7	1018
4/26/26 10:00	2.6	84	13.1	1018
4/26/26 11:00	3.0	87	13.0	1018
4/26/26 12:00	3.0	104	14.0	1018
4/26/26 13:00	2.7	102	14.5	1017


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

4/26/26 14:00	2.6	153	15.3	1017
4/26/26 15:00	3.5	156	15.0	1017
4/26/26 16:00	4.4	160	14.0	1017
4/26/26 17:00	3.9	163	13.2	1018
4/26/26 18:00	2.8	167	12.6	1018
4/26/26 19:00	1.9	155	11.4	1018
4/26/26 20:00	ND	ND	9.3	1019
4/26/26 21:00	ND	ND	7.4	1019
4/26/26 22:00	1.5	320	6.7	1020
4/26/26 23:00	1.5	360	6.1	1020
4/27/26 0:00	1.5	290	5.1	1020
4/27/26 1:00	2.1	302	4.0	1020
4/27/26 2:00	2.4	284	3.3	1020
4/27/26 3:00	2.1	311	2.8	1020
4/27/26 4:00	1.5	293	2.3	1021
4/27/26 5:00	1.7	288	1.8	1021
4/27/26 6:00	2.1	299	2.7	1022
4/27/26 7:00	1.8	310	7.0	1022
4/27/26 8:00	1.5	285	11.3	1023
4/27/26 9:00	1.4	35	14.2	1023
4/27/26 10:00	2.1	68	16.0	1023
4/27/26 11:00	3.6	86	16.9	1023
4/27/26 12:00	3.2	144	17.8	1022
4/27/26 13:00	4.1	174	17.8	1022
4/27/26 14:00	4.4	166	17.0	1022
4/27/26 15:00	4.9	162	17.2	1021
4/27/26 16:00	4.3	171	16.9	1021
4/27/26 17:00	4.8	180	15.1	1021
4/27/26 18:00	4.0	182	13.2	1021
4/27/26 19:00	3.0	174	11.7	1021
4/27/26 20:00	2.9	165	10.3	1022
4/27/26 21:00	2.3	154	8.4	1022
4/27/26 22:00	2.1	155	7.9	1023
4/27/26 23:00	1.5	150	7.0	1022
4/28/26 0:00	2.1	92	6.1	1022
4/28/26 1:00	2.4	94	5.9	1022
4/28/26 2:00	2.7	90	5.5	1021
4/28/26 3:00	3.4	87	5.7	1021
4/28/26 4:00	3.3	87	4.9	1022
4/28/26 5:00	3.8	81	5.9	1022
4/28/26 6:00	3.9	87	5.9	1022
4/28/26 7:00	3.0	81	6.3	1022
4/28/26 8:00	2.0	57	7.9	1022
4/28/26 9:00	2.5	97	8.6	1022
4/28/26 10:00	3.3	102	9.0	1022

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (4/14/26 10:00 to 4/28/26 10:00)

PWM Wind Rose 4/14/26 10:00 - 4/28/26 10:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
4/28/26 11:00	3.5	102	9.5	1022
4/28/26 12:00	4.1	87	10.6	1021
4/28/26 13:00	4.5	79	11.0	1021
4/28/26 14:00	4.0	79	11.0	1021
4/28/26 15:00	4.1	90	11.0	1020
4/28/26 16:00	4.4	96	11.0	1020
4/28/26 17:00	4.9	95	10.5	1020
4/28/26 18:00	3.2	86	8.9	1020
4/28/26 19:00	3.0	87	7.3	1019
4/28/26 20:00	2.4	86	6.9	1019
4/28/26 21:00	2.9	90	6.6	1018
4/28/26 22:00	2.3	82	7.2	1018
4/28/26 23:00	1.7	41	7.9	1018
4/29/26 0:00	1.7	5	7.9	1017
4/29/26 1:00	1.8	70	7.9	1016
4/29/26 2:00	2.2	70	7.9	1017
4/29/26 3:00	1.5	90	7.9	1017
4/29/26 4:00	3.0	95	7.3	1016
4/29/26 5:00	3.1	93	6.0	1015
4/29/26 6:00	3.7	92	6.1	1015
4/29/26 7:00	3.3	94	6.2	1016
4/29/26 8:00	3.8	89	6.0	1017
4/29/26 9:00	4.6	93	6.2	1017
4/29/26 10:00	4.0	97	7.7	1016
4/29/26 11:00	4.0	96	8.5	1015
4/29/26 12:00	5.4	92	8.4	1014
4/29/26 13:00	5.0	94	8.0	1014
4/29/26 14:00	5.2	96	7.7	1014
4/29/26 15:00	5.1	93	7.2	1014
4/29/26 16:00	5.9	87	7.0	1013
4/29/26 17:00	5.9	89	6.8	1012
4/29/26 18:00	6.1	90	6.0	1012
4/29/26 19:00	5.3	90	6.0	1012
4/29/26 20:00	6.3	91	6.0	1012
4/29/26 21:00	5.5	87	6.0	1012
4/29/26 22:00	5.2	81	6.0	1011
4/29/26 23:00	4.2	77	6.0	1011
4/30/26 0:00	3.6	69	6.0	1010
4/30/26 1:00	3.9	67	6.0	1009
4/30/26 2:00	3.7	65	6.1	1008
4/30/26 3:00	3.3	62	6.2	1008
4/30/26 4:00	3.0	69	6.7	1007
4/30/26 5:00	4.8	72	6.9	1006
4/30/26 6:00	3.9	74	6.9	1006
4/30/26 7:00	4.4	77	7.0	1006
4/30/26 8:00	4.5	80	7.0	1006
4/30/26 9:00	4.2	80	7.4	1006

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

4/30/26 10:00	4.6	87	8.0	1006
4/30/26 11:00	4.9	91	7.7	1005
4/30/26 12:00	4.7	75	7.1	1005
4/30/26 13:00	3.3	75	7.1	1005
4/30/26 14:00	3.5	83	8.0	1004
4/30/26 15:00	3.4	68	8.3	1003
4/30/26 16:00	3.1	53	8.0	1003
4/30/26 17:00	2.2	47	8.0	1003
4/30/26 18:00	1.6	26	8.0	1003
4/30/26 19:00	1.7	351	8.0	1003
4/30/26 20:00	2.2	324	8.0	1004
4/30/26 21:00	2.2	331	8.0	1004
4/30/26 22:00	2.6	312	8.0	1004
4/30/26 23:00	2.9	295	7.6	1003
5/1/26 0:00	2.8	273	7.7	1004
5/1/26 1:00	3.0	287	8.0	1004
5/1/26 2:00	3.7	317	8.0	1004
5/1/26 3:00	2.6	309	7.5	1004
5/1/26 4:00	2.1	286	6.6	1004
5/1/26 5:00	1.5	283	6.1	1004
5/1/26 6:00	2.3	273	6.5	1005
5/1/26 7:00	2.7	303	8.2	1005
5/1/26 8:00	4.2	327	9.5	1005
5/1/26 9:00	4.9	329	10.9	1006
5/1/26 10:00	3.9	277	11.7	1006
5/1/26 11:00	3.8	284	11.7	1006
5/1/26 12:00	4.0	298	13.0	1005
5/1/26 13:00	3.9	294	13.9	1005
5/1/26 14:00	5.1	292	15.1	1005
5/1/26 15:00	5.1	317	15.1	1004
5/1/26 16:00	7.1	318	15.7	1005
5/1/26 17:00	6.5	323	15.7	1005
5/1/26 18:00	6.4	318	14.2	1006
5/1/26 19:00	4.3	312	12.4	1007
5/1/26 20:00	2.7	321	10.7	1008
5/1/26 21:00	1.9	316	9.4	1009
5/1/26 22:00	ND	ND	7.8	1009
5/1/26 23:00	1.5	330	6.3	1009
5/2/26 0:00	0.7	ND	4.3	1009
5/2/26 1:00	1.7	311	3.4	1009
5/2/26 2:00	1.9	293	4.0	1009
5/2/26 3:00	1.8	278	4.6	1010
5/2/26 4:00	2.0	3	3.9	1010
5/2/26 5:00	2.3	50	5.6	1009
5/2/26 6:00	2.7	73	7.5	1010
5/2/26 7:00	2.5	74	7.7	1011
5/2/26 8:00	4.9	70	6.9	1010
5/2/26 9:00	4.9	86	7.1	1010
5/2/26 10:00	4.7	84	7.5	1010

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

5/2/26 11:00	4.7	88	8.0	1010
5/2/26 12:00	3.0	84	8.6	1009
5/2/26 13:00	2.0	88	9.3	1009
5/2/26 14:00	3.5	164	10.2	1009
5/2/26 15:00	2.6	160	10.8	1008
5/2/26 16:00	2.3	162	9.6	1008
5/2/26 17:00	2.2	328	9.2	1008
5/2/26 18:00	2.2	61	8.3	1008
5/2/26 19:00	2.8	53	7.9	1008
5/2/26 20:00	2.1	19	7.9	1008
5/2/26 21:00	3.6	355	7.3	1008
5/2/26 22:00	2.8	6	6.9	1008
5/2/26 23:00	2.8	36	6.9	1008
5/3/26 0:00	3.3	341	6.9	1007
5/3/26 1:00	3.2	321	6.9	1007
5/3/26 2:00	2.8	345	6.0	1006
5/3/26 3:00	2.2	343	6.0	1005
5/3/26 4:00	2.1	357	5.9	1005
5/3/26 5:00	2.9	350	5.6	1004
5/3/26 6:00	3.5	358	6.0	1004
5/3/26 7:00	4.2	350	6.0	1004
5/3/26 8:00	5.0	338	6.6	1003
5/3/26 9:00	5.1	333	6.9	1003
5/3/26 10:00	5.8	332	7.1	1002
5/3/26 11:00	7.6	340	7.9	1002
5/3/26 12:00	7.8	331	8.0	1002
5/3/26 13:00	7.6	330	9.0	1002
5/3/26 14:00	7.2	321	10.9	1002
5/3/26 15:00	7.1	319	11.7	1001
5/3/26 16:00	7.1	318	11.0	1001
5/3/26 17:00	7.1	309	10.7	1002
5/3/26 18:00	7.6	310	10.1	1002
5/3/26 19:00	5.9	300	8.9	1003
5/3/26 20:00	4.8	294	7.6	1004
5/3/26 21:00	2.9	273	6.6	1005
5/3/26 22:00	1.7	255	5.7	1005
5/3/26 23:00	2.1	241	5.1	1005
5/4/26 0:00	2.1	227	4.1	1005
5/4/26 1:00	2.3	226	3.9	1006
5/4/26 2:00	3.2	242	4.4	1006
5/4/26 3:00	2.6	244	5.0	1006
5/4/26 4:00	2.7	245	5.6	1006
5/4/26 5:00	2.0	246	5.9	1006
5/4/26 6:00	2.3	256	6.6	1006
5/4/26 7:00	3.5	244	8.6	1006
5/4/26 8:00	3.3	233	10.1	1006
5/4/26 9:00	4.3	234	12.5	1005
5/4/26 10:00	5.3	244	15.6	1004
5/4/26 11:00	6.1	249	17.4	1003

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

5/4/26 12:00	7.8	240	19.5	1003
5/4/26 13:00	8.0	250	18.9	1002
5/4/26 14:00	5.8	270	18.9	1003
5/4/26 15:00	5.0	273	20.2	1002
5/4/26 16:00	6.5	265	21.3	1002
5/4/26 17:00	4.7	274	21.3	1002
5/4/26 18:00	4.2	254	20.9	1002
5/4/26 19:00	2.3	238	19.6	1003
5/4/26 20:00	3.6	170	12.6	1004
5/4/26 21:00	3.5	181	11.9	1005
5/4/26 22:00	3.9	197	13.5	1005
5/4/26 23:00	4.7	212	15.9	1005
5/5/26 0:00	4.8	216	15.9	1006
5/5/26 1:00	4.5	218	15.2	1006
5/5/26 2:00	3.1	209	13.3	1006
5/5/26 3:00	2.6	187	10.7	1006
5/5/26 4:00	2.0	168	8.7	1006
5/5/26 5:00	2.2	179	8.9	1006
5/5/26 6:00	3.7	194	10.1	1006
5/5/26 7:00	3.8	187	11.4	1006
5/5/26 8:00	3.8	183	13.1	1005
5/5/26 9:00	4.0	175	15.9	1006
5/5/26 10:00	5.1	171	15.1	1005
5/5/26 11:00	5.0	161	17.8	1005
5/5/26 12:00	5.8	161	18.3	1004
5/5/26 13:00	6.6	176	18.3	1003
5/5/26 14:00	8.5	185	17.9	1003
5/5/26 15:00	7.7	189	17.0	1002
5/5/26 16:00	8.6	191	16.8	1002
5/5/26 17:00	8.6	190	15.9	1002
5/5/26 18:00	8.3	194	16.0	1002
5/5/26 19:00	4.4	207	18.0	1004
5/5/26 20:00	3.5	175	16.8	1005
5/5/26 21:00	2.7	173	15.1	1006
5/5/26 22:00	2.3	178	13.3	1006
5/5/26 23:00	3.2	180	12.7	1005
5/6/26 0:00	3.6	185	13.0	1006
5/6/26 1:00	3.7	181	13.0	1005
5/6/26 2:00	3.9	183	11.9	1005
5/6/26 3:00	2.8	186	12.0	1006
5/6/26 4:00	3.1	184	12.0	1006
5/6/26 5:00	2.1	179	11.3	1006
5/6/26 6:00	2.5	180	11.7	1006
5/6/26 7:00	1.9	182	12.6	1007
5/6/26 8:00	4.1	176	13.0	1006
5/6/26 9:00	4.4	185	13.0	1006
5/6/26 10:00	4.9	188	13.8	1006
5/6/26 11:00	5.2	189	14.2	1006
5/6/26 12:00	5.3	185	14.7	1005

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

5/6/26 13:00	6.7	187	13.0	1004
5/6/26 14:00	6.7	191	12.8	1004
5/6/26 15:00	4.2	181	12.6	1004
5/6/26 16:00	5.3	179	12.7	1003
5/6/26 17:00	6.5	190	11.8	1003
5/6/26 18:00	6.5	190	11.0	1003
5/6/26 19:00	6.3	186	11.0	1002
5/6/26 20:00	6.0	189	11.0	1002
5/6/26 21:00	5.1	185	11.0	1002
5/6/26 22:00	3.6	188	11.0	1001
5/6/26 23:00	2.5	200	11.5	1001
5/7/26 0:00	3.1	262	12.7	1002
5/7/26 1:00	3.7	330	11.4	1002
5/7/26 2:00	2.6	314	10.5	1003
5/7/26 3:00	2.9	324	9.9	1003
5/7/26 4:00	3.5	336	9.0	1003
5/7/26 5:00	2.6	334	8.9	1004
5/7/26 6:00	2.2	306	8.8	1004
5/7/26 7:00	2.8	307	9.5	1004
5/7/26 8:00	2.5	287	11.6	1004
5/7/26 9:00	2.9	300	13.3	1004
5/7/26 10:00	2.9	283	14.3	1003
5/7/26 11:00	3.6	268	15.2	1003
5/7/26 12:00	5.6	267	15.1	1003
5/7/26 13:00	7.0	268	15.8	1002
5/7/26 14:00	6.9	284	16.8	1002
5/7/26 15:00	6.3	275	16.8	1001
5/7/26 16:00	5.7	272	16.5	1001
5/7/26 17:00	5.6	278	16.2	1001
5/7/26 18:00	5.7	271	15.2	1002
5/7/26 19:00	4.4	282	13.8	1002
5/7/26 20:00	3.7	319	12.4	1003
5/7/26 21:00	4.2	338	11.5	1004
5/7/26 22:00	2.6	333	9.4	1005
5/7/26 23:00	2.3	310	8.4	1005
5/8/26 0:00	3.0	310	6.7	1005
5/8/26 1:00	3.1	306	5.8	1005
5/8/26 2:00	3.0	313	5.1	1004
5/8/26 3:00	2.3	286	4.6	1004
5/8/26 4:00	2.8	279	3.9	1004
5/8/26 5:00	1.8	275	3.2	1005
5/8/26 6:00	1.8	280	4.6	1006
5/8/26 7:00	2.7	286	8.2	1006
5/8/26 8:00	3.3	278	10.9	1006
5/8/26 9:00	4.1	290	12.3	1006
5/8/26 10:00	4.1	294	12.7	1005
5/8/26 11:00	5.1	287	13.8	1005
5/8/26 12:00	4.9	313	12.7	1005
5/8/26 13:00	4.6	318	13.4	1005

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

5/8/26 14:00	4.6	303	13.1	1005
5/8/26 15:00	7.1	296	13.0	1005
5/8/26 16:00	7.2	296	12.9	1005
5/8/26 17:00	5.5	309	13.1	1006
5/8/26 18:00	4.6	324	12.1	1006
5/8/26 19:00	3.1	322	10.9	1007
5/8/26 20:00	2.5	319	9.0	1008
5/8/26 21:00	1.3	300	8.2	1009
5/8/26 22:00	ND	ND	6.9	1009
5/8/26 23:00	1.7	280	7.1	1010
5/9/26 0:00	ND	ND	6.9	1010
5/9/26 1:00	ND	ND	6.6	1010
5/9/26 2:00	1.5	210	6.4	1011
5/9/26 3:00	ND	ND	5.4	1011
5/9/26 4:00	1.7	282	4.1	1011
5/9/26 5:00	2.1	ND	2.8	1011
5/9/26 6:00	1.7	291	4.1	1012
5/9/26 7:00	1.5	295	7.9	1012
5/9/26 8:00	2.6	162	11.3	1012
5/9/26 9:00	3.3	156	12.8	1012
5/9/26 10:00	3.9	169	13.0	1012
5/9/26 11:00	4.1	173	11.8	1013
5/9/26 12:00	4.1	176	10.5	1013
5/9/26 13:00	3.2	176	8.2	1013
5/9/26 14:00	2.8	157	7.6	1013
5/9/26 15:00	2.9	134	7.0	1012
5/9/26 16:00	4.0	87	7.0	1012
5/9/26 17:00	4.4	91	7.0	1012
5/9/26 18:00	4.5	84	7.0	1011
5/9/26 19:00	3.9	77	7.0	1011
5/9/26 20:00	3.4	65	7.4	1011
5/9/26 21:00	2.4	44	7.9	1011
5/9/26 22:00	1.5	ND	7.9	1011
5/9/26 23:00	1.5	90	8.1	1010
5/10/26 0:00	1.5	100	8.1	1010
5/10/26 1:00	2.0	167	8.9	1010
5/10/26 2:00	1.9	176	8.9	1009
5/10/26 3:00	1.6	174	8.9	1009
5/10/26 4:00	1.8	206	8.9	1009
5/10/26 5:00	1.6	183	8.9	1009
5/10/26 6:00	1.9	180	9.0	1009
5/10/26 7:00	3.0	200	9.8	1010
5/10/26 8:00	2.5	192	10.9	1010
5/10/26 9:00	2.2	199	11.8	1010
5/10/26 10:00	3.2	167	13.0	1010
5/10/26 11:00	3.3	155	13.6	1010
5/10/26 12:00	3.5	163	15.0	1010
5/10/26 13:00	4.3	165	14.3	1009
5/10/26 14:00	4.8	162	14.3	1009


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

5/10/26 15:00	4.6	164	14.2	1009
5/10/26 16:00	2.7	233	13.2	1009
5/10/26 17:00	2.9	93	12.9	1009
5/10/26 18:00	3.4	87	11.5	1009
5/10/26 19:00	2.2	74	10.0	1010
5/10/26 20:00	1.5	40	10.0	1010
5/10/26 21:00	1.5	170	10.0	1011
5/10/26 22:00	1.5	215	10.0	1011
5/10/26 23:00	2.5	308	10.1	1012
5/11/26 0:00	2.5	320	8.6	1013
5/11/26 1:00	2.6	305	8.4	1013
5/11/26 2:00	2.2	329	7.6	1013
5/11/26 3:00	2.5	320	7.4	1014
5/11/26 4:00	1.9	305	6.7	1014
5/11/26 5:00	1.9	303	7.1	1015
5/11/26 6:00	2.1	279	7.8	1015
5/11/26 7:00	2.9	315	8.5	1016
5/11/26 8:00	2.3	342	10.3	1016
5/11/26 9:00	2.6	315	11.3	1016
5/11/26 10:00	3.9	303	13.5	1015
5/11/26 11:00	3.3	312	14.5	1015
5/11/26 12:00	3.3	288	14.8	1014
5/11/26 13:00	4.2	272	15.4	1014
5/11/26 14:00	5.2	179	13.2	1013
5/11/26 15:00	4.0	169	13.0	1013
5/11/26 16:00	3.5	178	13.0	1013
5/11/26 17:00	3.0	258	13.3	1013
5/11/26 18:00	5.2	336	13.7	1013
5/11/26 19:00	5.0	348	12.7	1014
5/11/26 20:00	4.3	332	11.6	1014
5/11/26 21:00	3.6	332	10.3	1015
5/11/26 22:00	3.5	337	8.8	1015
5/11/26 23:00	2.6	341	7.8	1016
5/12/26 0:00	2.4	303	6.4	1015
5/12/26 1:00	3.4	301	4.0	1015
5/12/26 2:00	3.5	313	4.6	1015
5/12/26 3:00	2.8	310	4.0	1015
5/12/26 4:00	2.9	311	3.5	1016
5/12/26 5:00	3.4	312	3.4	1016
5/12/26 6:00	3.4	318	6.0	1016
5/12/26 7:00	4.1	330	8.2	1017
5/12/26 8:00	3.7	337	10.3	1017
5/12/26 9:00	4.7	334	11.0	1017
5/12/26 10:00	5.2	317	12.0	1017
5/12/26 11:00	4.8	306	12.3	1016

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (4/28/26 11:00 to 5/12/26 11:00)

PWM Wind Rose 4/28/26 11:00 - 5/12/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
5/12/26 11:00	4.8	306	12.3	1016
5/12/26 12:00	6.0	319	13.2	1015
5/12/26 13:00	5.9	315	13.6	1015
5/12/26 14:00	5.4	319	13.4	1015
5/12/26 15:00	5.9	316	13.7	1014
5/12/26 16:00	5.6	329	13.6	1014
5/12/26 17:00	5.2	318	14.1	1014
5/12/26 18:00	4.8	328	13.2	1014
5/12/26 19:00	4.2	324	12.2	1015
5/12/26 20:00	3.3	334	10.5	1016
5/12/26 21:00	1.9	353	9.3	1017
5/12/26 22:00	1.7	342	8.4	1016
5/12/26 23:00	1.5	ND	6.7	1016
5/13/26 0:00	2.1	290	4.6	1017
5/13/26 1:00	1.5	283	4.4	1017
5/13/26 2:00	1.8	278	3.0	1017
5/13/26 3:00	1.7	259	2.8	1016
5/13/26 4:00	1.9	287	2.7	1016
5/13/26 5:00	1.8	351	3.1	1016
5/13/26 6:00	1.5	331	4.9	1016
5/13/26 7:00	1.5	290	6.7	1016
5/13/26 8:00	1.8	26	7.9	1016
5/13/26 9:00	2.3	76	8.0	1016
5/13/26 10:00	3.5	108	8.6	1016
5/13/26 11:00	3.9	105	9.0	1016
5/13/26 12:00	3.6	105	8.3	1015
5/13/26 13:00	3.0	127	8.9	1015
5/13/26 14:00	2.4	119	8.9	1013
5/13/26 15:00	2.8	129	9.0	1013
5/13/26 16:00	2.3	148	10.4	1012
5/13/26 17:00	2.1	124	10.8	1012
5/13/26 18:00	3.0	92	9.2	1011
5/13/26 19:00	2.4	83	9.0	1011
5/13/26 20:00	2.1	42	9.0	1011
5/13/26 21:00	1.5	33	8.9	1011
5/13/26 22:00	1.5	50	8.9	1011
5/13/26 23:00	1.5	350	8.7	1011
5/14/26 0:00	1.5	10	8.5	1011
5/14/26 1:00	ND	ND	8.5	1010
5/14/26 2:00	1.5	163	8.9	1010
5/14/26 3:00	1.5	150	8.9	1010
5/14/26 4:00	1.6	94	8.9	1009
5/14/26 5:00	1.8	106	8.9	1009
5/14/26 6:00	2.0	125	9.4	1009
5/14/26 7:00	2.6	143	10.5	1009
5/14/26 8:00	4.0	146	11.7	1009

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/14/26 9:00	5.0	156	12.0	1009
5/14/26 10:00	5.7	151	13.7	1009
5/14/26 11:00	7.9	153	15.7	1008
5/14/26 12:00	6.4	134	15.1	1008
5/14/26 13:00	6.7	121	13.9	1007
5/14/26 14:00	6.5	115	13.0	1007
5/14/26 15:00	5.5	94	11.1	1006
5/14/26 16:00	6.4	93	10.1	1005
5/14/26 17:00	6.9	87	9.0	1005
5/14/26 18:00	6.4	71	9.7	1004
5/14/26 19:00	6.7	71	11.0	1004
5/14/26 20:00	7.8	74	11.0	1004
5/14/26 21:00	6.8	71	10.3	1005
5/14/26 22:00	7.3	69	9.4	1005
5/14/26 23:00	6.6	71	9.0	1005
5/15/26 0:00	5.8	76	9.0	1005
5/15/26 1:00	6.2	78	9.0	1004
5/15/26 2:00	5.3	79	9.0	1004
5/15/26 3:00	5.2	82	9.0	1005
5/15/26 4:00	5.7	93	9.0	1005
5/15/26 5:00	6.6	89	9.0	1005
5/15/26 6:00	7.2	81	9.9	1006
5/15/26 7:00	6.0	76	10.0	1007
5/15/26 8:00	4.9	83	10.4	1008
5/15/26 9:00	4.7	83	10.5	1009
5/15/26 10:00	4.0	79	11.0	1010
5/15/26 11:00	3.4	88	11.0	1010
5/15/26 12:00	3.7	76	12.1	1010
5/15/26 13:00	4.5	72	13.1	1010
5/15/26 14:00	4.2	86	13.7	1010
5/15/26 15:00	2.9	101	14.0	1010
5/15/26 16:00	2.0	71	14.5	1010
5/15/26 17:00	2.1	38	14.8	1010
5/15/26 18:00	1.8	15	14.7	1010
5/15/26 19:00	1.9	336	14.8	1011
5/15/26 20:00	1.9	250	12.9	1011
5/15/26 21:00	1.9	235	11.9	1011
5/15/26 22:00	1.9	244	11.9	1012
5/15/26 23:00	1.7	243	11.2	1012
5/16/26 0:00	1.5	244	10.9	1012
5/16/26 1:00	1.5	237	10.9	1012
5/16/26 2:00	1.6	234	10.9	1011
5/16/26 3:00	1.8	227	10.9	1012
5/16/26 4:00	1.5	231	9.9	1012
5/16/26 5:00	1.5	240	9.8	1012
5/16/26 6:00	2.4	228	11.4	1013
5/16/26 7:00	2.6	243	13.0	1013
5/16/26 8:00	2.6	255	16.3	1013
5/16/26 9:00	3.6	246	18.2	1012

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/16/26 10:00	2.8	256	20.1	1012
5/16/26 11:00	4.4	270	21.6	1012
5/16/26 12:00	5.1	264	22.7	1011
5/16/26 13:00	4.2	247	22.9	1010
5/16/26 14:00	5.2	172	21.5	1009
5/16/26 15:00	6.3	180	21.5	1008
5/16/26 16:00	7.3	176	19.7	1008
5/16/26 17:00	6.1	180	19.0	1008
5/16/26 18:00	4.3	178	18.8	1008
5/16/26 19:00	3.7	180	17.2	1007
5/16/26 20:00	3.3	188	15.4	1007
5/16/26 21:00	2.0	186	13.9	1007
5/16/26 22:00	2.5	196	13.4	1007
5/16/26 23:00	2.1	198	15.5	1006
5/17/26 0:00	2.6	196	16.1	1006
5/17/26 1:00	3.1	213	16.6	1006
5/17/26 2:00	4.6	226	16.9	1006
5/17/26 3:00	4.2	230	16.5	1006
5/17/26 4:00	3.6	241	15.9	1006
5/17/26 5:00	3.7	252	16.0	1007
5/17/26 6:00	2.3	256	17.3	1008
5/17/26 7:00	3.1	247	19.1	1008
5/17/26 8:00	4.4	253	21.6	1009
5/17/26 9:00	5.5	258	23.1	1009
5/17/26 10:00	5.3	270	24.6	1010
5/17/26 11:00	5.7	272	25.5	1010
5/17/26 12:00	5.3	259	26.0	1010
5/17/26 13:00	6.3	275	26.5	1010
5/17/26 14:00	6.2	264	27.5	1010
5/17/26 15:00	6.9	277	27.6	1010
5/17/26 16:00	7.1	282	27.9	1010
5/17/26 17:00	6.3	302	27.3	1010
5/17/26 18:00	4.1	320	26.8	1011
5/17/26 19:00	3.5	322	24.9	1012
5/17/26 20:00	2.7	336	22.9	1013
5/17/26 21:00	3.1	356	20.9	1014
5/17/26 22:00	2.7	336	20.0	1015
5/17/26 23:00	3.0	335	18.4	1016
5/18/26 0:00	2.1	344	17.4	1017
5/18/26 1:00	2.8	16	14.3	1017
5/18/26 2:00	1.6	34	15.1	1018
5/18/26 3:00	1.5	264	13.0	1019
5/18/26 4:00	1.5	200	12.6	1019
5/18/26 5:00	ND	ND	12.0	1020
5/18/26 6:00	ND	ND	13.4	1021
5/18/26 7:00	2.0	95	16.3	1021
5/18/26 8:00	2.8	90	17.0	1022
5/18/26 9:00	3.2	96	16.5	1022
5/18/26 10:00	3.5	86	16.0	1023

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/18/26 11:00	5.5	105	16.4	1022
5/18/26 12:00	5.1	132	16.5	1022
5/18/26 13:00	5.2	164	17.0	1021
5/18/26 14:00	5.1	175	17.0	1021
5/18/26 15:00	5.1	176	17.2	1020
5/18/26 16:00	4.6	169	17.0	1019
5/18/26 17:00	4.5	157	16.2	1019
5/18/26 18:00	2.9	166	15.5	1018
5/18/26 19:00	2.8	102	13.1	1017
5/18/26 20:00	2.5	94	11.3	1017
5/18/26 21:00	2.0	95	11.0	1017
5/18/26 22:00	1.9	102	11.0	1017
5/18/26 23:00	1.5	85	11.0	1016
5/19/26 0:00	1.5	160	11.0	1016
5/19/26 1:00	1.5	271	10.8	1015
5/19/26 2:00	1.5	210	10.7	1015
5/19/26 3:00	1.5	175	10.2	1014
5/19/26 4:00	ND	ND	10.5	1013
5/19/26 5:00	1.5	232	10.6	1013
5/19/26 6:00	1.8	218	12.4	1013
5/19/26 7:00	1.9	227	16.0	1013
5/19/26 8:00	2.2	247	20.8	1012
5/19/26 9:00	2.9	275	25.7	1012
5/19/26 10:00	3.1	222	28.9	1011
5/19/26 11:00	4.3	166	29.1	1010
5/19/26 12:00	6.6	269	32.8	1009
5/19/26 13:00	6.0	254	32.9	1008
5/19/26 14:00	6.7	264	32.2	1008
5/19/26 15:00	7.3	271	32.3	1008
5/19/26 16:00	6.0	270	31.5	1008
5/19/26 17:00	6.3	270	31.5	1007
5/19/26 18:00	5.0	271	30.9	1007
5/19/26 19:00	3.1	178	26.7	1007
5/19/26 20:00	3.1	199	24.9	1008
5/19/26 21:00	3.0	206	23.2	1008
5/19/26 22:00	3.8	217	23.7	1008
5/19/26 23:00	3.3	221	22.9	1008
5/20/26 0:00	2.1	226	22.6	1008
5/20/26 1:00	1.8	220	21.9	1008
5/20/26 2:00	2.0	212	21.6	1007
5/20/26 3:00	2.3	190	19.5	1006
5/20/26 4:00	2.1	178	17.5	1006
5/20/26 5:00	2.2	170	17.0	1006
5/20/26 6:00	2.3	211	19.8	1006
5/20/26 7:00	2.6	223	23.5	1006
5/20/26 8:00	4.8	243	26.8	1006
5/20/26 9:00	6.3	270	28.5	1006
5/20/26 10:00	7.1	267	29.1	1006
5/20/26 11:00	5.5	273	29.5	1006

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/20/26 12:00	6.1	257	30.3	1006
5/20/26 13:00	7.8	263	30.9	1005
5/20/26 14:00	8.2	266	30.5	1005
5/20/26 15:00	7.8	261	29.2	1005
5/20/26 16:00	7.7	280	28.9	1005
5/20/26 17:00	6.6	263	28.9	1005
5/20/26 18:00	6.0	263	27.9	1006
5/20/26 19:00	4.5	290	26.1	1007
5/20/26 20:00	4.5	318	24.2	1008
5/20/26 21:00	5.0	318	23.2	1010
5/20/26 22:00	5.6	326	22.2	1011
5/20/26 23:00	5.5	326	20.9	1011
5/21/26 0:00	5.1	327	19.3	1012
5/21/26 1:00	4.1	332	18.2	1013
5/21/26 2:00	4.2	343	17.3	1013
5/21/26 3:00	6.1	350	15.7	1014
5/21/26 4:00	5.6	350	14.1	1015
5/21/26 5:00	4.3	3	12.9	1017
5/21/26 6:00	4.1	356	12.9	1018
5/21/26 7:00	5.0	353	13.0	1019
5/21/26 8:00	4.9	348	14.5	1019
5/21/26 9:00	4.5	351	15.5	1019
5/21/26 10:00	4.0	351	15.8	1019
5/21/26 11:00	4.5	312	16.7	1020
5/21/26 12:00	4.1	318	16.9	1019
5/21/26 13:00	4.7	322	17.5	1019
5/21/26 14:00	4.1	317	17.9	1019
5/21/26 15:00	4.3	203	17.0	1019
5/21/26 16:00	4.2	194	16.0	1019
5/21/26 17:00	4.6	191	14.8	1019
5/21/26 18:00	4.0	197	13.8	1019
5/21/26 19:00	3.2	198	13.0	1020
5/21/26 20:00	1.7	191	11.7	1021
5/21/26 21:00	2.2	337	10.9	1022
5/21/26 22:00	2.5	4	10.9	1023
5/21/26 23:00	2.4	345	10.3	1024
5/22/26 0:00	2.9	346	9.2	1024
5/22/26 1:00	2.0	358	8.8	1024
5/22/26 2:00	1.9	348	7.9	1024
5/22/26 3:00	1.7	338	6.5	1025
5/22/26 4:00	2.4	298	4.9	1025
5/22/26 5:00	1.9	300	4.9	1026
5/22/26 6:00	2.7	314	7.5	1027
5/22/26 7:00	3.5	328	10.5	1028
5/22/26 8:00	3.8	320	12.5	1028
5/22/26 9:00	4.9	338	13.8	1028
5/22/26 10:00	4.6	11	14.7	1027
5/22/26 11:00	3.1	26	15.7	1027
5/22/26 12:00	2.3	300	16.6	1026

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/22/26 13:00	3.9	177	16.4	1026
5/22/26 14:00	5.9	169	16.3	1025
5/22/26 15:00	6.0	193	15.3	1024
5/22/26 16:00	5.9	189	15.8	1024
5/22/26 17:00	6.1	192	15.2	1023
5/22/26 18:00	4.6	193	14.0	1024
5/22/26 19:00	3.4	199	13.1	1024
5/22/26 20:00	2.2	208	12.1	1025
5/22/26 21:00	1.5	240	11.5	1026
5/22/26 22:00	1.5	240	9.9	1026
5/22/26 23:00	1.5	140	8.2	1026
5/23/26 0:00	1.5	270	8.2	1027
5/23/26 1:00	1.9	287	7.5	1027
5/23/26 2:00	2.1	289	7.1	1027
5/23/26 3:00	2.3	282	6.8	1028
5/23/26 4:00	2.3	304	6.9	1028
5/23/26 5:00	2.3	343	7.2	1029
5/23/26 6:00	1.9	355	9.2	1030
5/23/26 7:00	3.3	38	12.1	1031
5/23/26 8:00	3.4	52	13.6	1031
5/23/26 9:00	4.0	90	15.7	1032
5/23/26 10:00	5.3	94	15.7	1032
5/23/26 11:00	4.6	94	15.5	1032
5/23/26 12:00	4.7	97	16.2	1031
5/23/26 13:00	5.1	132	16.1	1031
5/23/26 14:00	4.6	159	14.9	1031
5/23/26 15:00	4.4	180	13.9	1031
5/23/26 16:00	3.9	183	13.2	1031
5/23/26 17:00	3.5	187	13.0	1031
5/23/26 18:00	2.1	192	12.3	1031
5/23/26 19:00	2.2	160	12.0	1031
5/23/26 20:00	1.5	158	11.0	1031
5/23/26 21:00	1.5	160	10.9	1032
5/23/26 22:00	ND	ND	10.3	1031
5/23/26 23:00	ND	ND	9.9	1031
5/24/26 0:00	1.7	100	9.7	1031
5/24/26 1:00	1.7	96	9.4	1031
5/24/26 2:00	1.6	84	9.6	1031
5/24/26 3:00	1.6	91	9.5	1031
5/24/26 4:00	2.4	101	9.3	1031
5/24/26 5:00	2.4	87	9.8	1031
5/24/26 6:00	2.5	79	10.4	1031
5/24/26 7:00	2.5	77	10.9	1032
5/24/26 8:00	2.6	84	11.2	1032
5/24/26 9:00	3.4	88	11.2	1032
5/24/26 10:00	3.0	103	11.5	1032
5/24/26 11:00	3.3	122	12.0	1032
5/24/26 12:00	3.6	126	12.0	1031
5/24/26 13:00	3.0	148	11.2	1031


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

5/24/26 14:00	3.1	132	11.0	1031
5/24/26 15:00	2.6	128	11.0	1030
5/24/26 16:00	2.6	112	10.6	1029
5/24/26 17:00	3.1	78	9.4	1029
5/24/26 18:00	4.0	74	9.0	1028
5/24/26 19:00	3.4	81	9.0	1027
5/24/26 20:00	3.5	75	9.0	1027
5/24/26 21:00	3.4	81	9.0	1027
5/24/26 22:00	3.3	78	9.0	1026
5/24/26 23:00	3.5	79	9.0	1025
5/25/26 0:00	3.4	74	9.1	1023
5/25/26 1:00	3.8	83	10.0	1022
5/25/26 2:00	4.6	89	10.0	1021
5/25/26 3:00	3.7	87	10.0	1020
5/25/26 4:00	3.7	90	10.5	1019
5/25/26 5:00	3.1	88	11.0	1018
5/25/26 6:00	2.2	80	11.0	1017
5/25/26 7:00	1.9	70	10.9	1016
5/25/26 8:00	1.5	51	11.0	1015
5/25/26 9:00	1.9	349	11.7	1014
5/25/26 10:00	3.7	311	11.9	1014
5/25/26 11:00	3.0	308	12.1	1013
5/25/26 12:00	3.5	312	14.2	1012
5/25/26 13:00	4.1	291	16.5	1012
5/25/26 14:00	3.8	289	18.5	1011
5/25/26 15:00	3.4	316	20.6	1011
5/25/26 16:00	3.5	315	21.9	1011
5/25/26 17:00	2.9	174	20.1	1011
5/25/26 18:00	2.5	192	18.4	1011
5/25/26 19:00	2.7	226	17.0	1012
5/25/26 20:00	2.8	302	17.5	1012
5/25/26 21:00	2.2	329	17.6	1014
5/25/26 22:00	2.4	306	15.6	1014
5/25/26 23:00	2.1	279	13.9	1014
5/26/26 0:00	2.2	277	12.4	1015
5/26/26 1:00	1.5	270	11.3	1014
5/26/26 2:00	1.5	247	10.8	1014
5/26/26 3:00	2.2	298	9.8	1014
5/26/26 4:00	2.1	294	9.6	1014
5/26/26 5:00	1.8	262	10.5	1015
5/26/26 6:00	2.1	270	12.5	1015
5/26/26 7:00	1.6	249	15.9	1015
5/26/26 8:00	2.8	271	19.6	1015
5/26/26 9:00	3.2	245	21.8	1015

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (5/12/26 11:00 to 5/26/26 9:00)

PWM Wind Rose 5/12/26 11:00 - 5/26/26 9:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
5/26/26 10:00	3.2	227	23.1	1014
5/26/26 11:00	4.1	185	24.0	1014
5/26/26 12:00	4.8	180	24.1	1013
5/26/26 13:00	5.6	177	24.0	1012
5/26/26 14:00	6.8	181	23.7	1011
5/26/26 15:00	6.1	182	22.4	1010
5/26/26 16:00	6.6	183	22.8	1010
5/26/26 17:00	5.1	181	23.0	1009
5/26/26 18:00	5.2	189	21.9	1008
5/26/26 19:00	4.7	197	20.4	1008
5/26/26 20:00	2.8	195	19.0	1008
5/26/26 21:00	2.8	211	19.0	1008
5/26/26 22:00	2.6	217	20.3	1008
5/26/26 23:00	2.7	238	20.6	1008
5/27/26 0:00	2.8	218	20.0	1007
5/27/26 1:00	2.8	204	18.9	1007
5/27/26 2:00	3.1	208	18.2	1006
5/27/26 3:00	2.7	233	17.9	1006
5/27/26 4:00	2.5	236	17.6	1006
5/27/26 5:00	1.7	249	16.9	1006
5/27/26 6:00	2.0	226	17.8	1006
5/27/26 7:00	2.4	235	19.1	1006
5/27/26 8:00	3.1	252	21.6	1006
5/27/26 9:00	3.9	253	23.0	1005
5/27/26 10:00	4.7	259	24.0	1005
5/27/26 11:00	4.4	263	24.9	1004
5/27/26 12:00	4.1	260	26.8	1003
5/27/26 13:00	4.0	285	27.9	1003
5/27/26 14:00	4.3	329	27.6	1002
5/27/26 15:00	4.8	306	27.0	1002
5/27/26 16:00	4.3	321	26.8	1002
5/27/26 17:00	5.0	332	26.9	1002
5/27/26 18:00	4.6	340	26.4	1002
5/27/26 19:00	4.2	352	23.6	1003
5/27/26 20:00	5.0	355	22.3	1004
5/27/26 21:00	4.6	359	20.5	1005
5/27/26 22:00	4.6	356	18.4	1005
5/27/26 23:00	3.4	348	17.3	1005
5/28/26 0:00	3.7	343	16.3	1005
5/28/26 1:00	3.0	337	15.3	1005
5/28/26 2:00	2.9	323	14.2	1005
5/28/26 3:00	2.3	303	13.6	1005
5/28/26 4:00	1.6	339	13.8	1005
5/28/26 5:00	2.1	336	13.9	1006
5/28/26 6:00	1.8	293	14.3	1006
5/28/26 7:00	2.6	3	16.9	1006
5/28/26 8:00	4.1	0	17.7	1006

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

5/28/26 9:00	4.2	348	18.5	1006
5/28/26 10:00	5.5	321	19.5	1006
5/28/26 11:00	5.0	322	18.8	1006
5/28/26 12:00	4.3	99	16.5	1006
5/28/26 13:00	3.0	65	18.9	1006
5/28/26 14:00	6.7	340	20.4	1006
5/28/26 15:00	7.3	353	19.9	1006
5/28/26 16:00	7.1	344	18.9	1006
5/28/26 17:00	6.4	336	17.7	1007
5/28/26 18:00	5.7	329	17.0	1008
5/28/26 19:00	6.0	334	16.5	1008
5/28/26 20:00	5.1	331	15.8	1009
5/28/26 21:00	4.1	324	14.8	1009
5/28/26 22:00	2.8	312	12.8	1009
5/28/26 23:00	2.8	336	12.0	1009
5/29/26 0:00	2.5	350	11.8	1009
5/29/26 1:00	2.2	352	11.9	1009
5/29/26 2:00	ND	ND	10.8	1009
5/29/26 3:00	1.5	250	10.9	1008
5/29/26 4:00	ND	ND	10.9	1008
5/29/26 5:00	1.9	358	10.6	1009
5/29/26 6:00	2.1	109	10.0	1009
5/29/26 7:00	1.7	188	10.5	1009
5/29/26 8:00	1.5	213	12.1	1009
5/29/26 9:00	4.4	319	14.7	1008
5/29/26 10:00	3.7	14	15.6	1008
5/29/26 11:00	4.4	139	14.4	1007
5/29/26 12:00	4.8	177	13.6	1007
5/29/26 13:00	4.5	184	12.7	1007
5/29/26 14:00	5.2	181	14.1	1006
5/29/26 15:00	5.7	167	12.9	1006
5/29/26 16:00	4.7	161	13.0	1006
5/29/26 17:00	4.4	157	11.8	1006
5/29/26 18:00	3.8	148	11.0	1006
5/29/26 19:00	3.7	150	11.0	1005
5/29/26 20:00	3.9	133	10.4	1006
5/29/26 21:00	3.3	123	10.0	1006
5/29/26 22:00	3.8	112	10.0	1006
5/29/26 23:00	5.8	108	9.1	1005
5/30/26 0:00	7.2	103	9.0	1005
5/30/26 1:00	8.7	96	9.0	1005
5/30/26 2:00	10.3	85	8.3	1005
5/30/26 3:00	10.4	77	7.3	1005
5/30/26 4:00	10.1	70	6.9	1006
5/30/26 5:00	9.7	60	6.3	1007
5/30/26 6:00	8.8	54	6.0	1009
5/30/26 7:00	8.4	51	5.9	1010
5/30/26 8:00	7.1	37	5.4	1011
5/30/26 9:00	5.8	25	5.7	1012

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

5/30/26 10:00	6.1	22	6.3	1012
5/30/26 11:00	6.8	29	7.5	1013
5/30/26 12:00	6.7	34	8.3	1014
5/30/26 13:00	6.9	36	9.0	1014
5/30/26 14:00	6.2	25	9.2	1014
5/30/26 15:00	5.6	20	10.3	1014
5/30/26 16:00	5.7	27	11.0	1014
5/30/26 17:00	5.2	39	11.7	1015
5/30/26 18:00	4.5	53	11.7	1015
5/30/26 19:00	3.3	59	10.7	1015
5/30/26 20:00	2.0	21	8.9	1015
5/30/26 21:00	1.5	350	7.6	1015
5/30/26 22:00	2.1	288	6.5	1015
5/30/26 23:00	2.3	289	5.9	1015
5/31/26 0:00	1.9	292	5.5	1014
5/31/26 1:00	2.6	290	4.6	1014
5/31/26 2:00	1.8	270	3.9	1013
5/31/26 3:00	2.4	278	2.9	1012
5/31/26 4:00	3.2	279	3.4	1012
5/31/26 5:00	2.6	278	3.8	1012
5/31/26 6:00	3.0	285	5.0	1012
5/31/26 7:00	3.4	293	7.0	1011
5/31/26 8:00	2.7	296	9.2	1011
5/31/26 9:00	2.4	291	13.4	1011
5/31/26 10:00	1.7	271	16.4	1010
5/31/26 11:00	3.6	275	16.5	1010
5/31/26 12:00	2.1	272	16.1	1009
5/31/26 13:00	2.2	231	16.3	1009
5/31/26 14:00	2.5	261	15.5	1009
5/31/26 15:00	3.0	102	13.5	1008
5/31/26 16:00	4.8	166	12.9	1008
5/31/26 17:00	4.0	156	12.3	1008
5/31/26 18:00	2.9	77	10.6	1008
5/31/26 19:00	2.2	113	10.0	1009
5/31/26 20:00	2.0	334	9.3	1009
5/31/26 21:00	2.0	48	9.0	1009
5/31/26 22:00	1.8	107	9.0	1010
5/31/26 23:00	2.0	98	9.0	1010
6/1/26 0:00	2.7	93	9.0	1010
6/1/26 1:00	4.0	87	8.9	1011
6/1/26 2:00	3.8	78	8.9	1011
6/1/26 3:00	3.0	62	8.9	1012
6/1/26 4:00	2.9	29	8.7	1012
6/1/26 5:00	2.1	23	8.2	1013
6/1/26 6:00	2.4	16	8.7	1013
6/1/26 7:00	2.5	19	9.4	1014
6/1/26 8:00	2.0	46	11.0	1014
6/1/26 9:00	2.8	21	11.9	1015
6/1/26 10:00	3.2	38	12.8	1015

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

6/1/26 11:00	2.9	63	14.0	1015
6/1/26 12:00	3.3	75	15.3	1016
6/1/26 13:00	2.4	104	15.9	1016
6/1/26 14:00	3.9	181	15.5	1016
6/1/26 15:00	4.3	181	15.3	1016
6/1/26 16:00	3.8	174	15.7	1015
6/1/26 17:00	4.3	173	15.7	1015
6/1/26 18:00	3.5	169	14.3	1016
6/1/26 19:00	3.1	175	13.0	1016
6/1/26 20:00	2.9	198	12.0	1017
6/1/26 21:00	2.7	214	11.3	1017
6/1/26 22:00	2.0	215	10.9	1017
6/1/26 23:00	1.5	260	9.2	1017
6/2/26 0:00	1.5	164	7.8	1017
6/2/26 1:00	1.5	ND	7.6	1017
6/2/26 2:00	1.5	290	6.7	1017
6/2/26 3:00	1.9	290	6.4	1017
6/2/26 4:00	1.5	310	5.9	1017
6/2/26 5:00	2.1	288	5.9	1017
6/2/26 6:00	1.6	287	8.2	1017
6/2/26 7:00	1.5	293	11.9	1017
6/2/26 8:00	1.6	284	14.9	1017
6/2/26 9:00	2.4	237	17.7	1017
6/2/26 10:00	2.7	224	19.2	1016
6/2/26 11:00	3.5	195	20.6	1016
6/2/26 12:00	4.1	170	20.6	1015
6/2/26 13:00	3.5	175	20.7	1015
6/2/26 14:00	5.0	324	21.9	1015
6/2/26 15:00	6.1	323	22.3	1015
6/2/26 16:00	4.1	351	22.0	1015
6/2/26 17:00	3.7	348	21.9	1015
6/2/26 18:00	3.3	354	21.0	1015
6/2/26 19:00	2.5	329	19.1	1016
6/2/26 20:00	2.0	93	16.6	1017
6/2/26 21:00	1.5	ND	15.9	1017
6/2/26 22:00	2.1	300	15.0	1017
6/2/26 23:00	1.5	80	14.6	1018
6/3/26 0:00	ND	ND	13.9	1018
6/3/26 1:00	2.1	290	13.9	1017
6/3/26 2:00	1.5	278	13.5	1017
6/3/26 3:00	1.5	275	11.9	1017
6/3/26 4:00	1.5	290	10.7	1017
6/3/26 5:00	2.0	282	11.0	1017
6/3/26 6:00	2.3	279	14.0	1018
6/3/26 7:00	1.6	312	16.2	1018
6/3/26 8:00	2.3	297	18.7	1018
6/3/26 9:00	2.3	312	21.6	1018
6/3/26 10:00	1.9	288	23.6	1018
6/3/26 11:00	2.0	334	25.4	1018

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

6/3/26 12:00	3.2	196	25.7	1017
6/3/26 13:00	5.2	165	24.5	1017
6/3/26 14:00	5.0	171	24.2	1016
6/3/26 15:00	5.8	184	23.3	1016
6/3/26 16:00	5.5	187	23.0	1016
6/3/26 17:00	5.2	192	22.6	1016
6/3/26 18:00	5.0	188	22.1	1016
6/3/26 19:00	3.6	195	20.3	1016
6/3/26 20:00	3.4	202	18.9	1016
6/3/26 21:00	1.9	186	18.0	1016
6/3/26 22:00	1.5	180	16.6	1017
6/3/26 23:00	ND	ND	15.0	1017
6/4/26 0:00	ND	ND	13.5	1017
6/4/26 1:00	1.1	ND	12.6	1017
6/4/26 2:00	1.6	290	12.4	1016
6/4/26 3:00	1.5	280	12.0	1016
6/4/26 4:00	ND	ND	11.9	1016
6/4/26 5:00	1.8	278	12.1	1016
6/4/26 6:00	2.2	282	14.7	1016
6/4/26 7:00	2.0	302	18.1	1016
6/4/26 8:00	1.5	300	22.0	1016
6/4/26 9:00	2.0	247	25.4	1016
6/4/26 10:00	2.6	216	27.5	1016
6/4/26 11:00	4.4	194	27.9	1015
6/4/26 12:00	5.7	166	26.2	1014
6/4/26 13:00	5.5	176	24.1	1014
6/4/26 14:00	5.2	172	25.0	1013
6/4/26 15:00	5.4	183	26.0	1012
6/4/26 16:00	5.2	187	26.0	1012
6/4/26 17:00	4.6	186	25.0	1011
6/4/26 18:00	4.3	185	23.4	1010
6/4/26 19:00	3.7	193	22.0	1010
6/4/26 20:00	2.5	193	19.5	1010
6/4/26 21:00	1.5	280	17.0	1010
6/4/26 22:00	1.5	243	16.1	1011
6/4/26 23:00	1.5	270	15.7	1011
6/5/26 0:00	1.5	310	15.4	1011
6/5/26 1:00	1.5	280	14.9	1011
6/5/26 2:00	ND	ND	14.2	1011
6/5/26 3:00	2.4	279	14.1	1011
6/5/26 4:00	2.6	269	14.3	1010
6/5/26 5:00	2.3	273	13.5	1011
6/5/26 6:00	2.6	277	15.9	1011
6/5/26 7:00	2.4	286	19.2	1011
6/5/26 8:00	2.8	317	22.3	1011
6/5/26 9:00	2.4	357	25.0	1011
6/5/26 10:00	2.8	64	26.2	1011
6/5/26 11:00	2.7	106	26.2	1011
6/5/26 12:00	2.3	114	27.3	1010

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

6/5/26 13:00	3.4	160	27.1	1010
6/5/26 14:00	4.2	178	27.2	1010
6/5/26 15:00	4.6	174	25.8	1010
6/5/26 16:00	4.1	162	23.7	1010
6/5/26 17:00	3.3	164	22.4	1010
6/5/26 18:00	2.7	138	21.0	1010
6/5/26 19:00	2.6	111	18.5	1011
6/5/26 20:00	2.4	93	16.3	1011
6/5/26 21:00	2.8	94	15.2	1012
6/5/26 22:00	3.0	88	14.0	1012
6/5/26 23:00	2.6	88	13.4	1011
6/6/26 0:00	1.8	72	13.3	1011
6/6/26 1:00	1.5	22	13.2	1011
6/6/26 2:00	1.8	29	12.9	1011
6/6/26 3:00	1.5	19	13.0	1011
6/6/26 4:00	2.8	88	12.9	1010
6/6/26 5:00	3.3	87	12.9	1010
6/6/26 6:00	2.9	91	13.0	1011
6/6/26 7:00	2.8	78	13.7	1011
6/6/26 8:00	3.5	76	14.5	1010
6/6/26 9:00	3.6	86	16.0	1010
6/6/26 10:00	3.6	84	16.1	1010
6/6/26 11:00	4.2	89	15.8	1009
6/6/26 12:00	4.1	91	15.7	1008
6/6/26 13:00	4.1	88	15.0	1007
6/6/26 14:00	4.3	89	14.0	1007
6/6/26 15:00	3.6	96	13.8	1006
6/6/26 16:00	3.7	87	13.0	1005
6/6/26 17:00	3.7	89	13.1	1004
6/6/26 18:00	3.5	92	13.5	1004
6/6/26 19:00	3.5	89	13.0	1003
6/6/26 20:00	2.4	89	13.0	1003
6/6/26 21:00	1.9	92	13.0	1002
6/6/26 22:00	2.6	29	13.0	1002
6/6/26 23:00	2.2	91	13.6	1001
6/7/26 0:00	1.6	139	13.7	1000
6/7/26 1:00	1.8	209	13.2	1000
6/7/26 2:00	1.8	210	13.0	999
6/7/26 3:00	1.9	217	12.9	998
6/7/26 4:00	2.8	222	13.7	998
6/7/26 5:00	2.7	221	15.7	998
6/7/26 6:00	2.3	215	16.7	999
6/7/26 7:00	3.0	237	18.1	999
6/7/26 8:00	4.7	251	20.6	999
6/7/26 9:00	4.8	265	22.0	1000
6/7/26 10:00	6.6	272	23.1	1000
6/7/26 11:00	6.4	278	22.6	1001
6/7/26 12:00	5.0	287	20.7	1001
6/7/26 13:00	4.9	269	21.1	1002


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

6/7/26 14:00	5.2	333	20.7	1003
6/7/26 15:00	2.8	23	18.0	1004
6/7/26 16:00	5.5	34	18.9	1005
6/7/26 17:00	4.0	25	18.9	1007
6/7/26 18:00	6.9	22	18.3	1008
6/7/26 19:00	6.3	22	17.0	1010
6/7/26 20:00	6.0	21	16.1	1012
6/7/26 21:00	5.0	3	14.6	1013
6/7/26 22:00	3.2	349	13.3	1014
6/7/26 23:00	3.6	325	12.9	1015
6/8/26 0:00	3.7	327	12.9	1015
6/8/26 1:00	3.0	320	11.8	1016
6/8/26 2:00	1.5	263	10.6	1017
6/8/26 3:00	1.8	289	9.9	1017
6/8/26 4:00	1.5	280	9.8	1018
6/8/26 5:00	1.8	288	9.7	1019
6/8/26 6:00	1.7	290	12.0	1020
6/8/26 7:00	1.7	301	15.4	1020
6/8/26 8:00	2.6	300	17.8	1020
6/8/26 9:00	2.5	339	20.3	1020
6/8/26 10:00	3.3	349	21.9	1020
6/8/26 11:00	3.2	20	23.0	1020
6/8/26 12:00	3.6	6	23.8	1020
6/8/26 13:00	4.1	190	22.9	1020
6/8/26 14:00	4.0	184	22.7	1019
6/8/26 15:00	4.5	175	22.8	1019
6/8/26 16:00	5.2	173	23.0	1018
6/8/26 17:00	4.8	188	22.1	1018
6/8/26 18:00	4.8	189	21.3	1018
6/8/26 19:00	3.9	196	19.4	1018
6/8/26 20:00	3.2	205	18.5	1018
6/8/26 21:00	2.5	203	17.3	1019
6/8/26 22:00	2.8	202	16.7	1019
6/8/26 23:00	1.8	223	15.5	1019
6/9/26 0:00	1.7	269	14.2	1018
6/9/26 1:00	1.9	280	13.4	1018
6/9/26 2:00	1.5	247	13.2	1018
6/9/26 3:00	1.5	237	12.7	1017
6/9/26 4:00	2.1	337	12.2	1018
6/9/26 5:00	2.2	262	12.6	1018
6/9/26 6:00	2.0	291	14.9	1018
6/9/26 7:00	3.0	285	18.1	1018
6/9/26 8:00	3.7	306	21.4	1017
6/9/26 9:00	3.2	306	23.5	1017
6/9/26 10:00	3.2	287	25.6	1016
6/9/26 11:00	3.5	300	26.9	1016

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (5/26/26 10:00 to 6/9/26 11:00)

PWM Wind Rose 5/26/26 10:00 - 6/9/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
6/9/26 11:00	3.5	300	26.9	1016
6/9/26 12:00	3.1	283	27.4	1015
6/9/26 13:00	3.9	253	28.3	1014
6/9/26 14:00	3.6	262	28.8	1013
6/9/26 15:00	4.0	250	28.9	1012
6/9/26 16:00	3.7	267	29.0	1012
6/9/26 17:00	2.9	211	27.6	1011
6/9/26 18:00	3.3	170	25.1	1011
6/9/26 19:00	2.0	177	21.9	1011
6/9/26 20:00	1.5	153	19.3	1011
6/9/26 21:00	ND	ND	18.0	1011
6/9/26 22:00	1.5	ND	17.0	1011
6/9/26 23:00	ND	ND	16.7	1011
6/10/26 0:00	ND	ND	16.3	1011
6/10/26 1:00	ND	ND	16.2	1011
6/10/26 2:00	1.7	258	16.0	1010
6/10/26 3:00	1.5	290	15.5	1010
6/10/26 4:00	1.5	270	15.5	1009
6/10/26 5:00	1.5	274	15.5	1010
6/10/26 6:00	1.4	280	16.9	1010
6/10/26 7:00	1.3	290	19.2	1009
6/10/26 8:00	1.8	291	22.5	1010
6/10/26 9:00	2.2	317	24.6	1009
6/10/26 10:00	2.1	293	26.8	1009
6/10/26 11:00	2.2	336	28.4	1008
6/10/26 12:00	4.4	167	27.7	1008
6/10/26 13:00	3.9	155	24.0	1007
6/10/26 14:00	4.4	161	24.5	1007
6/10/26 15:00	4.0	157	25.8	1006
6/10/26 16:00	3.2	170	26.5	1006
6/10/26 17:00	3.6	165	25.1	1005
6/10/26 18:00	3.1	151	23.0	1005
6/10/26 19:00	2.4	175	21.9	1005
6/10/26 20:00	2.5	196	21.0	1005
6/10/26 21:00	1.5	194	20.9	1005
6/10/26 22:00	1.5	189	20.7	1005
6/10/26 23:00	1.9	110	19.3	1005
6/11/26 0:00	2.0	56	18.0	1005
6/11/26 1:00	2.3	105	17.8	1004
6/11/26 2:00	2.3	237	18.0	1004
6/11/26 3:00	2.1	180	18.0	1003
6/11/26 4:00	1.7	331	18.5	1003
6/11/26 5:00	1.7	268	18.9	1003
6/11/26 6:00	1.5	50	19.0	1003
6/11/26 7:00	ND	ND	19.1	1003
6/11/26 8:00	ND	ND	20.3	1004
6/11/26 9:00	1.7	14	22.0	1004

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/11/26 10:00	1.9	109	22.2	1003
6/11/26 11:00	1.6	233	23.7	1003
6/11/26 12:00	1.8	79	25.2	1003
6/11/26 13:00	2.0	98	25.6	1002
6/11/26 14:00	2.8	281	29.1	1002
6/11/26 15:00	2.1	160	30.0	1001
6/11/26 16:00	1.7	148	28.3	1001
6/11/26 17:00	3.7	181	26.2	1001
6/11/26 18:00	2.4	192	26.0	1002
6/11/26 19:00	3.2	190	23.9	1002
6/11/26 20:00	1.5	187	22.9	1002
6/11/26 21:00	1.3	30	21.9	1003
6/11/26 22:00	2.2	214	22.2	1003
6/11/26 23:00	2.0	213	21.1	1003
6/12/26 0:00	1.3	218	20.1	1002
6/12/26 1:00	1.0	81	20.7	1002
6/12/26 2:00	1.3	74	19.8	1002
6/12/26 3:00	1.2	25	19.8	1002
6/12/26 4:00	1.6	59	18.9	1002
6/12/26 5:00	1.3	106	18.6	1002
6/12/26 6:00	1.0	91	18.8	1002
6/12/26 7:00	1.7	78	20.0	1002
6/12/26 8:00	1.9	70	19.4	1002
6/12/26 9:00	1.8	47	18.5	1002
6/12/26 10:00	3.1	89	21.5	1003
6/12/26 11:00	2.3	77	20.9	1002
6/12/26 12:00	1.6	85	20.1	1002
6/12/26 13:00	2.0	84	21.8	1001
6/12/26 14:00	3.3	96	22.5	1001
6/12/26 15:00	4.0	90	20.9	1001
6/12/26 16:00	3.5	94	20.4	1001
6/12/26 17:00	3.7	92	18.9	1001
6/12/26 18:00	3.7	87	16.9	1001
6/12/26 19:00	3.0	85	15.7	1001
6/12/26 20:00	3.3	91	14.5	1002
6/12/26 21:00	2.5	88	14.0	1002
6/12/26 22:00	2.3	91	14.1	1002
6/12/26 23:00	2.6	89	14.0	1002
6/13/26 0:00	3.0	86	14.0	1003
6/13/26 1:00	1.5	112	14.5	1003
6/13/26 2:00	1.8	116	14.3	1004
6/13/26 3:00	1.5	80	14.0	1003
6/13/26 4:00	1.5	264	14.7	1004
6/13/26 5:00	1.5	262	15.8	1004
6/13/26 6:00	1.8	271	16.0	1005
6/13/26 7:00	1.9	278	16.2	1005
6/13/26 8:00	2.6	294	20.8	1005
6/13/26 9:00	4.1	313	24.3	1005
6/13/26 10:00	3.5	318	26.4	1005

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/13/26 11:00	4.7	326	27.5	1006
6/13/26 12:00	3.7	308	28.0	1006
6/13/26 13:00	3.0	318	28.7	1005
6/13/26 14:00	3.0	321	29.1	1005
6/13/26 15:00	3.3	159	28.5	1005
6/13/26 16:00	4.4	171	27.0	1005
6/13/26 17:00	4.2	185	26.6	1005
6/13/26 18:00	2.7	206	25.6	1005
6/13/26 19:00	1.7	206	26.2	1006
6/13/26 20:00	1.5	275	24.3	1006
6/13/26 21:00	ND	ND	21.8	1006
6/13/26 22:00	1.5	280	20.5	1007
6/13/26 23:00	ND	ND	19.4	1007
6/14/26 0:00	2.1	ND	18.5	1007
6/14/26 1:00	1.5	300	17.8	1007
6/14/26 2:00	1.5	260	17.7	1007
6/14/26 3:00	1.6	266	17.0	1007
6/14/26 4:00	1.8	274	16.5	1007
6/14/26 5:00	2.4	277	16.9	1006
6/14/26 6:00	1.4	290	18.4	1006
6/14/26 7:00	2.2	284	21.0	1007
6/14/26 8:00	2.0	240	24.0	1007
6/14/26 9:00	2.8	196	25.9	1007
6/14/26 10:00	3.6	176	26.3	1007
6/14/26 11:00	4.7	176	27.0	1006
6/14/26 12:00	6.2	180	26.5	1006
6/14/26 13:00	5.2	182	26.1	1005
6/14/26 14:00	6.5	188	25.3	1005
6/14/26 15:00	5.4	186	24.0	1004
6/14/26 16:00	4.5	188	23.7	1004
6/14/26 17:00	4.8	186	23.7	1003
6/14/26 18:00	3.5	176	23.2	1003
6/14/26 19:00	3.5	184	23.1	1002
6/14/26 20:00	3.8	191	22.7	1002
6/14/26 21:00	3.3	192	22.2	1002
6/14/26 22:00	4.5	185	22.5	1002
6/14/26 23:00	4.6	188	21.5	1001
6/15/26 0:00	5.0	183	20.9	1001
6/15/26 1:00	5.5	188	20.8	1000
6/15/26 2:00	4.6	193	19.7	1000
6/15/26 3:00	4.0	194	18.8	1000
6/15/26 4:00	2.6	163	17.5	999
6/15/26 5:00	3.0	170	17.0	998
6/15/26 6:00	4.0	162	17.0	997
6/15/26 7:00	2.9	203	17.3	997
6/15/26 8:00	2.2	265	18.6	997
6/15/26 9:00	3.8	313	20.7	997
6/15/26 10:00	5.7	342	22.4	998
6/15/26 11:00	5.8	329	23.6	998

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/15/26 12:00	5.9	339	24.3	999
6/15/26 13:00	5.3	317	24.7	999
6/15/26 14:00	4.0	309	25.7	998
6/15/26 15:00	4.8	308	25.2	998
6/15/26 16:00	4.9	312	25.4	999
6/15/26 17:00	4.8	323	24.7	999
6/15/26 18:00	4.2	329	23.7	999
6/15/26 19:00	4.3	328	22.8	1000
6/15/26 20:00	3.9	317	21.8	1001
6/15/26 21:00	4.5	313	20.9	1001
6/15/26 22:00	4.4	318	19.2	1002
6/15/26 23:00	5.0	331	18.9	1002
6/16/26 0:00	5.1	334	17.9	1003
6/16/26 1:00	3.3	332	16.9	1003
6/16/26 2:00	3.5	316	16.4	1003
6/16/26 3:00	3.2	302	15.0	1004
6/16/26 4:00	2.3	299	13.1	1004
6/16/26 5:00	2.2	280	13.1	1005
6/16/26 6:00	2.1	284	14.9	1005
6/16/26 7:00	3.3	309	16.8	1005
6/16/26 8:00	4.6	332	17.9	1005
6/16/26 9:00	4.8	327	19.0	1005
6/16/26 10:00	4.1	303	20.1	1005
6/16/26 11:00	3.8	283	20.0	1005
6/16/26 12:00	3.5	283	21.4	1005
6/16/26 13:00	3.2	273	22.2	1005
6/16/26 14:00	3.5	301	23.1	1004
6/16/26 15:00	3.5	286	23.9	1004
6/16/26 16:00	3.6	185	22.1	1004
6/16/26 17:00	4.4	183	21.5	1004
6/16/26 18:00	3.9	187	21.0	1004
6/16/26 19:00	3.6	195	19.2	1005
6/16/26 20:00	3.3	187	17.7	1005
6/16/26 21:00	2.1	200	16.2	1006
6/16/26 22:00	1.6	202	15.9	1006
6/16/26 23:00	1.5	195	15.2	1006
6/17/26 0:00	ND	ND	13.9	1007
6/17/26 1:00	1.5	300	13.0	1007
6/17/26 2:00	1.5	288	12.9	1006
6/17/26 3:00	1.6	250	12.0	1006
6/17/26 4:00	1.5	255	11.9	1007
6/17/26 5:00	1.5	280	11.7	1007
6/17/26 6:00	1.5	280	13.2	1007
6/17/26 7:00	1.7	299	16.6	1007
6/17/26 8:00	1.5	300	19.7	1008
6/17/26 9:00	1.5	87	22.2	1007
6/17/26 10:00	2.9	93	23.0	1007
6/17/26 11:00	3.2	106	23.7	1007
6/17/26 12:00	4.3	161	24.0	1007

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/17/26 13:00	4.7	161	23.9	1007
6/17/26 14:00	4.8	170	23.0	1006
6/17/26 15:00	4.5	171	22.5	1007
6/17/26 16:00	4.7	163	22.5	1006
6/17/26 17:00	4.1	160	22.0	1006
6/17/26 18:00	3.7	161	20.2	1006
6/17/26 19:00	3.7	187	18.0	1007
6/17/26 20:00	2.0	166	17.1	1007
6/17/26 21:00	1.5	132	16.2	1008
6/17/26 22:00	1.5	130	15.9	1008
6/17/26 23:00	1.4	88	15.9	1007
6/18/26 0:00	2.0	170	15.9	1007
6/18/26 1:00	2.2	179	16.1	1007
6/18/26 2:00	1.6	179	15.9	1007
6/18/26 3:00	ND	ND	15.9	1006
6/18/26 4:00	1.9	162	15.9	1006
6/18/26 5:00	3.2	187	16.3	1006
6/18/26 6:00	3.2	182	16.4	1006
6/18/26 7:00	3.0	169	15.9	1006
6/18/26 8:00	3.0	173	16.0	1005
6/18/26 9:00	3.3	155	15.9	1005
6/18/26 10:00	4.9	153	15.9	1004
6/18/26 11:00	5.3	146	15.9	1003
6/18/26 12:00	7.5	152	16.1	1001
6/18/26 13:00	8.0	157	16.5	999
6/18/26 14:00	8.3	158	16.4	997
6/18/26 15:00	7.5	167	17.0	995
6/18/26 16:00	6.0	178	17.0	994
6/18/26 17:00	6.0	197	17.4	994
6/18/26 18:00	2.9	192	17.0	993
6/18/26 19:00	3.5	195	17.0	994
6/18/26 20:00	3.6	204	17.0	994
6/18/26 21:00	2.9	210	17.0	994
6/18/26 22:00	3.3	208	17.0	994
6/18/26 23:00	2.7	220	17.0	994
6/19/26 0:00	2.6	251	17.0	994
6/19/26 1:00	2.8	218	16.7	994
6/19/26 2:00	3.4	232	17.0	994
6/19/26 3:00	2.6	234	16.6	994
6/19/26 4:00	3.5	234	16.0	994
6/19/26 5:00	3.8	227	16.0	994
6/19/26 6:00	4.1	240	17.3	995
6/19/26 7:00	4.6	254	18.9	995
6/19/26 8:00	6.1	262	20.9	995
6/19/26 9:00	6.6	258	22.1	995
6/19/26 10:00	6.7	262	22.8	996
6/19/26 11:00	6.9	264	23.0	996
6/19/26 12:00	6.3	274	23.4	996
6/19/26 13:00	6.7	266	23.2	996

Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/19/26 14:00	5.9	271	23.1	996
6/19/26 15:00	6.1	270	23.3	996
6/19/26 16:00	6.2	278	23.3	996
6/19/26 17:00	6.2	270	23.3	996
6/19/26 18:00	6.3	259	23.2	996
6/19/26 19:00	5.3	258	22.8	996
6/19/26 20:00	3.5	249	21.9	997
6/19/26 21:00	3.3	272	21.0	997
6/19/26 22:00	3.0	298	18.1	997
6/19/26 23:00	2.5	254	17.9	997
6/20/26 0:00	3.6	255	17.5	996
6/20/26 1:00	4.2	256	16.9	996
6/20/26 2:00	4.3	256	16.9	996
6/20/26 3:00	5.1	263	16.9	995
6/20/26 4:00	5.3	268	17.3	995
6/20/26 5:00	5.3	271	16.9	995
6/20/26 6:00	4.8	264	16.9	996
6/20/26 7:00	5.0	267	17.6	996
6/20/26 8:00	5.2	264	18.2	996
6/20/26 9:00	6.2	283	19.8	996
6/20/26 10:00	7.7	306	21.0	996
6/20/26 11:00	7.2	309	20.9	997
6/20/26 12:00	7.8	312	22.0	998
6/20/26 13:00	8.6	325	22.7	998
6/20/26 14:00	8.4	325	22.5	999
6/20/26 15:00	8.5	313	22.8	1000
6/20/26 16:00	7.5	324	21.9	1000
6/20/26 17:00	6.5	328	22.0	1000
6/20/26 18:00	5.3	323	21.9	1001
6/20/26 19:00	3.8	320	20.6	1002
6/20/26 20:00	2.2	275	18.9	1003
6/20/26 21:00	2.6	273	17.7	1003
6/20/26 22:00	2.4	269	17.0	1004
6/20/26 23:00	2.7	268	16.6	1004
6/21/26 0:00	1.7	264	16.5	1004
6/21/26 1:00	2.2	255	15.9	1004
6/21/26 2:00	2.3	267	16.1	1004
6/21/26 3:00	2.4	278	15.7	1004
6/21/26 4:00	1.5	273	15.3	1004
6/21/26 5:00	1.7	281	13.6	1004
6/21/26 6:00	2.0	275	15.8	1005
6/21/26 7:00	2.4	301	18.4	1005
6/21/26 8:00	2.6	314	20.5	1006
6/21/26 9:00	2.6	321	21.6	1006
6/21/26 10:00	1.9	307	22.8	1005
6/21/26 11:00	3.4	264	21.1	1006
6/21/26 12:00	3.3	99	20.7	1006
6/21/26 13:00	3.3	133	20.7	1006
6/21/26 14:00	3.8	200	20.6	1006


Sprague South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

6/21/26 15:00	3.5	206	19.8	1006
6/21/26 16:00	2.9	232	21.5	1007
6/21/26 17:00	3.4	315	21.3	1007
6/21/26 18:00	2.3	312	20.9	1007
6/21/26 19:00	2.0	342	20.6	1008
6/21/26 20:00	1.5	10	19.0	1009
6/21/26 21:00	1.7	66	17.4	1010
6/21/26 22:00	ND	ND	16.8	1010
6/21/26 23:00	1.5	230	16.1	1011
6/22/26 0:00	1.8	280	14.8	1011
6/22/26 1:00	1.8	277	14.5	1012
6/22/26 2:00	ND	ND	14.1	1012
6/22/26 3:00	1.3	290	13.2	1012
6/22/26 4:00	ND	ND	13.1	1012
6/22/26 5:00	2.0	278	13.1	1013
6/22/26 6:00	1.5	285	15.4	1014
6/22/26 7:00	1.5	315	17.4	1015
6/22/26 8:00	1.5	150	19.6	1015
6/22/26 9:00	2.6	82	21.7	1015
6/22/26 10:00	3.8	88	21.8	1015
6/22/26 11:00	3.3	124	22.1	1015
6/22/26 12:00	4.0	172	21.7	1015
6/22/26 13:00	3.6	168	21.0	1015
6/22/26 14:00	3.6	169	19.4	1016
6/22/26 15:00	3.3	165	18.7	1016
6/22/26 16:00	2.7	182	17.5	1016
6/22/26 17:00	2.1	189	17.0	1016
6/22/26 18:00	1.8	211	17.0	1016
6/22/26 19:00	2.1	161	17.0	1015
6/22/26 20:00	2.4	181	16.0	1015
6/22/26 21:00	1.7	161	16.0	1015
6/22/26 22:00	2.0	112	15.9	1015
6/22/26 23:00	2.4	89	15.4	1014
6/23/26 0:00	4.4	97	15.0	1013
6/23/26 1:00	5.1	84	15.0	1013
6/23/26 2:00	4.9	88	14.3	1013
6/23/26 3:00	5.1	94	14.0	1011
6/23/26 4:00	4.9	87	14.2	1010
6/23/26 5:00	3.0	65	14.0	1010
6/23/26 6:00	3.2	43	14.1	1009
6/23/26 7:00	2.6	6	14.8	1009
6/23/26 8:00	3.8	338	15.8	1009
6/23/26 9:00	3.9	343	16.1	1009
6/23/26 10:00	4.4	340	17.5	1009
6/23/26 11:00	4.7	346	18.1	1009

Sprague South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (6/9/26 11:00 to 6/23/26 11:00)

PWM Wind Rose 6/9/26 11:00 - 6/23/26 11:00



Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m
Terminal Fenceline Area = 46.6 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 199.3 m (± 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.637950°	-70.285460°	to Site 16: 218.8 to Site 2: 202.7	Site 1 is on the southern terminal fenceline, near the main entrance to the terminal and approximately 43 m NW of Main St. The northern boundary of the South Portland LLC Terminal lies approximately 60 m to the South of Site 1.
Site 2	BTEX	43.639290°	-70.284476°	to Site 1: 181.3 to Site 3: 202.7	Site 2 is located on the fenceline at the southeastern corner of the terminal, approximately 37 m from the shoreline of the Fore River.
Site 3	BTEX	43.640276°	-70.284490°	to Site 2: 180.8 to Site 4: 199.0	Site 3 is adjacent to a dock area. To allow safe access, it is located 3.7 m from the shoreline of the Fore River.
Site 4	BTEX	43.640989°	-70.285184°	to Site 3: 109.6 to Site 5: 89.4	Site 4 is an additional site and is located halfway between 3 & 5 due to a licensed emission unit (Truck Offloading Area) that is located between Sites 3 and 5 and is <50 m from the terminal fenceline. Site 4 is located within 2.6 m of the Fore River shore and is adjacent to one of the three terminal docks. Site 4 is approximately 35 m southeast of a second terminal dock. (Site 3 is adjacent to the third terminal dock.)
Site 5	BTEX	43.641558°	-70.285786°	to Site 4: 199.0 to Site 6: 199.6	Site 5 is situated 10 m inland from the Fore River shoreline for safe access. Site 3 is 80.6 m North of the dock area, 50 m south of railroad tracks. The Veterans Memorial Bridge is located 86 m to the NW and North of Site 5.
Site 6	BTEX	43.641583°	-70.287779°	to Site 5: 199.6 to Site 7: 180.0	Site 6 is located at the northern fenceline of the terminal. Site 6 is situated 4 m south of railroad tracks and 21 m south of the west approach ramp of the Veterans Memorial Bridge.
Site 7	BTEX	43.640745°	-70.289139°	to Site 6: 180.0 to Site 8: 219.3	Site 7 is on the Northern fenceline. Two licensed emission units (Tanks 5 and 7) are located 35 m and 25 m to the SE and SW of Site 7, respectively. Railroad tracks are located 10 m to the North of Site 7. The western approach ramp of the Veterans Memorial Bridge is located 50 m to the North of Site 7.

Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m
Terminal Fenceline Area = 46.6 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 199.3 m (± 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 8	BTEX	43.639781°	-70.290884°	to Site 7: 219.3 to Site 9: 207.8	Site 8 is on the western fenceline. The terminal area immediately to the NE of Site 8 has trees and dense vegetation. Railroad tracks are located 50 m to the North and NW of Site 8. The western approach ramp of the Veterans Memorial Bridge is located 75 m to the North and NW of Site 8. Two businesses with fleets of heavy construction vehicles (cranes, concrete trucks) are located immediately to the SW of Site 8.
Site 9	BTEX	43.638338°	-70.290283°	to Site 8: 207.8 to Site 10: 199.8	Site 9 is on the fenceline. Emissions Unit Tank 13 is located 24 m south of Site 9. A Truck Offloading Emissions Unit is located 65m west of Site 9.
Site 10	BTEX	43.637879°	-70.291297°	to Site 9: 99.8 to Site 11: 99.8	Site 10 is an additional site and is located halfway between 9 & 11 due to licensed emission unit Tank 14 located <50 m from fenceline. Site 10 is situated on the fenceline.
Site 11	BTEX	43.637296°	-70.291508°	to Site 10: 199.8 to Site 12: 185.8	Site 11 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 14 is located 30m NE of Site 8. US Highway Rt. 1 is located 16m SW of Site 11.
Site 12	BTEX	43.636804°	-70.290017°	to Site 11: 185.8 to Site 13: 199.1	Site 12 is on the terminal southwestern fenceline. Licensed Emissions Unit Tank 105 is located 33 m North of Site 12. Two businesses with fleets of construction vehicles and tractor-trailer trucks are located immediately to the South of Site 12. US Highway Rt. 1 is located 70 m SW of Site 12.
Site13	BTEX	43.637474°	-70.289678°	to Site 12: 93.0 to Site 14: 106.1	Site 13 is an additional site and is located halfway between 12 & 14 due to licensed emission unit Tank 105 located <50 m from fenceline. Site 13 is situated on the fenceline.
Site14	BTEX	43.637696°	-70.289076°	to Site 13: 199.1 to Site 15: 199.5	Site 14 is on the southern terminal fenceline adjacent to Lincoln St. Licensed Emissions Unit Tank 112 is located 33 m North of Site 14.

Sprague South Portland Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 2,392 m
Terminal Fenceline Area = 46.6 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 199.3 m (± 26.3 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site15	BTEX	43.637229°	-70.288012°	to Site 14: 107.4 to Site 16: 91.7	Site 15 is an additional site and is located halfway between 14 & 16 due to licensed emission unit (Truck Offloading Area) located between Sites 14 and 16 and <50 m from fenceline. Site 15 is situated on the fenceline.
Site16	BTEX	43.637133°	-70.286826°	to Site 105: 199.5 to Site 1: 218.8	Site 16 is on the southern terminal fenceline adjacent to the intersection of Lincoln and Jackson. Streets. Licensed Emissions Unit Tank 101 is located 7 m to the north of Site 16.

Aerial View of the Sprague South Portland Terminal Fenceline Sampling Locations



APPENDIX A – LAB RESULTS

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 45 Sprague - South Portland

Client Project# PROJ-027968
Samples Received: 4/15/2026

Analytical Report
2026GA201

EPA Method 325B Analysis

Report Issue Date: 4/17/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



ENTHALPY
ANALYTICAL

Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 78
Sample Custody 81
    Chain of Custody 82

Narrative Summary

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA201-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Enthalpy Analytical on April 15, 2026 at 13.4 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260331	C20382	Sample
SPRSPO-1-D-20260331	C55743	Duplicate
SPRSPO-1-B-20260331	C40143	Blank
SPRSPO-2-S-20260331	C38914	Sample
SPRSPO-3-S-20260331	C15903	Sample
SPRSPO-4-S-20260331	C33477	Sample
SPRSPO-5-S-20260331	C38562	Sample
SPRSPO-6-S-20260331	C37042	Sample
SPRSPO-7-S-20260331	C16143	Sample
SPRSPO-8-S-20260331	C32879	Sample
SPRSPO-9-S-20260331	C20610	Sample
SPRSPO-10-S-20260331	C20483	Sample
SPRSPO-11-S-20260331	C01663	Sample
SPRSPO-12-S-20260331	C37491	Sample
SPRSPO-13-S-20260331	B33978	Sample
SPRSPO-13-D-20260331	B49610	Duplicate
SPRSPO-13-B-20260331	C39221	Blank
SPRSPO-14-S-20260331	B18367	Sample
SPRSPO-15-S-20260331	C00590	Sample
SPRSPO-16-S-20260331	C43192	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GA201-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

The BFB tune associated with the initial calibration failed to meet method criteria for the relative response of m/z 176. Because m/z 176 is not near the tuning region of the quant ions for the target analytes and the continuing calibration checks met the 30% difference criteria, the deviation is not expected to have an effect on the data. All other BFB criteria have been met for this analysis.

The initial calibration (E033126A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260331	C20382	0.806		2.19		0.559	J	1.62		0.520	J
SPRSPO-1-D-20260331	C55743	0.715		2.29		0.608	J	2.11		0.624	J
SPRSPO-1-B-20260331	C40143	0.192	ND	0.266	J	0.280	ND	0.280	ND	0.280	ND
SPRSPO-2-S-20260331	C38914	0.554		1.41		0.423	J	0.778		0.280	ND
SPRSPO-3-S-20260331	C15903	0.623		1.30		0.280	ND	0.667	J	0.280	ND
SPRSPO-4-S-20260331	C33477	0.513		1.11		0.280	ND	0.444	J	0.280	ND
SPRSPO-5-S-20260331	C38562	0.490		1.11		0.280	ND	0.378	J	0.280	ND
SPRSPO-6-S-20260331	C37042	0.457	J	1.20		0.280	ND	0.355	J	0.280	ND
SPRSPO-7-S-20260331	C16143	0.563		1.52		0.280	ND	0.415	J	0.280	ND
SPRSPO-8-S-20260331	C32879	0.411	J	0.822		0.280	ND	0.317	J	0.280	ND
SPRSPO-9-S-20260331	C20610	0.560		1.13		0.280	ND	0.537	J	0.280	ND
SPRSPO-10-S-20260331	C20483	0.495		1.15		0.280	ND	0.455	J	0.280	ND
SPRSPO-11-S-20260331	C01663	0.477		0.841		0.280	ND	0.341	J	0.280	ND
SPRSPO-12-S-20260331	C37491	0.576		1.58		0.298	J	0.801		0.305	J
SPRSPO-13-S-20260331	B33978	0.517		1.29		0.279	ND	0.736		0.279	ND
SPRSPO-13-D-20260331	B49610	0.545		1.27		0.279	ND	0.775		0.279	ND
SPRSPO-13-B-20260331	C39221	0.192	ND	0.247	ND	0.279	ND	0.279	ND	0.279	ND
SPRSPO-14-S-20260331	B18367	0.746		1.61		0.356	J	0.995		0.356	J
SPRSPO-15-S-20260331	C00590	0.649		1.65		0.325	J	0.994		0.345	J
SPRSPO-16-S-20260331	C43192	0.719		2.02		0.418	J	1.26		0.420	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260331	C20382	0.806	0.252	10.5	41.8	0.648	20093	0.192	0.465	0.0602	0.146		E2601987.d	2026-04-15 15:25	1.027	8.052	74800	391340	56.3	7.995	-1.4%
SPRSPO-1-D-20260331	C55743	0.715	0.224	9.30	41.8	0.648	20093	0.192	0.465	0.0602	0.146		E2601988.d	2026-04-15 15:50	1.027	8.052	69252	408301	56.3	7.995	2.9%
SPRSPO-1-B-20260331	C40143	0.192	0.0602		41.8	0.648	20093	0.192	0.465	0.0602	0.146	ND	E2601986.d	2026-04-15 14:59	1.027	8.052	6311	406911	56.3	7.995	2.5%
SPRSPO-2-S-20260331	C38914	0.554	0.173	7.21	41.8	0.648	20099	0.192	0.465	0.0602	0.146		E2601989.d	2026-04-15 16:16	1.027	8.052	53266	405351	56.3	7.995	2.1%
SPRSPO-3-S-20260331	C15903	0.623	0.195	8.11	41.8	0.648	20106	0.192	0.465	0.0601	0.146		E2601990.d	2026-04-15 16:41	1.027	8.052	58947	398708	56.3	7.995	0.5%
SPRSPO-4-S-20260331	C33477	0.513	0.161	6.69	41.8	0.648	20107	0.192	0.465	0.0601	0.146		E2601991.d	2026-04-15 17:07	1.027	8.052	48440	397381	56.3	7.995	0.1%
SPRSPO-5-S-20260331	C38562	0.490	0.153	6.38	41.8	0.648	20108	0.192	0.465	0.0601	0.146		E2601992.d	2026-04-15 17:32	1.027	8.052	46795	402297	56.3	7.995	1.4%
SPRSPO-6-S-20260331	C37042	0.457	0.143	5.95	41.8	0.648	20109	0.192	0.465	0.0601	0.146	J	E2601993.d	2026-04-15 17:59	1.027	8.052	42038	387697	56.3	7.995	-2.3%
SPRSPO-7-S-20260331	C16143	0.563	0.176	7.34	41.8	0.648	20109	0.192	0.465	0.0601	0.146		E2601994.d	2026-04-15 18:24	1.027	8.052	54153	404783	56.3	7.995	2.0%
SPRSPO-8-S-20260331	C32879	0.411	0.129	5.35	41.8	0.648	20110	0.192	0.465	0.0601	0.146	J	E2601995.d	2026-04-15 18:50	1.027	8.059	36444	373585	56.3	7.995	-5.9%
SPRSPO-9-S-20260331	C20610	0.560	0.175	7.29	41.8	0.648	20108	0.192	0.465	0.0601	0.146		E2601996.d	2026-04-15 19:15	1.027	8.060	55644	418870	56.3	7.995	5.5%
SPRSPO-10-S-20260331	C20483	0.495	0.155	6.45	41.8	0.648	20107	0.192	0.465	0.0601	0.146		E2601998.d	2026-04-15 20:06	1.027	8.052	49308	419333	56.3	7.995	5.7%
SPRSPO-11-S-20260331	C01663	0.477	0.149	6.21	41.8	0.648	20107	0.192	0.465	0.0601	0.146		E2601999.d	2026-04-15 20:32	1.027	8.052	46286	408639	56.3	7.995	3.0%
SPRSPO-12-S-20260331	C37491	0.576	0.180	7.50	41.8	0.648	20107	0.192	0.465	0.0601	0.146		E2602000.d	2026-04-15 20:57	1.027	8.059	56381	412525	56.3	7.995	3.9%
SPRSPO-13-S-20260331	B33978	0.517	0.162	6.74	41.8	0.648	20115	0.192	0.465	0.0601	0.146		E2602001.d	2026-04-15 21:23	1.027	8.059	51087	415917	56.3	7.995	4.8%
SPRSPO-13-D-20260331	B49610	0.545	0.171	7.11	41.8	0.648	20115	0.192	0.465	0.0601	0.146		E2602002.d	2026-04-15 21:48	1.027	8.052	53365	411891	56.3	7.995	3.8%
SPRSPO-13-B-20260331	C39221	0.192	0.0601		41.8	0.648	20115	0.192	0.465	0.0601	0.146	ND	E2602003.d	2026-04-15 22:15	1.027	8.052	5056	404264	56.3	7.995	1.9%
SPRSPO-14-S-20260331	B18367	0.746	0.234	9.71	41.8	0.648	20100	0.192	0.465	0.0601	0.146		E2602004.d	2026-04-15 22:40	1.027	8.059	73252	413659	56.3	7.995	4.2%
SPRSPO-15-S-20260331	C00590	0.649	0.203	8.44	41.9	0.648	20095	0.192	0.465	0.0602	0.146		E2602005.d	2026-04-15 23:05	1.027	8.052	62698	407329	56.3	7.995	2.6%
SPRSPO-16-S-20260331	C43192	0.719	0.225	9.36	41.9	0.648	20098	0.192	0.465	0.0602	0.146		E2602006.d	2026-04-15 23:31	1.027	8.059	69136	405115	56.3	7.995	2.1%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260331	C20382	2.19	0.583	22.2	41.8	0.503	20093	0.248	0.526	0.0657	0.140		E2601987.d	2026-04-15 15:25	1.259	10.796	180680	427604	66.1	10.703	-2.5%
SPRSPO-1-D-20260331	C55743	2.29	0.607	23.1	41.8	0.503	20093	0.248	0.526	0.0657	0.140		E2601988.d	2026-04-15 15:50	1.259	10.796	198723	451373	66.1	10.703	2.9%
SPRSPO-1-B-20260331	C40143	0.266	0.0707	2.69	41.8	0.503	20093	0.248	0.526	0.0657	0.140	J	E2601986.d	2026-04-15 14:59	1.259	10.796	23325	455075	66.1	10.703	3.7%
SPRSPO-2-S-20260331	C38914	1.41	0.374	14.2	41.8	0.503	20099	0.247	0.526	0.0657	0.140		E2601989.d	2026-04-15 16:16	1.259	10.796	118657	437767	66.1	10.703	-0.2%
SPRSPO-3-S-20260331	C15903	1.30	0.346	13.2	41.8	0.503	20106	0.247	0.526	0.0657	0.140		E2601990.d	2026-04-15 16:41	1.259	10.796	109510	436339	66.1	10.696	-0.6%
SPRSPO-4-S-20260331	C33477	1.11	0.295	11.2	41.8	0.503	20107	0.247	0.526	0.0657	0.140		E2601991.d	2026-04-15 17:07	1.259	10.796	95566	447179	66.1	10.703	1.9%
SPRSPO-5-S-20260331	C38562	1.11	0.294	11.2	41.8	0.503	20108	0.247	0.526	0.0657	0.140		E2601992.d	2026-04-15 17:32	1.259	10.796	96465	452865	66.1	10.703	3.2%
SPRSPO-6-S-20260331	C37042	1.20	0.318	12.1	41.8	0.503	20109	0.247	0.526	0.0657	0.140		E2601993.d	2026-04-15 17:59	1.259	10.796	99176	430241	66.1	10.702	-1.9%
SPRSPO-7-S-20260331	C16143	1.52	0.403	15.3	41.8	0.503	20109	0.247	0.526	0.0657	0.140		E2601994.d	2026-04-15 18:24	1.259	10.796	132089	451702	66.1	10.703	2.9%
SPRSPO-8-S-20260331	C32879	0.822	0.218	8.31	41.8	0.503	20110	0.247	0.526	0.0657	0.140		E2601995.d	2026-04-15 18:50	1.259	10.795	65722	414685	66.1	10.702	-5.5%
SPRSPO-9-S-20260331	C20610	1.13	0.301	11.5	41.8	0.503	20108	0.247	0.526	0.0657	0.140		E2601996.d	2026-04-15 19:15	1.259	10.796	99352	454399	66.1	10.703	3.6%
SPRSPO-10-S-20260331	C20483	1.15	0.307	11.7	41.8	0.503	20107	0.247	0.526	0.0657	0.140		E2601998.d	2026-04-15 20:06	1.259	10.796	102948	462621	66.1	10.703	5.4%
SPRSPO-11-S-20260331	C01663	0.841	0.223	8.50	41.8	0.503	20107	0.247	0.526	0.0657	0.140		E2601999.d	2026-04-15 20:32	1.259	10.796	71143	439163	66.1	10.703	0.1%
SPRSPO-12-S-20260331	C37491	1.58	0.419	16.0	41.8	0.503	20107	0.247	0.526	0.0657	0.140		E2602000.d	2026-04-15 20:57	1.259	10.796	140364	461280	66.1	10.702	5.1%
SPRSPO-13-S-20260331	B33978	1.29	0.343	13.1	41.8	0.503	20115	0.247	0.526	0.0657	0.140		E2602001.d	2026-04-15 21:23	1.259	10.795	116368	467498	66.1	10.702	6.5%
SPRSPO-13-D-20260331	B49610	1.27	0.338	12.9	41.8	0.503	20115	0.247	0.526	0.0657	0.140		E2602002.d	2026-04-15 21:48	1.259	10.796	111637	455241	66.1	10.703	3.8%
SPRSPO-13-B-20260331	C39221	0.247	0.0657		41.8	0.503	20115	0.247	0.526	0.0657	0.140	ND	E2602003.d	2026-04-15 22:15	1.259	10.796	20659	448590	66.1	10.703	2.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260331	B18367	1.61	0.427	16.3	41.8	0.503	20100	0.247	0.526	0.0657	0.140		E2602004.d	2026-04-15 22:40	1.259	10.796	140246	452535	66.1	10.703	3.1%
SPRSPO-15-S-20260331	C00590	1.65	0.438	16.7	41.9	0.503	20095	0.247	0.526	0.0657	0.140		E2602005.d	2026-04-15 23:05	1.259	10.796	142056	446870	66.1	10.703	1.8%
SPRSPO-16-S-20260331	C43192	2.02	0.536	20.4	41.9	0.503	20098	0.247	0.526	0.0657	0.140		E2602006.d	2026-04-15 23:31	1.259	10.795	177363	456296	66.1	10.702	4.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260331	C20382	0.559	0.129	5.00	41.8	0.445	20093	0.280	0.618	0.0645	0.143	J	E2601987.d	2026-04-15 15:25	1.316	12.988	42589	427604	66.1	10.703	-2.5%
SPRSPO-1-D-20260331	C55743	0.608	0.140	5.43	41.8	0.445	20093	0.280	0.618	0.0645	0.143	J	E2601988.d	2026-04-15 15:50	1.316	12.995	48855	451373	66.1	10.703	2.9%
SPRSPO-1-B-20260331	C40143	0.280	0.0645		41.8	0.445	20093	0.280	0.618	0.0645	0.143	ND	E2601986.d	2026-04-15 14:59	1.316	12.988	2133	455075	66.1	10.703	3.7%
SPRSPO-2-S-20260331	C38914	0.423	0.0976	3.78	41.8	0.445	20099	0.280	0.618	0.0645	0.142	J	E2601989.d	2026-04-15 16:16	1.316	12.988	33013	437767	66.1	10.703	-0.2%
SPRSPO-3-S-20260331	C15903	0.280	0.0644		41.8	0.445	20106	0.280	0.618	0.0644	0.142	ND	E2601990.d	2026-04-15 16:41	1.316	12.988	16540	436339	66.1	10.696	-0.6%
SPRSPO-4-S-20260331	C33477	0.280	0.0644		41.8	0.445	20107	0.280	0.618	0.0644	0.142	ND	E2601991.d	2026-04-15 17:07	1.316	12.995	13682	447179	66.1	10.703	1.9%
SPRSPO-5-S-20260331	C38562	0.280	0.0644		41.8	0.445	20108	0.280	0.618	0.0644	0.142	ND	E2601992.d	2026-04-15 17:32	1.316	12.988	12763	452865	66.1	10.703	3.2%
SPRSPO-6-S-20260331	C37042	0.280	0.0644		41.8	0.445	20109	0.280	0.618	0.0644	0.142	ND	E2601993.d	2026-04-15 17:59	1.316	12.995	11293	430241	66.1	10.702	-1.9%
SPRSPO-7-S-20260331	C16143	0.280	0.0644		41.8	0.445	20109	0.280	0.618	0.0644	0.142	ND	E2601994.d	2026-04-15 18:24	1.316	12.995	13422	451702	66.1	10.703	2.9%
SPRSPO-8-S-20260331	C32879	0.280	0.0644		41.8	0.445	20110	0.280	0.618	0.0644	0.142	ND	E2601995.d	2026-04-15 18:50	1.316	12.995	10435	414685	66.1	10.702	-5.5%
SPRSPO-9-S-20260331	C20610	0.280	0.0644		41.8	0.445	20108	0.280	0.618	0.0644	0.142	ND	E2601996.d	2026-04-15 19:15	1.316	12.988	16922	454399	66.1	10.703	3.6%
SPRSPO-10-S-20260331	C20483	0.280	0.0644		41.8	0.445	20107	0.280	0.618	0.0644	0.142	ND	E2601998.d	2026-04-15 20:06	1.316	12.988	14065	462621	66.1	10.703	5.4%
SPRSPO-11-S-20260331	C01663	0.280	0.0644		41.8	0.445	20107	0.280	0.618	0.0644	0.142	ND	E2601999.d	2026-04-15 20:32	1.316	12.995	10689	439163	66.1	10.703	0.1%
SPRSPO-12-S-20260331	C37491	0.298	0.0687	2.67	41.8	0.445	20107	0.280	0.618	0.0644	0.142	J	E2602000.d	2026-04-15 20:57	1.316	12.987	24498	461280	66.1	10.702	5.1%
SPRSPO-13-S-20260331	B33978	0.279	0.0644		41.8	0.445	20115	0.279	0.618	0.0644	0.142	ND	E2602001.d	2026-04-15 21:23	1.316	12.987	21438	467498	66.1	10.702	6.5%
SPRSPO-13-D-20260331	B49610	0.279	0.0644		41.8	0.445	20115	0.279	0.618	0.0644	0.142	ND	E2602002.d	2026-04-15 21:48	1.316	12.988	21412	455241	66.1	10.703	3.8%
SPRSPO-13-B-20260331	C39221	0.279	0.0644		41.8	0.445	20115	0.279	0.618	0.0644	0.142	ND	E2602003.d	2026-04-15 22:15	1.316	12.988	1674	448590	66.1	10.703	2.2%
SPRSPO-14-S-20260331	B18367	0.356	0.0820	3.18	41.8	0.445	20100	0.280	0.618	0.0645	0.142	J	E2602004.d	2026-04-15 22:40	1.316	12.988	28662	452535	66.1	10.703	3.1%
SPRSPO-15-S-20260331	C00590	0.325	0.0749	2.90	41.9	0.445	20095	0.280	0.618	0.0645	0.142	J	E2602005.d	2026-04-15 23:05	1.316	12.988	25860	446870	66.1	10.703	1.8%
SPRSPO-16-S-20260331	C43192	0.418	0.0964	3.74	41.9	0.445	20098	0.280	0.618	0.0645	0.142	J	E2602006.d	2026-04-15 23:31	1.316	12.995	33991	456296	66.1	10.702	4.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260331	C20382	1.62	0.374	14.5	41.8	0.445	20093	0.280	0.693	0.0645	0.160		E2601987.d	2026-04-15 15:25	1.014	13.167	95094	427604	66.1	10.703	-2.5%
SPRSPO-1-D-20260331	C55743	2.11	0.487	18.9	41.8	0.445	20093	0.280	0.693	0.0645	0.160		E2601988.d	2026-04-15 15:50	1.014	13.167	130849	451373	66.1	10.703	2.9%
SPRSPO-1-B-20260331	C40143	0.280	0.0645		41.8	0.445	20093	0.280	0.693	0.0645	0.160	ND	E2601986.d	2026-04-15 14:59	1.014	12.988	0	455075	66.1	10.703	3.7%
SPRSPO-2-S-20260331	C38914	0.778	0.179	6.96	41.8	0.445	20099	0.280	0.693	0.0645	0.160		E2601989.d	2026-04-15 16:16	1.014	13.167	46741	437767	66.1	10.703	-0.2%
SPRSPO-3-S-20260331	C15903	0.667	0.154	5.96	41.8	0.445	20106	0.280	0.693	0.0644	0.160	J	E2601990.d	2026-04-15 16:41	1.014	13.167	39944	436339	66.1	10.696	-0.6%
SPRSPO-4-S-20260331	C33477	0.444	0.102	3.97	41.8	0.445	20107	0.280	0.693	0.0644	0.160	J	E2601991.d	2026-04-15 17:07	1.014	13.167	27266	447179	66.1	10.703	1.9%
SPRSPO-5-S-20260331	C38562	0.378	0.0870	3.38	41.8	0.445	20108	0.280	0.692	0.0644	0.160	J	E2601992.d	2026-04-15 17:32	1.014	13.174	23474	452865	66.1	10.703	3.2%
SPRSPO-6-S-20260331	C37042	0.355	0.0817	3.17	41.8	0.445	20109	0.280	0.692	0.0644	0.160	J	E2601993.d	2026-04-15 17:59	1.014	13.167	20938	430241	66.1	10.702	-1.9%
SPRSPO-7-S-20260331	C16143	0.415	0.0956	3.71	41.8	0.445	20109	0.280	0.692	0.0644	0.160	J	E2601994.d	2026-04-15 18:24	1.014	13.167	25709	451702	66.1	10.703	2.9%
SPRSPO-8-S-20260331	C32879	0.317	0.0730	2.83	41.8	0.445	20110	0.280	0.692	0.0644	0.160	J	E2601995.d	2026-04-15 18:50	1.014	13.166	18020	414685	66.1	10.702	-5.5%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260331	C20610	0.537	0.124	4.80	41.8	0.445	20108	0.280	0.692	0.0644	0.160	J	E2601996.d	2026-04-15 19:15	1.014	13.167	33509	454399	66.1	10.703	3.6%
SPRSPO-10-S-20260331	C20483	0.455	0.105	4.06	41.8	0.445	20107	0.280	0.693	0.0644	0.160	J	E2601998.d	2026-04-15 20:06	1.014	13.167	28861	462621	66.1	10.703	5.4%
SPRSPO-11-S-20260331	C01663	0.341	0.0786	3.05	41.8	0.445	20107	0.280	0.692	0.0644	0.160	J	E2601999.d	2026-04-15 20:32	1.014	13.174	20556	439163	66.1	10.703	0.1%
SPRSPO-12-S-20260331	C37491	0.801	0.184	7.16	41.8	0.445	20107	0.280	0.692	0.0644	0.160		E2602000.d	2026-04-15 20:57	1.014	13.167	50686	461280	66.1	10.702	5.1%
SPRSPO-13-S-20260331	B33978	0.736	0.170	6.59	41.8	0.445	20115	0.279	0.692	0.0644	0.160		E2602001.d	2026-04-15 21:23	1.014	13.166	47273	467498	66.1	10.702	6.5%
SPRSPO-13-D-20260331	B49610	0.775	0.179	6.93	41.8	0.445	20115	0.279	0.692	0.0644	0.160		E2602002.d	2026-04-15 21:48	1.014	13.167	48461	455241	66.1	10.703	3.8%
SPRSPO-13-B-20260331	C39221	0.279	0.0644		41.8	0.445	20115	0.279	0.692	0.0644	0.160	ND	E2602003.d	2026-04-15 22:15	1.014	12.988	0	448590	66.1	10.703	2.2%
SPRSPO-14-S-20260331	B18367	0.995	0.229	8.89	41.8	0.445	20100	0.280	0.693	0.0645	0.160		E2602004.d	2026-04-15 22:40	1.014	13.167	61785	452535	66.1	10.703	3.1%
SPRSPO-15-S-20260331	C00590	0.994	0.229	8.88	41.9	0.445	20095	0.280	0.693	0.0645	0.160		E2602005.d	2026-04-15 23:05	1.014	13.167	60941	446870	66.1	10.703	1.8%
SPRSPO-16-S-20260331	C43192	1.26	0.291	11.3	41.9	0.445	20098	0.280	0.693	0.0645	0.160		E2602006.d	2026-04-15 23:31	1.014	13.166	79021	456296	66.1	10.702	4.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260331	C20382	0.520	0.120	4.64	41.8	0.445	20093	0.280	0.644	0.0645	0.149	J	E2601987.d	2026-04-15 15:25	1.056	13.668	31748	427604	66.1	10.703	-2.5%
SPRSPO-1-D-20260331	C55743	0.624	0.144	5.57	41.8	0.445	20093	0.280	0.644	0.0645	0.149	J	E2601988.d	2026-04-15 15:50	1.056	13.668	40215	451373	66.1	10.703	2.9%
SPRSPO-1-B-20260331	C40143	0.280	0.0645		41.8	0.445	20093	0.280	0.644	0.0645	0.149	ND	E2601986.d	2026-04-15 14:59	1.056	13.690	342	455075	66.1	10.703	3.7%
SPRSPO-2-S-20260331	C38914	0.280	0.0645		41.8	0.445	20099	0.280	0.644	0.0645	0.148	ND	E2601989.d	2026-04-15 16:16	1.056	13.668	15232	437767	66.1	10.703	-0.2%
SPRSPO-3-S-20260331	C15903	0.280	0.0644		41.8	0.445	20106	0.280	0.644	0.0644	0.148	ND	E2601990.d	2026-04-15 16:41	1.056	13.668	14171	436339	66.1	10.696	-0.6%
SPRSPO-4-S-20260331	C33477	0.280	0.0644		41.8	0.445	20107	0.280	0.644	0.0644	0.148	ND	E2601991.d	2026-04-15 17:07	1.056	13.668	10918	447179	66.1	10.703	1.9%
SPRSPO-5-S-20260331	C38562	0.280	0.0644		41.8	0.445	20108	0.280	0.644	0.0644	0.148	ND	E2601992.d	2026-04-15 17:32	1.056	13.668	8208	452865	66.1	10.703	3.2%
SPRSPO-6-S-20260331	C37042	0.280	0.0644		41.8	0.445	20109	0.280	0.644	0.0644	0.148	ND	E2601993.d	2026-04-15 17:59	1.056	13.668	8978	430241	66.1	10.702	-1.9%
SPRSPO-7-S-20260331	C16143	0.280	0.0644		41.8	0.445	20109	0.280	0.644	0.0644	0.148	ND	E2601994.d	2026-04-15 18:24	1.056	13.668	10908	451702	66.1	10.703	2.9%
SPRSPO-8-S-20260331	C32879	0.280	0.0644		41.8	0.445	20110	0.280	0.644	0.0644	0.148	ND	E2601995.d	2026-04-15 18:50	1.056	13.668	6793	414685	66.1	10.702	-5.5%
SPRSPO-9-S-20260331	C20610	0.280	0.0644		41.8	0.445	20108	0.280	0.644	0.0644	0.148	ND	E2601996.d	2026-04-15 19:15	1.056	13.668	12199	454399	66.1	10.703	3.6%
SPRSPO-10-S-20260331	C20483	0.280	0.0644		41.8	0.445	20107	0.280	0.644	0.0644	0.148	ND	E2601998.d	2026-04-15 20:06	1.056	13.675	11458	462621	66.1	10.703	5.4%
SPRSPO-11-S-20260331	C01663	0.280	0.0644		41.8	0.445	20107	0.280	0.644	0.0644	0.148	ND	E2601999.d	2026-04-15 20:32	1.056	13.668	8051	439163	66.1	10.703	0.1%
SPRSPO-12-S-20260331	C37491	0.305	0.0703	2.73	41.8	0.445	20107	0.280	0.644	0.0644	0.148	J	E2602000.d	2026-04-15 20:57	1.056	13.668	20103	461280	66.1	10.702	5.1%
SPRSPO-13-S-20260331	B33978	0.279	0.0644		41.8	0.445	20115	0.279	0.644	0.0644	0.148	ND	E2602001.d	2026-04-15 21:23	1.056	13.668	17995	467498	66.1	10.702	6.5%
SPRSPO-13-D-20260331	B49610	0.279	0.0644		41.8	0.445	20115	0.279	0.644	0.0644	0.148	ND	E2602002.d	2026-04-15 21:48	1.056	13.668	16298	455241	66.1	10.703	3.8%
SPRSPO-13-B-20260331	C39221	0.279	0.0644		41.8	0.445	20115	0.279	0.644	0.0644	0.148	ND	E2602003.d	2026-04-15 22:15	1.056	13.661	625	448590	66.1	10.703	2.2%
SPRSPO-14-S-20260331	B18367	0.356	0.0820	3.18	41.8	0.445	20100	0.280	0.644	0.0645	0.148	J	E2602004.d	2026-04-15 22:40	1.056	13.668	23020	452535	66.1	10.703	3.1%
SPRSPO-15-S-20260331	C00590	0.345	0.0794	3.08	41.9	0.445	20095	0.280	0.644	0.0645	0.148	J	E2602005.d	2026-04-15 23:05	1.056	13.668	21999	446870	66.1	10.703	1.8%
SPRSPO-16-S-20260331	C43192	0.420	0.0967	3.75	41.9	0.445	20098	0.280	0.644	0.0645	0.148	J	E2602006.d	2026-04-15 23:31	1.056	13.675	27362	456296	66.1	10.702	4.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260331	ND	Pass	0.266	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260331	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260331	12%	Pass	4.1%	Pass	8.3%	Pass	26%	Pass	18%	Pass
	SPRSPO-13-D-20260331	5.3%	Pass	1.5%	Pass	ND	Pass	5.1%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2601984.d	B50611	Cal	1.027	1.039	1.027	-1.1%	20%		Pass	
2026GA201 Method Blank-1	E2601985.d	C69710	Blank		1.039	1.027			-1.9%	Pass	ND
M325B CCV 5	E2601997.d	C34143	Check	1.008	1.039	1.027	-2.9%		4.8%	Pass	
M325B CCV 5	E2602007.d	C00776	Check	1.024	1.039	1.027	-1.4%		4.4%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2601984.d	B50611	Cal	1.259	1.354	1.259	-7.0%	15%		Pass	
2026GA201 Method Blank-1	E2601985.d	C69710	Blank		1.354	1.259			-1.8%	Pass	ND
M325B CCV 5	E2601997.d	C34143	Check	1.234	1.354	1.259	-8.9%		5.8%	Pass	
M325B CCV 5	E2602007.d	C00776	Check	1.276	1.354	1.259	-5.8%		3.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2601984.d	B50611	Cal	1.316	1.448	1.316	-9.1%	15%		Pass	
2026GA201 Method Blank-1	E2601985.d	C69710	Blank		1.448	1.316			-1.8%	Pass	ND
M325B CCV 5	E2601997.d	C34143	Check	1.324	1.448	1.316	-8.6%		5.8%	Pass	
M325B CCV 5	E2602007.d	C00776	Check	1.328	1.448	1.316	-8.3%		3.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2601984.d	B50611	Cal	1.014	1.236	1.014	-18%	15%		Pass	
2026GA201 Method Blank-1	E2601985.d	C69710	Blank		1.236	1.014			-1.8%	Pass	ND
M325B CCV 5	E2601997.d	C34143	Check	1.034	1.236	1.014	-16%		5.8%	Pass	
M325B CCV 5	E2602007.d	C00776	Check	1.033	1.236	1.014	-16%		3.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	E2601984.d	B50611	Cal	1.056	1.250	1.056	-15%	15%		Pass	
2026GA201 Method Blank-1	E2601985.d	C69710	Blank		1.250	1.056			-1.8%	Pass	ND
M325B CCV 5	E2601997.d	C34143	Check	1.062	1.250	1.056	-15%		5.8%	Pass	
M325B CCV 5	E2602007.d	C00776	Check	1.073	1.250	1.056	-14%		3.9%	Pass	

Chromatograms


Name	2026GA201 Method Blank-1
Comment	C69710
Data File	E2601985.d
Acq. Date-Time	4/15/2026 2:34:27 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	389,203	
Benzene	benzene-d6 (IS)	8.060	8.074	3,432	
Toluene-d8 (IS)		10.696	10.710	430,922	
Toluene	Toluene-d8 (IS)	10.796	10.803	8,933	
Ethylbenzene	Toluene-d8 (IS)	12.859	12.995	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	902	
o-Xylene	Toluene-d8 (IS)	13.661	13.675	478	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601985.d
Counts
x10^3
13.661 min.
3
2.8
2.6
2.4
2.2
2
1.8
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.654-13.668 min, 3 scans) E2601985.d
Counts
x10^3
Lib Match Score=43.6
39.1
54.1
67.2
77.1
91.1
73.2
106.1
120.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-B-20260331
Comment	C40143
Data File	E2601986.d
Acq. Date-Time	4/15/2026 2:59:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	406,911	
Benzene	benzene-d6 (IS)	8.052	8.074	6,311	
Toluene-d8 (IS)		10.703	10.710	455,075	
Toluene	Toluene-d8 (IS)	10.796	10.803	23,325	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	2,133	
m-/p-Xylenes	Toluene-d8 (IS)	12.988	13.174	ND	m
o-Xylene	Toluene-d8 (IS)	13.690	13.675	342	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601986.d
Counts
x10^3
13.690 min.
3.5
3
2.5
2
1.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.682-13.695 min, 2 scans) E2601986.d
Lib Match Score=41.4
Counts
x10^3
39.1
55.1
67.1
81.1
91.1
73.1
107.2
117.2
98.0
106.0
39.0
51.0
65.0
77.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260331
Comment	C20382
Data File	E2601987.d
Acq. Date-Time	4/15/2026 3:25:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	391,340	
Benzene	benzene-d6 (IS)	8.052	8.074	74,800	
Toluene-d8 (IS)		10.703	10.710	427,604	
Toluene	Toluene-d8 (IS)	10.796	10.803	180,680	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	42,589	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	95,094	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	31,748	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601987.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.642-13.738 min, 13 scans) E2601987.d
Lib Match Score=58.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260331
Comment	C55743
Data File	E2601988.d
Acq. Date-Time	4/15/2026 3:50:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	408,301	
Benzene	benzene-d6 (IS)	8.052	8.074	69,252	
Toluene-d8 (IS)		10.703	10.710	451,373	
Toluene	Toluene-d8 (IS)	10.796	10.803	198,723	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	48,855	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	130,849	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	40,215	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601988.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.641-13.703 min, 8 scans) E2601988.d
Lib Match Score=63.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
79.1
106.1
115.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260331
Comment	C38914
Data File	E2601989.d
Acq. Date-Time	4/15/2026 4:16:27 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	405,351	
Benzene	benzene-d6 (IS)	8.052	8.074	53,266	
Toluene-d8 (IS)		10.703	10.710	437,767	
Toluene	Toluene-d8 (IS)	10.796	10.803	118,657	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	33,013	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	46,741	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	15,232	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601989.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.641-13.698 min, 8 scans) E2601989.d
Lib Match Score=55.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.2
79.1
91.1
106.1
115.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260331
Comment	C15903
Data File	E2601990.d
Acq. Date-Time	4/15/2026 4:41:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	398,708	
Benzene	benzene-d6 (IS)	8.052	8.074	58,947	
Toluene-d8 (IS)		10.696	10.710	436,339	
Toluene	Toluene-d8 (IS)	10.796	10.803	109,510	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	16,540	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	39,944	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	14,171	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601990.d
Counts
x10^4
13.668 min.
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.708 min, 10 scans) E2601990.d
Counts
x10^3
Lib Match Score=55.1
91.1
41.1
55.1
67.1
77.1
73.2
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260331
Comment	C33477
Data File	E2601991.d
Acq. Date-Time	4/15/2026 5:07:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	397,381	
Benzene	benzene-d6 (IS)	8.052	8.074	48,440	
Toluene-d8 (IS)		10.703	10.710	447,179	
Toluene	Toluene-d8 (IS)	10.796	10.803	95,566	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	13,682	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	27,266	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	10,918	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601991.d
Counts
x10^4
13.668 min.
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.620-13.696 min, 10 scans) E2601991.d
Counts
x10^3
Lib Match Score=52.0
1
0.5
0
-0.5
-1
-1.5
39.1
55.1
67.1
79.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260331
Comment	C38562
Data File	E2601992.d
Acq. Date-Time	4/15/2026 5:32:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	402,297	
Benzene	benzene-d6 (IS)	8.052	8.074	46,795	
Toluene-d8 (IS)		10.703	10.710	452,865	
Toluene	Toluene-d8 (IS)	10.796	10.803	96,465	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	12,763	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.174	23,474	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	8,208	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601992.d
Counts
x10^4
0.8
0.7
0.6
0.5
0.4
0.3
0.2
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.645-13.711 min, 9 scans) E2601992.d
Lib Match Score=52.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
73.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260331
Comment	C37042
Data File	E2601993.d
Acq. Date-Time	4/15/2026 5:59:12 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	387,697	
Benzene	benzene-d6 (IS)	8.052	8.074	42,038	
Toluene-d8 (IS)		10.702	10.710	430,241	
Toluene	Toluene-d8 (IS)	10.796	10.803	99,176	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	11,293	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	20,938	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	8,978	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601993.d
Counts
x10^3
13.668 min.
Acquisition Time (min)


+ Scan (13.642-13.718 min, 11 scans) E2601993.d
Lib Match Score=48.2
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260331
Comment	C16143
Data File	E2601994.d
Acq. Date-Time	4/15/2026 6:24:49 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	404,783	
Benzene	benzene-d6 (IS)	8.052	8.074	54,153	
Toluene-d8 (IS)		10.703	10.710	451,702	
Toluene	Toluene-d8 (IS)	10.796	10.803	132,089	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	13,422	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	25,709	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	10,908	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601994.d
Counts
x10^4
13.668 min.
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.637-13.709 min, 10 scans) E2601994.d
Counts
x10^3
Lib Match Score=52.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260331
Comment	C32879
Data File	E2601995.d
Acq. Date-Time	4/15/2026 6:50:14 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	373,585	
Benzene	benzene-d6 (IS)	8.059	8.074	36,444	
Toluene-d8 (IS)		10.702	10.710	414,685	
Toluene	Toluene-d8 (IS)	10.795	10.803	65,722	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	10,435	
m-/p-Xylenes	Toluene-d8 (IS)	13.166	13.174	18,020	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	6,793	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601995.d
Counts
x10^3
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.639-13.696 min, 7 scans) E2601995.d
Lib Match Score=50.6
Counts
x10^3
41.1
55.1
67.2
79.1
73.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260331
Comment	C20610
Data File	E2601996.d
Acq. Date-Time	4/15/2026 7:15:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	418,870	
Benzene	benzene-d6 (IS)	8.060	8.074	55,644	
Toluene-d8 (IS)		10.703	10.710	454,399	
Toluene	Toluene-d8 (IS)	10.796	10.803	99,352	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	16,922	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	33,509	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	12,199	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601996.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.636-13.711 min, 11 scans) E2601996.d
Lib Match Score=53.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
77.1
73.1
106.2
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260331
Comment	C20483
Data File	E2601998.d
Acq. Date-Time	4/15/2026 8:06:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	419,333	
Benzene	benzene-d6 (IS)	8.052	8.074	49,308	
Toluene-d8 (IS)		10.703	10.710	462,621	
Toluene	Toluene-d8 (IS)	10.796	10.803	102,948	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	14,065	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	28,861	
o-Xylene	Toluene-d8 (IS)	13.675	13.675	11,458	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601998.d
Counts
x10^4
13.675 min.
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.632-13.701 min, 10 scans) E2601998.d
Counts
x10^3
Lib Match Score=53.2
1
0.5
0
-0.5
-1
-1.5
39.1
55.2
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260331
Comment	C01663
Data File	E2601999.d
Acq. Date-Time	4/15/2026 8:32:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	408,639	
Benzene	benzene-d6 (IS)	8.052	8.074	46,286	
Toluene-d8 (IS)		10.703	10.710	439,163	
Toluene	Toluene-d8 (IS)	10.796	10.803	71,143	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	10,689	
m-/p-Xylenes	Toluene-d8 (IS)	13.174	13.174	20,556	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	8,051	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2601999.d
Counts
x10^4
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.717 min, 11 scans) E2601999.d
Lib Match Score=50.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
54.1
67.1
73.0
79.1
91.1
39.0
51.0
65.0
77.0
91.0
98.0
106.1
106.0
117.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260331
Comment	C37491
Data File	E2602000.d
Acq. Date-Time	4/15/2026 8:57:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	412,525	
Benzene	benzene-d6 (IS)	8.059	8.074	56,381	
Toluene-d8 (IS)		10.702	10.710	461,280	
Toluene	Toluene-d8 (IS)	10.796	10.803	140,364	
Ethylbenzene	Toluene-d8 (IS)	12.987	12.995	24,498	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	50,686	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	20,103	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602000.d
Counts
x10^4
13.668 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.633-13.704 min, 10 scans) E2602000.d
Counts
x10^3
Lib Match Score=56.7
91.1
41.1
55.1
67.1
79.1
106.1
119.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260331
Comment	B33978
Data File	E2602001.d
Acq. Date-Time	4/15/2026 9:23:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	415,917	
Benzene	benzene-d6 (IS)	8.059	8.074	51,087	
Toluene-d8 (IS)		10.702	10.710	467,498	
Toluene	Toluene-d8 (IS)	10.795	10.803	116,368	
Ethylbenzene	Toluene-d8 (IS)	12.987	12.995	21,438	
m-/p-Xylenes	Toluene-d8 (IS)	13.166	13.174	47,273	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	17,995	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602001.d
Counts
x10^4
13.668 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.641-13.702 min, 8 scans) E2602001.d
Counts
x10^3
Lib Match Score=56.1
91.1
41.1
55.2
67.2
79.1
106.1
117.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260331
Comment	B49610
Data File	E2602002.d
Acq. Date-Time	4/15/2026 9:48:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	411,891	
Benzene	benzene-d6 (IS)	8.052	8.074	53,365	
Toluene-d8 (IS)		10.703	10.710	455,241	
Toluene	Toluene-d8 (IS)	10.796	10.803	111,637	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	21,412	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	48,461	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	16,298	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602002.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.647-13.704 min, 8 scans) E2602002.d
Lib Match Score=57.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.2
67.1
81.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260331
Comment	C39221
Data File	E2602003.d
Acq. Date-Time	4/15/2026 10:15:12 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	404,264	
Benzene	benzene-d6 (IS)	8.052	8.074	5,056	
Toluene-d8 (IS)		10.703	10.710	448,590	
Toluene	Toluene-d8 (IS)	10.796	10.803	20,659	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	1,674	
m-/p-Xylenes	Toluene-d8 (IS)	12.988	13.174	ND	m
o-Xylene	Toluene-d8 (IS)	13.661	13.675	625	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602003.d
Counts
x10^3
* 13.661 min.
3.5
3.25
3
2.75
2.5
2.25
2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.648-13.668 min, 3 scans) E2602003.d
Counts
x10^3
Lib Match Score=41.5
41.1
67.1
55.1
79.1
91.1
107.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260331
Comment	B18367
Data File	E2602004.d
Acq. Date-Time	4/15/2026 10:40:37 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	413,659	
Benzene	benzene-d6 (IS)	8.059	8.074	73,252	
Toluene-d8 (IS)		10.703	10.710	452,535	
Toluene	Toluene-d8 (IS)	10.796	10.803	140,246	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	28,662	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	61,785	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	23,020	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602004.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.635-13.703 min, 9 scans) E2602004.d
Lib Match Score=58.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
79.1
106.2
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260331
Comment	C00590
Data File	E2602005.d
Acq. Date-Time	4/15/2026 11:05:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	407,329	
Benzene	benzene-d6 (IS)	8.052	8.074	62,698	
Toluene-d8 (IS)		10.703	10.710	446,870	
Toluene	Toluene-d8 (IS)	10.796	10.803	142,056	
Ethylbenzene	Toluene-d8 (IS)	12.988	12.995	25,860	
m-/p-Xylenes	Toluene-d8 (IS)	13.167	13.174	60,941	
o-Xylene	Toluene-d8 (IS)	13.668	13.675	21,999	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan E2602005.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
13.668 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.628-13.719 min, 13 scans) E2602005.d
Lib Match Score=53.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.2
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260331
Comment	C43192
Data File	E2602006.d
Acq. Date-Time	4/15/2026 11:31:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	CarbopackX
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.017	405,115	
Benzene	benzene-d6 (IS)	8.059	8.074	69,136	
Toluene-d8 (IS)		10.702	10.710	456,296	
Toluene	Toluene-d8 (IS)	10.795	10.803	177,363	
Ethylbenzene	Toluene-d8 (IS)	12.995	12.995	33,991	
m-/p-Xylenes	Toluene-d8 (IS)	13.166	13.174	79,021	
o-Xylene	Toluene-d8 (IS)	13.675	13.675	27,362	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan E2602006.d
Counts
x10^4
2
1.5
1
0.5
0
13.675 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.717 min, 10 scans) E2602006.d
Lib Match Score=57.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
79.1
73.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	Benzene	1	E2601671.d	6.05	40525	56.3	324001	1.164	0.12
E033126A_CC185154	Benzene	2	E2601672.d	12.10	65768	56.3	320018	0.956	-0.079
E033126A_CC185154	Benzene	3	E2601673.d	24.21	143725	56.3	327962	1.020	-0.018
E033126A_CC185154	Benzene	4	E2601674.d	48.42	290266	56.3	326729	1.034	-0.005
E033126A_CC185154	Benzene	5	E2601675.d	121.04	713673	56.3	336494	0.987	-0.05
E033126A_CC185154	Benzene	6	E2601676.d	242.09	1499218	56.3	337451	1.034	-0.0048
E033126A_CC185154	Benzene	7	E2601677.d	726.26	4643684	56.3	334538	1.077	0.036
						Avg:	329599	1.039	
						%RSD:	2.0%	6.5%	
E033126A_CC185154	Toluene	1	E2601671.d	5.32	50200	66.1	369729	1.687	0.25
E033126A_CC185154	Toluene	2	E2601672.d	10.63	70637	66.1	360263	1.218	-0.1
E033126A_CC185154	Toluene	3	E2601673.d	21.26	166612	66.1	370909	1.396	0.031
E033126A_CC185154	Toluene	4	E2601674.d	42.53	317927	66.1	370606	1.333	-0.016
E033126A_CC185154	Toluene	5	E2601675.d	106.31	694460	66.1	377919	1.142	-0.16
E033126A_CC185154	Toluene	6	E2601676.d	212.62	2142734	66.1	456595	1.458	0.077
E033126A_CC185154	Toluene	7	E2601677.d	637.87	4502492	66.1	374854	1.244	-0.081
						Avg:	382982	1.354	
						%RSD:	8.6%	13.5%	
E033126A_CC185154	Ethylbenzene	1	E2601671.d	5.52	54312	66.1	369729	1.757	0.21
E033126A_CC185154	Ethylbenzene	2	E2601672.d	11.05	88330	66.1	360263	1.466	0.013
E033126A_CC185154	Ethylbenzene	3	E2601673.d	22.10	190213	66.1	370909	1.533	0.059
E033126A_CC185154	Ethylbenzene	4	E2601674.d	44.20	365402	66.1	370606	1.474	0.018
E033126A_CC185154	Ethylbenzene	5	E2601675.d	110.49	812434	66.1	377919	1.285	-0.11
E033126A_CC185154	Ethylbenzene	6	E2601676.d	220.98	1684104	66.1	456595	1.103	-0.24
E033126A_CC185154	Ethylbenzene	7	E2601677.d	662.95	5701250	66.1	374854	1.516	0.047
						Avg:	382982	1.448	
						%RSD:	8.6%	14.2%	
E033126A_CC185154	m-/p-Xylenes	1	E2601671.d	6.19	53870	66.1	369729	1.555	0.26
E033126A_CC185154	m-/p-Xylenes	2	E2601672.d	12.38	86644	66.1	360263	1.283	0.038
E033126A_CC185154	m-/p-Xylenes	3	E2601673.d	24.77	184421	66.1	370909	1.326	0.073
E033126A_CC185154	m-/p-Xylenes	4	E2601674.d	49.53	352253	66.1	370606	1.268	0.026
E033126A_CC185154	m-/p-Xylenes	5	E2601675.d	123.83	766584	66.1	377919	1.082	-0.12
E033126A_CC185154	m-/p-Xylenes	6	E2601676.d	247.66	1570306	66.1	456595	0.917	-0.26
E033126A_CC185154	m-/p-Xylenes	7	E2601677.d	742.99	5145734	66.1	374854	1.221	-0.012
						Avg:	382982	1.236	
						%RSD:	8.6%	16.1%	
E033126A_CC185154	o-Xylene	1	E2601671.d	5.76	49526	66.1	369729	1.537	0.23
E033126A_CC185154	o-Xylene	2	E2601672.d	11.52	81122	66.1	360263	1.292	0.034
E033126A_CC185154	o-Xylene	3	E2601673.d	23.03	171487	66.1	370909	1.326	0.061

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GA201-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	o-Xylene	4	E2601674.d	46.06	332218	66.1	370606	1.286	0.029
E033126A_CC185154	o-Xylene	5	E2601675.d	115.16	720901	66.1	377919	1.094	-0.12
E033126A_CC185154	o-Xylene	6	E2601676.d	230.32	1473173	66.1	456595	0.925	-0.26
E033126A_CC185154	o-Xylene	7	E2601677.d	690.97	5050966	66.1	374854	1.288	0.031
						Avg:	382982	1.250	
						%RSD:	8.6%	15.4%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
E033126A_CC185154	Benzene	ICV	E2601678.d	180.48	923563	56.3	331658	0.869	-16.0%
E033126A_CC185154	Toluene	ICV	E2601678.d	184.81	1052072	66.1	375222	1.002	-26.0%
E033126A_CC185154	Ethylbenzene	ICV	E2601678.d	182.73	1258083	66.1	375222	1.212	-16.0%
E033126A_CC185154	m-/p-Xylenes	ICV	E2601678.d	185.57	969725	66.1	375222	0.920	-26.0%
E033126A_CC185154	o-Xylene	ICV	E2601678.d	185.93	992933	66.1	375222	0.940	-25.0%

M325B PDF Report ver.20260203

Sample Custody

ENTHALPY ANALYTICAL

2026GA201

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page #1 of #1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague South Portland	Client Name:	Montrose Air Quality Services, LLC	PO#:	
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #	2026GA201
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@montrose-env.com		
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C20382	S	3/31/26	10:58 AM	4/14/26	9:51 AM	KV/BC		
1	C55743	D	3/31/26	10:58 AM	4/14/26	9:51 AM	KV/BC		
1	C40143	B	3/31/26	10:58 AM	4/14/26	9:51 AM	KV/BC		
2	C38914	S	3/31/26	11:01 AM	4/14/26	10:00 AM	KV/BC		
3	C15903	S	3/31/26	11:03 AM	4/14/26	10:09 AM	KV/BC		
4	C33477	S	3/31/26	11:06 AM	4/14/26	10:13 AM	KV/BC		
5	C38562	S	3/31/26	11:08 AM	4/14/26	10:16 AM	KV/BC		
6	C37042	S	3/31/26	11:13 AM	4/14/26	10:22 AM	KV/BC		
7	C16143	S	3/31/26	11:16 AM	4/14/26	10:25 AM	KV/BC		
8	C32879	S	3/31/26	11:20 AM	4/14/26	10:30 AM	KV/BC		
9	C20610	S	3/31/26	11:29 AM	4/14/26	10:37 AM	KV/BC		
10	C20483	S	3/31/26	11:32 AM	4/14/26	10:39 AM	KV/BC		
11	C01663	S	3/31/26	11:35 AM	4/14/26	10:42 AM	KV/BC		
12	C37491	S	3/31/26	11:38 AM	4/14/26	10:45 AM	KV/BC		
13	B33978	S	3/31/26	11:40 AM	4/14/26	10:55 AM	KV/BC		
13	B49610	D	3/31/26	11:40 AM	4/14/26	10:55 AM	KV/BC		
13	C39221	B	3/31/26	11:40 AM	4/14/26	10:55 AM	KV/BC		
14	B18367	S	3/31/26	12:00 PM	4/14/26	11:00 AM	KV/BC		
15	C00590	S	3/31/26	12:08 PM	4/14/26	11:03 AM	KV/BC		
16	C43192	S	3/31/26	12:10 PM	4/14/26	11:08 AM	KV/BC		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Benjamin Curry	BC	4/14/2026	16:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Susan Pierce	Susan Pierce	4/15/2026	10:00 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Temp: / **Blank Temp:** 13.4 / Fluke 3		Add Custody Seal # below: 25E08737	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.enthalpy.com

This Is The Last Page Of This Report.

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 46 Sprague - South Portland

Client Project# PROJ-027968
Samples Received: 4/29/2026

Analytical Report
2026GA202

EPA Method 325B Analysis

Report Issue Date: 5/6/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 78
Sample Custody 81
    Chain of Custody 82

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA202-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on April 29, 2026 at 7.3 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260414	C39121	Sample
SPRSPO-1-D-20260414	B16947	Duplicate
SPRSPO-1-B-20260414	C00758	Blank
SPRSPO-2-S-20260414	C55489	Sample
SPRSPO-3-S-20260414	C37495	Sample
SPRSPO-4-S-20260414	C57553	Sample
SPRSPO-5-S-20260414	C39020	Sample
SPRSPO-6-S-20260414	C32835	Sample
SPRSPO-7-S-20260414	B34531	Sample
SPRSPO-8-S-20260414	C61572	Sample
SPRSPO-9-S-20260414	C27848	Sample
SPRSPO-10-S-20260414	C33438	Sample
SPRSPO-11-S-20260414	C69659	Sample
SPRSPO-12-S-20260414	B44468	Sample
SPRSPO-13-S-20260414	C71763	Sample
SPRSPO-13-D-20260414	C70605	Duplicate
SPRSPO-13-B-20260414	C60302	Blank
SPRSPO-14-S-20260414	C34132	Sample
SPRSPO-15-S-20260414	C71565	Sample
SPRSPO-16-S-20260414	C73574	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA202-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D040726A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260414	C39121	1.26		4.80		0.840		2.61		0.876	
SPRSPO-1-D-20260414	B16947	1.39		5.00		0.892		2.70		0.840	
SPRSPO-1-B-20260414	C00758	0.190	ND	0.245	ND	0.277	ND	0.277	ND	0.277	ND
SPRSPO-2-S-20260414	C55489	0.675		2.47		0.358	J	1.01		0.342	J
SPRSPO-3-S-20260414	C37495	0.581		1.62		0.277	ND	0.682		0.277	ND
SPRSPO-4-S-20260414	C57553	0.462		1.37		0.277	ND	0.618	J	0.277	ND
SPRSPO-5-S-20260414	C39020	0.359	J	1.01		0.277	ND	0.349	J	0.277	ND
SPRSPO-6-S-20260414	C32835	0.374	J	1.18		0.277	ND	0.316	J	0.277	ND
SPRSPO-7-S-20260414	B34531	0.458		2.20		0.277	ND	0.464	J	0.277	ND
SPRSPO-8-S-20260414	C61572	0.406	J	0.914		0.277	ND	0.524	J	0.277	ND
SPRSPO-9-S-20260414	C27848	0.557		1.47		0.294	J	0.759		0.298	J
SPRSPO-10-S-20260414	C33438	0.540		1.39		0.296	J	0.745		0.277	ND
SPRSPO-11-S-20260414	C69659	0.565		1.39		0.277	ND	0.846		0.313	J
SPRSPO-12-S-20260414	B44468	0.875		2.01		0.347	J	0.825		0.292	J
SPRSPO-13-S-20260414	C71763	0.729		2.06		0.393	J	1.32		0.470	J
SPRSPO-13-D-20260414	C70605	0.687		1.96		0.367	J	1.21		0.444	J
SPRSPO-13-B-20260414	C60302	0.191	ND	0.246	ND	0.278	ND	0.278	ND	0.278	ND
SPRSPO-14-S-20260414	C34132	0.701		2.13		0.441	J	1.15		0.427	J
SPRSPO-15-S-20260414	C71565	0.977		3.39		0.630		2.12		0.725	
SPRSPO-16-S-20260414	C73574	1.29		4.26		0.830		2.68		0.893	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260414	C39121	1.26	0.395	16.6	45.5	0.650	20209	0.190	0.455	0.0596	0.143		D2602493.d	2026-04-29 14:19	1.734	8.167	229949	450494	56.3	8.109	0.0%
SPRSPO-1-D-20260414	B16947	1.39	0.435	18.2	45.5	0.650	20209	0.190	0.455	0.0596	0.143		D2602494.d	2026-04-29 14:44	1.734	8.160	254841	453798	56.3	8.102	0.7%
SPRSPO-1-B-20260414	C00758	0.190	0.0596		45.5	0.650	20209	0.190	0.455	0.0596	0.143	ND	D2602491.d	2026-04-29 13:27	1.734	8.160	9564	454995	56.3	8.103	1.0%
SPRSPO-2-S-20260414	C55489	0.675	0.211	8.86	45.5	0.650	20202	0.190	0.455	0.0596	0.143		D2602495.d	2026-04-29 15:10	1.734	8.167	124599	456794	56.3	8.102	1.4%
SPRSPO-3-S-20260414	C37495	0.581	0.182	7.62	45.5	0.650	20195	0.190	0.455	0.0596	0.143		D2602496.d	2026-04-29 15:36	1.734	8.167	107634	458638	56.3	8.102	1.8%
SPRSPO-4-S-20260414	C57553	0.462	0.145	6.06	45.5	0.650	20193	0.190	0.456	0.0597	0.143		D2602497.d	2026-04-29 16:02	1.734	8.160	84188	451422	56.3	8.103	0.2%
SPRSPO-5-S-20260414	C39020	0.359	0.112	4.71	45.5	0.650	20192	0.190	0.456	0.0597	0.143	J	D2602498.d	2026-04-29 16:28	1.734	8.160	66559	458689	56.3	8.103	1.8%
SPRSPO-6-S-20260414	C32835	0.374	0.117	4.91	45.5	0.650	20191	0.190	0.456	0.0597	0.143	J	D2602499.d	2026-04-29 16:54	1.734	8.160	69832	461776	56.3	8.102	2.5%
SPRSPO-7-S-20260414	B34531	0.458	0.143	6.01	45.5	0.650	20191	0.190	0.456	0.0597	0.143		D2602500.d	2026-04-29 17:20	1.734	8.160	84604	457523	56.3	8.103	1.6%
SPRSPO-8-S-20260414	C61572	0.406	0.127	5.33	45.5	0.650	20190	0.190	0.456	0.0597	0.143	J	D2602502.d	2026-04-29 18:12	1.734	8.160	74949	457165	56.3	8.103	1.5%
SPRSPO-9-S-20260414	C27848	0.557	0.174	7.31	45.5	0.650	20192	0.190	0.456	0.0597	0.143		D2602503.d	2026-04-29 18:37	1.734	8.167	104650	465101	56.3	8.102	3.3%
SPRSPO-10-S-20260414	C33438	0.540	0.169	7.09	45.5	0.650	20192	0.190	0.456	0.0597	0.143		D2602504.d	2026-04-29 19:03	1.734	8.160	99601	456304	56.3	8.102	1.3%
SPRSPO-11-S-20260414	C69659	0.565	0.177	7.41	45.5	0.650	20191	0.190	0.456	0.0597	0.143		D2602505.d	2026-04-29 19:29	1.734	8.167	104461	457697	56.3	8.102	1.6%
SPRSPO-12-S-20260414	B44468	0.875	0.274	11.5	45.5	0.650	20190	0.190	0.456	0.0597	0.143		D2602506.d	2026-04-29 19:55	1.734	8.160	162632	460133	56.3	8.102	2.2%
SPRSPO-13-S-20260414	C71763	0.729	0.228	9.56	45.4	0.650	20182	0.191	0.456	0.0597	0.143		D2602507.d	2026-04-29 20:20	1.734	8.160	135911	461907	56.3	8.103	2.5%
SPRSPO-13-D-20260414	C70605	0.687	0.215	9.01	45.4	0.650	20182	0.191	0.456	0.0597	0.143		D2602508.d	2026-04-29 20:47	1.734	8.160	127420	459258	56.3	8.102	2.0%
SPRSPO-13-B-20260414	C60302	0.191	0.0597		45.4	0.650	20182	0.191	0.456	0.0597	0.143	ND	D2602492.d	2026-04-29 13:53	1.734	8.160	7416	450391	56.3	8.102	0.0%
SPRSPO-14-S-20260414	C34132	0.701	0.220	9.19	45.4	0.650	20179	0.191	0.456	0.0597	0.143		D2602509.d	2026-04-29 21:13	1.734	8.160	129496	457605	56.3	8.102	1.6%
SPRSPO-15-S-20260414	C71565	0.977	0.306	12.8	45.4	0.650	20183	0.191	0.456	0.0597	0.143		D2602510.d	2026-04-29 21:39	1.734	8.160	186457	472847	56.3	8.102	5.0%
SPRSPO-16-S-20260414	C73574	1.29	0.404	16.9	45.4	0.650	20180	0.191	0.456	0.0597	0.143		D2602511.d	2026-04-29 22:05	1.734	8.167	242466	465235	56.3	8.102	3.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260414	C39121	4.80	1.27	48.9	45.5	0.505	20209	0.245	0.515	0.0651	0.137		D2602493.d	2026-04-29 14:19	2.094	10.889	712311	459261	66.1	10.795	-0.6%
SPRSPO-1-D-20260414	B16947	5.00	1.33	51.0	45.5	0.505	20209	0.245	0.515	0.0651	0.137		D2602494.d	2026-04-29 14:44	2.094	10.889	751513	464770	66.1	10.796	0.6%
SPRSPO-1-B-20260414	C00758	0.245	0.0651		45.5	0.505	20209	0.245	0.515	0.0651	0.137	ND	D2602491.d	2026-04-29 13:27	2.094	10.889	14619	453415	66.1	10.796	-1.9%
SPRSPO-2-S-20260414	C55489	2.47	0.655	25.1	45.5	0.505	20202	0.245	0.515	0.0651	0.137		D2602495.d	2026-04-29 15:10	2.094	10.889	371613	466503	66.1	10.796	1.0%
SPRSPO-3-S-20260414	C37495	1.62	0.431	16.6	45.5	0.505	20195	0.245	0.515	0.0652	0.137		D2602496.d	2026-04-29 15:36	2.094	10.889	243750	464567	66.1	10.796	0.5%
SPRSPO-4-S-20260414	C57553	1.37	0.364	13.9	45.5	0.505	20193	0.245	0.515	0.0652	0.137		D2602497.d	2026-04-29 16:02	2.094	10.889	207965	470395	66.1	10.796	1.8%
SPRSPO-5-S-20260414	C39020	1.01	0.268	10.3	45.5	0.505	20192	0.245	0.516	0.0652	0.137		D2602498.d	2026-04-29 16:28	2.094	10.889	150351	460719	66.1	10.796	-0.3%
SPRSPO-6-S-20260414	C32835	1.18	0.312	12.0	45.5	0.504	20191	0.245	0.516	0.0652	0.137		D2602499.d	2026-04-29 16:54	2.094	10.889	179996	473862	66.1	10.796	2.5%
SPRSPO-7-S-20260414	B34531	2.20	0.585	22.4	45.5	0.504	20191	0.245	0.516	0.0652	0.137		D2602500.d	2026-04-29 17:20	2.094	10.889	335554	472038	66.1	10.796	2.2%
SPRSPO-8-S-20260414	C61572	0.914	0.243	9.31	45.5	0.504	20190	0.245	0.516	0.0652	0.137		D2602502.d	2026-04-29 18:12	2.094	10.889	140987	477726	66.1	10.796	3.4%
SPRSPO-9-S-20260414	C27848	1.47	0.389	14.9	45.5	0.504	20192	0.245	0.516	0.0652	0.137		D2602503.d	2026-04-29 18:37	2.094	10.889	226286	478340	66.1	10.796	3.5%
SPRSPO-10-S-20260414	C33438	1.39	0.370	14.2	45.5	0.504	20192	0.245	0.516	0.0652	0.137		D2602504.d	2026-04-29 19:03	2.094	10.889	210627	468566	66.1	10.796	1.4%
SPRSPO-11-S-20260414	C69659	1.39	0.368	14.1	45.5	0.504	20191	0.245	0.516	0.0652	0.137		D2602505.d	2026-04-29 19:29	2.094	10.889	211387	471954	66.1	10.796	2.1%
SPRSPO-12-S-20260414	B44468	2.01	0.534	20.5	45.5	0.504	20190	0.245	0.516	0.0652	0.137		D2602506.d	2026-04-29 19:55	2.094	10.889	308990	476085	66.1	10.796	3.0%
SPRSPO-13-S-20260414	C71763	2.06	0.548	21.0	45.4	0.504	20182	0.246	0.516	0.0652	0.137		D2602507.d	2026-04-29 20:20	2.094	10.889	319010	479094	66.1	10.796	3.7%
SPRSPO-13-D-20260414	C70605	1.96	0.521	20.0	45.4	0.504	20182	0.246	0.516	0.0652	0.137		D2602508.d	2026-04-29 20:47	2.094	10.889	301880	476600	66.1	10.796	3.1%
SPRSPO-13-B-20260414	C60302	0.246	0.0652		45.4	0.504	20182	0.246	0.516	0.0652	0.137	ND	D2602492.d	2026-04-29 13:53	2.094	10.889	10533	465313	66.1	10.796	0.7%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260414	C34132	2.13	0.565	21.7	45.4	0.504	20179	0.246	0.516	0.0652	0.137		D2602509.d	2026-04-29 21:13	2.094	10.889	327026	476496	66.1	10.796	3.1%
SPRSPO-15-S-20260414	C71565	3.39	0.901	34.6	45.4	0.504	20183	0.246	0.516	0.0652	0.137		D2602510.d	2026-04-29 21:39	2.094	10.889	537063	490351	66.1	10.796	6.1%
SPRSPO-16-S-20260414	C73574	4.26	1.13	43.4	45.4	0.504	20180	0.246	0.516	0.0652	0.137		D2602511.d	2026-04-29 22:05	2.094	10.889	669913	487156	66.1	10.796	5.4%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260414	C39121	0.840	0.194	7.58	45.5	0.446	20209	0.277	0.605	0.0639	0.139		D2602493.d	2026-04-29 14:19	2.122	13.073	111764	459261	66.1	10.795	-0.6%
SPRSPO-1-D-20260414	B16947	0.892	0.206	8.05	45.5	0.446	20209	0.277	0.605	0.0639	0.139		D2602494.d	2026-04-29 14:44	2.122	13.074	120077	464770	66.1	10.796	0.6%
SPRSPO-1-B-20260414	C00758	0.277	0.0639		45.5	0.446	20209	0.277	0.605	0.0639	0.139	ND	D2602491.d	2026-04-29 13:27	2.122	13.067	11391	453415	66.1	10.796	-1.9%
SPRSPO-2-S-20260414	C55489	0.358	0.0824	3.22	45.5	0.446	20202	0.277	0.605	0.0639	0.140	J	D2602495.d	2026-04-29 15:10	2.122	13.074	48298	466503	66.1	10.796	1.0%
SPRSPO-3-S-20260414	C37495	0.277	0.0639		45.5	0.446	20195	0.277	0.606	0.0639	0.140	ND	D2602496.d	2026-04-29 15:36	2.122	13.074	37073	464567	66.1	10.796	0.5%
SPRSPO-4-S-20260414	C57553	0.277	0.0639		45.5	0.446	20193	0.277	0.606	0.0639	0.140	ND	D2602497.d	2026-04-29 16:02	2.122	13.074	25374	470395	66.1	10.796	1.8%
SPRSPO-5-S-20260414	C39020	0.277	0.0639		45.5	0.446	20192	0.277	0.606	0.0639	0.140	ND	D2602498.d	2026-04-29 16:28	2.122	13.081	20167	460719	66.1	10.796	-0.3%
SPRSPO-6-S-20260414	C32835	0.277	0.0639		45.5	0.446	20191	0.277	0.606	0.0639	0.140	ND	D2602499.d	2026-04-29 16:54	2.122	13.081	18920	473862	66.1	10.796	2.5%
SPRSPO-7-S-20260414	B34531	0.277	0.0639		45.5	0.446	20191	0.277	0.606	0.0639	0.140	ND	D2602500.d	2026-04-29 17:20	2.122	13.074	25675	472038	66.1	10.796	2.2%
SPRSPO-8-S-20260414	C61572	0.277	0.0639		45.5	0.446	20190	0.277	0.606	0.0639	0.140	ND	D2602502.d	2026-04-29 18:12	2.122	13.081	22477	477726	66.1	10.796	3.4%
SPRSPO-9-S-20260414	C27848	0.294	0.0678	2.65	45.5	0.446	20192	0.277	0.606	0.0639	0.140	J	D2602503.d	2026-04-29 18:37	2.122	13.074	40715	478340	66.1	10.796	3.5%
SPRSPO-10-S-20260414	C33438	0.296	0.0682	2.67	45.5	0.446	20192	0.277	0.606	0.0639	0.140	J	D2602504.d	2026-04-29 19:03	2.122	13.081	40129	468566	66.1	10.796	1.4%
SPRSPO-11-S-20260414	C69659	0.277	0.0639		45.5	0.446	20191	0.277	0.606	0.0639	0.140	ND	D2602505.d	2026-04-29 19:29	2.122	13.074	36241	471954	66.1	10.796	2.1%
SPRSPO-12-S-20260414	B44468	0.347	0.0800	3.13	45.5	0.446	20190	0.277	0.606	0.0639	0.140	J	D2602506.d	2026-04-29 19:55	2.122	13.081	47806	476085	66.1	10.796	3.0%
SPRSPO-13-S-20260414	C71763	0.393	0.0905	3.54	45.4	0.446	20182	0.278	0.606	0.0640	0.140	J	D2602507.d	2026-04-29 20:20	2.122	13.074	54440	479094	66.1	10.796	3.7%
SPRSPO-13-D-20260414	C70605	0.367	0.0846	3.31	45.4	0.446	20182	0.278	0.606	0.0640	0.140	J	D2602508.d	2026-04-29 20:47	2.122	13.081	50600	476600	66.1	10.796	3.1%
SPRSPO-13-B-20260414	C60302	0.278	0.0640		45.4	0.446	20182	0.278	0.606	0.0640	0.140	ND	D2602492.d	2026-04-29 13:53	2.122	13.081	1948	465313	66.1	10.796	0.7%
SPRSPO-14-S-20260414	C34132	0.441	0.102	3.98	45.4	0.446	20179	0.278	0.606	0.0640	0.140	J	D2602509.d	2026-04-29 21:13	2.122	13.073	60833	476496	66.1	10.796	3.1%
SPRSPO-15-S-20260414	C71565	0.630	0.145	5.67	45.4	0.446	20183	0.278	0.606	0.0640	0.140		D2602510.d	2026-04-29 21:39	2.122	13.074	89309	490351	66.1	10.796	6.1%
SPRSPO-16-S-20260414	C73574	0.830	0.191	7.47	45.4	0.446	20180	0.278	0.606	0.0640	0.140		D2602511.d	2026-04-29 22:05	2.122	13.074	116876	487156	66.1	10.796	5.4%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260414	C39121	2.61	0.602	23.6	45.5	0.446	20209	0.277	0.678	0.0639	0.156		D2602493.d	2026-04-29 14:19	1.601	13.252	262323	459261	66.1	10.795	-0.6%
SPRSPO-1-D-20260414	B16947	2.70	0.622	24.3	45.5	0.446	20209	0.277	0.678	0.0639	0.156		D2602494.d	2026-04-29 14:44	1.601	13.253	274015	464770	66.1	10.796	0.6%
SPRSPO-1-B-20260414	C00758	0.277	0.0639		45.5	0.446	20209	0.277	0.678	0.0639	0.156	ND	D2602491.d	2026-04-29 13:27	1.601	13.396	0	453415	66.1	10.796	-1.9%
SPRSPO-2-S-20260414	C55489	1.01	0.233	9.10	45.5	0.446	20202	0.277	0.678	0.0639	0.156		D2602495.d	2026-04-29 15:10	1.601	13.253	102890	466503	66.1	10.796	1.0%
SPRSPO-3-S-20260414	C37495	0.682	0.157	6.15	45.5	0.446	20195	0.277	0.679	0.0639	0.156		D2602496.d	2026-04-29 15:36	1.601	13.253	69178	464567	66.1	10.796	0.5%
SPRSPO-4-S-20260414	C57553	0.618	0.142	5.57	45.5	0.446	20193	0.277	0.679	0.0639	0.156	J	D2602497.d	2026-04-29 16:02	1.601	13.253	63495	470395	66.1	10.796	1.8%
SPRSPO-5-S-20260414	C39020	0.349	0.0805	3.15	45.5	0.446	20192	0.277	0.679	0.0639	0.156	J	D2602498.d	2026-04-29 16:28	1.601	13.253	35142	460719	66.1	10.796	-0.3%
SPRSPO-6-S-20260414	C32835	0.316	0.0728	2.84	45.5	0.446	20191	0.277	0.679	0.0639	0.156	J	D2602499.d	2026-04-29 16:54	1.601	13.253	32664	473862	66.1	10.796	2.5%
SPRSPO-7-S-20260414	B34531	0.464	0.107	4.18	45.5	0.446	20191	0.277	0.679	0.0639	0.156	J	D2602500.d	2026-04-29 17:20	1.601	13.253	47854	472038	66.1	10.796	2.2%
SPRSPO-8-S-20260414	C61572	0.524	0.121	4.72	45.5	0.446	20190	0.277	0.679	0.0639	0.156	J	D2602502.d	2026-04-29 18:12	1.601	13.253	54637	477726	66.1	10.796	3.4%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260414	C27848	0.759	0.175	6.84	45.5	0.446	20192	0.277	0.679	0.0639	0.156		D2602503.d	2026-04-29 18:37	1.601	13.253	79275	478340	66.1	10.796	3.5%
SPRSPO-10-S-20260414	C33438	0.745	0.172	6.71	45.5	0.446	20192	0.277	0.679	0.0639	0.156		D2602504.d	2026-04-29 19:03	1.601	13.253	76200	468566	66.1	10.796	1.4%
SPRSPO-11-S-20260414	C69659	0.846	0.195	7.62	45.5	0.446	20191	0.277	0.679	0.0639	0.156		D2602505.d	2026-04-29 19:29	1.601	13.253	87133	471954	66.1	10.796	2.1%
SPRSPO-12-S-20260414	B44468	0.825	0.190	7.44	45.5	0.446	20190	0.277	0.679	0.0639	0.156		D2602506.d	2026-04-29 19:55	1.601	13.253	85767	476085	66.1	10.796	3.0%
SPRSPO-13-S-20260414	C71763	1.32	0.303	11.8	45.4	0.446	20182	0.278	0.679	0.0640	0.157		D2602507.d	2026-04-29 20:20	1.601	13.253	137537	479094	66.1	10.796	3.7%
SPRSPO-13-D-20260414	C70605	1.21	0.278	10.9	45.4	0.446	20182	0.278	0.679	0.0640	0.157		D2602508.d	2026-04-29 20:47	1.601	13.253	125527	476600	66.1	10.796	3.1%
SPRSPO-13-B-20260414	C60302	0.278	0.0640		45.4	0.446	20182	0.278	0.679	0.0640	0.157	ND	D2602492.d	2026-04-29 13:53	1.601	13.253	2098	465313	66.1	10.796	0.7%
SPRSPO-14-S-20260414	C34132	1.15	0.264	10.3	45.4	0.446	20179	0.278	0.679	0.0640	0.157		D2602509.d	2026-04-29 21:13	1.601	13.253	119267	476496	66.1	10.796	3.1%
SPRSPO-15-S-20260414	C71565	2.12	0.489	19.1	45.4	0.446	20183	0.278	0.679	0.0640	0.156		D2602510.d	2026-04-29 21:39	1.601	13.253	227059	490351	66.1	10.796	6.1%
SPRSPO-16-S-20260414	C73574	2.68	0.618	24.2	45.4	0.446	20180	0.278	0.679	0.0640	0.157		D2602511.d	2026-04-29 22:05	1.601	13.253	285244	487156	66.1	10.796	5.4%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260414	C39121	0.876	0.202	7.90	45.5	0.446	20209	0.277	0.631	0.0639	0.145		D2602493.d	2026-04-29 14:19	1.638	13.754	89922	459261	66.1	10.795	-0.6%
SPRSPO-1-D-20260414	B16947	0.840	0.194	7.57	45.5	0.446	20209	0.277	0.631	0.0639	0.145		D2602494.d	2026-04-29 14:44	1.638	13.754	87283	464770	66.1	10.796	0.6%
SPRSPO-1-B-20260414	C00758	0.277	0.0639		45.5	0.446	20209	0.277	0.631	0.0639	0.145	ND	D2602491.d	2026-04-29 13:27	1.638	13.740	2096	453415	66.1	10.796	-1.9%
SPRSPO-2-S-20260414	C55489	0.342	0.0789	3.09	45.5	0.446	20202	0.277	0.631	0.0639	0.145	J	D2602495.d	2026-04-29 15:10	1.638	13.754	35691	466503	66.1	10.796	1.0%
SPRSPO-3-S-20260414	C37495	0.277	0.0639		45.5	0.446	20195	0.277	0.631	0.0639	0.145	ND	D2602496.d	2026-04-29 15:36	1.638	13.754	23450	464567	66.1	10.796	0.5%
SPRSPO-4-S-20260414	C57553	0.277	0.0639		45.5	0.446	20193	0.277	0.631	0.0639	0.145	ND	D2602497.d	2026-04-29 16:02	1.638	13.754	22137	470395	66.1	10.796	1.8%
SPRSPO-5-S-20260414	C39020	0.277	0.0639		45.5	0.446	20192	0.277	0.631	0.0639	0.145	ND	D2602498.d	2026-04-29 16:28	1.638	13.754	11467	460719	66.1	10.796	-0.3%
SPRSPO-6-S-20260414	C32835	0.277	0.0639		45.5	0.446	20191	0.277	0.631	0.0639	0.145	ND	D2602499.d	2026-04-29 16:54	1.638	13.754	13837	473862	66.1	10.796	2.5%
SPRSPO-7-S-20260414	B34531	0.277	0.0639		45.5	0.446	20191	0.277	0.631	0.0639	0.145	ND	D2602500.d	2026-04-29 17:20	1.638	13.754	18102	472038	66.1	10.796	2.2%
SPRSPO-8-S-20260414	C61572	0.277	0.0639		45.5	0.446	20190	0.277	0.631	0.0639	0.145	ND	D2602502.d	2026-04-29 18:12	1.638	13.754	21701	477726	66.1	10.796	3.4%
SPRSPO-9-S-20260414	C27848	0.298	0.0686	2.68	45.5	0.446	20192	0.277	0.631	0.0639	0.145	J	D2602503.d	2026-04-29 18:37	1.638	13.754	31819	478340	66.1	10.796	3.5%
SPRSPO-10-S-20260414	C33438	0.277	0.0639		45.5	0.446	20192	0.277	0.631	0.0639	0.145	ND	D2602504.d	2026-04-29 19:03	1.638	13.754	27859	468566	66.1	10.796	1.4%
SPRSPO-11-S-20260414	C69659	0.313	0.0721	2.82	45.5	0.446	20191	0.277	0.631	0.0639	0.145	J	D2602505.d	2026-04-29 19:29	1.638	13.754	32971	471954	66.1	10.796	2.1%
SPRSPO-12-S-20260414	B44468	0.292	0.0673	2.63	45.5	0.446	20190	0.277	0.631	0.0639	0.145	J	D2602506.d	2026-04-29 19:55	1.638	13.754	31082	476085	66.1	10.796	3.0%
SPRSPO-13-S-20260414	C71763	0.470	0.108	4.23	45.4	0.446	20182	0.278	0.632	0.0640	0.146	J	D2602507.d	2026-04-29 20:20	1.638	13.754	50278	479094	66.1	10.796	3.7%
SPRSPO-13-D-20260414	C70605	0.444	0.102	4.00	45.4	0.446	20182	0.278	0.632	0.0640	0.146	J	D2602508.d	2026-04-29 20:47	1.638	13.754	47216	476600	66.1	10.796	3.1%
SPRSPO-13-B-20260414	C60302	0.278	0.0640		45.4	0.446	20182	0.278	0.632	0.0640	0.146	ND	D2602492.d	2026-04-29 13:53	1.638	13.589	0	465313	66.1	10.796	0.7%
SPRSPO-14-S-20260414	C34132	0.427	0.0984	3.85	45.4	0.446	20179	0.278	0.632	0.0640	0.146	J	D2602509.d	2026-04-29 21:13	1.638	13.754	45449	476496	66.1	10.796	3.1%
SPRSPO-15-S-20260414	C71565	0.725	0.167	6.53	45.4	0.446	20183	0.278	0.632	0.0640	0.146		D2602510.d	2026-04-29 21:39	1.638	13.754	79374	490351	66.1	10.796	6.1%
SPRSPO-16-S-20260414	C73574	0.893	0.206	8.04	45.4	0.446	20180	0.278	0.632	0.0640	0.146		D2602511.d	2026-04-29 22:05	1.638	13.754	97105	487156	66.1	10.796	5.4%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260414	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260414	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260414	9.5%	Pass	4.2%	Pass	6.0%	Pass	3.2%	Pass	4.2%	Pass
	SPRSPO-13-D-20260414	5.9%	Pass	5.0%	Pass	6.8%	Pass	8.6%	Pass	5.8%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602489.d	C69760	Cal	1.734	1.657	1.734	4.6%	-5.5%		Pass	
2026GA202 Method Blank-1	D2602490.d	C37448	Blank		1.657	1.734			1.8%	Pass	ND
M325B CCV 5	D2602501.d	C16067	Check	1.685	1.657	1.734	1.7%		2.4%	Pass	
M325B CCV 5 REC	D2602512.d	C16067	Check	1.712	1.657	1.734	3.3%		1.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602489.d	C69760	Cal	2.094	2.138	2.094	-2.1%	-5.5%		Pass	
2026GA202 Method Blank-1	D2602490.d	C37448	Blank		2.138	2.094			-0.62%	Pass	ND
M325B CCV 5	D2602501.d	C16067	Check	2.074	2.138	2.094	-3.0%		3.0%	Pass	
M325B CCV 5 REC	D2602512.d	C16067	Check	2.162	2.138	2.094	1.1%		2.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602489.d	C69760	Cal	2.122	2.315	2.122	-8.3%	-5.5%		Pass	
2026GA202 Method Blank-1	D2602490.d	C37448	Blank		2.315	2.122			-0.62%	Pass	ND
M325B CCV 5	D2602501.d	C16067	Check	2.026	2.315	2.122	-12%		3.0%	Pass	
M325B CCV 5 REC	D2602512.d	C16067	Check	2.112	2.315	2.122	-8.8%		2.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602489.d	C69760	Cal	1.601	1.850	1.601	-13%	-5.5%		Pass	
2026GA202 Method Blank-1	D2602490.d	C37448	Blank		1.850	1.601			-0.62%	Pass	ND
M325B CCV 5	D2602501.d	C16067	Check	1.448	1.850	1.601	-22%		3.0%	Pass	
M325B CCV 5 REC	D2602512.d	C16067	Check	1.492	1.850	1.601	-19%		2.0%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602489.d	C69760	Cal	1.638	1.883	1.638	-13%	-5.5%		Pass	
2026GA202 Method Blank-1	D2602490.d	C37448	Blank		1.883	1.638			-0.62%	Pass	ND
M325B CCV 5	D2602501.d	C16067	Check	1.494	1.883	1.638	-21%		3.0%	Pass	
M325B CCV 5 REC	D2602512.d	C16067	Check	1.556	1.883	1.638	-17%		2.0%	Pass	

Chromatograms


Name	2026GA202 Method Blank-1
Comment	C37448
Data File	D2602490.d
Acq. Date-Time	4/29/2026 1:01:59 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	458,437	
Benzene	benzene-d6 (IS)	8.167	8.160	8,692	
Toluene-d8 (IS)		10.795	10.796	459,217	
Toluene	Toluene-d8 (IS)	10.889	10.889	10,481	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	7,315	m
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	2,810	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	1,791	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602490.d
Counts
x10^3
13.754 min.
3.5
3.25
3
2.75
2.5
2.25
2
1.75
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.722-13.768 min, 7 scans) D2602490.d
Counts
x10^3
Lib Match Score=43.0
41.1
55.1
67.1
81.1
91.1
108.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-B-20260414
Comment	C00758
Data File	D2602491.d
Acq. Date-Time	4/29/2026 1:27:38 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	454,995	
Benzene	benzene-d6 (IS)	8.160	8.160	9,564	
Toluene-d8 (IS)		10.796	10.796	453,415	
Toluene	Toluene-d8 (IS)	10.889	10.889	14,619	
Ethylbenzene	Toluene-d8 (IS)	13.067	13.081	11,391	
m-/p-Xylenes	Toluene-d8 (IS)	13.396	13.252	ND	m
o-Xylene	Toluene-d8 (IS)	13.740	13.754	2,096	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602491.d
Counts
x10^3
13.740 min.
3.5
3
2.5
2
1.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.733-13.769 min, 5 scans) D2602491.d
Counts
x10^3
Lib Match Score=42.4
41.1
55.1
67.1
79.1
94.1
105.1
118.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260414
Comment	C60302
Data File	D2602492.d
Acq. Date-Time	4/29/2026 1:53:19 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	450,391	
Benzene	benzene-d6 (IS)	8.160	8.160	7,416	
Toluene-d8 (IS)		10.796	10.796	465,313	
Toluene	Toluene-d8 (IS)	10.889	10.889	10,533	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	1,948	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	2,098	
o-Xylene	Toluene-d8 (IS)	13.589	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602492.d
Counts
x10^3
3.5
3.25
3
2.75
2.5
2.25
2
1.75
1.5
* 13.589 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.589-13.589 min, 1 scans) D2602492.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.2
55.2
67.1
79.1
91.1
73.1
108.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260414
Comment	C39121
Data File	D2602493.d
Acq. Date-Time	4/29/2026 2:19:03 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.109	8.102	450,494	
Benzene	benzene-d6 (IS)	8.167	8.160	229,949	
Toluene-d8 (IS)		10.795	10.796	459,261	
Toluene	Toluene-d8 (IS)	10.889	10.889	712,311	
Ethylbenzene	Toluene-d8 (IS)	13.073	13.081	111,764	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.252	262,323	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	89,922	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602493.d
Counts
x10^5
0.8
0.6
0.4
0.2
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.711-13.790 min, 11 scans) D2602493.d
Lib Match Score=64.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260414
Comment	B16947
Data File	D2602494.d
Acq. Date-Time	4/29/2026 2:44:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	453,798	
Benzene	benzene-d6 (IS)	8.160	8.160	254,841	
Toluene-d8 (IS)		10.796	10.796	464,770	
Toluene	Toluene-d8 (IS)	10.889	10.889	751,513	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	120,077	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	274,015	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	87,283	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602494.d
Counts
x10^5
0.8
0.6
0.4
0.2
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.718-13.788 min, 10 scans) D2602494.d
Lib Match Score=66.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260414
Comment	C55489
Data File	D2602495.d
Acq. Date-Time	4/29/2026 3:10:38 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	456,794	
Benzene	benzene-d6 (IS)	8.167	8.160	124,599	
Toluene-d8 (IS)		10.796	10.796	466,503	
Toluene	Toluene-d8 (IS)	10.889	10.889	371,613	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	48,298	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	102,890	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	35,691	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602495.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.725-13.783 min, 8 scans) D2602495.d
Lib Match Score=56.7
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
81.1
120.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260414
Comment	C37495
Data File	D2602496.d
Acq. Date-Time	4/29/2026 3:36:27 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	458,638	
Benzene	benzene-d6 (IS)	8.167	8.160	107,634	
Toluene-d8 (IS)		10.796	10.796	464,567	
Toluene	Toluene-d8 (IS)	10.889	10.889	243,750	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	37,073	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	69,178	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	23,450	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602496.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.795 min, 10 scans) D2602496.d
Counts
x10^3
Lib Match Score=53.7
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
95.1
106.1
110.1
124.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260414
Comment	C57553
Data File	D2602497.d
Acq. Date-Time	4/29/2026 4:02:14 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	451,422	
Benzene	benzene-d6 (IS)	8.160	8.160	84,188	
Toluene-d8 (IS)		10.796	10.796	470,395	
Toluene	Toluene-d8 (IS)	10.889	10.889	207,965	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	25,374	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	63,495	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	22,137	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602497.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.781 min, 8 scans) D2602497.d
Lib Match Score=53.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260414
Comment	C39020
Data File	D2602498.d
Acq. Date-Time	4/29/2026 4:28:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	458,689	
Benzene	benzene-d6 (IS)	8.160	8.160	66,559	
Toluene-d8 (IS)		10.796	10.796	460,719	
Toluene	Toluene-d8 (IS)	10.889	10.889	150,351	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	20,167	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	35,142	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	11,467	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602498.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.719-13.783 min, 9 scans) D2602498.d
Lib Match Score=47.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260414
Comment	C32835
Data File	D2602499.d
Acq. Date-Time	4/29/2026 4:54:39 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	461,776	
Benzene	benzene-d6 (IS)	8.160	8.160	69,832	
Toluene-d8 (IS)		10.796	10.796	473,862	
Toluene	Toluene-d8 (IS)	10.889	10.889	179,996	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	18,920	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	32,664	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	13,837	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602499.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.726-13.790 min, 10 scans) D2602499.d
Lib Match Score=49.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
81.1
91.1
106.1
119.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260414
Comment	B34531
Data File	D2602500.d
Acq. Date-Time	4/29/2026 5:20:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	457,523	
Benzene	benzene-d6 (IS)	8.160	8.160	84,604	
Toluene-d8 (IS)		10.796	10.796	472,038	
Toluene	Toluene-d8 (IS)	10.889	10.889	335,554	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	25,675	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	47,854	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	18,102	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602500.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.726-13.795 min, 9 scans) D2602500.d
Counts
x10^3
Lib Match Score=51.0
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
111.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260414
Comment	C61572
Data File	D2602502.d
Acq. Date-Time	4/29/2026 6:12:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	457,165	
Benzene	benzene-d6 (IS)	8.160	8.160	74,949	
Toluene-d8 (IS)		10.796	10.796	477,726	
Toluene	Toluene-d8 (IS)	10.889	10.889	140,987	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	22,477	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	54,637	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	21,701	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602502.d
Counts
x10^4
2
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.712-13.785 min, 10 scans) D2602502.d
Counts
x10^3
Lib Match Score=50.7
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260414
Comment	C27848
Data File	D2602503.d
Acq. Date-Time	4/29/2026 6:37:44 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	465,101	
Benzene	benzene-d6 (IS)	8.167	8.160	104,650	
Toluene-d8 (IS)		10.796	10.796	478,340	
Toluene	Toluene-d8 (IS)	10.889	10.889	226,286	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	40,715	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	79,275	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	31,819	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602503.d
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.718-13.791 min, 11 scans) D2602503.d
Lib Match Score=52.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260414
Comment	C33438
Data File	D2602504.d
Acq. Date-Time	4/29/2026 7:03:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	456,304	
Benzene	benzene-d6 (IS)	8.160	8.160	99,601	
Toluene-d8 (IS)		10.796	10.796	468,566	
Toluene	Toluene-d8 (IS)	10.889	10.889	210,627	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	40,129	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	76,200	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	27,859	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602504.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.789 min, 9 scans) D2602504.d
Lib Match Score=54.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260414
Comment	C69659
Data File	D2602505.d
Acq. Date-Time	4/29/2026 7:29:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	457,697	
Benzene	benzene-d6 (IS)	8.167	8.160	104,461	
Toluene-d8 (IS)		10.796	10.796	471,954	
Toluene	Toluene-d8 (IS)	10.889	10.889	211,387	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	36,241	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	87,133	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	32,971	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602505.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.713-13.797 min, 12 scans) D2602505.d
Lib Match Score=52.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
81.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260414
Comment	B44468
Data File	D2602506.d
Acq. Date-Time	4/29/2026 7:55:12 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	460,133	
Benzene	benzene-d6 (IS)	8.160	8.160	162,632	
Toluene-d8 (IS)		10.796	10.796	476,085	
Toluene	Toluene-d8 (IS)	10.889	10.889	308,990	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	47,806	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	85,767	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	31,082	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602506.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.726-13.797 min, 10 scans) D2602506.d
Lib Match Score=54.2
Counts
x10^3
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260414
Comment	C71763
Data File	D2602507.d
Acq. Date-Time	4/29/2026 8:20:59 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	461,907	
Benzene	benzene-d6 (IS)	8.160	8.160	135,911	
Toluene-d8 (IS)		10.796	10.796	479,094	
Toluene	Toluene-d8 (IS)	10.889	10.889	319,010	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	54,440	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	137,537	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	50,278	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602507.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.713-13.782 min, 9 scans) D2602507.d
Counts
x10^3
Lib Match Score=59.1
91.1
106.1
41.1
55.1
67.1
79.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260414
Comment	C70605
Data File	D2602508.d
Acq. Date-Time	4/29/2026 8:47:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	459,258	
Benzene	benzene-d6 (IS)	8.160	8.160	127,420	
Toluene-d8 (IS)		10.796	10.796	476,600	
Toluene	Toluene-d8 (IS)	10.889	10.889	301,880	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	50,600	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	125,527	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	47,216	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602508.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.715-13.797 min, 11 scans) D2602508.d
Lib Match Score=57.7
Counts
x10^3
91.1
41.1
55.1
67.1
79.1
106.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260414
Comment	C34132
Data File	D2602509.d
Acq. Date-Time	4/29/2026 9:13:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	457,605	
Benzene	benzene-d6 (IS)	8.160	8.160	129,496	
Toluene-d8 (IS)		10.796	10.796	476,496	
Toluene	Toluene-d8 (IS)	10.889	10.889	327,026	
Ethylbenzene	Toluene-d8 (IS)	13.073	13.081	60,833	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	119,267	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	45,449	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602509.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.721-13.796 min, 10 scans) D2602509.d
Lib Match Score=55.8
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260414
Comment	C71565
Data File	D2602510.d
Acq. Date-Time	4/29/2026 9:39:17 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	472,847	
Benzene	benzene-d6 (IS)	8.160	8.160	186,457	
Toluene-d8 (IS)		10.796	10.796	490,351	
Toluene	Toluene-d8 (IS)	10.889	10.889	537,063	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	89,309	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	227,059	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	79,374	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602510.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.711-13.782 min, 10 scans) D2602510.d
Counts
x10^3
Lib Match Score=63.5
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260414
Comment	C73574
Data File	D2602511.d
Acq. Date-Time	4/29/2026 10:05:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	465,235	
Benzene	benzene-d6 (IS)	8.167	8.160	242,466	
Toluene-d8 (IS)		10.796	10.796	487,156	
Toluene	Toluene-d8 (IS)	10.889	10.889	669,913	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	116,876	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	285,244	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	97,105	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan D2602511.d
Counts
x10^5
0.8
0.6
0.4
0.2
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.704-13.789 min, 12 scans) D2602511.d
Counts
x10^3
Lib Match Score=64.5
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
111.1119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	1	D2601972.d	5.98	83301	56.3	474115	1.655	-0.0011
D040726A_CC185154	Benzene	2	D2601973.d	11.96	173112	56.3	475128	1.716	0.036
D040726A_CC185154	Benzene	3	D2601974.d	23.92	360003	56.3	474359	1.788	0.079
D040726A_CC185154	Benzene	4	D2601975.d	47.83	701865	56.3	475636	1.738	0.049
D040726A_CC185154	Benzene	5	D2601982.d	120.74	1377294	56.3	482140	1.333	-0.2
D040726A_CC185154	Benzene	6	D2601977.d	239.16	3512579	56.3	480207	1.723	0.04
D040726A_CC185154	Benzene	7	D2601978.d	717.49	9955487	56.3	474355	1.648	-0.0057
						Avg:	476563	1.657	
						%RSD:	0.7%	9.1%	
D040726A_CC185154	Toluene	1	D2601972.d	5.25	98735	66.1	488961	2.540	0.19
D040726A_CC185154	Toluene	2	D2601973.d	10.50	187038	66.1	487793	2.412	0.13
D040726A_CC185154	Toluene	3	D2601974.d	21.01	364416	66.1	478365	2.396	0.12
D040726A_CC185154	Toluene	4	D2601975.d	42.01	681970	66.1	498574	2.151	0.0061
D040726A_CC185154	Toluene	5	D2601982.d	106.04	1255918	66.1	480361	1.629	-0.24
D040726A_CC185154	Toluene	6	D2601977.d	210.06	3098245	66.1	501234	1.944	-0.091
D040726A_CC185154	Toluene	7	D2601978.d	630.17	8810137	66.1	487817	1.893	-0.11
						Avg:	489015	2.138	
						%RSD:	1.7%	15.5%	
D040726A_CC185154	Ethylbenzene	1	D2601972.d	5.46	98587	66.1	488961	2.441	0.054
D040726A_CC185154	Ethylbenzene	2	D2601973.d	10.92	191396	66.1	487793	2.375	0.026
D040726A_CC185154	Ethylbenzene	3	D2601974.d	21.83	424072	66.1	478365	2.683	0.16
D040726A_CC185154	Ethylbenzene	4	D2601975.d	43.66	853901	66.1	498574	2.591	0.12
D040726A_CC185154	Ethylbenzene	5	D2601982.d	110.21	1462291	66.1	480361	1.825	-0.21
D040726A_CC185154	Ethylbenzene	6	D2601977.d	218.31	3588565	66.1	501234	2.167	-0.064
D040726A_CC185154	Ethylbenzene	7	D2601978.d	654.94	10257434	66.1	487817	2.121	-0.084
						Avg:	489015	2.315	
						%RSD:	1.7%	12.9%	
D040726A_CC185154	m-/p-Xylenes	1	D2601972.d	6.12	93635	66.1	488961	2.068	0.12
D040726A_CC185154	m-/p-Xylenes	2	D2601973.d	12.23	164118	66.1	487793	1.817	-0.018
D040726A_CC185154	m-/p-Xylenes	3	D2601974.d	24.47	383883	66.1	478365	2.167	0.17
D040726A_CC185154	m-/p-Xylenes	4	D2601975.d	48.93	750706	66.1	498574	2.033	0.099
D040726A_CC185154	m-/p-Xylenes	5	D2601982.d	123.52	1338750	66.1	480361	1.491	-0.19
D040726A_CC185154	m-/p-Xylenes	6	D2601977.d	244.67	3122200	66.1	501234	1.682	-0.091
D040726A_CC185154	m-/p-Xylenes	7	D2601978.d	734.01	9179744	66.1	487817	1.694	-0.085
						Avg:	489015	1.850	
						%RSD:	1.7%	13.3%	
D040726A_CC185154	o-Xylene	1	D2601972.d	5.69	89361	66.1	488961	2.122	0.13
D040726A_CC185154	o-Xylene	2	D2601973.d	11.38	162805	66.1	487793	1.938	0.029
D040726A_CC185154	o-Xylene	3	D2601974.d	22.75	357275	66.1	478365	2.169	0.15

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA202-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	o-Xylene	4	D2601975.d	45.51	710513	66.1	498574	2.069	0.099
D040726A_CC185154	o-Xylene	5	D2601982.d	114.87	1268454	66.1	480361	1.519	-0.19
D040726A_CC185154	o-Xylene	6	D2601977.d	227.54	2930762	66.1	501234	1.698	-0.098
D040726A_CC185154	o-Xylene	7	D2601978.d	682.62	8389331	66.1	487817	1.664	-0.12
						Avg:	489015	1.883	
						%RSD:	1.7%	13.6%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	ICV	D2601979.d	178.34	2264657	56.3	480353	1.489	-10.0%
D040726A_CC185154	Toluene	ICV	D2601979.d	182.62	2373487	66.1	488019	1.759	-18.0%
D040726A_CC185154	Ethylbenzene	ICV	D2601979.d	180.57	2663581	66.1	488019	1.997	-14.0%
D040726A_CC185154	m-/p-Xylenes	ICV	D2601979.d	183.38	2085662	66.1	488019	1.540	-17.0%
D040726A_CC185154	o-Xylene	ICV	D2601979.d	183.73	2121448	66.1	488019	1.563	-17.0%

M325B PDF Report ver.20260421

Sample Custody

2026GA202

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Onterris™

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague South Portland	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	39 Main Street	**Project Number:**	PROJ-027968	**Sample Event #**	2026GA202
City:	South Portland	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@onterris.com		
Zip:	04106	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C39121	S	4/14/26	9:51 AM	4/28/26	10:40 AM	BC/KV		
1	B16947	D	4/14/26	9:51 AM	4/28/26	10:40 AM	BC/KV		
1	C00758	B	4/14/26	9:51 AM	4/28/26	10:40 AM	BC/KV		
2	C55489	S	4/14/26	10:00 AM	4/28/26	10:42 AM	BC/KV		
3	C37495	S	4/14/26	10:09 AM	4/28/26	10:44 AM	BC/KV		
4	C57553	S	4/14/26	10:13 AM	4/28/26	10:46 AM	BC/KV		
5	C39020	S	4/14/26	10:16 AM	4/28/26	10:48 AM	BC/KV		
6	C32835	S	4/14/26	10:22 AM	4/28/26	10:53 AM	BC/KV		
7	B34531	S	4/14/26	10:25 AM	4/28/26	10:56 AM	BC/KV		
8	C61572	S	4/14/26	10:30 AM	4/28/26	11:00 AM	BC/KV		
9	C27848	S	4/14/26	10:37 AM	4/28/26	11:09 AM	BC/KV		
10	C33438	S	4/14/26	10:39 AM	4/28/26	11:11 AM	BC/KV		
11	C69659	S	4/14/26	10:42 AM	4/28/26	11:13 AM	BC/KV		
12	B44468	S	4/14/26	10:45 AM	4/28/26	11:15 AM	BC/KV		
13	C71763	S	4/14/26	10:55 AM	4/28/26	11:17 AM	BC/KV		
13	C70605	D	4/14/26	10:55 AM	4/28/26	11:17 AM	BC/KV		
13	C60302	B	4/14/26	10:55 AM	4/28/26	11:17 AM	BC/KV		
14	C34132	S	4/14/26	11:00 AM	4/28/26	11:19 AM	BC/KV		
15	C71565	S	4/14/26	11:03 AM	4/28/26	11:26 AM	BC/KV		
16	C73574	S	4/14/26	11:08 AM	4/28/26	11:28 AM	BC/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	4/28/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Arella McCamy	Arella McCamy	04/29/26	10:45 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Ice Temp: / **Blank Temp:** 7.3° FLUKE4		Add Custody Seal # below: 23J02147	

Comments:

End cap replaced on Location 1 Sample

800-1 Capitola Drive • Durham, NC 27713 • (919) 832-4292 • Fax (919) 806-9012 • www.onterris.com

This Is The Last Page Of This Report.

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 47 Sprague - South Portland

Samples Received: 5/13/2026

Analytical Report
2026GA203

EPA Method 325B Analysis

Report Issue Date: 5/20/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 7
    Summary of Results . . . 8
    Detailed Results . . . 9
QC Data . . . 12
Chromatograms . . . 15
Initial Calibration . . . 79
Sample Custody . . . 82
    Chain of Custody . . . 83

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA203-1
Client ID.	Site: Sprague - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on May 13, 2026 at 13.7 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260428	C69577	Sample
SPRSPO-1-D-20260428	C69771	Duplicate
SPRSPO-1-B-20260428	C70899	Blank
SPRSPO-2-S-20260428	C36909	Sample
SPRSPO-3-S-20260428	B49637	Sample
SPRSPO-4-S-20260428	C20586	Sample
SPRSPO-5-S-20260428	C39165	Sample
SPRSPO-6-S-20260428	C71592	Sample
SPRSPO-7-S-20260428	C38589	Sample
SPRSPO-8-S-20260428	C56941	Sample
SPRSPO-9-S-20260428	C40572	Sample
SPRSPO-10-S-20260428	C55290	Sample
SPRSPO-11-S-20260428	C37418	Sample
SPRSPO-12-S-20260428	B50800	Sample
SPRSPO-13-S-20260428	C70585	Sample
SPRSPO-13-D-20260428	B47807	Duplicate
SPRSPO-13-B-20260428	C43382	Blank
SPRSPO-14-S-20260428	B52953	Sample
SPRSPO-15-S-20260428	C00682	Sample
SPRSPO-16-S-20260428	C40538	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B.MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA203-1
Client ID.	Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (GN121625A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

Benzene was detected in field blank SPRSPO-1-B-20260428 Tube ID C70899 at a concentration greater than one-third of the concentration of one or more samples, all of which have been flagged “B.” The source of the low-level contamination is not known but could be the result of artifacts on the tube, media/sample handling, analytical bias, or a combination thereof.

The primary sample SPRSPO-13-S-20260428 (tube ID C70585) and its corresponding duplicate SPRSPO-13-D-20260428 (tube ID B47807) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument’s calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged “Pc” for m-/p-Xylenes to denote this failure.

Benzene was detected in method blank "2026GA203 Method Blank-1". The source of the contamination is not known but could be the result of artifacts on the tube, media/sample handling, analytical bias, or a combination thereof. The lab believes that the sample data is not affected by the detection in the method blank.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA203-1
Client ID.	Site: Sprague - South Portland

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

EPA Method 325B states that a CCV is to be run after every tenth sample. Seventeen samples were inadvertently injected between two CCVs due to middle CCVs leak failing. This oversight, while a deviation from Method QC criteria, has no impact on data quality.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260428	C69577	1.77	B	2.77		0.663		2.07	Pc	0.673	
SPRSPO-1-D-20260428	C69771	1.59	B	2.73		0.657		2.18	Pc	0.703	
SPRSPO-1-B-20260428	C70899	0.876		0.403	J	0.276	ND	0.276	ND,Pc	0.276	ND
SPRSPO-2-S-20260428	C36909	1.40	B	1.75		0.338	J	0.795	Pc	0.276	ND
SPRSPO-3-S-20260428	B49637	0.754	B	2.47		0.443	J	0.908	Pc	0.309	J
SPRSPO-4-S-20260428	C20586	0.501	B	1.10		0.276	ND	0.370	J,Pc	0.276	ND
SPRSPO-5-S-20260428	C39165	0.772	B	0.798		0.276	ND	0.276	ND,Pc	0.276	ND
SPRSPO-6-S-20260428	C71592	1.33	B	1.05		0.276	ND	0.319	J,Pc	0.276	ND
SPRSPO-7-S-20260428	C38589	0.395	J,B	1.17		0.276	ND	0.357	J,Pc	0.276	ND
SPRSPO-8-S-20260428	C56941	0.537	B	1.15		0.276	ND	0.322	J,Pc	0.276	ND
SPRSPO-9-S-20260428	C40572	1.20	B	1.17		0.276	ND	0.478	J,Pc	0.276	ND
SPRSPO-10-S-20260428	C55290	1.01	B	1.16		0.276	ND	0.415	J,Pc	0.276	ND
SPRSPO-11-S-20260428	C37418	0.559	B	1.39		0.276	ND	0.549	J,Pc	0.276	ND
SPRSPO-12-S-20260428	B50800	1.21	B	1.67		0.276	ND	0.656	J,Pc	0.276	ND
SPRSPO-13-S-20260428	C70585	0.582	B	1.63		0.320	J	0.969	Pc	0.361	J
SPRSPO-13-D-20260428	B47807	0.634	B	1.83		0.281	J	0.638	J,Pc	0.276	ND
SPRSPO-13-B-20260428	C43382	0.189	ND	0.244	ND	0.276	ND	0.276	ND,Pc	0.276	ND
SPRSPO-14-S-20260428	B52953	0.562	B	1.45		0.322	J	0.724	Pc	0.276	ND
SPRSPO-15-S-20260428	C00682	0.854	B	2.94		0.605		1.65	Pc	0.595	J
SPRSPO-16-S-20260428	C40538	0.972	B	3.30		0.710		1.81	Pc	0.638	

B: Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260428	C69577	1.77	0.555	23.3	50.0	0.653	20183	0.190	0.451	0.0594	0.141	B	GN2602611.d	2026-05-13 17:40	1.553	8.059	239395	372056	56.3	8.002	-0.8%
SPRSPO-1-D-20260428	C69771	1.59	0.498	21.0	50.0	0.653	20183	0.190	0.451	0.0594	0.141	B	GN2602612.d	2026-05-13 18:05	1.553	8.059	212729	368020	56.3	7.995	-1.9%
SPRSPO-1-B-20260428	C70899	0.876	0.275	11.6	50.0	0.653	20183	0.190	0.451	0.0594	0.141		GN2602610.d	2026-05-13 17:15	1.553	8.052	116658	366431	56.3	7.995	-2.3%
SPRSPO-2-S-20260428	C36909	1.40	0.439	18.5	50.0	0.653	20193	0.190	0.450	0.0594	0.141	B	GN2602613.d	2026-05-13 18:30	1.553	8.060	186205	365277	56.3	7.995	-2.7%
SPRSPO-3-S-20260428	B49637	0.754	0.236	9.94	50.0	0.653	20195	0.190	0.450	0.0594	0.141	B	GN2602614.d	2026-05-13 18:56	1.553	8.052	101150	369213	56.3	7.995	-1.6%
SPRSPO-4-S-20260428	C20586	0.501	0.157	6.61	50.0	0.653	20196	0.190	0.450	0.0594	0.141	B	GN2602615.d	2026-05-13 19:21	1.553	8.059	65197	357914	56.3	7.995	-4.6%
SPRSPO-5-S-20260428	C39165	0.772	0.242	10.2	50.0	0.653	20221	0.189	0.450	0.0593	0.141	B	GN2602616.d	2026-05-13 19:47	1.553	8.059	103731	369236	56.3	7.995	-1.6%
SPRSPO-6-S-20260428	C71592	1.33	0.417	17.5	50.0	0.653	20201	0.190	0.450	0.0594	0.141	B	GN2602617.d	2026-05-13 20:13	1.553	8.059	179101	370354	56.3	7.995	-1.3%
SPRSPO-7-S-20260428	C38589	0.395	0.124	5.21	50.0	0.653	20204	0.190	0.450	0.0594	0.141	J,B	GN2602618.d	2026-05-13 20:38	1.553	8.059	51203	356605	56.3	8.002	-5.0%
SPRSPO-8-S-20260428	C56941	0.537	0.168	7.10	50.0	0.653	20218	0.189	0.450	0.0593	0.141	B	GN2602619.d	2026-05-13 21:03	1.553	8.052	71560	365904	56.3	7.995	-2.5%
SPRSPO-9-S-20260428	C40572	1.20	0.377	15.9	50.0	0.653	20212	0.189	0.450	0.0593	0.141	B	GN2602621.d	2026-05-13 21:54	1.553	8.052	158836	363066	56.3	7.995	-3.2%
SPRSPO-10-S-20260428	C55290	1.01	0.317	13.3	50.0	0.653	20214	0.189	0.450	0.0593	0.141	B	GN2602622.d	2026-05-13 22:19	1.553	8.060	137025	372620	56.3	8.002	-0.7%
SPRSPO-11-S-20260428	C37418	0.559	0.175	7.38	50.0	0.653	20217	0.189	0.450	0.0593	0.141	B	GN2602623.d	2026-05-13 22:44	1.553	8.059	72844	357901	56.3	8.002	-4.6%
SPRSPO-12-S-20260428	B50800	1.21	0.380	16.0	50.0	0.653	20220	0.189	0.450	0.0593	0.141	B	GN2602624.d	2026-05-13 23:09	1.553	8.059	162804	369047	56.3	8.002	-1.6%
SPRSPO-13-S-20260428	C70585	0.582	0.182	7.69	50.1	0.653	20223	0.189	0.450	0.0593	0.141	B	GN2602625.d	2026-05-13 23:35	1.553	8.060	76915	362891	56.3	7.995	-3.3%
SPRSPO-13-D-20260428	B47807	0.634	0.199	8.38	50.1	0.653	20225	0.189	0.450	0.0593	0.141	B	GN2602626.d	2026-05-14 00:00	1.553	8.060	86325	373929	56.3	7.995	-0.3%
SPRSPO-13-B-20260428	C43382	0.189	0.0593		50.1	0.653	20228	0.189	0.450	0.0593	0.141	ND	GN2602627.d	2026-05-14 00:26	1.553	8.059	12628	366290	56.3	7.995	-2.4%
SPRSPO-14-S-20260428	B52953	0.562	0.176	7.42	50.1	0.653	20233	0.189	0.450	0.0593	0.141	B	GN2602628.d	2026-05-14 00:51	1.553	8.060	76227	372543	56.3	8.002	-0.7%
SPRSPO-15-S-20260428	C00682	0.854	0.267	11.3	50.1	0.653	20226	0.189	0.450	0.0593	0.141	B	GN2602629.d	2026-05-14 01:17	1.553	8.059	112604	362400	56.3	8.002	-3.4%
SPRSPO-16-S-20260428	C40538	0.972	0.305	12.8	50.1	0.653	20224	0.189	0.450	0.0593	0.141	B	GN2602630.d	2026-05-14 01:42	1.553	8.059	130827	369692	56.3	8.002	-1.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260428	C69577	2.77	0.735	28.3	50.0	0.507	20183	0.244	0.510	0.0649	0.135		GN2602611.d	2026-05-13 17:40	1.817	10.789	312713	401866	66.1	10.688	-1.1%
SPRSPO-1-D-20260428	C69771	2.73	0.725	27.9	50.0	0.507	20183	0.244	0.510	0.0649	0.135		GN2602612.d	2026-05-13 18:05	1.817	10.788	306526	399307	66.1	10.688	-1.7%
SPRSPO-1-B-20260428	C70899	0.403	0.107	4.12	50.0	0.507	20183	0.244	0.510	0.0649	0.135	J	GN2602610.d	2026-05-13 17:15	1.817	10.781	44225	390292	66.1	10.688	-4.0%
SPRSPO-2-S-20260428	C36909	1.75	0.464	17.9	50.0	0.507	20193	0.244	0.510	0.0649	0.135		GN2602613.d	2026-05-13 18:30	1.817	10.789	186873	379865	66.1	10.688	-6.5%
SPRSPO-3-S-20260428	B49637	2.47	0.656	25.3	50.0	0.507	20195	0.244	0.510	0.0649	0.135		GN2602614.d	2026-05-13 18:56	1.817	10.789	280319	402888	66.1	10.688	-0.9%
SPRSPO-4-S-20260428	C20586	1.10	0.291	11.2	50.0	0.507	20196	0.244	0.510	0.0649	0.135		GN2602615.d	2026-05-13 19:21	1.817	10.788	116662	378266	66.1	10.688	-6.9%
SPRSPO-5-S-20260428	C39165	0.798	0.212	8.18	50.0	0.507	20221	0.244	0.509	0.0648	0.135		GN2602616.d	2026-05-13 19:47	1.817	10.789	88661	394096	66.1	10.688	-3.0%
SPRSPO-6-S-20260428	C71592	1.05	0.279	10.8	50.0	0.507	20201	0.244	0.510	0.0648	0.135		GN2602617.d	2026-05-13 20:13	1.817	10.788	117792	398160	66.1	10.688	-2.0%
SPRSPO-7-S-20260428	C38589	1.17	0.312	12.0	50.0	0.507	20204	0.244	0.509	0.0648	0.135		GN2602618.d	2026-05-13 20:38	1.817	10.788	124082	375236	66.1	10.688	-7.7%
SPRSPO-8-S-20260428	C56941	1.15	0.305	11.8	50.0	0.507	20218	0.244	0.509	0.0648	0.135		GN2602619.d	2026-05-13 21:03	1.817	10.789	128770	397632	66.1	10.688	-2.2%
SPRSPO-9-S-20260428	C40572	1.17	0.310	11.9	50.0	0.507	20212	0.244	0.509	0.0648	0.135		GN2602621.d	2026-05-13 21:54	1.817	10.789	123285	375347	66.1	10.688	-7.6%
SPRSPO-10-S-20260428	C55290	1.16	0.309	11.9	50.0	0.507	20214	0.244	0.509	0.0648	0.135		GN2602622.d	2026-05-13 22:19	1.817	10.789	130880	399122	66.1	10.689	-1.8%
SPRSPO-11-S-20260428	C37418	1.39	0.368	14.2	50.0	0.507	20217	0.244	0.509	0.0648	0.135		GN2602623.d	2026-05-13 22:44	1.817	10.789	148124	379005	66.1	10.688	-6.7%
SPRSPO-12-S-20260428	B50800	1.67	0.443	17.1	50.0	0.507	20220	0.244	0.509	0.0648	0.135		GN2602624.d	2026-05-13 23:09	1.817	10.789	191642	407840	66.1	10.688	0.4%
SPRSPO-13-S-20260428	C70585	1.63	0.433	16.7	50.1	0.507	20223	0.244	0.509	0.0648	0.135		GN2602625.d	2026-05-13 23:35	1.817	10.789	179151	389348	66.1	10.688	-4.2%
SPRSPO-13-D-20260428	B47807	1.83	0.485	18.7	50.1	0.507	20225	0.244	0.509	0.0648	0.135		GN2602626.d	2026-05-14 00:00	1.817	10.789	201996	392570	66.1	10.689	-3.4%
SPRSPO-13-B-20260428	C43382	0.244	0.0648		50.1	0.507	20228	0.244	0.509	0.0648	0.135	ND	GN2602627.d	2026-05-14 00:26	1.817	10.789	18671	388076	66.1	10.688	-4.5%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260428	B52953	1.45	0.385	14.9	50.1	0.507	20233	0.244	0.509	0.0647	0.135		GN2602628.d	2026-05-14 00:51	1.817	10.789	168952	412852	66.1	10.688	1.6%
SPRSPO-15-S-20260428	C00682	2.94	0.780	30.1	50.1	0.507	20226	0.244	0.509	0.0648	0.135		GN2602629.d	2026-05-14 01:17	1.817	10.788	313763	378725	66.1	10.688	-6.8%
SPRSPO-16-S-20260428	C40538	3.30	0.877	33.8	50.1	0.507	20224	0.244	0.509	0.0648	0.135		GN2602630.d	2026-05-14 01:42	1.817	10.789	360931	387850	66.1	10.688	-4.6%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260428	C69577	0.663	0.153	6.00	50.0	0.448	20183	0.276	0.599	0.0637	0.138		GN2602611.d	2026-05-13 17:40	1.881	12.973	68634	401866	66.1	10.688	-1.1%
SPRSPO-1-D-20260428	C69771	0.657	0.152	5.95	50.0	0.448	20183	0.276	0.599	0.0637	0.138		GN2602612.d	2026-05-13 18:05	1.881	12.973	67642	399307	66.1	10.688	-1.7%
SPRSPO-1-B-20260428	C70899	0.276	0.0637		50.0	0.448	20183	0.276	0.599	0.0637	0.138	ND	GN2602610.d	2026-05-13 17:15	1.881	12.973	1368	390292	66.1	10.688	-4.0%
SPRSPO-2-S-20260428	C36909	0.338	0.0780	3.06	50.0	0.448	20193	0.276	0.599	0.0636	0.138	J	GN2602613.d	2026-05-13 18:30	1.881	12.973	33144	379865	66.1	10.688	-6.5%
SPRSPO-3-S-20260428	B49637	0.443	0.102	4.01	50.0	0.448	20195	0.276	0.599	0.0636	0.138	J	GN2602614.d	2026-05-13 18:56	1.881	12.974	46035	402888	66.1	10.688	-0.9%
SPRSPO-4-S-20260428	C20586	0.276	0.0636		50.0	0.448	20196	0.276	0.599	0.0636	0.138	ND	GN2602615.d	2026-05-13 19:21	1.881	12.966	16903	378266	66.1	10.688	-6.9%
SPRSPO-5-S-20260428	C39165	0.276	0.0636		50.0	0.448	20221	0.276	0.598	0.0636	0.138	ND	GN2602616.d	2026-05-13 19:47	1.881	12.973	12809	394096	66.1	10.688	-3.0%
SPRSPO-6-S-20260428	C71592	0.276	0.0636		50.0	0.448	20201	0.276	0.599	0.0636	0.138	ND	GN2602617.d	2026-05-13 20:13	1.881	12.973	11946	398160	66.1	10.688	-2.0%
SPRSPO-7-S-20260428	C38589	0.276	0.0636		50.0	0.448	20204	0.276	0.599	0.0636	0.138	ND	GN2602618.d	2026-05-13 20:38	1.881	12.973	15695	375236	66.1	10.688	-7.7%
SPRSPO-8-S-20260428	C56941	0.276	0.0636		50.0	0.448	20218	0.276	0.598	0.0636	0.138	ND	GN2602619.d	2026-05-13 21:03	1.881	12.973	18517	397632	66.1	10.688	-2.2%
SPRSPO-9-S-20260428	C40572	0.276	0.0636		50.0	0.448	20212	0.276	0.598	0.0636	0.138	ND	GN2602621.d	2026-05-13 21:54	1.881	12.973	21903	375347	66.1	10.688	-7.6%
SPRSPO-10-S-20260428	C55290	0.276	0.0636		50.0	0.448	20214	0.276	0.598	0.0636	0.138	ND	GN2602622.d	2026-05-13 22:19	1.881	12.974	16395	399122	66.1	10.689	-1.8%
SPRSPO-11-S-20260428	C37418	0.276	0.0636		50.0	0.448	20217	0.276	0.598	0.0636	0.138	ND	GN2602623.d	2026-05-13 22:44	1.881	12.973	18022	379005	66.1	10.688	-6.7%
SPRSPO-12-S-20260428	B50800	0.276	0.0636		50.0	0.448	20220	0.276	0.598	0.0636	0.138	ND	GN2602624.d	2026-05-13 23:09	1.881	12.973	27819	407840	66.1	10.688	0.4%
SPRSPO-13-S-20260428	C70585	0.320	0.0738	2.91	50.1	0.448	20223	0.276	0.598	0.0635	0.138	J	GN2602625.d	2026-05-13 23:35	1.881	12.974	32211	389348	66.1	10.688	-4.2%
SPRSPO-13-D-20260428	B47807	0.281	0.0647	2.54	50.1	0.448	20225	0.276	0.598	0.0635	0.138	J	GN2602626.d	2026-05-14 00:00	1.881	12.966	28450	392570	66.1	10.689	-3.4%
SPRSPO-13-B-20260428	C43382	0.276	0.0635		50.1	0.448	20228	0.276	0.598	0.0635	0.138	ND	GN2602627.d	2026-05-14 00:26	1.881	12.966	1300	388076	66.1	10.688	-4.5%
SPRSPO-14-S-20260428	B52953	0.322	0.0743	2.92	50.1	0.448	20233	0.276	0.598	0.0635	0.138	J	GN2602628.d	2026-05-14 00:51	1.881	12.966	34388	412852	66.1	10.688	1.6%
SPRSPO-15-S-20260428	C00682	0.605	0.139	5.49	50.1	0.448	20226	0.276	0.598	0.0635	0.138		GN2602629.d	2026-05-14 01:17	1.881	12.973	59178	378725	66.1	10.688	-6.8%
SPRSPO-16-S-20260428	C40538	0.710	0.164	6.44	50.1	0.448	20224	0.276	0.598	0.0635	0.138		GN2602630.d	2026-05-14 01:42	1.881	12.973	71143	387850	66.1	10.688	-4.6%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260428	C69577	2.07	0.477	18.7	50.0	0.448	20183	0.276	0.672	0.0637	0.155	Pc	GN2602611.d	2026-05-13 17:40	1.443	13.145	164336	401866	66.1	10.688	-1.1%
SPRSPO-1-D-20260428	C69771	2.18	0.502	19.7	50.0	0.448	20183	0.276	0.672	0.0637	0.155	Pc	GN2602612.d	2026-05-13 18:05	1.443	13.145	171936	399307	66.1	10.688	-1.7%
SPRSPO-1-B-20260428	C70899	0.276	0.0637		50.0	0.448	20183	0.276	0.672	0.0637	0.155	ND,Pc	GN2602610.d	2026-05-13 17:15	1.443	12.973	0	390292	66.1	10.688	-4.0%
SPRSPO-2-S-20260428	C36909	0.795	0.183	7.20	50.0	0.448	20193	0.276	0.671	0.0636	0.155	Pc	GN2602613.d	2026-05-13 18:30	1.443	13.145	59729	379865	66.1	10.688	-6.5%
SPRSPO-3-S-20260428	B49637	0.908	0.209	8.22	50.0	0.448	20195	0.276	0.671	0.0636	0.155	Pc	GN2602614.d	2026-05-13 18:56	1.443	13.145	72391	402888	66.1	10.688	-0.9%
SPRSPO-4-S-20260428	C20586	0.370	0.0852	3.35	50.0	0.448	20196	0.276	0.671	0.0636	0.155	J,Pc	GN2602615.d	2026-05-13 19:21	1.443	13.145	27678	378266	66.1	10.688	-6.9%
SPRSPO-5-S-20260428	C39165	0.276	0.0636		50.0	0.448	20221	0.276	0.670	0.0636	0.154	ND,Pc	GN2602616.d	2026-05-13 19:47	1.443	13.145	19543	394096	66.1	10.688	-3.0%
SPRSPO-6-S-20260428	C71592	0.319	0.0735	2.89	50.0	0.448	20201	0.276	0.671	0.0636	0.155	J,Pc	GN2602617.d	2026-05-13 20:13	1.443	13.145	25130	398160	66.1	10.688	-2.0%
SPRSPO-7-S-20260428	C38589	0.357	0.0822	3.23	50.0	0.448	20204	0.276	0.671	0.0636	0.155	J,Pc	GN2602618.d	2026-05-13 20:38	1.443	13.145	26485	375236	66.1	10.688	-7.7%
SPRSPO-8-S-20260428	C56941	0.322	0.0742	2.92	50.0	0.448	20218	0.276	0.670	0.0636	0.154	J,Pc	GN2602619.d	2026-05-13 21:03	1.443	13.145	25350	397632	66.1	10.688	-2.2%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260428	C40572	0.478	0.110	4.33	50.0	0.448	20212	0.276	0.671	0.0636	0.155	J,Pc	GN2602621.d	2026-05-13 21:54	1.443	13.145	35504	375347	66.1	10.688	-7.6%
SPRSPO-10-S-20260428	C55290	0.415	0.0957	3.76	50.0	0.448	20214	0.276	0.671	0.0636	0.155	J,Pc	GN2602622.d	2026-05-13 22:19	1.443	13.145	32822	399122	66.1	10.689	-1.8%
SPRSPO-11-S-20260428	C37418	0.549	0.126	4.98	50.0	0.448	20217	0.276	0.670	0.0636	0.154	J,Pc	GN2602623.d	2026-05-13 22:44	1.443	13.145	41195	379005	66.1	10.688	-6.7%
SPRSPO-12-S-20260428	B50800	0.656	0.151	5.94	50.0	0.448	20220	0.276	0.670	0.0636	0.154	J,Pc	GN2602624.d	2026-05-13 23:09	1.443	13.145	52962	407840	66.1	10.688	0.4%
SPRSPO-13-S-20260428	C70585	0.969	0.223	8.78	50.1	0.448	20223	0.276	0.670	0.0635	0.154	Pc	GN2602625.d	2026-05-13 23:35	1.443	13.145	74718	389348	66.1	10.688	-4.2%
SPRSPO-13-D-20260428	B47807	0.638	0.147	5.79	50.1	0.448	20225	0.276	0.670	0.0635	0.154	J,Pc	GN2602626.d	2026-05-14 00:00	1.443	13.145	49623	392570	66.1	10.689	-3.4%
SPRSPO-13-B-20260428	C43382	0.276	0.0635		50.1	0.448	20228	0.276	0.670	0.0635	0.154	ND,Pc	GN2602627.d	2026-05-14 00:26	1.443	13.188	104	388076	66.1	10.688	-4.5%
SPRSPO-14-S-20260428	B52953	0.724	0.167	6.57	50.1	0.448	20233	0.276	0.670	0.0635	0.154	Pc	GN2602628.d	2026-05-14 00:51	1.443	13.145	59263	412852	66.1	10.688	1.6%
SPRSPO-15-S-20260428	C00682	1.65	0.381	15.0	50.1	0.448	20226	0.276	0.670	0.0635	0.154	Pc	GN2602629.d	2026-05-14 01:17	1.443	13.145	124106	378725	66.1	10.688	-6.8%
SPRSPO-16-S-20260428	C40538	1.81	0.417	16.4	50.1	0.448	20224	0.276	0.670	0.0635	0.154	Pc	GN2602630.d	2026-05-14 01:42	1.443	13.145	139121	387850	66.1	10.688	-4.6%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260428	C69577	0.673	0.155	6.09	50.0	0.448	20183	0.276	0.625	0.0637	0.144		GN2602611.d	2026-05-13 17:40	1.486	13.647	55066	401866	66.1	10.688	-1.1%
SPRSPO-1-D-20260428	C69771	0.703	0.162	6.36	50.0	0.448	20183	0.276	0.625	0.0637	0.144		GN2602612.d	2026-05-13 18:05	1.486	13.647	57156	399307	66.1	10.688	-1.7%
SPRSPO-1-B-20260428	C70899	0.276	0.0637		50.0	0.448	20183	0.276	0.625	0.0637	0.144	ND	GN2602610.d	2026-05-13 17:15	1.486	13.647	1224	390292	66.1	10.688	-4.0%
SPRSPO-2-S-20260428	C36909	0.276	0.0636		50.0	0.448	20193	0.276	0.624	0.0636	0.144	ND	GN2602613.d	2026-05-13 18:30	1.486	13.647	19797	379865	66.1	10.688	-6.5%
SPRSPO-3-S-20260428	B49637	0.309	0.0711	2.79	50.0	0.448	20195	0.276	0.624	0.0636	0.144	J	GN2602614.d	2026-05-13 18:56	1.486	13.647	25321	402888	66.1	10.688	-0.9%
SPRSPO-4-S-20260428	C20586	0.276	0.0636		50.0	0.448	20196	0.276	0.624	0.0636	0.144	ND	GN2602615.d	2026-05-13 19:21	1.486	13.646	9080	378266	66.1	10.688	-6.9%
SPRSPO-5-S-20260428	C39165	0.276	0.0636		50.0	0.448	20221	0.276	0.623	0.0636	0.144	ND	GN2602616.d	2026-05-13 19:47	1.486	13.647	6573	394096	66.1	10.688	-3.0%
SPRSPO-6-S-20260428	C71592	0.276	0.0636		50.0	0.448	20201	0.276	0.624	0.0636	0.144	ND	GN2602617.d	2026-05-13 20:13	1.486	13.646	10432	398160	66.1	10.688	-2.0%
SPRSPO-7-S-20260428	C38589	0.276	0.0636		50.0	0.448	20204	0.276	0.624	0.0636	0.144	ND	GN2602618.d	2026-05-13 20:38	1.486	13.647	9817	375236	66.1	10.688	-7.7%
SPRSPO-8-S-20260428	C56941	0.276	0.0636		50.0	0.448	20218	0.276	0.623	0.0636	0.144	ND	GN2602619.d	2026-05-13 21:03	1.486	13.647	8423	397632	66.1	10.688	-2.2%
SPRSPO-9-S-20260428	C40572	0.276	0.0636		50.0	0.448	20212	0.276	0.624	0.0636	0.144	ND	GN2602621.d	2026-05-13 21:54	1.486	13.647	15106	375347	66.1	10.688	-7.6%
SPRSPO-10-S-20260428	C55290	0.276	0.0636		50.0	0.448	20214	0.276	0.624	0.0636	0.144	ND	GN2602622.d	2026-05-13 22:19	1.486	13.647	12838	399122	66.1	10.689	-1.8%
SPRSPO-11-S-20260428	C37418	0.276	0.0636		50.0	0.448	20217	0.276	0.623	0.0636	0.144	ND	GN2602623.d	2026-05-13 22:44	1.486	13.647	17566	379005	66.1	10.688	-6.7%
SPRSPO-12-S-20260428	B50800	0.276	0.0636		50.0	0.448	20220	0.276	0.623	0.0636	0.144	ND	GN2602624.d	2026-05-13 23:09	1.486	13.647	19878	407840	66.1	10.688	0.4%
SPRSPO-13-S-20260428	C70585	0.361	0.0832	3.27	50.1	0.448	20223	0.276	0.623	0.0635	0.144	J	GN2602625.d	2026-05-13 23:35	1.486	13.647	28652	389348	66.1	10.688	-4.2%
SPRSPO-13-D-20260428	B47807	0.276	0.0635		50.1	0.448	20225	0.276	0.623	0.0635	0.144	ND	GN2602626.d	2026-05-14 00:00	1.486	13.647	19287	392570	66.1	10.689	-3.4%
SPRSPO-13-B-20260428	C43382	0.276	0.0635		50.1	0.448	20228	0.276	0.623	0.0635	0.144	ND	GN2602627.d	2026-05-14 00:26	1.486	14.091	0	388076	66.1	10.688	-4.5%
SPRSPO-14-S-20260428	B52953	0.276	0.0635		50.1	0.448	20233	0.276	0.623	0.0635	0.144	ND	GN2602628.d	2026-05-14 00:51	1.486	13.647	22018	412852	66.1	10.688	1.6%
SPRSPO-15-S-20260428	C00682	0.595	0.137	5.40	50.1	0.448	20226	0.276	0.623	0.0635	0.144	J	GN2602629.d	2026-05-14 01:17	1.486	13.654	45970	378725	66.1	10.688	-6.8%
SPRSPO-16-S-20260428	C40538	0.638	0.147	5.78	50.1	0.448	20224	0.276	0.623	0.0635	0.144		GN2602630.d	2026-05-14 01:42	1.486	13.647	50458	387850	66.1	10.688	-4.6%

B: Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte
J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260428	0.876	Fail	0.403	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260428	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260428	11%	Pass	1.4%	Pass	0.82%	Pass	5.2%	Pass	4.4%	Pass
	SPRSPO-13-D-20260428	8.5%	Pass	11%	Pass	13%	Pass	41%	Fail	ND	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602608.d	C02222	Cal	1.553	1.459	1.553	6.4%	13%		Pass	
2026GA203 Method Blank-1	GN2602609.d	C01456	Blank		1.459	1.553			1.0%	Fail	
M325B CCV 5 REC	GN2602620.d	C02222	Check	1.609	1.459	1.553	10%		-4.0%	Pass	
M325B CCV 5	GN2602642.d	C32843	Check	1.549	1.459	1.553	6.2%		-1.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602608.d	C02222	Cal	1.817	1.816	1.817	0.080%	7.3%		Pass	
2026GA203 Method Blank-1	GN2602609.d	C01456	Blank		1.816	1.817			1.4%	Pass	ND
M325B CCV 5 REC	GN2602620.d	C02222	Check	1.851	1.816	1.817	1.9%		-3.8%	Pass	
M325B CCV 5	GN2602642.d	C32843	Check	1.930	1.816	1.817	6.3%		-0.42%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602608.d	C02222	Cal	1.881	2.036	1.881	-7.6%	7.3%		Pass	
2026GA203 Method Blank-1	GN2602609.d	C01456	Blank		2.036	1.881			1.4%	Pass	ND
M325B CCV 5 REC	GN2602620.d	C02222	Check	1.896	2.036	1.881	-6.9%		-3.8%	Pass	
M325B CCV 5	GN2602642.d	C32843	Check	1.955	2.036	1.881	-4.0%		-0.42%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602608.d	C02222	Cal	1.443	1.586	1.443	-9.0%	7.3%		Pass	
2026GA203 Method Blank-1	GN2602609.d	C01456	Blank		1.586	1.443			1.4%	Pass	ND
M325B CCV 5 REC	GN2602620.d	C02222	Check	1.433	1.586	1.443	-9.6%		-3.8%	Pass	
M325B CCV 5	GN2602642.d	C32843	Check	1.520	1.586	1.443	-4.1%		-0.42%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602608.d	C02222	Cal	1.486	1.623	1.486	-8.4%	7.3%		Pass	
2026GA203 Method Blank-1	GN2602609.d	C01456	Blank		1.623	1.486			1.4%	Pass	ND
M325B CCV 5 REC	GN2602620.d	C02222	Check	1.491	1.623	1.486	-8.1%		-3.8%	Pass	
M325B CCV 5	GN2602642.d	C32843	Check	1.532	1.623	1.486	-5.6%		-0.42%	Pass	

Chromatograms


Name	2026GA203 Method Blank-1
Comment	C01456
Data File	GN2602609.d
Acq. Date-Time	5/13/2026 4:49:58 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	379,038	
Benzene	benzene-d6 (IS)	8.052	8.059	97,465	
Toluene-d8 (IS)		10.688	10.688	411,938	
Toluene	Toluene-d8 (IS)	10.781	10.789	25,883	
Ethylbenzene	Toluene-d8 (IS)	12.959	12.973	2,235	m
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	2,000	
o-Xylene	Toluene-d8 (IS)	13.639	13.647	511	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602609.d
Counts
x10^3
2
1.8
1.6
1.4
1.2
1
* 13.639 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.632-13.669 min, 5 scans) GN2602609.d
Lib Match Score=46.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
94.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-B-20260428
Comment	C70899
Data File	GN2602610.d
Acq. Date-Time	5/13/2026 5:15:15 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	366,431	
Benzene	benzene-d6 (IS)	8.052	8.059	116,658	
Toluene-d8 (IS)		10.688	10.688	390,292	
Toluene	Toluene-d8 (IS)	10.781	10.789	44,225	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	1,368	
m-/p-Xylenes	Toluene-d8 (IS)	12.973	13.145	ND	m
o-Xylene	Toluene-d8 (IS)	13.647	13.647	1,224	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602610.d
Counts
x10^3
* 13.647 min.
1.7
1.6
1.5
1.4
1.3
1.2
1.1
1
0.9
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.587-13.668 min, 12 scans) GN2602610.d
Counts
x10^3
Lib Match Score=46.0
41.1
55.1
67.1
77.1
93.1
105.1
120.1
73.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260428
Comment	C69577
Data File	GN2602611.d
Acq. Date-Time	5/13/2026 5:40:30 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	372,056	
Benzene	benzene-d6 (IS)	8.059	8.059	239,395	
Toluene-d8 (IS)		10.688	10.688	401,866	
Toluene	Toluene-d8 (IS)	10.789	10.789	312,713	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	68,634	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	164,336	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	55,066	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602611.d
Counts
x10^4
6
5
4
3
2
1
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.612-13.696 min, 11 scans) GN2602611.d
Counts
x10^3
Lib Match Score=69.7
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.2119.1
41.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260428
Comment	C69771
Data File	GN2602612.d
Acq. Date-Time	5/13/2026 6:05:46 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	368,020	
Benzene	benzene-d6 (IS)	8.059	8.059	212,729	
Toluene-d8 (IS)		10.688	10.688	399,307	
Toluene	Toluene-d8 (IS)	10.788	10.789	306,526	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	67,642	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	171,936	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	57,156	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602612.d
Counts
x10^4
6
5
4
3
2
1
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.614-13.687 min, 10 scans) GN2602612.d
Lib Match Score=70.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
51.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260428
Comment	C36909
Data File	GN2602613.d
Acq. Date-Time	5/13/2026 6:30:59 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	365,277	
Benzene	benzene-d6 (IS)	8.060	8.059	186,205	
Toluene-d8 (IS)		10.688	10.688	379,865	
Toluene	Toluene-d8 (IS)	10.789	10.789	186,873	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	33,144	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	59,729	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	19,797	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602613.d
Counts
x10^4
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.616-13.680 min, 9 scans) GN2602613.d
Lib Match Score=60.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260428
Comment	B49637
Data File	GN2602614.d
Acq. Date-Time	5/13/2026 6:56:15 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	369,213	
Benzene	benzene-d6 (IS)	8.052	8.059	101,150	
Toluene-d8 (IS)		10.688	10.688	402,888	
Toluene	Toluene-d8 (IS)	10.789	10.789	280,319	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	46,035	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	72,391	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	25,321	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602614.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.694 min, 11 scans) GN2602614.d
Counts
x10^3
Lib Match Score=60.7
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260428
Comment	C20586
Data File	GN2602615.d
Acq. Date-Time	5/13/2026 7:21:23 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	357,914	
Benzene	benzene-d6 (IS)	8.059	8.059	65,197	
Toluene-d8 (IS)		10.688	10.688	378,266	
Toluene	Toluene-d8 (IS)	10.788	10.789	116,662	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	16,903	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	27,678	
o-Xylene	Toluene-d8 (IS)	13.646	13.647	9,080	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602615.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.646 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.616-13.675 min, 8 scans) GN2602615.d
Lib Match Score=54.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260428
Comment	C39165
Data File	GN2602616.d
Acq. Date-Time	5/13/2026 7:47:34 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	369,236	
Benzene	benzene-d6 (IS)	8.059	8.059	103,731	
Toluene-d8 (IS)		10.688	10.688	394,096	
Toluene	Toluene-d8 (IS)	10.789	10.789	88,661	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	12,809	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	19,543	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	6,573	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602616.d
Counts
x10^4
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.623-13.673 min, 7 scans) GN2602616.d
Lib Match Score=52.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
120.1
73.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260428
Comment	C71592
Data File	GN2602617.d
Acq. Date-Time	5/13/2026 8:13:01 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	370,354	
Benzene	benzene-d6 (IS)	8.059	8.059	179,101	
Toluene-d8 (IS)		10.688	10.688	398,160	
Toluene	Toluene-d8 (IS)	10.788	10.789	117,792	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	11,946	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	25,130	
o-Xylene	Toluene-d8 (IS)	13.646	13.647	10,432	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602617.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.646 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.682 min, 9 scans) GN2602617.d
Lib Match Score=52.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260428
Comment	C38589
Data File	GN2602618.d
Acq. Date-Time	5/13/2026 8:38:22 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	356,605	
Benzene	benzene-d6 (IS)	8.059	8.059	51,203	
Toluene-d8 (IS)		10.688	10.688	375,236	
Toluene	Toluene-d8 (IS)	10.788	10.789	124,082	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	15,695	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	26,485	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	9,817	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602618.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.620-13.690 min, 10 scans) GN2602618.d
Counts
x10^3
Lib Match Score=53.1
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260428
Comment	C56941
Data File	GN2602619.d
Acq. Date-Time	5/13/2026 9:03:43 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	365,904	
Benzene	benzene-d6 (IS)	8.052	8.059	71,560	
Toluene-d8 (IS)		10.688	10.688	397,632	
Toluene	Toluene-d8 (IS)	10.789	10.789	128,770	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	18,517	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	25,350	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	8,423	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602619.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.615-13.683 min, 9 scans) GN2602619.d
Lib Match Score=53.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260428
Comment	C40572
Data File	GN2602621.d
Acq. Date-Time	5/13/2026 9:54:06 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	363,066	
Benzene	benzene-d6 (IS)	8.052	8.059	158,836	
Toluene-d8 (IS)		10.688	10.688	375,347	
Toluene	Toluene-d8 (IS)	10.789	10.789	123,285	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	21,903	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	35,504	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	15,106	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602621.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.618-13.701 min, 12 scans) GN2602621.d
Counts
x10^3
Lib Match Score=55.8
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
79.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260428
Comment	C55290
Data File	GN2602622.d
Acq. Date-Time	5/13/2026 10:19:17 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	372,620	
Benzene	benzene-d6 (IS)	8.060	8.059	137,025	
Toluene-d8 (IS)		10.689	10.688	399,122	
Toluene	Toluene-d8 (IS)	10.789	10.789	130,880	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	16,395	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	32,822	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	12,838	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602622.d
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.623-13.684 min, 9 scans) GN2602622.d
Counts
x10^3
Lib Match Score=55.2
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260428
Comment	C37418
Data File	GN2602623.d
Acq. Date-Time	5/13/2026 10:44:32 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	357,901	
Benzene	benzene-d6 (IS)	8.059	8.059	72,844	
Toluene-d8 (IS)		10.688	10.688	379,005	
Toluene	Toluene-d8 (IS)	10.789	10.789	148,124	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	18,022	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	41,195	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	17,566	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602623.d
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.605-13.680 min, 10 scans) GN2602623.d
Counts
x10^3
Lib Match Score=57.8
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260428
Comment	B50800
Data File	GN2602624.d
Acq. Date-Time	5/13/2026 11:09:51 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	369,047	
Benzene	benzene-d6 (IS)	8.059	8.059	162,804	
Toluene-d8 (IS)		10.688	10.688	407,840	
Toluene	Toluene-d8 (IS)	10.789	10.789	191,642	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	27,819	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	52,962	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	19,878	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602624.d
Counts
x10^4
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.617-13.713 min, 14 scans) GN2602624.d
Lib Match Score=56.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260428
Comment	C70585
Data File	GN2602625.d
Acq. Date-Time	5/13/2026 11:35:09 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	362,891	
Benzene	benzene-d6 (IS)	8.060	8.059	76,915	
Toluene-d8 (IS)		10.688	10.688	389,348	
Toluene	Toluene-d8 (IS)	10.789	10.789	179,151	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	32,211	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	74,718	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	28,652	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602625.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.683 min, 9 scans) GN2602625.d
Counts
x10^3
Lib Match Score=62.8
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260428
Comment	B47807
Data File	GN2602626.d
Acq. Date-Time	5/14/2026 12:00:25 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	373,929	
Benzene	benzene-d6 (IS)	8.060	8.059	86,325	
Toluene-d8 (IS)		10.689	10.688	392,570	
Toluene	Toluene-d8 (IS)	10.789	10.789	201,996	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	28,450	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	49,623	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	19,287	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602626.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.615-13.675 min, 8 scans) GN2602626.d
Counts
x10^3
Lib Match Score=59.4
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260428
Comment	C43382
Data File	GN2602627.d
Acq. Date-Time	5/14/2026 12:26:27 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	366,290	
Benzene	benzene-d6 (IS)	8.059	8.059	12,628	
Toluene-d8 (IS)		10.688	10.688	388,076	
Toluene	Toluene-d8 (IS)	10.789	10.789	18,671	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	1,300	
m-/p-Xylenes	Toluene-d8 (IS)	13.188	13.145	104	
o-Xylene	Toluene-d8 (IS)	14.091	13.647	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602627.d
Counts
x10^3
1.75
1.5
1.25
1
0.75
0.5
0.25
0
* 14.091 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (14.091-14.091 min, 1 scans) GN2602627.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
95.1
75.1
41.1
50.1
68.1
87.1
105.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260428
Comment	B52953
Data File	GN2602628.d
Acq. Date-Time	5/14/2026 12:51:45 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	372,543	
Benzene	benzene-d6 (IS)	8.060	8.059	76,227	
Toluene-d8 (IS)		10.688	10.688	412,852	
Toluene	Toluene-d8 (IS)	10.789	10.789	168,952	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	34,388	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	59,263	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	22,018	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602628.d
Counts
x10^4
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.619-13.681 min, 8 scans) GN2602628.d
Lib Match Score=61.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260428
Comment	C00682
Data File	GN2602629.d
Acq. Date-Time	5/14/2026 1:17:04 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	362,400	
Benzene	benzene-d6 (IS)	8.059	8.059	112,604	
Toluene-d8 (IS)		10.688	10.688	378,725	
Toluene	Toluene-d8 (IS)	10.788	10.789	313,763	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	59,178	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	124,106	
o-Xylene	Toluene-d8 (IS)	13.654	13.647	45,970	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602629.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.618-13.704 min, 12 scans) GN2602629.d
Lib Match Score=65.6
Counts
x10^3
91.1
41.1
55.1
67.1
77.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260428
Comment	C40538
Data File	GN2602630.d
Acq. Date-Time	5/14/2026 1:42:20 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	369,692	
Benzene	benzene-d6 (IS)	8.059	8.059	130,827	
Toluene-d8 (IS)		10.688	10.688	387,850	
Toluene	Toluene-d8 (IS)	10.789	10.789	360,931	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	71,143	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	139,121	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	50,458	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan GN2602630.d
Counts
x10^4
13.647 min.
Acquisition Time (min)


+ Scan (13.618-13.700 min, 12 scans) GN2602630.d
Lib Match Score=66.5
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
117.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	Benzene	1	GN2501852.d	5.94	55576	56.3	332802	1.584	0.086
GN121625A_CC185154	Benzene	2	GN2501853.d	11.88	105856	56.3	327485	1.533	0.051
GN121625A_CC185154	Benzene	3	GN2501854.d	23.76	181486	56.3	331293	1.299	-0.11
GN121625A_CC185154	Benzene	4	GN2501855.d	47.52	353674	56.3	329366	1.273	-0.13
GN121625A_CC185154	Benzene	5	GN2501862.d	120.44	1128769	56.3	350483	1.506	0.032
GN121625A_CC185154	Benzene	6	GN2501857.d	237.58	2126487	56.3	325374	1.550	0.062
GN121625A_CC185154	Benzene	7	GN2501858.d	712.73	6101684	56.3	328403	1.468	0.0065
						Avg:	332172	1.459	
						%RSD:	2.5%	8.5%	
GN121625A_CC185154	Toluene	1	GN2501852.d	5.22	63850	66.1	370172	2.184	0.2
GN121625A_CC185154	Toluene	2	GN2501853.d	10.43	114053	66.1	365714	1.975	0.088
GN121625A_CC185154	Toluene	3	GN2501854.d	20.87	204237	66.1	379443	1.704	-0.061
GN121625A_CC185154	Toluene	4	GN2501855.d	41.73	379499	66.1	396764	1.514	-0.17
GN121625A_CC185154	Toluene	5	GN2501862.d	105.78	1152738	66.1	402330	1.789	-0.014
GN121625A_CC185154	Toluene	6	GN2501857.d	208.66	2113716	66.1	365482	1.831	0.0085
GN121625A_CC185154	Toluene	7	GN2501858.d	625.99	6012718	66.1	370916	1.711	-0.058
						Avg:	378689	1.816	
						%RSD:	4.0%	11.8%	
GN121625A_CC185154	Ethylbenzene	1	GN2501852.d	5.42	69841	66.1	370172	2.299	0.13
GN121625A_CC185154	Ethylbenzene	2	GN2501853.d	10.84	133345	66.1	365714	2.221	0.091
GN121625A_CC185154	Ethylbenzene	3	GN2501854.d	21.69	260455	66.1	379443	2.091	0.027
GN121625A_CC185154	Ethylbenzene	4	GN2501855.d	43.37	473762	66.1	396764	1.819	-0.11
GN121625A_CC185154	Ethylbenzene	5	GN2501862.d	109.94	1213646	66.1	402330	1.813	-0.11
GN121625A_CC185154	Ethylbenzene	6	GN2501857.d	216.87	2478024	66.1	365482	2.065	0.015
GN121625A_CC185154	Ethylbenzene	7	GN2501858.d	650.60	7088385	66.1	370916	1.941	-0.047
						Avg:	378689	2.036	
						%RSD:	4.0%	9.3%	
GN121625A_CC185154	m-/p-Xylenes	1	GN2501852.d	6.08	60329	66.1	370172	1.772	0.12
GN121625A_CC185154	m-/p-Xylenes	2	GN2501853.d	12.15	117660	66.1	365714	1.749	0.1
GN121625A_CC185154	m-/p-Xylenes	3	GN2501854.d	24.30	236581	66.1	379443	1.695	0.069
GN121625A_CC185154	m-/p-Xylenes	4	GN2501855.d	48.61	419454	66.1	396764	1.437	-0.094
GN121625A_CC185154	m-/p-Xylenes	5	GN2501862.d	123.21	1010169	66.1	402330	1.346	-0.15
GN121625A_CC185154	m-/p-Xylenes	6	GN2501857.d	243.05	2102079	66.1	365482	1.563	-0.014
GN121625A_CC185154	m-/p-Xylenes	7	GN2501858.d	729.15	6305677	66.1	370916	1.540	-0.029
						Avg:	378689	1.586	
						%RSD:	4.0%	10.1%	
GN121625A_CC185154	o-Xylene	1	GN2501852.d	5.65	58227	66.1	370172	1.839	0.13
GN121625A_CC185154	o-Xylene	2	GN2501853.d	11.30	112830	66.1	365714	1.803	0.11
GN121625A_CC185154	o-Xylene	3	GN2501854.d	22.60	229395	66.1	379443	1.767	0.089

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA203-1 EPA Method 325B Analysis
Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	o-Xylene	4	GN2501855.d	45.21	396408	66.1	396764	1.460	-0.1
GN121625A_CC185154	o-Xylene	5	GN2501862.d	114.58	960624	66.1	402330	1.377	-0.15
GN121625A_CC185154	o-Xylene	6	GN2501857.d	226.03	1981547	66.1	365482	1.585	-0.024
GN121625A_CC185154	o-Xylene	7	GN2501858.d	678.09	5821829	66.1	370916	1.529	-0.058
						Avg:	378689	1.623	
						%RSD:	4.0%	11.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	Benzene	ICV	GN2501859.d	443.05	3664850	56.3	332400	1.402	-3.9%
GN121625A_CC185154	Toluene	ICV	GN2501859.d	453.68	4209275	66.1	382695	1.602	-12.0%
GN121625A_CC185154	Ethylbenzene	ICV	GN2501859.d	448.57	4669816	66.1	382695	1.797	-12.0%
GN121625A_CC185154	m-/p-Xylenes	ICV	GN2501859.d	455.55	3557308	66.1	382695	1.348	-15.0%
GN121625A_CC185154	o-Xylene	ICV	GN2501859.d	456.43	3560083	66.1	382695	1.347	-17.0%

M325B PDF Report ver.20260421

Sample Custody

2026 GA 203

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Sprague South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	39 Main Street	Project Number:	PROJ-027968	Sample Event #	2026GA203
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@onterris.com		
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C69577	S	4/28/26	10:40 AM	5/12/26	11:03 AM	KV/PT		
1	C69771	D	4/28/26	10:40 AM	5/12/26	11:03 AM	KV/PT		
1	C70899	B	4/28/26	10:40 AM	5/12/26	11:03 AM	KV/PT		
2	C36909	S	4/28/26	10:42 AM	5/12/26	11:15 AM	KV/PT		
3	B49637	S	4/28/26	10:44 AM	5/12/26	11:19 AM	KV/PT		
4	C20586	S	4/28/26	10:46 AM	5/12/26	11:22 AM	KV/PT		
5	C39165	S	4/28/26	10:48 AM	5/12/26	11:49 AM	KV/PT		
6	C71592	S	4/28/26	10:53 AM	5/12/26	11:34 AM	KV/PT		
7	C38589	S	4/28/26	10:56 AM	5/12/26	11:40 AM	KV/PT		
8	C56941	S	4/28/26	11:00 AM	5/12/26	11:58 AM	KV/PT		
9	C40572	S	4/28/26	11:09 AM	5/12/26	12:01 PM	KV/PT		
10	C55290	S	4/28/26	11:11 AM	5/12/26	12:05 PM	KV/PT		
11	C37418	S	4/28/26	11:13 AM	5/12/26	12:10 PM	KV/PT		
12	B50800	S	4/28/26	11:15 AM	5/12/26	12:15 PM	KV/PT		
13	C70585	S	4/28/26	11:17 AM	5/12/26	12:20 PM	KV/PT		
13	B47807	D	4/28/26	11:17 AM	5/12/26	12:22 PM	KV/PT		
13	C43382	B	4/28/26	11:17 AM	5/12/26	12:25 PM	KV/PT		
14	B52953	S	4/28/26	11:19 AM	5/12/26	12:32 PM	KV/PT		
15	C00682	S	4/28/26	11:26 AM	5/12/26	12:32 PM	KV/PT		
16	C40538	S	4/28/26	11:28 AM	5/12/26	12:32 PM	KV/PT		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Phil True	PT	5/12/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Susan Pierce	Susan Pierce	5/13/2026	10:00 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
mp: Blank Temp: 13.7 Fluke 4		Add Custody Seal # below: 25E08997	

Comments:

This Is The Last Page Of This Report.

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 48 Sprague - South Portland

Client Project# PROJ-027968
Samples Received: 5/27/2026

Analytical Report
2026GA204

EPA Method 325B Analysis

Report Issue Date: 6/3/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 15
Initial Calibration 79
Sample Custody 82
    Chain of Custody 83

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA204-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on May 27, 2026 at 16.2 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260512	B48525	Sample
SPRSPO-1-D-20260512	C70202	Duplicate
SPRSPO-1-B-20260512	C43688	Blank
SPRSPO-2-S-20260512	B46241	Sample
SPRSPO-3-S-20260512	B34975	Sample
SPRSPO-4-S-20260512	C70057	Sample
SPRSPO-5-S-20260512	C39229	Sample
SPRSPO-6-S-20260512	C73599	Sample
SPRSPO-7-S-20260512	C55517	Sample
SPRSPO-8-S-20260512	C43208	Sample
SPRSPO-9-S-20260512	C01849	Sample
SPRSPO-10-S-20260512	B51012	Sample
SPRSPO-11-S-20260512	C40517	Sample
SPRSPO-12-S-20260512	C40159	Sample
SPRSPO-13-S-20260512	C56900	Sample
SPRSPO-13-D-20260512	C43291	Duplicate
SPRSPO-13-B-20260512	C37478	Blank
SPRSPO-14-S-20260512	C57580	Sample
SPRSPO-15-S-20260512	C20509	Sample
SPRSPO-16-S-20260512	C33016	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B.MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA204-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (GN121625A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSPO-1-S-20260512 (tube ID B48525) and its corresponding duplicate SPRSPO-1-D-20260512 (tube ID C70202) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. All samples in the data set have been flagged “P” for m-/p-Xylenes to denote this failure.

The primary sample SPRSPO-1-S-20260512 (tube ID B48525) and its corresponding duplicate SPRSPO-1-D-20260512 (tube ID C70202) failed to meet the 30% difference criterion for o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument’s calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged “Pc” for o-Xylene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260512	B48525	1.37		4.23		0.814		2.28	P	0.762	Pc
SPRSPO-1-D-20260512	C70202	1.30		4.81		1.01		3.52	P	1.15	Pc
SPRSPO-1-B-20260512	C43688	0.189	ND	0.244	ND	0.276	ND	0.276	ND,P	0.276	ND,Pc
SPRSPO-2-S-20260512	B46241	0.644		2.00		0.360	J	0.973	P	0.345	J,Pc
SPRSPO-3-S-20260512	B34975	0.604		1.59		0.319	J	0.769	P	0.275	ND,Pc
SPRSPO-4-S-20260512	C70057	0.773		2.01		0.353	J	1.14	P	0.394	J,Pc
SPRSPO-5-S-20260512	C39229	0.455		1.32		0.276	ND	0.592	J,P	0.276	ND,Pc
SPRSPO-6-S-20260512	C73599	0.429	J	1.19		0.275	ND	0.483	J,P	0.275	ND,Pc
SPRSPO-7-S-20260512	C55517	0.482		2.25		0.275	ND	0.650	J,P	0.275	ND,Pc
SPRSPO-8-S-20260512	C43208	0.413	J	1.02		0.276	ND	0.433	J,P	0.276	ND,Pc
SPRSPO-9-S-20260512	C01849	0.561		1.35		0.276	ND	0.635	J,P	0.276	ND,Pc
SPRSPO-10-S-20260512	B51012	0.496		1.32		0.276	ND	0.591	J,P	0.276	ND,Pc
SPRSPO-11-S-20260512	C40517	0.505		1.34		0.276	ND	0.609	J,P	0.276	ND,Pc
SPRSPO-12-S-20260512	C40159	0.609		1.85		0.338	J	0.851	P	0.298	J,Pc
SPRSPO-13-S-20260512	C56900	0.671		2.11		0.413	J	1.23	P	0.415	J,Pc
SPRSPO-13-D-20260512	C43291	0.709		2.12		0.426	J	1.23	P	0.424	J,Pc
SPRSPO-13-B-20260512	C37478	0.190	ND	0.245	ND	0.276	ND	0.276	ND,P	0.276	ND,Pc
SPRSPO-14-S-20260512	C57580	0.784		2.48		0.515	J	1.45	P	0.525	J,Pc
SPRSPO-15-S-20260512	C20509	1.19		4.06		0.810		1.95	P	0.702	Pc
SPRSPO-16-S-20260512	C33016	1.40		5.12		1.07		2.85	P	1.00	Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260512	B48525	1.37	0.430	18.1	58.4	0.658	20069	0.189	0.450	0.0593	0.141		GN2602840.d	2026-05-27 15:07	1.577	8.059	162214	319659	56.3	7.995	0.5%
SPRSPO-1-D-20260512	C70202	1.30	0.408	17.2	58.4	0.658	20069	0.189	0.450	0.0593	0.141		GN2602841.d	2026-05-27 15:32	1.577	8.059	150623	312262	56.3	8.002	-1.8%
SPRSPO-1-B-20260512	C43688	0.189	0.0593		58.4	0.658	20069	0.189	0.450	0.0593	0.141	ND	GN2602838.d	2026-05-27 14:16	1.577	8.059	7021	308976	56.3	8.002	-2.8%
SPRSPO-2-S-20260512	B46241	0.644	0.202	8.52	58.5	0.658	20097	0.189	0.449	0.0592	0.141		GN2602842.d	2026-05-27 15:57	1.577	8.060	75516	316754	56.3	7.995	-0.4%
SPRSPO-3-S-20260512	B34975	0.604	0.189	8.00	58.5	0.658	20096	0.189	0.449	0.0592	0.141		GN2602843.d	2026-05-27 16:22	1.577	8.060	70651	315660	56.3	8.002	-0.7%
SPRSPO-4-S-20260512	C70057	0.773	0.242	10.2	58.5	0.658	20095	0.189	0.449	0.0592	0.141		GN2602844.d	2026-05-27 16:48	1.577	8.059	90689	316932	56.3	7.995	-0.3%
SPRSPO-5-S-20260512	C39229	0.455	0.142	6.01	58.5	0.658	20069	0.189	0.450	0.0593	0.141		GN2602845.d	2026-05-27 17:14	1.577	8.060	53476	318095	56.3	7.995	0.0%
SPRSPO-6-S-20260512	C73599	0.429	0.134	5.67	58.5	0.658	20090	0.189	0.449	0.0592	0.141	J	GN2602846.d	2026-05-27 17:39	1.577	8.060	49891	314411	56.3	8.002	-1.1%
SPRSPO-7-S-20260512	C55517	0.482	0.151	6.38	58.5	0.658	20086	0.189	0.449	0.0592	0.141		GN2602847.d	2026-05-27 18:04	1.577	8.060	57608	322701	56.3	7.995	1.5%
SPRSPO-8-S-20260512	C43208	0.413	0.129	5.46	58.5	0.658	20047	0.189	0.450	0.0593	0.141	J	GN2602849.d	2026-05-27 18:55	1.577	8.059	48593	318187	56.3	8.002	0.1%
SPRSPO-9-S-20260512	C01849	0.561	0.176	7.40	58.4	0.658	20023	0.190	0.451	0.0594	0.141		GN2602850.d	2026-05-27 19:20	1.577	8.059	65830	317864	56.3	7.995	0.0%
SPRSPO-10-S-20260512	B51012	0.496	0.155	6.54	58.4	0.658	20022	0.190	0.451	0.0594	0.141		GN2602874.d	2026-05-28 08:58	1.577	8.052	57681	315178	56.3	7.995	-0.9%
SPRSPO-11-S-20260512	C40517	0.505	0.158	6.65	58.5	0.658	20019	0.190	0.451	0.0594	0.141		GN2602852.d	2026-05-27 20:08	1.577	8.059	57912	310931	56.3	8.002	-2.2%
SPRSPO-12-S-20260512	C40159	0.609	0.191	8.02	58.5	0.658	20018	0.190	0.451	0.0594	0.141		GN2602853.d	2026-05-27 20:33	1.577	8.060	71225	317133	56.3	8.002	-0.3%
SPRSPO-13-S-20260512	C56900	0.671	0.210	8.85	58.5	0.658	20017	0.190	0.451	0.0594	0.141		GN2602854.d	2026-05-27 20:59	1.577	8.060	77173	311555	56.3	8.002	-2.0%
SPRSPO-13-D-20260512	C43291	0.709	0.222	9.34	58.5	0.658	20015	0.190	0.451	0.0594	0.141		GN2602855.d	2026-05-27 21:25	1.577	8.059	82438	315381	56.3	8.002	-0.8%
SPRSPO-13-B-20260512	C37478	0.190	0.0594		58.5	0.658	20012	0.190	0.451	0.0594	0.141	ND	GN2602839.d	2026-05-27 14:42	1.577	8.052	8833	321129	56.3	7.995	1.0%
SPRSPO-14-S-20260512	C57580	0.784	0.246	10.3	58.4	0.658	19988	0.190	0.451	0.0595	0.141		GN2602856.d	2026-05-27 21:50	1.577	8.060	89067	308262	56.3	8.002	-3.1%
SPRSPO-15-S-20260512	C20509	1.19	0.374	15.7	58.4	0.658	19986	0.190	0.451	0.0595	0.141		GN2602857.d	2026-05-27 22:15	1.577	8.060	136550	310838	56.3	8.002	-2.2%
SPRSPO-16-S-20260512	C33016	1.40	0.439	18.4	58.4	0.658	19987	0.190	0.451	0.0595	0.141		GN2602858.d	2026-05-27 22:40	1.577	8.060	161391	312794	56.3	8.002	-1.6%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260512	B48525	4.23	1.12	43.3	58.4	0.511	20069	0.244	0.509	0.0647	0.135		GN2602840.d	2026-05-27 15:07	1.922	10.789	424655	336784	66.1	10.688	0.5%
SPRSPO-1-D-20260512	C70202	4.81	1.28	49.3	58.4	0.511	20069	0.244	0.509	0.0647	0.135		GN2602841.d	2026-05-27 15:32	1.922	10.788	474621	331172	66.1	10.688	-1.2%
SPRSPO-1-B-20260512	C43688	0.244	0.0647		58.4	0.511	20069	0.244	0.509	0.0647	0.135	ND	GN2602838.d	2026-05-27 14:16	1.922	10.789	11281	331906	66.1	10.688	-1.0%
SPRSPO-2-S-20260512	B46241	2.00	0.531	20.5	58.5	0.511	20097	0.243	0.508	0.0646	0.135		GN2602842.d	2026-05-27 15:57	1.922	10.789	201042	336578	66.1	10.688	0.4%
SPRSPO-3-S-20260512	B34975	1.59	0.423	16.3	58.5	0.511	20096	0.243	0.508	0.0647	0.135		GN2602843.d	2026-05-27 16:22	1.922	10.789	157669	331706	66.1	10.688	-1.0%
SPRSPO-4-S-20260512	C70057	2.01	0.535	20.7	58.5	0.511	20095	0.243	0.508	0.0647	0.135		GN2602844.d	2026-05-27 16:48	1.922	10.789	201957	335913	66.1	10.688	0.2%
SPRSPO-5-S-20260512	C39229	1.32	0.351	13.5	58.5	0.511	20069	0.244	0.509	0.0647	0.135		GN2602845.d	2026-05-27 17:14	1.922	10.789	131255	333187	66.1	10.689	-0.6%
SPRSPO-6-S-20260512	C73599	1.19	0.317	12.3	58.5	0.511	20090	0.244	0.508	0.0647	0.135		GN2602846.d	2026-05-27 17:39	1.922	10.789	118087	331345	66.1	10.688	-1.2%
SPRSPO-7-S-20260512	C55517	2.25	0.597	23.1	58.5	0.511	20086	0.244	0.508	0.0647	0.135		GN2602847.d	2026-05-27 18:04	1.922	10.789	228157	340188	66.1	10.688	1.5%
SPRSPO-8-S-20260512	C43208	1.02	0.271	10.5	58.5	0.511	20047	0.244	0.509	0.0648	0.135		GN2602849.d	2026-05-27 18:55	1.922	10.788	104833	344888	66.1	10.688	2.9%
SPRSPO-9-S-20260512	C01849	1.35	0.358	13.8	58.4	0.511	20023	0.244	0.510	0.0649	0.135		GN2602850.d	2026-05-27 19:20	1.922	10.789	134557	334999	66.1	10.696	-0.1%
SPRSPO-10-S-20260512	B51012	1.32	0.349	13.5	58.4	0.511	20022	0.244	0.510	0.0649	0.135		GN2602874.d	2026-05-28 08:58	1.922	10.789	128190	327486	66.1	10.688	-2.3%
SPRSPO-11-S-20260512	C40517	1.34	0.355	13.7	58.5	0.511	20019	0.244	0.510	0.0649	0.135		GN2602852.d	2026-05-27 20:08	1.922	10.789	132533	333236	66.1	10.688	-0.6%
SPRSPO-12-S-20260512	C40159	1.85	0.492	19.0	58.5	0.511	20018	0.244	0.510	0.0649	0.135		GN2602853.d	2026-05-27 20:33	1.922	10.789	187336	339693	66.1	10.688	1.3%
SPRSPO-13-S-20260512	C56900	2.11	0.561	21.6	58.5	0.511	20017	0.244	0.510	0.0649	0.135		GN2602854.d	2026-05-27 20:59	1.922	10.789	214186	340831	66.1	10.688	1.7%
SPRSPO-13-D-20260512	C43291	2.12	0.564	21.7	58.5	0.511	20015	0.244	0.510	0.0649	0.135		GN2602855.d	2026-05-27 21:25	1.922	10.789	211774	335406	66.1	10.688	0.1%
SPRSPO-13-B-20260512	C37478	0.245	0.0649		58.5	0.511	20012	0.245	0.510	0.0649	0.135	ND	GN2602839.d	2026-05-27 14:42	1.922	10.789	10598	344017	66.1	10.688	2.6%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260512	C57580	2.48	0.658	25.3	58.4	0.511	19988	0.245	0.511	0.0650	0.136		GN2602856.d	2026-05-27 21:50	1.922	10.789	247223	336077	66.1	10.688	0.3%
SPRSPO-15-S-20260512	C20509	4.06	1.08	41.5	58.4	0.511	19986	0.245	0.511	0.0650	0.136		GN2602857.d	2026-05-27 22:15	1.922	10.789	397952	329992	66.1	10.688	-1.6%
SPRSPO-16-S-20260512	C33016	5.12	1.36	52.3	58.4	0.511	19987	0.245	0.511	0.0650	0.136		GN2602858.d	2026-05-27 22:40	1.922	10.789	500429	329233	66.1	10.688	-1.8%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260512	B48525	0.814	0.188	7.38	58.4	0.452	20069	0.276	0.598	0.0635	0.138		GN2602840.d	2026-05-27 15:07	2.094	12.973	78789	336784	66.1	10.688	0.5%
SPRSPO-1-D-20260512	C70202	1.01	0.233	9.16	58.4	0.452	20069	0.276	0.598	0.0635	0.138		GN2602841.d	2026-05-27 15:32	2.094	12.973	96190	331172	66.1	10.688	-1.2%
SPRSPO-1-B-20260512	C43688	0.276	0.0635		58.4	0.452	20069	0.276	0.598	0.0635	0.138	ND	GN2602838.d	2026-05-27 14:16	2.094	12.973	1863	331906	66.1	10.688	-1.0%
SPRSPO-2-S-20260512	B46241	0.360	0.0829	3.27	58.5	0.452	20097	0.275	0.597	0.0634	0.138	J	GN2602842.d	2026-05-27 15:57	2.094	12.974	34852	336578	66.1	10.688	0.4%
SPRSPO-3-S-20260512	B34975	0.319	0.0735	2.90	58.5	0.452	20096	0.275	0.597	0.0634	0.138	J	GN2602843.d	2026-05-27 16:22	2.094	12.973	30477	331706	66.1	10.688	-1.0%
SPRSPO-4-S-20260512	C70057	0.353	0.0814	3.21	58.5	0.452	20095	0.275	0.597	0.0634	0.138	J	GN2602844.d	2026-05-27 16:48	2.094	12.966	34151	335913	66.1	10.688	0.2%
SPRSPO-5-S-20260512	C39229	0.276	0.0635		58.5	0.452	20069	0.276	0.598	0.0635	0.138	ND	GN2602845.d	2026-05-27 17:14	2.094	12.974	20913	333187	66.1	10.689	-0.6%
SPRSPO-6-S-20260512	C73599	0.275	0.0634		58.5	0.452	20090	0.275	0.597	0.0634	0.138	ND	GN2602846.d	2026-05-27 17:39	2.094	12.973	15954	331345	66.1	10.688	-1.2%
SPRSPO-7-S-20260512	C55517	0.275	0.0635		58.5	0.452	20086	0.275	0.597	0.0635	0.138	ND	GN2602847.d	2026-05-27 18:04	2.094	12.973	22669	340188	66.1	10.688	1.5%
SPRSPO-8-S-20260512	C43208	0.276	0.0636		58.5	0.452	20047	0.276	0.598	0.0636	0.138	ND	GN2602849.d	2026-05-27 18:55	2.094	12.973	15966	344888	66.1	10.688	2.9%
SPRSPO-9-S-20260512	C01849	0.276	0.0637		58.4	0.452	20023	0.276	0.599	0.0637	0.138	ND	GN2602850.d	2026-05-27 19:20	2.094	12.973	23410	334999	66.1	10.696	-0.1%
SPRSPO-10-S-20260512	B51012	0.276	0.0637		58.4	0.452	20022	0.276	0.599	0.0637	0.138	ND	GN2602874.d	2026-05-28 08:58	2.094	12.966	21655	327486	66.1	10.688	-2.3%
SPRSPO-11-S-20260512	C40517	0.276	0.0637		58.5	0.452	20019	0.276	0.599	0.0637	0.138	ND	GN2602852.d	2026-05-27 20:08	2.094	12.973	21943	333236	66.1	10.688	-0.6%
SPRSPO-12-S-20260512	C40159	0.338	0.0779	3.06	58.5	0.452	20018	0.276	0.599	0.0637	0.138	J	GN2602853.d	2026-05-27 20:33	2.094	12.974	32925	339693	66.1	10.688	1.3%
SPRSPO-13-S-20260512	C56900	0.413	0.0951	3.73	58.5	0.452	20017	0.276	0.599	0.0637	0.138	J	GN2602854.d	2026-05-27 20:59	2.094	12.966	40347	340831	66.1	10.688	1.7%
SPRSPO-13-D-20260512	C43291	0.426	0.0981	3.85	58.5	0.452	20015	0.276	0.599	0.0637	0.138	J	GN2602855.d	2026-05-27 21:25	2.094	12.973	40935	335406	66.1	10.688	0.1%
SPRSPO-13-B-20260512	C37478	0.276	0.0637		58.5	0.452	20012	0.276	0.599	0.0637	0.138	ND	GN2602839.d	2026-05-27 14:42	2.094	12.966	1421	344017	66.1	10.688	2.6%
SPRSPO-14-S-20260512	C57580	0.515	0.119	4.65	58.4	0.452	19988	0.277	0.600	0.0638	0.138	J	GN2602856.d	2026-05-27 21:50	2.094	12.973	49540	336077	66.1	10.688	0.3%
SPRSPO-15-S-20260512	C20509	0.810	0.187	7.31	58.4	0.452	19986	0.277	0.600	0.0638	0.138		GN2602857.d	2026-05-27 22:15	2.094	12.974	76502	329992	66.1	10.688	-1.6%
SPRSPO-16-S-20260512	C33016	1.07	0.247	9.69	58.4	0.452	19987	0.277	0.600	0.0638	0.138		GN2602858.d	2026-05-27 22:40	2.094	12.973	101092	329233	66.1	10.688	-1.8%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260512	B48525	2.28	0.525	20.7	58.4	0.452	20069	0.276	0.670	0.0635	0.154	P	GN2602840.d	2026-05-27 15:07	1.598	13.145	168211	336784	66.1	10.688	0.5%
SPRSPO-1-D-20260512	C70202	3.52	0.812	32.0	58.4	0.452	20069	0.276	0.670	0.0635	0.154	P	GN2602841.d	2026-05-27 15:32	1.598	13.145	256035	331172	66.1	10.688	-1.2%
SPRSPO-1-B-20260512	C43688	0.276	0.0635		58.4	0.452	20069	0.276	0.670	0.0635	0.154	ND,P	GN2602838.d	2026-05-27 14:16	1.598	13.152	857	331906	66.1	10.688	-1.0%
SPRSPO-2-S-20260512	B46241	0.973	0.224	8.84	58.5	0.452	20097	0.275	0.669	0.0634	0.154	P	GN2602842.d	2026-05-27 15:57	1.598	13.145	71952	336578	66.1	10.688	0.4%
SPRSPO-3-S-20260512	B34975	0.769	0.177	6.98	58.5	0.452	20096	0.275	0.669	0.0634	0.154	P	GN2602843.d	2026-05-27 16:22	1.598	13.145	56012	331706	66.1	10.688	-1.0%
SPRSPO-4-S-20260512	C70057	1.14	0.264	10.4	58.5	0.452	20095	0.275	0.669	0.0634	0.154	P	GN2602844.d	2026-05-27 16:48	1.598	13.145	84447	335913	66.1	10.688	0.2%
SPRSPO-5-S-20260512	C39229	0.592	0.136	5.37	58.5	0.452	20069	0.276	0.670	0.0635	0.154	J,P	GN2602845.d	2026-05-27 17:14	1.598	13.145	43249	333187	66.1	10.689	-0.6%
SPRSPO-6-S-20260512	C73599	0.483	0.111	4.39	58.5	0.452	20090	0.275	0.669	0.0634	0.154	J,P	GN2602846.d	2026-05-27 17:39	1.598	13.145	35168	331345	66.1	10.688	-1.2%
SPRSPO-7-S-20260512	C55517	0.650	0.150	5.90	58.5	0.452	20086	0.275	0.669	0.0635	0.154	J,P	GN2602847.d	2026-05-27 18:04	1.598	13.145	48545	340188	66.1	10.688	1.5%
SPRSPO-8-S-20260512	C43208	0.433	0.0997	3.92	58.5	0.452	20047	0.276	0.671	0.0636	0.155	J,P	GN2602849.d	2026-05-27 18:55	1.598	13.145	32703	344888	66.1	10.688	2.9%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260512	C01849	0.635	0.146	5.74	58.4	0.452	20023	0.276	0.671	0.0637	0.155	J,P	GN2602850.d	2026-05-27 19:20	1.598	13.145	46521	334999	66.1	10.696	-0.1%
SPRSPO-10-S-20260512	B51012	0.591	0.136	5.35	58.4	0.452	20022	0.276	0.671	0.0637	0.155	J,P	GN2602874.d	2026-05-28 08:58	1.598	13.145	42384	327486	66.1	10.688	-2.3%
SPRSPO-11-S-20260512	C40517	0.609	0.140	5.51	58.5	0.452	20019	0.276	0.672	0.0637	0.155	J,P	GN2602852.d	2026-05-27 20:08	1.598	13.145	44393	333236	66.1	10.688	-0.6%
SPRSPO-12-S-20260512	C40159	0.851	0.196	7.70	58.5	0.452	20018	0.276	0.672	0.0637	0.155	P	GN2602853.d	2026-05-27 20:33	1.598	13.145	63245	339693	66.1	10.688	1.3%
SPRSPO-13-S-20260512	C56900	1.23	0.283	11.1	58.5	0.452	20017	0.276	0.672	0.0637	0.155	P	GN2602854.d	2026-05-27 20:59	1.598	13.145	91596	340831	66.1	10.688	1.7%
SPRSPO-13-D-20260512	C43291	1.23	0.283	11.1	58.5	0.452	20015	0.276	0.672	0.0637	0.155	P	GN2602855.d	2026-05-27 21:25	1.598	13.145	90192	335406	66.1	10.688	0.1%
SPRSPO-13-B-20260512	C37478	0.276	0.0637		58.5	0.452	20012	0.276	0.672	0.0637	0.155	ND,P	GN2602839.d	2026-05-27 14:42	1.598	13.153	1390	344017	66.1	10.688	2.6%
SPRSPO-14-S-20260512	C57580	1.45	0.335	13.1	58.4	0.452	19988	0.277	0.673	0.0638	0.155	P	GN2602856.d	2026-05-27 21:50	1.598	13.145	106769	336077	66.1	10.688	0.3%
SPRSPO-15-S-20260512	C20509	1.95	0.449	17.6	58.4	0.452	19986	0.277	0.673	0.0638	0.155	P	GN2602857.d	2026-05-27 22:15	1.598	13.145	140298	329992	66.1	10.688	-1.6%
SPRSPO-16-S-20260512	C33016	2.85	0.657	25.8	58.4	0.452	19987	0.277	0.673	0.0638	0.155	P	GN2602858.d	2026-05-27 22:40	1.598	13.145	205068	329233	66.1	10.688	-1.8%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260512	B48525	0.762	0.176	6.91	58.4	0.452	20069	0.276	0.623	0.0635	0.144	Pc	GN2602840.d	2026-05-27 15:07	1.658	13.647	58402	336784	66.1	10.688	0.5%
SPRSPO-1-D-20260512	C70202	1.15	0.265	10.4	58.4	0.452	20069	0.276	0.623	0.0635	0.144	Pc	GN2602841.d	2026-05-27 15:32	1.658	13.646	86628	331172	66.1	10.688	-1.2%
SPRSPO-1-B-20260512	C43688	0.276	0.0635		58.4	0.452	20069	0.276	0.623	0.0635	0.144	ND,Pc	GN2602838.d	2026-05-27 14:16	1.658	13.647	1239	331906	66.1	10.688	-1.0%
SPRSPO-2-S-20260512	B46241	0.345	0.0795	3.14	58.5	0.452	20097	0.275	0.622	0.0634	0.143	J,Pc	GN2602842.d	2026-05-27 15:57	1.658	13.647	26482	336578	66.1	10.688	0.4%
SPRSPO-3-S-20260512	B34975	0.275	0.0634		58.5	0.452	20096	0.275	0.622	0.0634	0.143	ND,Pc	GN2602843.d	2026-05-27 16:22	1.658	13.647	20559	331706	66.1	10.688	-1.0%
SPRSPO-4-S-20260512	C70057	0.394	0.0909	3.58	58.5	0.452	20095	0.275	0.622	0.0634	0.143	J,Pc	GN2602844.d	2026-05-27 16:48	1.658	13.647	30201	335913	66.1	10.688	0.2%
SPRSPO-5-S-20260512	C39229	0.276	0.0635		58.5	0.452	20069	0.276	0.623	0.0635	0.144	ND,Pc	GN2602845.d	2026-05-27 17:14	1.658	13.647	15934	333187	66.1	10.689	-0.6%
SPRSPO-6-S-20260512	C73599	0.275	0.0634		58.5	0.452	20090	0.275	0.622	0.0634	0.143	ND,Pc	GN2602846.d	2026-05-27 17:39	1.658	13.654	13042	331345	66.1	10.688	-1.2%
SPRSPO-7-S-20260512	C55517	0.275	0.0635		58.5	0.452	20086	0.275	0.622	0.0635	0.143	ND,Pc	GN2602847.d	2026-05-27 18:04	1.658	13.647	17229	340188	66.1	10.688	1.5%
SPRSPO-8-S-20260512	C43208	0.276	0.0636		58.5	0.452	20047	0.276	0.624	0.0636	0.144	ND,Pc	GN2602849.d	2026-05-27 18:55	1.658	13.646	12101	344888	66.1	10.688	2.9%
SPRSPO-9-S-20260512	C01849	0.276	0.0637		58.4	0.452	20023	0.276	0.624	0.0637	0.144	ND,Pc	GN2602850.d	2026-05-27 19:20	1.658	13.647	18692	334999	66.1	10.696	-0.1%
SPRSPO-10-S-20260512	B51012	0.276	0.0637		58.4	0.452	20022	0.276	0.624	0.0637	0.144	ND,Pc	GN2602874.d	2026-05-28 08:58	1.658	13.647	16476	327486	66.1	10.688	-2.3%
SPRSPO-11-S-20260512	C40517	0.276	0.0637		58.5	0.452	20019	0.276	0.625	0.0637	0.144	ND,Pc	GN2602852.d	2026-05-27 20:08	1.658	13.654	16573	333236	66.1	10.688	-0.6%
SPRSPO-12-S-20260512	C40159	0.298	0.0686	2.70	58.5	0.452	20018	0.276	0.625	0.0637	0.144	J,Pc	GN2602853.d	2026-05-27 20:33	1.658	13.647	22977	339693	66.1	10.688	1.3%
SPRSPO-13-S-20260512	C56900	0.415	0.0955	3.75	58.5	0.452	20017	0.276	0.625	0.0637	0.144	J,Pc	GN2602854.d	2026-05-27 20:59	1.658	13.647	32078	340831	66.1	10.688	1.7%
SPRSPO-13-D-20260512	C43291	0.424	0.0977	3.83	58.5	0.452	20015	0.276	0.625	0.0637	0.144	J,Pc	GN2602855.d	2026-05-27 21:25	1.658	13.647	32279	335406	66.1	10.688	0.1%
SPRSPO-13-B-20260512	C37478	0.276	0.0637		58.5	0.452	20012	0.276	0.625	0.0637	0.144	ND,Pc	GN2602839.d	2026-05-27 14:42	1.658	13.661	434	344017	66.1	10.688	2.6%
SPRSPO-14-S-20260512	C57580	0.525	0.121	4.74	58.4	0.452	19988	0.277	0.625	0.0638	0.144	J,Pc	GN2602856.d	2026-05-27 21:50	1.658	13.647	40011	336077	66.1	10.688	0.3%
SPRSPO-15-S-20260512	C20509	0.702	0.162	6.34	58.4	0.452	19986	0.277	0.626	0.0638	0.144	Pc	GN2602857.d	2026-05-27 22:15	1.658	13.647	52537	329992	66.1	10.688	-1.6%
SPRSPO-16-S-20260512	C33016	1.00	0.231	9.07	58.4	0.452	19987	0.277	0.626	0.0638	0.144	Pc	GN2602858.d	2026-05-27 22:40	1.658	13.647	74935	329233	66.1	10.688	-1.8%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260512	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260512	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260512	5.1%	Pass	13%	Pass	22%	Pass	43%	Fail	41%	Fail
	SPRSPO-13-D-20260512	5.4%	Pass	0.48%	Pass	3.1%	Pass	0.070%	Pass	2.2%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602836.d	C70060	Cal	1.577	1.459	1.577	8.1%	-4.3%		Pass	
M325B CCV 5	GN2602848.d	C71532	Check	1.551	1.459	1.577	6.3%		0.86%	Pass	
M325B CCV 5	GN2602859.d	B18761	Check	1.594	1.459	1.577	9.2%		-0.92%	Pass	
M325B CCV 5	GN2602872.d	C43370	Check	1.554	1.459	1.577	6.5%		0.72%	Pass	
2026GA204 Method Blank-1	GN2602873.d	C37039	Blank		1.459	1.577			1.8%	Pass	ND
M325B CCV 5 REC	GN2602875.d	C43370	Check	1.591	1.459	1.577	9.0%		-4.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602836.d	C70060	Cal	1.922	1.816	1.922	5.8%	-11%		Pass	
M325B CCV 5	GN2602848.d	C71532	Check	1.909	1.816	1.922	5.1%		3.0%	Pass	
M325B CCV 5	GN2602859.d	B18761	Check	1.984	1.816	1.922	9.3%		-0.66%	Pass	
M325B CCV 5	GN2602872.d	C43370	Check	1.853	1.816	1.922	2.0%		2.8%	Pass	
2026GA204 Method Blank-1	GN2602873.d	C37039	Blank		1.816	1.922			1.7%	Pass	ND
M325B CCV 5 REC	GN2602875.d	C43370	Check	1.906	1.816	1.922	5.0%		-2.5%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602836.d	C70060	Cal	2.094	2.036	2.094	2.9%	-11%		Pass	
M325B CCV 5	GN2602848.d	C71532	Check	2.126	2.036	2.094	4.4%		3.0%	Pass	
M325B CCV 5	GN2602859.d	B18761	Check	2.070	2.036	2.094	1.7%		-0.66%	Pass	
M325B CCV 5	GN2602872.d	C43370	Check	1.916	2.036	2.094	-5.9%		2.8%	Pass	
2026GA204 Method Blank-1	GN2602873.d	C37039	Blank		2.036	2.094			1.7%	Pass	ND
M325B CCV 5 REC	GN2602875.d	C43370	Check	1.938	2.036	2.094	-4.8%		-2.5%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602836.d	C70060	Cal	1.598	1.586	1.598	0.72%	-11%		Pass	
M325B CCV 5	GN2602848.d	C71532	Check	1.674	1.586	1.598	5.6%		3.0%	Pass	
M325B CCV 5	GN2602859.d	B18761	Check	1.531	1.586	1.598	-3.5%		-0.66%	Pass	
M325B CCV 5	GN2602872.d	C43370	Check	1.443	1.586	1.598	-9.0%		2.8%	Pass	
2026GA204 Method Blank-1	GN2602873.d	C37039	Blank		1.586	1.598			1.7%	Pass	ND
M325B CCV 5 REC	GN2602875.d	C43370	Check	1.472	1.586	1.598	-7.2%		-2.5%	Pass	

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2602836.d	C70060	Cal	1.658	1.623	1.658	2.2%	-11%		Pass	
M325B CCV 5	GN2602848.d	C71532	Check	1.710	1.623	1.658	5.4%		3.0%	Pass	
M325B CCV 5	GN2602859.d	B18761	Check	1.575	1.623	1.658	-3.0%		-0.66%	Pass	
M325B CCV 5	GN2602872.d	C43370	Check	1.477	1.623	1.658	-9.0%		2.8%	Pass	
2026GA204 Method Blank-1	GN2602873.d	C37039	Blank		1.623	1.658			1.7%	Pass	ND
M325B CCV 5 REC	GN2602875.d	C43370	Check	1.496	1.623	1.658	-7.8%		-2.5%	Pass	

Chromatograms


Name	SPRSPO-1-B-20260512
Comment	C43688
Data File	GN2602838.d
Acq. Date-Time	5/27/2026 2:16:44 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	308,976	
Benzene	benzene-d6 (IS)	8.059	8.059	7,021	
Toluene-d8 (IS)		10.688	10.688	331,906	
Toluene	Toluene-d8 (IS)	10.789	10.789	11,281	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	1,863	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.145	857	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	1,239	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602838.d
Counts
x10^3
13.647 min.
1.8
1.6
1.4
1.2
1
0.8
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.611-13.671 min, 8 scans) GN2602838.d
Counts
x10^3
Lib Match Score=47.3
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260512
Comment	C37478
Data File	GN2602839.d
Acq. Date-Time	5/27/2026 2:42:01 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	321,129	
Benzene	benzene-d6 (IS)	8.052	8.059	8,833	
Toluene-d8 (IS)		10.688	10.688	344,017	
Toluene	Toluene-d8 (IS)	10.789	10.789	10,598	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	1,421	
m-/p-Xylenes	Toluene-d8 (IS)	13.153	13.145	1,390	
o-Xylene	Toluene-d8 (IS)	13.661	13.647	434	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602839.d
Counts
x10^3
13.661 min.
1.6
1.4
1.2
1
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.632-13.667 min, 4 scans) GN2602839.d
Lib Match Score=44.4
Counts
x10^3
41.1
55.1
67.1
77.1
91.1
107.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
1
0.5
0
-0.5
-1
-1.5
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260512
Comment	B48525
Data File	GN2602840.d
Acq. Date-Time	5/27/2026 3:07:13 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	319,659	
Benzene	benzene-d6 (IS)	8.059	8.059	162,214	
Toluene-d8 (IS)		10.688	10.688	336,784	
Toluene	Toluene-d8 (IS)	10.789	10.789	424,655	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	78,789	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	168,211	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	58,402	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602840.d
Counts
x10^4
6
5
4
3
2
1
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.703 min, 12 scans) GN2602840.d
Lib Match Score=70.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260512
Comment	C70202
Data File	GN2602841.d
Acq. Date-Time	5/27/2026 3:32:28 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	312,262	
Benzene	benzene-d6 (IS)	8.059	8.059	150,623	
Toluene-d8 (IS)		10.688	10.688	331,172	
Toluene	Toluene-d8 (IS)	10.788	10.789	474,621	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	96,190	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	256,035	
o-Xylene	Toluene-d8 (IS)	13.646	13.647	86,628	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602841.d
Counts
x10^5
1
0.8
0.6
0.4
0.2
0
13.646 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.612-13.704 min, 13 scans) GN2602841.d
Counts
x10^3
Lib Match Score=73.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
111.1119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260512
Comment	B46241
Data File	GN2602842.d
Acq. Date-Time	5/27/2026 3:57:45 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	316,754	
Benzene	benzene-d6 (IS)	8.060	8.059	75,516	
Toluene-d8 (IS)		10.688	10.688	336,578	
Toluene	Toluene-d8 (IS)	10.789	10.789	201,042	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	34,852	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	71,952	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	26,482	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602842.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.619-13.699 min, 11 scans) GN2602842.d
Counts
x10^3
Lib Match Score=61.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260512
Comment	B34975
Data File	GN2602843.d
Acq. Date-Time	5/27/2026 4:22:57 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	315,660	
Benzene	benzene-d6 (IS)	8.060	8.059	70,651	
Toluene-d8 (IS)		10.688	10.688	331,706	
Toluene	Toluene-d8 (IS)	10.789	10.789	157,669	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	30,477	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	56,012	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	20,559	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602843.d
Counts
x10^4
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.620-13.693 min, 10 scans) GN2602843.d
Lib Match Score=59.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260512
Comment	C70057
Data File	GN2602844.d
Acq. Date-Time	5/27/2026 4:48:13 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	316,932	
Benzene	benzene-d6 (IS)	8.059	8.059	90,689	
Toluene-d8 (IS)		10.688	10.688	335,913	
Toluene	Toluene-d8 (IS)	10.789	10.789	201,957	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	34,151	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	84,447	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	30,201	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602844.d
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.619-13.685 min, 9 scans) GN2602844.d
Lib Match Score=63.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.2
41.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260512
Comment	C39229
Data File	GN2602845.d
Acq. Date-Time	5/27/2026 5:14:18 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	318,095	
Benzene	benzene-d6 (IS)	8.060	8.059	53,476	
Toluene-d8 (IS)		10.689	10.688	333,187	
Toluene	Toluene-d8 (IS)	10.789	10.789	131,255	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	20,913	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	43,249	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	15,934	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602845.d
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.612-13.689 min, 10 scans) GN2602845.d
Lib Match Score=56.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260512
Comment	C73599
Data File	GN2602846.d
Acq. Date-Time	5/27/2026 5:39:31 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	314,411	
Benzene	benzene-d6 (IS)	8.060	8.059	49,891	
Toluene-d8 (IS)		10.688	10.688	331,345	
Toluene	Toluene-d8 (IS)	10.789	10.789	118,087	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	15,954	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	35,168	
o-Xylene	Toluene-d8 (IS)	13.654	13.647	13,042	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602846.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.654 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.625-13.680 min, 7 scans) GN2602846.d
Lib Match Score=58.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260512
Comment	C55517
Data File	GN2602847.d
Acq. Date-Time	5/27/2026 6:04:44 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	322,701	
Benzene	benzene-d6 (IS)	8.060	8.059	57,608	
Toluene-d8 (IS)		10.688	10.688	340,188	
Toluene	Toluene-d8 (IS)	10.789	10.789	228,157	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	22,669	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	48,545	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	17,229	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602847.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.680 min, 9 scans) GN2602847.d
Lib Match Score=58.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260512
Comment	C43208
Data File	GN2602849.d
Acq. Date-Time	5/27/2026 6:55:07 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	318,187	
Benzene	benzene-d6 (IS)	8.059	8.059	48,593	
Toluene-d8 (IS)		10.688	10.688	344,888	
Toluene	Toluene-d8 (IS)	10.788	10.789	104,833	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	15,966	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	32,703	
o-Xylene	Toluene-d8 (IS)	13.646	13.647	12,101	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602849.d
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.646 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.682 min, 8 scans) GN2602849.d
Lib Match Score=57.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260512
Comment	C01849
Data File	GN2602850.d
Acq. Date-Time	5/27/2026 7:20:19 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	317,864	
Benzene	benzene-d6 (IS)	8.059	8.059	65,830	
Toluene-d8 (IS)		10.696	10.688	334,999	
Toluene	Toluene-d8 (IS)	10.789	10.789	134,557	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	23,410	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	46,521	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	18,692	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602850.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.611-13.695 min, 12 scans) GN2602850.d
Lib Match Score=58.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260512
Comment	C40517
Data File	GN2602852.d
Acq. Date-Time	5/27/2026 8:08:46 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	310,931	
Benzene	benzene-d6 (IS)	8.059	8.059	57,912	
Toluene-d8 (IS)		10.688	10.688	333,236	
Toluene	Toluene-d8 (IS)	10.789	10.789	132,533	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	21,943	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	44,393	
o-Xylene	Toluene-d8 (IS)	13.654	13.647	16,573	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602852.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.654 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.619-13.688 min, 9 scans) GN2602852.d
Counts
x10^3
Lib Match Score=59.2
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260512
Comment	C40159
Data File	GN2602853.d
Acq. Date-Time	5/27/2026 8:33:56 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	317,133	
Benzene	benzene-d6 (IS)	8.060	8.059	71,225	
Toluene-d8 (IS)		10.688	10.688	339,693	
Toluene	Toluene-d8 (IS)	10.789	10.789	187,336	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	32,925	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	63,245	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	22,977	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602853.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.619-13.688 min, 9 scans) GN2602853.d
Counts
x10^3
Lib Match Score=62.4
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260512
Comment	C56900
Data File	GN2602854.d
Acq. Date-Time	5/27/2026 8:59:07 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	311,555	
Benzene	benzene-d6 (IS)	8.060	8.059	77,173	
Toluene-d8 (IS)		10.688	10.688	340,831	
Toluene	Toluene-d8 (IS)	10.789	10.789	214,186	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	40,347	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	91,596	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	32,078	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602854.d
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.618-13.685 min, 9 scans) GN2602854.d
Lib Match Score=64.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
115.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260512
Comment	C43291
Data File	GN2602855.d
Acq. Date-Time	5/27/2026 9:25:10 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	315,381	
Benzene	benzene-d6 (IS)	8.059	8.059	82,438	
Toluene-d8 (IS)		10.688	10.688	335,406	
Toluene	Toluene-d8 (IS)	10.789	10.789	211,774	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	40,935	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	90,192	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	32,279	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602855.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.647 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.611-13.703 min, 13 scans) GN2602855.d
Lib Match Score=62.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260512
Comment	C57580
Data File	GN2602856.d
Acq. Date-Time	5/27/2026 9:50:22 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	308,262	
Benzene	benzene-d6 (IS)	8.060	8.059	89,067	
Toluene-d8 (IS)		10.688	10.688	336,077	
Toluene	Toluene-d8 (IS)	10.789	10.789	247,223	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	49,540	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	106,769	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	40,011	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602856.d
Counts
x10^4
13.647 min.
Acquisition Time (min)


+ Scan (13.612-13.701 min, 12 scans) GN2602856.d
Lib Match Score=66.1
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
111.1119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260512
Comment	C20509
Data File	GN2602857.d
Acq. Date-Time	5/27/2026 10:15:38 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	310,838	
Benzene	benzene-d6 (IS)	8.060	8.059	136,550	
Toluene-d8 (IS)		10.688	10.688	329,992	
Toluene	Toluene-d8 (IS)	10.789	10.789	397,952	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	76,502	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	140,298	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	52,537	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602857.d
Counts
x10^4
13.647 min.
Acquisition Time (min)


+ Scan (13.619-13.699 min, 11 scans) GN2602857.d
Lib Match Score=68.8
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260512
Comment	C33016
Data File	GN2602858.d
Acq. Date-Time	5/27/2026 10:40:51 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	7.995	312,794	
Benzene	benzene-d6 (IS)	8.060	8.059	161,391	
Toluene-d8 (IS)		10.688	10.688	329,233	
Toluene	Toluene-d8 (IS)	10.789	10.789	500,429	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	101,092	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	205,068	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	74,935	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602858.d
Counts
x10^4
13.647 min.
Acquisition Time (min)


+ Scan (13.615-13.714 min, 14 scans) GN2602858.d
Lib Match Score=69.4
Counts
x10^3
91.1
106.1
111.1
41.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	2026GA204 Method Blank-1
Comment	C37039
Data File	GN2602873.d
Acq. Date-Time	5/28/2026 8:32:15 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	323,635	
Benzene	benzene-d6 (IS)	8.052	8.059	8,508	
Toluene-d8 (IS)		10.689	10.688	340,961	
Toluene	Toluene-d8 (IS)	10.782	10.789	12,567	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	2,294	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	1,217	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	1,020	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2602873.d
Counts
x10^3
13.647 min.
1.8
1.6
1.4
1.2
1
0.8
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.620-13.674 min, 7 scans) GN2602873.d
Counts
x10^3
Lib Match Score=46.0
41.1
55.1
67.1
81.1
91.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260512
Comment	B51012
Data File	GN2602874.d
Acq. Date-Time	5/28/2026 8:58:17 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	7.995	315,178	
Benzene	benzene-d6 (IS)	8.052	8.059	57,681	
Toluene-d8 (IS)		10.688	10.688	327,486	
Toluene	Toluene-d8 (IS)	10.789	10.789	128,190	
Ethylbenzene	Toluene-d8 (IS)	12.966	12.973	21,655	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.145	42,384	
o-Xylene	Toluene-d8 (IS)	13.647	13.647	16,476	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan GN2602874.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.611-13.682 min, 10 scans) GN2602874.d
Lib Match Score=59.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	Benzene	1	GN2501852.d	5.94	55576	56.3	332802	1.584	0.086
GN121625A_CC185154	Benzene	2	GN2501853.d	11.88	105856	56.3	327485	1.533	0.051
GN121625A_CC185154	Benzene	3	GN2501854.d	23.76	181486	56.3	331293	1.299	-0.11
GN121625A_CC185154	Benzene	4	GN2501855.d	47.52	353674	56.3	329366	1.273	-0.13
GN121625A_CC185154	Benzene	5	GN2501862.d	120.44	1128769	56.3	350483	1.506	0.032
GN121625A_CC185154	Benzene	6	GN2501857.d	237.58	2126487	56.3	325374	1.550	0.062
GN121625A_CC185154	Benzene	7	GN2501858.d	712.73	6101684	56.3	328403	1.468	0.0065
						Avg:	332172	1.459	
						%RSD:	2.5%	8.5%	
GN121625A_CC185154	Toluene	1	GN2501852.d	5.22	63850	66.1	370172	2.184	0.2
GN121625A_CC185154	Toluene	2	GN2501853.d	10.43	114053	66.1	365714	1.975	0.088
GN121625A_CC185154	Toluene	3	GN2501854.d	20.87	204237	66.1	379443	1.704	-0.061
GN121625A_CC185154	Toluene	4	GN2501855.d	41.73	379499	66.1	396764	1.514	-0.17
GN121625A_CC185154	Toluene	5	GN2501862.d	105.78	1152738	66.1	402330	1.789	-0.014
GN121625A_CC185154	Toluene	6	GN2501857.d	208.66	2113716	66.1	365482	1.831	0.0085
GN121625A_CC185154	Toluene	7	GN2501858.d	625.99	6012718	66.1	370916	1.711	-0.058
						Avg:	378689	1.816	
						%RSD:	4.0%	11.8%	
GN121625A_CC185154	Ethylbenzene	1	GN2501852.d	5.42	69841	66.1	370172	2.299	0.13
GN121625A_CC185154	Ethylbenzene	2	GN2501853.d	10.84	133345	66.1	365714	2.221	0.091
GN121625A_CC185154	Ethylbenzene	3	GN2501854.d	21.69	260455	66.1	379443	2.091	0.027
GN121625A_CC185154	Ethylbenzene	4	GN2501855.d	43.37	473762	66.1	396764	1.819	-0.11
GN121625A_CC185154	Ethylbenzene	5	GN2501862.d	109.94	1213646	66.1	402330	1.813	-0.11
GN121625A_CC185154	Ethylbenzene	6	GN2501857.d	216.87	2478024	66.1	365482	2.065	0.015
GN121625A_CC185154	Ethylbenzene	7	GN2501858.d	650.60	7088385	66.1	370916	1.941	-0.047
						Avg:	378689	2.036	
						%RSD:	4.0%	9.3%	
GN121625A_CC185154	m-/p-Xylenes	1	GN2501852.d	6.08	60329	66.1	370172	1.772	0.12
GN121625A_CC185154	m-/p-Xylenes	2	GN2501853.d	12.15	117660	66.1	365714	1.749	0.1
GN121625A_CC185154	m-/p-Xylenes	3	GN2501854.d	24.30	236581	66.1	379443	1.695	0.069
GN121625A_CC185154	m-/p-Xylenes	4	GN2501855.d	48.61	419454	66.1	396764	1.437	-0.094
GN121625A_CC185154	m-/p-Xylenes	5	GN2501862.d	123.21	1010169	66.1	402330	1.346	-0.15
GN121625A_CC185154	m-/p-Xylenes	6	GN2501857.d	243.05	2102079	66.1	365482	1.563	-0.014
GN121625A_CC185154	m-/p-Xylenes	7	GN2501858.d	729.15	6305677	66.1	370916	1.540	-0.029
						Avg:	378689	1.586	
						%RSD:	4.0%	10.1%	
GN121625A_CC185154	o-Xylene	1	GN2501852.d	5.65	58227	66.1	370172	1.839	0.13
GN121625A_CC185154	o-Xylene	2	GN2501853.d	11.30	112830	66.1	365714	1.803	0.11
GN121625A_CC185154	o-Xylene	3	GN2501854.d	22.60	229395	66.1	379443	1.767	0.089

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA204-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	o-Xylene	4	GN2501855.d	45.21	396408	66.1	396764	1.460	-0.1
GN121625A_CC185154	o-Xylene	5	GN2501862.d	114.58	960624	66.1	402330	1.377	-0.15
GN121625A_CC185154	o-Xylene	6	GN2501857.d	226.03	1981547	66.1	365482	1.585	-0.024
GN121625A_CC185154	o-Xylene	7	GN2501858.d	678.09	5821829	66.1	370916	1.529	-0.058
						Avg:	378689	1.623	
						%RSD:	4.0%	11.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN121625A_CC185154	Benzene	ICV	GN2501859.d	443.05	3664850	56.3	332400	1.402	-3.9%
GN121625A_CC185154	Toluene	ICV	GN2501859.d	453.68	4209275	66.1	382695	1.602	-12.0%
GN121625A_CC185154	Ethylbenzene	ICV	GN2501859.d	448.57	4669816	66.1	382695	1.797	-12.0%
GN121625A_CC185154	m-/p-Xylenes	ICV	GN2501859.d	455.55	3557308	66.1	382695	1.348	-15.0%
GN121625A_CC185154	o-Xylene	ICV	GN2501859.d	456.43	3560083	66.1	382695	1.347	-17.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GA204

Page # 1 of # 1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
* All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague South Portland	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	39 Main Street	**Project #:**	PROJ-027968	**Sample Event #:**	2026GA204
City:	South Portland	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04106	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	B48525	S	5/12/26	11:03 AM	5/26/26	9:32 AM	PT/KV		
1	C70202	D	5/12/26	11:03 AM	5/26/26	9:32 AM	PT/KV		
1	C43688	B	5/12/26	11:03 AM	5/26/26	9:32 AM	PT/KV		
2	B46241	S	5/12/26	11:15 AM	5/26/26	10:12 AM	PT/KV		
3	B34975	S	5/12/26	11:19 AM	5/26/26	10:15 AM	PT/KV		
4	C70057	S	5/12/26	11:22 AM	5/26/26	10:17 AM	PT/KV		
5	C39229	S	5/12/26	11:49 AM	5/26/26	10:18 AM	PT/KV		
6	C73599	S	5/12/26	11:34 AM	5/26/26	10:24 AM	PT/KV		
7	C55517	S	5/12/26	11:40 AM	5/26/26	10:26 AM	PT/KV		
8	C43208	S	5/12/26	11:58 AM	5/26/26	10:05 AM	PT/KV		
9	C01849	S	5/12/26	12:01 PM	5/26/26	9:44 AM	PT/KV		
10	B51012	S	5/12/26	12:05 PM	5/26/26	9:47 AM	PT/KV		
11	C40517	S	5/12/26	12:10 PM	5/26/26	9:49 AM	PT/KV		
12	C40159	S	5/12/26	12:15 PM	5/26/26	9:53 AM	PT/KV		
13	C56900	S	5/12/26	12:20 PM	5/26/26	9:57 AM	PT/KV		
13	C43291	D	5/12/26	12:22 PM	5/26/26	9:57 AM	PT/KV		
13	C37478	B	5/12/26	12:25 PM	5/26/26	9:57 AM	PT/KV		
14	C57580	S	5/12/26	12:32 PM	5/26/26	9:40 AM	PT/KV		
15	C20509	S	5/12/26	12:32 PM	5/26/26	9:38 AM	PT/KV		
16	C33016	S	5/12/26	12:32 PM	5/26/26	9:39 AM	PT/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	5/26/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
David Taylor		5/27/26	10:00 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	**Benzene** **Toluene** **Ethylbenzene** **O-xylenes, m-/p-xylenes**	Y	
Blank Temp: 16.2 Fluke 4		**Custody Seal #:** 25E09217	

Comments:

Truck idling near location 1

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions.

This Is The Last Page Of This Report.

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 49 Sprague - South Portland

Client Project# PROJ-027968
Samples Received: 6/10/2026

Analytical Report
2026GA205

EPA Method 325B Analysis

Report Issue Date: 6/19/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 78
Sample Custody 81
    Chain of Custody 82

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA205-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on June 10, 2026 at 14.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260526	C70099	Sample
SPRSPO-1-D-20260526	C37437	Duplicate
SPRSPO-1-B-20260526	C57138	Blank
SPRSPO-2-S-20260526	C69494	Sample
SPRSPO-3-S-20260526	C35732	Sample
SPRSPO-4-S-20260526	C16067	Sample
SPRSPO-5-S-20260526	C32999	Sample
SPRSPO-6-S-20260526	C56927	Sample
SPRSPO-7-S-20260526	C70191	Sample
SPRSPO-8-S-20260526	C55302	Sample
SPRSPO-9-S-20260526	B52750	Sample
SPRSPO-10-S-20260526	C01873	Sample
SPRSPO-11-S-20260526	C71465	Sample
SPRSPO-12-S-20260526	C55561	Sample
SPRSPO-13-S-20260526	C01403	Sample
SPRSPO-13-D-20260526	B38433	Duplicate
SPRSPO-13-B-20260526	C61445	Blank
SPRSPO-14-S-20260526	B33564	Sample
SPRSPO-15-S-20260526	C43660	Sample
SPRSPO-16-S-20260526	C67363	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA205-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (K060926A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample SPRSPO-1-S-20260526 (tube ID C70099) and its corresponding duplicate SPRSPO-1-D-20260526 (tube ID C37437) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. All samples in the data set have been flagged “P” for m-/p-Xylenes to denote this failure.

The primary sample SPRSPO-1-S-20260526 (tube ID C70099) and its corresponding duplicate SPRSPO-1-D-20260526 (tube ID C37437) failed to meet the 30% difference criterion for o-Xylene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument’s calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged “Pc” for o-Xylene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260526	C70099	0.949		4.01		0.981		3.38	P	1.11	Pc
SPRSPO-1-D-20260526	C37437	0.939		3.88		0.867		1.92	P	0.613	J,Pc
SPRSPO-1-B-20260526	C57138	0.187	ND	0.241	ND	0.272	ND	0.272	ND,P	0.272	ND,Pc
SPRSPO-2-S-20260526	C69494	0.600		2.41		0.500	J	1.64	P	0.549	J,Pc
SPRSPO-3-S-20260526	C35732	0.434	J	1.88		0.351	J	0.900	P	0.318	J,Pc
SPRSPO-4-S-20260526	C16067	0.438	J	1.64		0.285	J	0.723	P	0.273	ND,Pc
SPRSPO-5-S-20260526	C32999	0.369	J	1.50		0.273	ND	0.602	J,P	0.273	ND,Pc
SPRSPO-6-S-20260526	C56927	0.310	J	1.53		0.273	ND	0.713	P	0.273	ND,Pc
SPRSPO-7-S-20260526	C70191	0.309	J	1.73		0.273	ND	0.749	P	0.281	J,Pc
SPRSPO-8-S-20260526	C55302	0.288	J	0.970		0.273	ND	0.596	J,P	0.273	ND,Pc
SPRSPO-9-S-20260526	B52750	0.368	J	1.21		0.272	ND	0.549	J,P	0.272	ND,Pc
SPRSPO-10-S-20260526	C01873	0.349	J	1.09		0.272	ND	0.541	J,P	0.272	ND,Pc
SPRSPO-11-S-20260526	C71465	0.402	J	1.15		0.272	ND	0.621	J,P	0.272	ND,Pc
SPRSPO-12-S-20260526	C55561	0.553		2.24		0.484	J	1.22	P	0.407	J,Pc
SPRSPO-13-S-20260526	C01403	0.555		2.17		0.477	J	1.29	P	0.447	J,Pc
SPRSPO-13-D-20260526	B38433	0.575		2.12		0.419	J	1.03	P	0.345	J,Pc
SPRSPO-13-B-20260526	C61445	0.187	ND	0.241	ND	0.272	ND	0.272	ND,P	0.272	ND,Pc
SPRSPO-14-S-20260526	B33564	0.566		2.38		0.540	J	1.41	P	0.518	J,Pc
SPRSPO-15-S-20260526	C43660	0.863		3.93		0.866		2.39	P	0.842	Pc
SPRSPO-16-S-20260526	C67363	1.02		4.38		0.973		2.63	P	0.923	Pc

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260526	C70099	0.949	0.297	12.7	60.6	0.660	20256	0.187	0.451	0.0586	0.141		K2602154.D	2026-06-10 14:03	1.102	8.165	90229	347949	53.9	8.104	-2.2%
SPRSPO-1-D-20260526	C37437	0.939	0.294	12.5	60.6	0.660	20256	0.187	0.451	0.0586	0.141		K2602155.D	2026-06-10 14:31	1.102	8.165	87555	341398	53.9	8.104	-4.0%
SPRSPO-1-B-20260526	C57138	0.187	0.0586		60.6	0.660	20256	0.187	0.451	0.0586	0.141	ND	K2602153.D	2026-06-10 13:36	1.102	8.159	1163	352512	53.9	8.104	-0.9%
SPRSPO-2-S-20260526	C69494	0.600	0.188	8.00	60.6	0.660	20222	0.187	0.451	0.0587	0.141		K2602156.D	2026-06-10 14:58	1.102	8.165	55677	340215	53.9	8.103	-4.3%
SPRSPO-3-S-20260526	C35732	0.434	0.136	5.79	60.6	0.660	20222	0.187	0.451	0.0587	0.141	J	K2602157.D	2026-06-10 15:26	1.102	8.159	41304	348708	53.9	8.103	-2.0%
SPRSPO-4-S-20260526	C16067	0.438	0.137	5.85	60.6	0.660	20224	0.187	0.451	0.0587	0.141	J	K2602158.D	2026-06-10 15:54	1.102	8.159	42147	352455	53.9	8.104	-0.9%
SPRSPO-5-S-20260526	C32999	0.369	0.115	4.92	60.6	0.660	20226	0.187	0.451	0.0587	0.141	J	K2602159.D	2026-06-10 16:21	1.102	8.165	35481	352854	53.9	8.104	-0.8%
SPRSPO-6-S-20260526	C56927	0.310	0.0971	4.14	60.6	0.660	20223	0.187	0.451	0.0587	0.141	J	K2602160.D	2026-06-10 16:49	1.102	8.165	30251	357585	53.9	8.104	0.5%
SPRSPO-7-S-20260526	C70191	0.309	0.0969	4.13	60.6	0.660	20224	0.187	0.451	0.0587	0.141	J	K2602161.D	2026-06-10 17:17	1.102	8.159	29295	347128	53.9	8.104	-2.4%
SPRSPO-8-S-20260526	C55302	0.288	0.0903	3.85	60.7	0.660	20252	0.187	0.451	0.0586	0.141	J	K2602162.D	2026-06-10 17:45	1.102	8.165	26675	338595	53.9	8.104	-4.8%
SPRSPO-9-S-20260526	B52750	0.368	0.115	4.93	60.7	0.660	20282	0.187	0.450	0.0585	0.141	J	K2602163.D	2026-06-10 18:12	1.102	8.159	34560	342928	53.9	8.104	-3.6%
SPRSPO-10-S-20260526	C01873	0.349	0.109	4.67	60.7	0.660	20282	0.187	0.450	0.0585	0.141	J	K2602165.D	2026-06-10 19:07	1.102	8.165	33376	349587	53.9	8.104	-1.7%
SPRSPO-11-S-20260526	C71465	0.402	0.126	5.38	60.7	0.660	20283	0.187	0.450	0.0585	0.141	J	K2602166.D	2026-06-10 19:35	1.102	8.165	37768	343330	53.9	8.103	-3.5%
SPRSPO-12-S-20260526	C55561	0.553	0.173	7.40	60.7	0.660	20282	0.187	0.450	0.0585	0.141		K2602167.D	2026-06-10 20:02	1.102	8.165	52398	346178	53.9	8.103	-2.7%
SPRSPO-13-S-20260526	C01403	0.555	0.174	7.43	60.7	0.660	20281	0.187	0.450	0.0585	0.141		K2602168.D	2026-06-10 20:30	1.102	8.165	52532	345697	53.9	8.103	-2.8%
SPRSPO-13-D-20260526	B38433	0.575	0.180	7.69	60.7	0.660	20281	0.187	0.450	0.0585	0.141		K2602169.D	2026-06-10 20:57	1.102	8.165	53573	340709	53.9	8.104	-4.2%
SPRSPO-13-B-20260526	C61445	0.187	0.0585		60.7	0.660	20281	0.187	0.450	0.0585	0.141	ND	K2602170.D	2026-06-10 21:26	1.102	8.159	1246	346572	53.9	8.103	-2.6%
SPRSPO-14-S-20260526	B33564	0.566	0.177	7.58	60.7	0.660	20302	0.187	0.450	0.0585	0.141		K2602171.D	2026-06-10 21:53	1.102	8.165	53443	344618	53.9	8.104	-3.1%
SPRSPO-15-S-20260526	C43660	0.863	0.270	11.6	60.7	0.660	20314	0.187	0.449	0.0584	0.141		K2602172.D	2026-06-10 22:21	1.102	8.165	82346	348083	53.9	8.104	-2.1%
SPRSPO-16-S-20260526	C67363	1.02	0.319	13.7	60.7	0.660	20315	0.187	0.449	0.0584	0.141		K2602173.D	2026-06-10 22:49	1.102	8.165	96244	344675	53.9	8.110	-3.1%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260526	C70099	4.01	1.06	41.6	60.6	0.512	20256	0.241	0.510	0.0640	0.135		K2602154.D	2026-06-10 14:03	1.311	10.881	321533	373306	63.3	10.783	-3.1%
SPRSPO-1-D-20260526	C37437	3.88	1.03	40.2	60.6	0.512	20256	0.241	0.510	0.0640	0.135		K2602155.D	2026-06-10 14:31	1.311	10.875	314157	377340	63.3	10.783	-2.0%
SPRSPO-1-B-20260526	C57138	0.241	0.0640		60.6	0.512	20256	0.241	0.510	0.0640	0.135	ND	K2602153.D	2026-06-10 13:36	1.311	10.881	3379	378323	63.3	10.783	-1.8%
SPRSPO-2-S-20260526	C69494	2.41	0.641	25.0	60.6	0.512	20222	0.241	0.511	0.0641	0.136		K2602156.D	2026-06-10 14:58	1.311	10.881	192374	371680	63.3	10.783	-3.5%
SPRSPO-3-S-20260526	C35732	1.88	0.500	19.5	60.6	0.512	20222	0.241	0.511	0.0641	0.136		K2602157.D	2026-06-10 15:26	1.311	10.875	149641	370337	63.3	10.783	-3.9%
SPRSPO-4-S-20260526	C16067	1.64	0.435	17.0	60.6	0.512	20224	0.241	0.511	0.0641	0.136		K2602158.D	2026-06-10 15:54	1.311	10.875	134845	383818	63.3	10.783	-0.4%
SPRSPO-5-S-20260526	C32999	1.50	0.397	15.5	60.6	0.512	20226	0.241	0.511	0.0641	0.136		K2602159.D	2026-06-10 16:21	1.311	10.881	121061	377046	63.3	10.783	-2.1%
SPRSPO-6-S-20260526	C56927	1.53	0.405	15.8	60.6	0.512	20223	0.241	0.511	0.0641	0.136		K2602160.D	2026-06-10 16:49	1.311	10.875	124951	381872	63.3	10.783	-0.9%
SPRSPO-7-S-20260526	C70191	1.73	0.460	17.9	60.6	0.512	20224	0.241	0.511	0.0641	0.136		K2602161.D	2026-06-10 17:17	1.311	10.875	139647	375745	63.3	10.783	-2.4%
SPRSPO-8-S-20260526	C55302	0.970	0.257	10.1	60.7	0.512	20252	0.241	0.510	0.0640	0.135		K2602162.D	2026-06-10 17:45	1.311	10.875	77835	373692	63.3	10.783	-3.0%
SPRSPO-9-S-20260526	B52750	1.21	0.321	12.5	60.7	0.512	20282	0.241	0.509	0.0639	0.135		K2602163.D	2026-06-10 18:12	1.311	10.881	96448	371436	63.3	10.783	-3.6%
SPRSPO-10-S-20260526	C01873	1.09	0.290	11.4	60.7	0.512	20282	0.241	0.509	0.0639	0.135		K2602165.D	2026-06-10 19:07	1.311	10.881	87618	372287	63.3	10.783	-3.3%
SPRSPO-11-S-20260526	C71465	1.15	0.306	12.0	60.7	0.512	20283	0.241	0.509	0.0639	0.135		K2602166.D	2026-06-10 19:35	1.311	10.875	89873	362691	63.3	10.783	-5.8%
SPRSPO-12-S-20260526	C55561	2.24	0.594	23.2	60.7	0.512	20282	0.241	0.509	0.0639	0.135		K2602167.D	2026-06-10 20:02	1.311	10.881	178717	371313	63.3	10.783	-3.6%
SPRSPO-13-S-20260526	C01403	2.17	0.576	22.5	60.7	0.512	20281	0.241	0.509	0.0639	0.135		K2602168.D	2026-06-10 20:30	1.311	10.881	173914	372560	63.3	10.783	-3.3%
SPRSPO-13-D-20260526	B38433	2.12	0.563	22.0	60.7	0.512	20281	0.241	0.509	0.0639	0.135		K2602169.D	2026-06-10 20:57	1.311	10.881	170928	374824	63.3	10.783	-2.7%
SPRSPO-13-B-20260526	C61445	0.241	0.0639		60.7	0.512	20281	0.241	0.509	0.0639	0.135	ND	K2602170.D	2026-06-10 21:26	1.311	10.881	3722	379784	63.3	10.783	-1.4%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260526	B33564	2.38	0.631	24.7	60.7	0.512	20302	0.240	0.509	0.0639	0.135		K2602171.D	2026-06-10 21:53	1.311	10.881	190476	371947	63.3	10.783	-3.4%
SPRSPO-15-S-20260526	C43660	3.93	1.04	40.8	60.7	0.512	20314	0.240	0.509	0.0638	0.135		K2602172.D	2026-06-10 22:21	1.311	10.881	313091	370124	63.3	10.783	-3.9%
SPRSPO-16-S-20260526	C67363	4.38	1.16	45.6	60.7	0.512	20315	0.240	0.509	0.0638	0.135		K2602173.D	2026-06-10 22:49	1.311	10.881	349653	370218	63.3	10.783	-3.9%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260526	C70099	0.981	0.226	9.00	60.6	0.453	20256	0.272	0.599	0.0628	0.138		K2602154.D	2026-06-10 14:03	1.377	13.059	73057	373306	63.3	10.783	-3.1%
SPRSPO-1-D-20260526	C37437	0.867	0.200	7.95	60.6	0.453	20256	0.272	0.599	0.0628	0.138		K2602155.D	2026-06-10 14:31	1.377	13.053	65269	377340	63.3	10.783	-2.0%
SPRSPO-1-B-20260526	C57138	0.272	0.0628		60.6	0.453	20256	0.272	0.599	0.0628	0.138	ND	K2602153.D	2026-06-10 13:36	1.377	13.053	460	378323	63.3	10.783	-1.8%
SPRSPO-2-S-20260526	C69494	0.500	0.115	4.58	60.6	0.453	20222	0.273	0.600	0.0629	0.138	J	K2602156.D	2026-06-10 14:58	1.377	13.053	37030	371680	63.3	10.783	-3.5%
SPRSPO-3-S-20260526	C35732	0.351	0.0809	3.22	60.6	0.453	20222	0.273	0.600	0.0629	0.138	J	K2602157.D	2026-06-10 15:26	1.377	13.053	25906	370337	63.3	10.783	-3.9%
SPRSPO-4-S-20260526	C16067	0.285	0.0656	2.61	60.6	0.453	20224	0.273	0.600	0.0629	0.138	J	K2602158.D	2026-06-10 15:54	1.377	13.053	21766	383818	63.3	10.783	-0.4%
SPRSPO-5-S-20260526	C32999	0.273	0.0629		60.6	0.453	20226	0.273	0.600	0.0629	0.138	ND	K2602159.D	2026-06-10 16:21	1.377	13.053	16875	377046	63.3	10.783	-2.1%
SPRSPO-6-S-20260526	C56927	0.273	0.0629		60.6	0.453	20223	0.273	0.600	0.0629	0.138	ND	K2602160.D	2026-06-10 16:49	1.377	13.053	16510	381872	63.3	10.783	-0.9%
SPRSPO-7-S-20260526	C70191	0.273	0.0629		60.6	0.453	20224	0.273	0.600	0.0629	0.138	ND	K2602161.D	2026-06-10 17:17	1.377	13.053	16748	375745	63.3	10.783	-2.4%
SPRSPO-8-S-20260526	C55302	0.273	0.0628		60.7	0.453	20252	0.273	0.599	0.0628	0.138	ND	K2602162.D	2026-06-10 17:45	1.377	13.053	13726	373692	63.3	10.783	-3.0%
SPRSPO-9-S-20260526	B52750	0.272	0.0627		60.7	0.453	20282	0.272	0.598	0.0627	0.138	ND	K2602163.D	2026-06-10 18:12	1.377	13.053	17081	371436	63.3	10.783	-3.6%
SPRSPO-10-S-20260526	C01873	0.272	0.0627		60.7	0.453	20282	0.272	0.598	0.0627	0.138	ND	K2602165.D	2026-06-10 19:07	1.377	13.053	16917	372287	63.3	10.783	-3.3%
SPRSPO-11-S-20260526	C71465	0.272	0.0627		60.7	0.453	20283	0.272	0.598	0.0627	0.138	ND	K2602166.D	2026-06-10 19:35	1.377	13.053	16212	362691	63.3	10.783	-5.8%
SPRSPO-12-S-20260526	C55561	0.484	0.112	4.45	60.7	0.453	20282	0.272	0.598	0.0627	0.138	J	K2602167.D	2026-06-10 20:02	1.377	13.053	35923	371313	63.3	10.783	-3.6%
SPRSPO-13-S-20260526	C01403	0.477	0.110	4.38	60.7	0.453	20281	0.272	0.598	0.0627	0.138	J	K2602168.D	2026-06-10 20:30	1.377	13.053	35505	372560	63.3	10.783	-3.3%
SPRSPO-13-D-20260526	B38433	0.419	0.0965	3.85	60.7	0.453	20281	0.272	0.598	0.0627	0.138	J	K2602169.D	2026-06-10 20:57	1.377	13.053	31360	374824	63.3	10.783	-2.7%
SPRSPO-13-B-20260526	C61445	0.272	0.0627		60.7	0.453	20281	0.272	0.598	0.0627	0.138	ND	K2602170.D	2026-06-10 21:26	1.377	13.059	828	379784	63.3	10.783	-1.4%
SPRSPO-14-S-20260526	B33564	0.540	0.124	4.96	60.7	0.453	20302	0.272	0.598	0.0626	0.138	J	K2602171.D	2026-06-10 21:53	1.377	13.053	40152	371947	63.3	10.783	-3.4%
SPRSPO-15-S-20260526	C43660	0.866	0.200	7.97	60.7	0.453	20314	0.272	0.597	0.0626	0.138		K2602172.D	2026-06-10 22:21	1.377	13.053	64139	370124	63.3	10.783	-3.9%
SPRSPO-16-S-20260526	C67363	0.973	0.224	8.95	60.7	0.453	20315	0.272	0.597	0.0626	0.138		K2602173.D	2026-06-10 22:49	1.377	13.059	72054	370218	63.3	10.783	-3.9%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260526	C70099	3.38	0.780	31.0	60.6	0.453	20256	0.272	0.672	0.0628	0.155	P	K2602154.D	2026-06-10 14:03	1.048	13.230	191941	373306	63.3	10.783	-3.1%
SPRSPO-1-D-20260526	C37437	1.92	0.443	17.6	60.6	0.453	20256	0.272	0.672	0.0628	0.155	P	K2602155.D	2026-06-10 14:31	1.048	13.230	110237	377340	63.3	10.783	-2.0%
SPRSPO-1-B-20260526	C57138	0.272	0.0628		60.6	0.453	20256	0.272	0.672	0.0628	0.155	ND,P	K2602153.D	2026-06-10 13:36	1.048	13.249	584	378323	63.3	10.783	-1.8%
SPRSPO-2-S-20260526	C69494	1.64	0.378	15.0	60.6	0.453	20222	0.273	0.673	0.0629	0.155	P	K2602156.D	2026-06-10 14:58	1.048	13.230	92405	371680	63.3	10.783	-3.5%
SPRSPO-3-S-20260526	C35732	0.900	0.207	8.24	60.6	0.453	20222	0.273	0.673	0.0629	0.155	P	K2602157.D	2026-06-10 15:26	1.048	13.230	50563	370337	63.3	10.783	-3.9%
SPRSPO-4-S-20260526	C16067	0.723	0.167	6.62	60.6	0.453	20224	0.273	0.673	0.0629	0.155	P	K2602158.D	2026-06-10 15:54	1.048	13.224	42087	383818	63.3	10.783	-0.4%
SPRSPO-5-S-20260526	C32999	0.602	0.139	5.51	60.6	0.453	20226	0.273	0.673	0.0629	0.155	J,P	K2602159.D	2026-06-10 16:21	1.048	13.236	34433	377046	63.3	10.783	-2.1%
SPRSPO-6-S-20260526	C56927	0.713	0.164	6.53	60.6	0.453	20223	0.273	0.673	0.0629	0.155	P	K2602160.D	2026-06-10 16:49	1.048	13.230	41276	381872	63.3	10.783	-0.9%
SPRSPO-7-S-20260526	C70191	0.749	0.173	6.86	60.6	0.453	20224	0.273	0.673	0.0629	0.155	P	K2602161.D	2026-06-10 17:17	1.048	13.230	42693	375745	63.3	10.783	-2.4%
SPRSPO-8-S-20260526	C55302	0.596	0.137	5.47	60.7	0.453	20252	0.273	0.672	0.0628	0.155	J,P	K2602162.D	2026-06-10 17:45	1.048	13.230	33842	373692	63.3	10.783	-3.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260526	B52750	0.549	0.126	5.04	60.7	0.453	20282	0.272	0.671	0.0627	0.155	J,P	K2602163.D	2026-06-10 18:12	1.048	13.230	31006	371436	63.3	10.783	-3.6%
SPRSPO-10-S-20260526	C01873	0.541	0.125	4.97	60.7	0.453	20282	0.272	0.671	0.0627	0.155	J,P	K2602165.D	2026-06-10 19:07	1.048	13.230	30660	372287	63.3	10.783	-3.3%
SPRSPO-11-S-20260526	C71465	0.621	0.143	5.71	60.7	0.453	20283	0.272	0.671	0.0627	0.155	J,P	K2602166.D	2026-06-10 19:35	1.048	13.230	34267	362691	63.3	10.783	-5.8%
SPRSPO-12-S-20260526	C55561	1.22	0.281	11.2	60.7	0.453	20282	0.272	0.671	0.0627	0.155	P	K2602167.D	2026-06-10 20:02	1.048	13.230	68861	371313	63.3	10.783	-3.6%
SPRSPO-13-S-20260526	C01403	1.29	0.297	11.8	60.7	0.453	20281	0.272	0.671	0.0627	0.155	P	K2602168.D	2026-06-10 20:30	1.048	13.230	72981	372560	63.3	10.783	-3.3%
SPRSPO-13-D-20260526	B38433	1.03	0.237	9.45	60.7	0.453	20281	0.272	0.671	0.0627	0.155	P	K2602169.D	2026-06-10 20:57	1.048	13.230	58658	374824	63.3	10.783	-2.7%
SPRSPO-13-B-20260526	C61445	0.272	0.0627		60.7	0.453	20281	0.272	0.671	0.0627	0.155	ND,P	K2602170.D	2026-06-10 21:26	1.048	13.579	0	379784	63.3	10.783	-1.4%
SPRSPO-14-S-20260526	B33564	1.41	0.326	13.0	60.7	0.453	20302	0.272	0.670	0.0626	0.154	P	K2602171.D	2026-06-10 21:53	1.048	13.230	80053	371947	63.3	10.783	-3.4%
SPRSPO-15-S-20260526	C43660	2.39	0.552	22.0	60.7	0.453	20314	0.272	0.670	0.0626	0.154	P	K2602172.D	2026-06-10 22:21	1.048	13.230	134996	370124	63.3	10.783	-3.9%
SPRSPO-16-S-20260526	C67363	2.63	0.605	24.2	60.7	0.453	20315	0.272	0.670	0.0626	0.154	P	K2602173.D	2026-06-10 22:49	1.048	13.230	148155	370218	63.3	10.783	-3.9%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260526	C70099	1.11	0.256	10.2	60.6	0.453	20256	0.272	0.625	0.0628	0.144	Pc	K2602154.D	2026-06-10 14:03	1.066	13.726	64001	373306	63.3	10.783	-3.1%
SPRSPO-1-D-20260526	C37437	0.613	0.141	5.62	60.6	0.453	20256	0.272	0.625	0.0628	0.144	J,Pc	K2602155.D	2026-06-10 14:31	1.066	13.726	35729	377340	63.3	10.783	-2.0%
SPRSPO-1-B-20260526	C57138	0.272	0.0628		60.6	0.453	20256	0.272	0.625	0.0628	0.144	ND,Pc	K2602153.D	2026-06-10 13:36	1.066	13.726	281	378323	63.3	10.783	-1.8%
SPRSPO-2-S-20260526	C69494	0.549	0.127	5.03	60.6	0.453	20222	0.273	0.626	0.0629	0.144	J,Pc	K2602156.D	2026-06-10 14:58	1.066	13.726	31484	371680	63.3	10.783	-3.5%
SPRSPO-3-S-20260526	C35732	0.318	0.0732	2.91	60.6	0.453	20222	0.273	0.626	0.0629	0.144	J,Pc	K2602157.D	2026-06-10 15:26	1.066	13.726	18151	370337	63.3	10.783	-3.9%
SPRSPO-4-S-20260526	C16067	0.273	0.0629		60.6	0.453	20224	0.273	0.626	0.0629	0.144	ND,Pc	K2602158.D	2026-06-10 15:54	1.066	13.726	15213	383818	63.3	10.783	-0.4%
SPRSPO-5-S-20260526	C32999	0.273	0.0629		60.6	0.453	20226	0.273	0.625	0.0629	0.144	ND,Pc	K2602159.D	2026-06-10 16:21	1.066	13.732	12659	377046	63.3	10.783	-2.1%
SPRSPO-6-S-20260526	C56927	0.273	0.0629		60.6	0.453	20223	0.273	0.626	0.0629	0.144	ND,Pc	K2602160.D	2026-06-10 16:49	1.066	13.732	15423	381872	63.3	10.783	-0.9%
SPRSPO-7-S-20260526	C70191	0.281	0.0647	2.57	60.6	0.453	20224	0.273	0.626	0.0629	0.144	J,Pc	K2602161.D	2026-06-10 17:17	1.066	13.732	16273	375745	63.3	10.783	-2.4%
SPRSPO-8-S-20260526	C55302	0.273	0.0628		60.7	0.453	20252	0.273	0.625	0.0628	0.144	ND,Pc	K2602162.D	2026-06-10 17:45	1.066	13.726	12461	373692	63.3	10.783	-3.0%
SPRSPO-9-S-20260526	B52750	0.272	0.0627		60.7	0.453	20282	0.272	0.624	0.0627	0.144	ND,Pc	K2602163.D	2026-06-10 18:12	1.066	13.726	10575	371436	63.3	10.783	-3.6%
SPRSPO-10-S-20260526	C01873	0.272	0.0627		60.7	0.453	20282	0.272	0.624	0.0627	0.144	ND,Pc	K2602165.D	2026-06-10 19:07	1.066	13.732	11851	372287	63.3	10.783	-3.3%
SPRSPO-11-S-20260526	C71465	0.272	0.0627		60.7	0.453	20283	0.272	0.624	0.0627	0.144	ND,Pc	K2602166.D	2026-06-10 19:35	1.066	13.726	12441	362691	63.3	10.783	-5.8%
SPRSPO-12-S-20260526	C55561	0.407	0.0938	3.74	60.7	0.453	20282	0.272	0.624	0.0627	0.144	J,Pc	K2602167.D	2026-06-10 20:02	1.066	13.732	23385	371313	63.3	10.783	-3.6%
SPRSPO-13-S-20260526	C01403	0.447	0.103	4.10	60.7	0.453	20281	0.272	0.624	0.0627	0.144	J,Pc	K2602168.D	2026-06-10 20:30	1.066	13.732	25740	372560	63.3	10.783	-3.3%
SPRSPO-13-D-20260526	B38433	0.345	0.0795	3.17	60.7	0.453	20281	0.272	0.624	0.0627	0.144	J,Pc	K2602169.D	2026-06-10 20:57	1.066	13.732	19999	374824	63.3	10.783	-2.7%
SPRSPO-13-B-20260526	C61445	0.272	0.0627		60.7	0.453	20281	0.272	0.624	0.0627	0.144	ND,Pc	K2602170.D	2026-06-10 21:26	1.066	13.579	0	379784	63.3	10.783	-1.4%
SPRSPO-14-S-20260526	B33564	0.518	0.119	4.76	60.7	0.453	20302	0.272	0.623	0.0626	0.144	J,Pc	K2602171.D	2026-06-10 21:53	1.066	13.732	29834	371947	63.3	10.783	-3.4%
SPRSPO-15-S-20260526	C43660	0.842	0.194	7.75	60.7	0.453	20314	0.272	0.623	0.0626	0.144	Pc	K2602172.D	2026-06-10 22:21	1.066	13.726	48295	370124	63.3	10.783	-3.9%
SPRSPO-16-S-20260526	C67363	0.923	0.213	8.49	60.7	0.453	20315	0.272	0.623	0.0626	0.143	Pc	K2602173.D	2026-06-10 22:49	1.066	13.732	52959	370218	63.3	10.783	-3.9%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
P: Field duplicate(s) exceed 30%RPD
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260526	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260526	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260526	1.1%	Pass	3.4%	Pass	12%	Pass	55%	Fail	58%	Fail
	SPRSPO-13-D-20260526	3.4%	Pass	2.3%	Pass	13%	Pass	22%	Pass	26%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.102	0.996	1.102	11%	1.9%		Pass	
2026GA205 Method Blank-1	K2602152.D	C43713	Blank		0.996	1.102			2.9%	Pass	ND
M325B CCV 5	K2602164.D	C01496	Check	1.130	0.996	1.102	13%		-3.4%	Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.127	0.996	1.102	13%		-6.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.311	1.262	1.311	3.9%	1.4%		Pass	
2026GA205 Method Blank-1	K2602152.D	C43713	Blank		1.262	1.311			0.37%	Pass	ND
M325B CCV 5	K2602164.D	C01496	Check	1.348	1.262	1.311	6.8%		-3.0%	Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.381	1.262	1.311	9.4%		-6.3%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.377	1.403	1.377	-1.9%	1.4%		Pass	
2026GA205 Method Blank-1	K2602152.D	C43713	Blank		1.403	1.377			0.37%	Pass	ND
M325B CCV 5	K2602164.D	C01496	Check	1.438	1.403	1.377	2.6%		-3.0%	Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.464	1.403	1.377	4.4%		-6.3%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.048	1.094	1.048	-4.2%	1.4%		Pass	
2026GA205 Method Blank-1	K2602152.D	C43713	Blank		1.094	1.048			0.37%	Pass	ND
M325B CCV 5	K2602164.D	C01496	Check	0.999	1.094	1.048	-8.7%		-3.0%	Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.090	1.094	1.048	-0.39%		-6.3%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.066	1.105	1.066	-3.5%	1.4%		Pass	
2026GA205 Method Blank-1	K2602152.D	C43713	Blank		1.105	1.066			0.37%	Pass	ND
M325B CCV 5	K2602164.D	C01496	Check	1.011	1.105	1.066	-8.4%		-3.0%	Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.097	1.105	1.066	-0.71%		-6.3%	Pass	

Chromatograms


Name	2026GA205 Method Blank-1
Comment	C43713
Data File	K2602152.D
Acq. Date-Time	6/10/2026 1:08:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	365,982	
Benzene	benzene-d6 (IS)	8.159	8.165	2,037	
Toluene-d8 (IS)		10.783	10.783	386,580	
Toluene	Toluene-d8 (IS)	10.875	10.881	4,830	
Ethylbenzene	Toluene-d8 (IS)	12.582	13.053	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.236	13.230	328	
o-Xylene	Toluene-d8 (IS)	13.836	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602152.D
Counts
x10^3
* 13.836 min.
1.4
1.2
1
0.8
0.6
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.836-13.836 min, 1 scans) K2602152.D
Counts
x10^3
41.0
55.1
67.1
72.9
81.1
91.0
104.9
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-B-20260526
Comment	C57138
Data File	K2602153.D
Acq. Date-Time	6/10/2026 1:36:18 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	352,512	
Benzene	benzene-d6 (IS)	8.159	8.165	1,163	
Toluene-d8 (IS)		10.783	10.783	378,323	
Toluene	Toluene-d8 (IS)	10.881	10.881	3,379	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	460	
m-/p-Xylenes	Toluene-d8 (IS)	13.249	13.230	584	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	281	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602153.D
Counts
x10^3
1.4
1.2
1
0.8
0.6
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.713-13.738 min, 4 scans) K2602153.D
Counts
x10^3
Lib Match Score=38.6
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
39.0
55.0
67.1
73.0
81.1
91.0
106.2
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260526
Comment	C70099
Data File	K2602154.D
Acq. Date-Time	6/10/2026 2:03:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	347,949	
Benzene	benzene-d6 (IS)	8.165	8.165	90,229	
Toluene-d8 (IS)		10.783	10.783	373,306	
Toluene	Toluene-d8 (IS)	10.881	10.881	321,533	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	73,057	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	191,941	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	64,001	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602154.D
Counts
x10^4
7
6
5
4
3
2
1
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.770 min, 12 scans) K2602154.D
Lib Match Score=68.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
51.1
65.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260526
Comment	C37437
Data File	K2602155.D
Acq. Date-Time	6/10/2026 2:31:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	341,398	
Benzene	benzene-d6 (IS)	8.165	8.165	87,555	
Toluene-d8 (IS)		10.783	10.783	377,340	
Toluene	Toluene-d8 (IS)	10.875	10.881	314,157	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	65,269	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	110,237	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	35,729	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602155.D
Counts
x10^4
4
3
2
1
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.756 min, 9 scans) K2602155.D
Lib Match Score=67.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
51.1
67.1
77.0
111.2
122.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260526
Comment	C69494
Data File	K2602156.D
Acq. Date-Time	6/10/2026 2:58:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	340,215	
Benzene	benzene-d6 (IS)	8.165	8.165	55,677	
Toluene-d8 (IS)		10.783	10.783	371,680	
Toluene	Toluene-d8 (IS)	10.881	10.881	192,374	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	37,030	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	92,405	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	31,484	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602156.D
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.694-13.778 min, 14 scans) K2602156.D
Lib Match Score=59.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
77.1
111.1119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260526
Comment	C35732
Data File	K2602157.D
Acq. Date-Time	6/10/2026 3:26:31 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	348,708	
Benzene	benzene-d6 (IS)	8.159	8.165	41,304	
Toluene-d8 (IS)		10.783	10.783	370,337	
Toluene	Toluene-d8 (IS)	10.875	10.881	149,641	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	25,906	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	50,563	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	18,151	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602157.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.762 min, 11 scans) K2602157.D
Lib Match Score=54.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
111.0118.9
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260526
Comment	C16067
Data File	K2602158.D
Acq. Date-Time	6/10/2026 3:54:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	352,455	
Benzene	benzene-d6 (IS)	8.159	8.165	42,147	
Toluene-d8 (IS)		10.783	10.783	383,818	
Toluene	Toluene-d8 (IS)	10.875	10.881	134,845	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	21,766	
m-/p-Xylenes	Toluene-d8 (IS)	13.224	13.230	42,087	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	15,213	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602158.D
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.762 min, 10 scans) K2602158.D
Counts
x10^3
Lib Match Score=54.1
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
116.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260526
Comment	C32999
Data File	K2602159.D
Acq. Date-Time	6/10/2026 4:21:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	352,854	
Benzene	benzene-d6 (IS)	8.165	8.165	35,481	
Toluene-d8 (IS)		10.783	10.783	377,046	
Toluene	Toluene-d8 (IS)	10.881	10.881	121,061	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,875	
m-/p-Xylenes	Toluene-d8 (IS)	13.236	13.230	34,433	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	12,659	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602159.D
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.693-13.769 min, 13 scans) K2602159.D
Lib Match Score=51.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
41.0
55.0
67.1
78.0
106.1
121.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260526
Comment	C56927
Data File	K2602160.D
Acq. Date-Time	6/10/2026 4:49:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	357,585	
Benzene	benzene-d6 (IS)	8.165	8.165	30,251	
Toluene-d8 (IS)		10.783	10.783	381,872	
Toluene	Toluene-d8 (IS)	10.875	10.881	124,951	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,510	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	41,276	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	15,423	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602160.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.762 min, 11 scans) K2602160.D
Lib Match Score=57.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.0
67.1
77.0
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260526
Comment	C70191
Data File	K2602161.D
Acq. Date-Time	6/10/2026 5:17:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	347,128	
Benzene	benzene-d6 (IS)	8.159	8.165	29,295	
Toluene-d8 (IS)		10.783	10.783	375,745	
Toluene	Toluene-d8 (IS)	10.875	10.881	139,647	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,748	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	42,693	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	16,273	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602161.D
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.693-13.756 min, 11 scans) K2602161.D
Lib Match Score=52.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
67.1
77.1
106.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260526
Comment	C55302
Data File	K2602162.D
Acq. Date-Time	6/10/2026 5:45:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	338,595	
Benzene	benzene-d6 (IS)	8.165	8.165	26,675	
Toluene-d8 (IS)		10.783	10.783	373,692	
Toluene	Toluene-d8 (IS)	10.875	10.881	77,835	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	13,726	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	33,842	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	12,461	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602162.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.759 min, 10 scans) K2602162.D
Lib Match Score=51.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
106.1
55.1
67.1
79.0
114.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260526
Comment	B52750
Data File	K2602163.D
Acq. Date-Time	6/10/2026 6:12:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	342,928	
Benzene	benzene-d6 (IS)	8.159	8.165	34,560	
Toluene-d8 (IS)		10.783	10.783	371,436	
Toluene	Toluene-d8 (IS)	10.881	10.881	96,448	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	17,081	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	31,006	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	10,575	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602163.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.764 min, 11 scans) K2602163.D
Lib Match Score=48.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.0
55.0
67.1
78.0
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260526
Comment	C01873
Data File	K2602165.D
Acq. Date-Time	6/10/2026 7:07:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	349,587	
Benzene	benzene-d6 (IS)	8.165	8.165	33,376	
Toluene-d8 (IS)		10.783	10.783	372,287	
Toluene	Toluene-d8 (IS)	10.881	10.881	87,618	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,917	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	30,660	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	11,851	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602165.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.700-13.764 min, 11 scans) K2602165.D
Counts
x10^3
Lib Match Score=54.2
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
41.1
55.0
67.1
79.1
120.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260526
Comment	C71465
Data File	K2602166.D
Acq. Date-Time	6/10/2026 7:35:18 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	343,330	
Benzene	benzene-d6 (IS)	8.165	8.165	37,768	
Toluene-d8 (IS)		10.783	10.783	362,691	
Toluene	Toluene-d8 (IS)	10.875	10.881	89,873	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,212	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	34,267	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	12,441	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602166.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.700-13.759 min, 10 scans) K2602166.D
Lib Match Score=54.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
41.1
55.1
67.0
79.1
118.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260526
Comment	C55561
Data File	K2602167.D
Acq. Date-Time	6/10/2026 8:02:49 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	346,178	
Benzene	benzene-d6 (IS)	8.165	8.165	52,398	
Toluene-d8 (IS)		10.783	10.783	371,313	
Toluene	Toluene-d8 (IS)	10.881	10.881	178,717	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	35,923	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	68,861	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	23,385	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602167.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.766 min, 11 scans) K2602167.D
Lib Match Score=61.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.0
77.0
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260526
Comment	C01403
Data File	K2602168.D
Acq. Date-Time	6/10/2026 8:30:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	345,697	
Benzene	benzene-d6 (IS)	8.165	8.165	52,532	
Toluene-d8 (IS)		10.783	10.783	372,560	
Toluene	Toluene-d8 (IS)	10.881	10.881	173,914	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	35,505	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	72,981	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	25,740	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602168.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.702-13.765 min, 10 scans) K2602168.D
Lib Match Score=61.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.2119.0
39.1
51.1
67.0
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260526
Comment	B38433
Data File	K2602169.D
Acq. Date-Time	6/10/2026 8:57:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	340,709	
Benzene	benzene-d6 (IS)	8.165	8.165	53,573	
Toluene-d8 (IS)		10.783	10.783	374,824	
Toluene	Toluene-d8 (IS)	10.881	10.881	170,928	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	31,360	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	58,658	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	19,999	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602169.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.778 min, 12 scans) K2602169.D
Lib Match Score=57.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.0
51.1
67.0
77.0
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260526
Comment	C61445
Data File	K2602170.D
Acq. Date-Time	6/10/2026 9:26:18 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	346,572	
Benzene	benzene-d6 (IS)	8.159	8.165	1,246	
Toluene-d8 (IS)		10.783	10.783	379,784	
Toluene	Toluene-d8 (IS)	10.881	10.881	3,722	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	828	
m-/p-Xylenes	Toluene-d8 (IS)	13.579	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	13.579	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602170.D
Counts
x10^3
* 13.579 min.
1.4
1.2
1
0.8
0.6
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.579-13.579 min, 1 scans) K2602170.D
Counts
x10^3
41.1
55.0
67.1
79.1
91.1
109.9
119.1
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260526
Comment	B33564
Data File	K2602171.D
Acq. Date-Time	6/10/2026 9:53:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	344,618	
Benzene	benzene-d6 (IS)	8.165	8.165	53,443	
Toluene-d8 (IS)		10.783	10.783	371,947	
Toluene	Toluene-d8 (IS)	10.881	10.881	190,476	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	40,152	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	80,053	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	29,834	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602171.D
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.691-13.767 min, 12 scans) K2602171.D
Lib Match Score=63.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.0
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260526
Comment	C43660
Data File	K2602172.D
Acq. Date-Time	6/10/2026 10:21:32 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	348,083	
Benzene	benzene-d6 (IS)	8.165	8.165	82,346	
Toluene-d8 (IS)		10.783	10.783	370,124	
Toluene	Toluene-d8 (IS)	10.881	10.881	313,091	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	64,139	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	134,996	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	48,295	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602172.D
Counts
x10^4
13.726 min.
Acquisition Time (min)


+ Scan (13.689-13.759 min, 12 scans) K2602172.D
Lib Match Score=69.4
Counts
x10^3
91.1
106.1
111.2
41.1
51.1
65.0
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260526
Comment	C67363
Data File	K2602173.D
Acq. Date-Time	6/10/2026 10:49:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	344,675	
Benzene	benzene-d6 (IS)	8.165	8.165	96,244	
Toluene-d8 (IS)		10.783	10.783	370,218	
Toluene	Toluene-d8 (IS)	10.881	10.881	349,653	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	72,054	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	148,155	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	52,959	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan K2602173.D
Counts
x10^4
6
5
4
3
2
1
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.769 min, 12 scans) K2602173.D
Lib Match Score=69.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
77.1
95.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	1	K2602140.D	6.02	37927	53.9	352316	0.963	-0.033
K060926A_CC185154	Benzene	2	K2602141.D	12.05	85124	53.9	347908	1.095	0.099
K060926A_CC185154	Benzene	3	K2602142.D	24.09	154237	53.9	350347	0.985	-0.012
K060926A_CC185154	Benzene	4	K2602143.D	48.18	288954	53.9	347079	0.931	-0.065
K060926A_CC185154	Benzene	5	K2602144.D	120.45	780014	53.9	349144	1.000	0.0032
K060926A_CC185154	Benzene	6	K2602145.D	240.91	1681502	53.9	349141	1.077	0.081
K060926A_CC185154	Benzene	7	K2602146.D	722.72	4307350	53.9	347893	0.923	-0.073
						Avg:	349118	0.996	
						%RSD:	0.5%	6.7%	
K060926A_CC185154	Toluene	1	K2602140.D	5.29	46952	63.3	384857	1.460	0.16
K060926A_CC185154	Toluene	2	K2602141.D	10.58	94160	63.3	382687	1.472	0.17
K060926A_CC185154	Toluene	3	K2602142.D	21.16	163782	63.3	381323	1.285	0.018
K060926A_CC185154	Toluene	4	K2602143.D	42.32	293727	63.3	373497	1.177	-0.068
K060926A_CC185154	Toluene	5	K2602144.D	105.79	741607	63.3	377487	1.176	-0.069
K060926A_CC185154	Toluene	6	K2602145.D	211.59	1543424	63.3	376883	1.225	-0.029
K060926A_CC185154	Toluene	7	K2602146.D	634.77	4000807	63.3	382946	1.042	-0.17
						Avg:	379955	1.262	
						%RSD:	1.1%	12.5%	
K060926A_CC185154	Ethylbenzene	1	K2602140.D	5.50	51746	63.3	384857	1.548	0.1
K060926A_CC185154	Ethylbenzene	2	K2602141.D	11.00	106735	63.3	382687	1.606	0.14
K060926A_CC185154	Ethylbenzene	3	K2602142.D	21.99	199656	63.3	381323	1.507	0.075
K060926A_CC185154	Ethylbenzene	4	K2602143.D	43.98	362024	63.3	373497	1.395	-0.0053
K060926A_CC185154	Ethylbenzene	5	K2602144.D	109.95	868980	63.3	377487	1.325	-0.055
K060926A_CC185154	Ethylbenzene	6	K2602145.D	219.91	1755030	63.3	376883	1.341	-0.044
K060926A_CC185154	Ethylbenzene	7	K2602146.D	659.72	4372012	63.3	382946	1.096	-0.22
						Avg:	379955	1.403	
						%RSD:	1.1%	12.3%	
K060926A_CC185154	m-/p-Xylenes	1	K2602140.D	6.16	45369	63.3	384857	1.211	0.11
K060926A_CC185154	m-/p-Xylenes	2	K2602141.D	12.32	91043	63.3	382687	1.222	0.12
K060926A_CC185154	m-/p-Xylenes	3	K2602142.D	24.65	168518	63.3	381323	1.135	0.037
K060926A_CC185154	m-/p-Xylenes	4	K2602143.D	49.29	307960	63.3	373497	1.059	-0.032
K060926A_CC185154	m-/p-Xylenes	5	K2602144.D	123.23	735207	63.3	377487	1.001	-0.086
K060926A_CC185154	m-/p-Xylenes	6	K2602145.D	246.46	1528922	63.3	376883	1.042	-0.048
K060926A_CC185154	m-/p-Xylenes	7	K2602146.D	739.37	4424943	63.3	382946	0.989	-0.096
						Avg:	379955	1.094	
						%RSD:	1.1%	8.8%	
K060926A_CC185154	o-Xylene	1	K2602140.D	5.73	44139	63.3	384857	1.267	0.15
K060926A_CC185154	o-Xylene	2	K2602141.D	11.46	88287	63.3	382687	1.275	0.15
K060926A_CC185154	o-Xylene	3	K2602142.D	22.92	156327	63.3	381323	1.132	0.025

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA205-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	o-Xylene	4	K2602143.D	45.84	294544	63.3	373497	1.089	-0.014
K060926A_CC185154	o-Xylene	5	K2602144.D	114.60	698105	63.3	377487	1.022	-0.075
K060926A_CC185154	o-Xylene	6	K2602145.D	229.20	1422810	63.3	376883	1.043	-0.056
K060926A_CC185154	o-Xylene	7	K2602146.D	687.60	3759400	63.3	382946	0.904	-0.18
						Avg:	379955	1.105	
						%RSD:	1.1%	12.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	ICV	K2602147.D	179.65	1093758	53.9	350582	0.936	-6.1%
K060926A_CC185154	Toluene	ICV	K2602147.D	183.96	1208285	63.3	380158	1.094	-13.0%
K060926A_CC185154	Ethylbenzene	ICV	K2602147.D	181.89	1352167	63.3	380158	1.238	-12.0%
K060926A_CC185154	m-/p-Xylenes	ICV	K2602147.D	184.72	1013911	63.3	380158	0.914	-16.0%
K060926A_CC185154	o-Xylene	ICV	K2602147.D	185.08	1019413	63.3	380158	0.917	-17.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris™

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GA205 Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague South Portland	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	39 Main Street	**Project #:**	PROJ-027968	**Sample Event #:**	2026GA205
City:	South Portland	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04106	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C70099	S	5/26/26	9:32 AM	6/9/26	11:08 AM	KV/KV		
1	C37437	D	5/26/26	9:32 AM	6/9/26	11:08 AM	KV/KV		
1	C57138	B	5/26/26	9:32 AM	6/9/26	11:08 AM	KV/KV		
2	C69494	S	5/26/26	10:12 AM	6/9/26	11:14 AM	KV/KV		
3	C35732	S	5/26/26	10:15 AM	6/9/26	11:17 AM	KV/KV		
4	C16067	S	5/26/26	10:17 AM	6/9/26	11:21 AM	KV/KV		
5	C32999	S	5/26/26	10:18 AM	6/9/26	11:24 AM	KV/KV		
6	C56927	S	5/26/26	10:24 AM	6/9/26	11:27 AM	KV/KV		
7	C70191	S	5/26/26	10:26 AM	6/9/26	11:30 AM	KV/KV		
8	C55302	S	5/26/26	10:05 AM	6/9/26	11:37 AM	KV/KV		
9	B52750	S	5/26/26	9:44 AM	6/9/26	11:46 AM	KV/KV		
10	C01873	S	5/26/26	9:47 AM	6/9/26	11:49 AM	KV/KV		
11	C71465	S	5/26/26	9:49 AM	6/9/26	11:52 AM	KV/KV		
12	C55561	S	5/26/26	9:53 AM	6/9/26	11:55 AM	KV/KV		
13	C01403	S	5/26/26	9:57 AM	6/9/26	11:58 AM	KV/KV		
13	B38433	D	5/26/26	9:57 AM	6/9/26	11:58 AM	KV/KV		
13	C61445	B	5/26/26	9:57 AM	6/9/26	11:58 AM	KV/KV		
14	B33564	S	5/26/26	9:40 AM	6/9/26	12:02 PM	KV/KV		
15	C43660	S	5/26/26	9:38 AM	6/9/26	12:12 PM	KV/KV		
16	C67363	S	5/26/26	9:39 AM	6/9/26	12:14 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/9/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grandelman	Paige Grandelman	6-10-26	9:45am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 14.5 Plate4		**Custody Seal #:** 2SE09346	

ments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

Sprague - South Portland

39 Main St.
South Portland, ME 04106

Sampling Event 50 Sprague - South Portland

Client Project# PROJ-027968
Samples Received: 6/24/2026

Analytical Report
2026GA206

EPA Method 325B Analysis

Report Issue Date: 6/29/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 11
Chromatograms 14
Initial Calibration 78
Sample Custody 81
    Chain of Custody 82

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA206-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on June 24, 2026 at 21.7 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
SPRSPO-1-S-20260609	C59926	Sample
SPRSPO-1-D-20260609	C70555	Duplicate
SPRSPO-1-B-20260609	C60002	Blank
SPRSPO-2-S-20260609	B48670	Sample
SPRSPO-3-S-20260609	C02000	Sample
SPRSPO-4-S-20260609	C65340	Sample
SPRSPO-5-S-20260609	B47851	Sample
SPRSPO-6-S-20260609	C40642	Sample
SPRSPO-7-S-20260609	C70539	Sample
SPRSPO-8-S-20260609	C67447	Sample
SPRSPO-9-S-20260609	C56942	Sample
SPRSPO-10-S-20260609	C69479	Sample
SPRSPO-11-S-20260609	C01839	Sample
SPRSPO-12-S-20260609	C20587	Sample
SPRSPO-13-S-20260609	C70184	Sample
SPRSPO-13-D-20260609	C69802	Duplicate
SPRSPO-13-B-20260609	C38518	Blank
SPRSPO-14-S-20260609	C43602	Sample
SPRSPO-15-S-20260609	C38882	Sample
SPRSPO-16-S-20260609	C43860	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GA206-1
Client ID.	PROJ-027968 Site: Sprague - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F060226A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
SPRSPO-1-S-20260609	C59926	1.32		5.15		1.04		3.58		1.18	
SPRSPO-1-D-20260609	C70555	1.31		5.04		1.01		3.41		1.14	
SPRSPO-1-B-20260609	C60002	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
SPRSPO-2-S-20260609	B48670	0.947		2.83		0.438	J	1.25		0.435	J
SPRSPO-3-S-20260609	C02000	0.727		2.29		0.366	J	1.11		0.394	J
SPRSPO-4-S-20260609	C65340	0.749		2.74		0.379	J	1.10		0.397	J
SPRSPO-5-S-20260609	B47851	0.583		2.19		0.272	ND	0.514	J	0.272	ND
SPRSPO-6-S-20260609	C40642	0.384	J	2.23		0.275	J	0.710		0.272	ND
SPRSPO-7-S-20260609	C70539	0.432	J	2.44		0.272	ND	0.799		0.324	J
SPRSPO-8-S-20260609	C67447	0.404	J	1.13		0.272	ND	0.601	J	0.272	ND
SPRSPO-9-S-20260609	C56942	0.516		1.88		0.366	J	1.23		0.470	J
SPRSPO-10-S-20260609	C69479	0.586		1.59		0.272	ND	0.861		0.339	J
SPRSPO-11-S-20260609	C01839	0.557		1.68		0.333	J	0.772		0.272	ND
SPRSPO-12-S-20260609	C20587	0.722		2.29		0.387	J	1.01		0.347	J
SPRSPO-13-S-20260609	C70184	0.676		2.38		0.481	J	1.60		0.594	J
SPRSPO-13-D-20260609	C69802	0.765		2.43		0.477	J	1.62		0.598	J
SPRSPO-13-B-20260609	C38518	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
SPRSPO-14-S-20260609	C43602	0.808		2.69		0.548	J	1.42		0.516	J
SPRSPO-15-S-20260609	C38882	1.02		4.41		0.826		2.38		0.830	
SPRSPO-16-S-20260609	C43860	1.11		4.51		0.819		2.69		0.930	

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260609	C59926	1.32	0.413	17.6	67.6	0.664	20140	0.187	0.447	0.0585	0.140		F2604124.D	2026-06-24 15:29	0.905	7.932	122083	420120	54.9	7.877	-1.7%
SPRSPO-1-D-20260609	C70555	1.31	0.409	17.5	67.6	0.664	20140	0.187	0.447	0.0585	0.140		F2604125.D	2026-06-24 15:54	0.905	7.932	121283	421261	54.9	7.877	-1.4%
SPRSPO-1-B-20260609	C60002	0.187	0.0585		67.6	0.664	20140	0.187	0.447	0.0585	0.140	ND	F2604123.D	2026-06-24 15:03	0.905	7.926	6022	419970	54.9	7.871	-1.7%
SPRSPO-2-S-20260609	B48670	0.947	0.297	12.7	67.6	0.664	20138	0.187	0.447	0.0585	0.140		F2604126.D	2026-06-24 16:20	0.905	7.932	87425	418814	54.9	7.877	-2.0%
SPRSPO-3-S-20260609	C02000	0.727	0.228	9.72	67.6	0.664	20139	0.187	0.447	0.0585	0.140		F2604127.D	2026-06-24 16:45	0.905	7.932	69076	431485	54.9	7.877	1.0%
SPRSPO-4-S-20260609	C65340	0.749	0.235	10.0	67.6	0.664	20138	0.187	0.447	0.0585	0.140		F2604128.D	2026-06-24 17:11	0.905	7.932	69141	418890	54.9	7.871	-2.0%
SPRSPO-5-S-20260609	B47851	0.583	0.183	7.80	67.6	0.664	20137	0.187	0.447	0.0586	0.140		F2604129.D	2026-06-24 17:36	0.905	7.932	53682	417613	54.9	7.871	-2.3%
SPRSPO-6-S-20260609	C40642	0.384	0.120	5.13	67.6	0.664	20140	0.187	0.447	0.0585	0.140	J	F2604130.D	2026-06-24 18:03	0.905	7.932	35349	418229	54.9	7.877	-2.1%
SPRSPO-7-S-20260609	C70539	0.432	0.135	5.78	67.6	0.664	20140	0.187	0.447	0.0585	0.140	J	F2604131.D	2026-06-24 18:28	0.905	7.932	40412	424642	54.9	7.871	-0.6%
SPRSPO-8-S-20260609	C67447	0.404	0.127	5.41	67.6	0.664	20140	0.187	0.447	0.0585	0.140	J	F2604132.D	2026-06-24 18:54	0.905	7.932	37337	418923	54.9	7.877	-2.0%
SPRSPO-9-S-20260609	C56942	0.516	0.162	6.90	67.6	0.664	20140	0.187	0.447	0.0585	0.140		F2604134.D	2026-06-24 19:45	0.905	7.932	46152	406178	54.9	7.877	-4.9%
SPRSPO-10-S-20260609	C69479	0.586	0.184	7.84	67.6	0.664	20139	0.187	0.447	0.0585	0.140		F2604135.D	2026-06-24 20:10	0.905	7.932	52322	405122	54.9	7.877	-5.2%
SPRSPO-11-S-20260609	C01839	0.557	0.175	7.45	67.6	0.664	20138	0.187	0.447	0.0585	0.140		F2604136.D	2026-06-24 20:36	0.905	7.932	48304	393399	54.9	7.871	-7.9%
SPRSPO-12-S-20260609	C20587	0.722	0.226	9.65	67.6	0.664	20137	0.187	0.447	0.0586	0.140		F2604137.D	2026-06-24 21:01	0.905	7.932	61531	386970	54.9	7.871	-9.4%
SPRSPO-13-S-20260609	C70184	0.676	0.212	9.04	67.6	0.664	20136	0.187	0.447	0.0586	0.140		F2604138.D	2026-06-24 21:27	0.905	7.932	57280	384754	54.9	7.871	-10.0%
SPRSPO-13-D-20260609	C69802	0.765	0.240	10.2	67.6	0.664	20136	0.187	0.447	0.0586	0.140		F2604139.D	2026-06-24 21:52	0.905	7.932	63288	375470	54.9	7.877	-12.1%
SPRSPO-13-B-20260609	C38518	0.187	0.0586		67.6	0.664	20136	0.187	0.447	0.0586	0.140	ND	F2604140.D	2026-06-24 22:18	0.905	7.926	3507	367144	54.9	7.871	-14.1%
SPRSPO-14-S-20260609	C43602	0.808	0.253	10.8	67.6	0.664	20134	0.187	0.447	0.0586	0.140		F2604141.D	2026-06-24 22:44	0.905	7.932	64820	364049	54.9	7.877	-14.8%
SPRSPO-15-S-20260609	C38882	1.02	0.319	13.6	67.6	0.664	20135	0.187	0.447	0.0586	0.140		F2604142.D	2026-06-24 23:09	0.905	7.932	80680	359069	54.9	7.877	-16.0%
SPRSPO-16-S-20260609	C43860	1.11	0.346	14.8	67.6	0.664	20137	0.187	0.447	0.0586	0.140		F2604143.D	2026-06-24 23:35	0.905	7.932	87946	361175	54.9	7.877	-15.5%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260609	C59926	5.15	1.37	53.5	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604124.D	2026-06-24 15:29	1.064	10.655	409462	466856	64.8	10.557	-2.0%
SPRSPO-1-D-20260609	C70555	5.04	1.34	52.3	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604125.D	2026-06-24 15:54	1.064	10.655	404015	470966	64.8	10.557	-1.1%
SPRSPO-1-B-20260609	C60002	0.241	0.0639		67.6	0.515	20140	0.241	0.506	0.0639	0.134	ND	F2604123.D	2026-06-24 15:03	1.064	10.655	12045	468244	64.8	10.557	-1.7%
SPRSPO-2-S-20260609	B48670	2.83	0.752	29.4	67.6	0.515	20138	0.241	0.506	0.0640	0.134		F2604126.D	2026-06-24 16:20	1.064	10.655	224728	466007	64.8	10.557	-2.2%
SPRSPO-3-S-20260609	C02000	2.29	0.608	23.8	67.6	0.515	20139	0.241	0.506	0.0639	0.134		F2604127.D	2026-06-24 16:45	1.064	10.655	189340	485825	64.8	10.557	2.0%
SPRSPO-4-S-20260609	C65340	2.74	0.729	28.5	67.6	0.515	20138	0.241	0.506	0.0640	0.134		F2604128.D	2026-06-24 17:11	1.064	10.655	221256	473523	64.8	10.557	-0.6%
SPRSPO-5-S-20260609	B47851	2.19	0.582	22.7	67.6	0.515	20137	0.241	0.506	0.0640	0.134		F2604129.D	2026-06-24 17:36	1.064	10.655	174998	468923	64.8	10.563	-1.6%
SPRSPO-6-S-20260609	C40642	2.23	0.592	23.1	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604130.D	2026-06-24 18:03	1.064	10.655	174644	459855	64.8	10.563	-3.5%
SPRSPO-7-S-20260609	C70539	2.44	0.649	25.4	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604131.D	2026-06-24 18:28	1.064	10.655	194300	466709	64.8	10.557	-2.0%
SPRSPO-8-S-20260609	C67447	1.13	0.301	11.8	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604132.D	2026-06-24 18:54	1.064	10.654	91409	472937	64.8	10.556	-0.7%
SPRSPO-9-S-20260609	C56942	1.88	0.500	19.6	67.6	0.515	20140	0.241	0.506	0.0639	0.134		F2604134.D	2026-06-24 19:45	1.064	10.655	141494	440797	64.8	10.563	-7.5%
SPRSPO-10-S-20260609	C69479	1.59	0.422	16.5	67.6	0.515	20139	0.241	0.506	0.0640	0.134		F2604135.D	2026-06-24 20:10	1.064	10.655	117528	434505	64.8	10.557	-8.8%
SPRSPO-11-S-20260609	C01839	1.68	0.447	17.5	67.6	0.515	20138	0.241	0.506	0.0640	0.134		F2604136.D	2026-06-24 20:36	1.064	10.655	124988	435863	64.8	10.557	-8.5%
SPRSPO-12-S-20260609	C20587	2.29	0.607	23.7	67.6	0.515	20137	0.241	0.506	0.0640	0.134		F2604137.D	2026-06-24 21:01	1.064	10.655	165677	425759	64.8	10.563	-10.6%
SPRSPO-13-S-20260609	C70184	2.38	0.633	24.7	67.6	0.515	20136	0.241	0.506	0.0640	0.134		F2604138.D	2026-06-24 21:27	1.064	10.655	168558	415522	64.8	10.557	-12.8%
SPRSPO-13-D-20260609	C69802	2.43	0.646	25.3	67.6	0.515	20136	0.241	0.506	0.0640	0.134		F2604139.D	2026-06-24 21:52	1.064	10.655	173112	417643	64.8	10.563	-12.3%
SPRSPO-13-B-20260609	C38518	0.241	0.0640		67.6	0.515	20136	0.241	0.506	0.0640	0.134	ND	F2604140.D	2026-06-24 22:18	1.064	10.655	8274	397777	64.8	10.557	-16.5%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-14-S-20260609	C43602	2.69	0.715	27.9	67.6	0.515	20134	0.241	0.506	0.0640	0.134		F2604141.D	2026-06-24 22:44	1.064	10.655	183170	399717	64.8	10.563	-16.1%
SPRSPO-15-S-20260609	C38882	4.41	1.17	45.8	67.6	0.515	20135	0.241	0.506	0.0640	0.134		F2604142.D	2026-06-24 23:09	1.064	10.655	291062	387337	64.8	10.563	-18.7%
SPRSPO-16-S-20260609	C43860	4.51	1.20	46.8	67.6	0.515	20137	0.241	0.506	0.0640	0.134		F2604143.D	2026-06-24 23:35	1.064	10.655	305105	397543	64.8	10.557	-16.6%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260609	C59926	1.04	0.239	9.52	67.6	0.456	20140	0.272	0.594	0.0627	0.137		F2604124.D	2026-06-24 15:29	1.296	12.839	88801	466856	64.8	10.557	-2.0%
SPRSPO-1-D-20260609	C70555	1.01	0.233	9.28	67.6	0.456	20140	0.272	0.594	0.0627	0.137		F2604125.D	2026-06-24 15:54	1.296	12.839	87323	470966	64.8	10.557	-1.1%
SPRSPO-1-B-20260609	C60002	0.272	0.0627		67.6	0.456	20140	0.272	0.594	0.0627	0.137	ND	F2604123.D	2026-06-24 15:03	1.296	12.845	899	468244	64.8	10.557	-1.7%
SPRSPO-2-S-20260609	B48670	0.438	0.101	4.02	67.6	0.456	20138	0.272	0.595	0.0627	0.137	J	F2604126.D	2026-06-24 16:20	1.296	12.839	37478	466007	64.8	10.557	-2.2%
SPRSPO-3-S-20260609	C02000	0.366	0.0844	3.36	67.6	0.456	20139	0.272	0.595	0.0627	0.137	J	F2604127.D	2026-06-24 16:45	1.296	12.839	32665	485825	64.8	10.557	2.0%
SPRSPO-4-S-20260609	C65340	0.379	0.0873	3.48	67.6	0.456	20138	0.272	0.595	0.0627	0.137	J	F2604128.D	2026-06-24 17:11	1.296	12.839	32935	473523	64.8	10.557	-0.6%
SPRSPO-5-S-20260609	B47851	0.272	0.0627		67.6	0.456	20137	0.272	0.595	0.0627	0.137	ND	F2604129.D	2026-06-24 17:36	1.296	12.839	18971	468923	64.8	10.563	-1.6%
SPRSPO-6-S-20260609	C40642	0.275	0.0633	2.52	67.6	0.456	20140	0.272	0.594	0.0627	0.137	J	F2604130.D	2026-06-24 18:03	1.296	12.839	23196	459855	64.8	10.563	-3.5%
SPRSPO-7-S-20260609	C70539	0.272	0.0627		67.6	0.456	20140	0.272	0.594	0.0627	0.137	ND	F2604131.D	2026-06-24 18:28	1.296	12.845	21149	466709	64.8	10.557	-2.0%
SPRSPO-8-S-20260609	C67447	0.272	0.0627		67.6	0.456	20140	0.272	0.594	0.0627	0.137	ND	F2604132.D	2026-06-24 18:54	1.296	12.845	16352	472937	64.8	10.556	-0.7%
SPRSPO-9-S-20260609	C56942	0.366	0.0844	3.36	67.6	0.456	20140	0.272	0.594	0.0627	0.137	J	F2604134.D	2026-06-24 19:45	1.296	12.839	29612	440797	64.8	10.563	-7.5%
SPRSPO-10-S-20260609	C69479	0.272	0.0627		67.6	0.456	20139	0.272	0.595	0.0627	0.137	ND	F2604135.D	2026-06-24 20:10	1.296	12.845	20024	434505	64.8	10.557	-8.8%
SPRSPO-11-S-20260609	C01839	0.333	0.0767	3.06	67.6	0.456	20138	0.272	0.595	0.0627	0.137	J	F2604136.D	2026-06-24 20:36	1.296	12.839	26615	435863	64.8	10.557	-8.5%
SPRSPO-12-S-20260609	C20587	0.387	0.0891	3.55	67.6	0.456	20137	0.272	0.595	0.0627	0.137	J	F2604137.D	2026-06-24 21:01	1.296	12.845	30204	425759	64.8	10.563	-10.6%
SPRSPO-13-S-20260609	C70184	0.481	0.111	4.41	67.6	0.456	20136	0.272	0.595	0.0628	0.137	J	F2604138.D	2026-06-24 21:27	1.296	12.845	36638	415522	64.8	10.557	-12.8%
SPRSPO-13-D-20260609	C69802	0.477	0.110	4.38	67.6	0.456	20136	0.272	0.595	0.0628	0.137	J	F2604139.D	2026-06-24 21:52	1.296	12.839	36584	417643	64.8	10.563	-12.3%
SPRSPO-13-B-20260609	C38518	0.272	0.0628		67.6	0.456	20136	0.272	0.595	0.0628	0.137	ND	F2604140.D	2026-06-24 22:18	1.296	12.839	464	397777	64.8	10.557	-16.5%
SPRSPO-14-S-20260609	C43602	0.548	0.126	5.03	67.6	0.456	20134	0.272	0.595	0.0628	0.137	J	F2604141.D	2026-06-24 22:44	1.296	12.845	40156	399717	64.8	10.563	-16.1%
SPRSPO-15-S-20260609	C38882	0.826	0.190	7.59	67.6	0.456	20135	0.272	0.595	0.0628	0.137		F2604142.D	2026-06-24 23:09	1.296	12.839	58733	387337	64.8	10.563	-18.7%
SPRSPO-16-S-20260609	C43860	0.819	0.189	7.52	67.6	0.456	20137	0.272	0.595	0.0627	0.137		F2604143.D	2026-06-24 23:35	1.296	12.845	59775	397543	64.8	10.557	-16.6%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260609	C59926	3.58	0.824	32.8	67.6	0.456	20140	0.272	0.666	0.0627	0.154		F2604124.D	2026-06-24 15:29	1.065	13.016	251785	466856	64.8	10.557	-2.0%
SPRSPO-1-D-20260609	C70555	3.41	0.786	31.3	67.6	0.456	20140	0.272	0.666	0.0627	0.154		F2604125.D	2026-06-24 15:54	1.065	13.016	242190	470966	64.8	10.557	-1.1%
SPRSPO-1-B-20260609	C60002	0.272	0.0627		67.6	0.456	20140	0.272	0.666	0.0627	0.154	ND	F2604123.D	2026-06-24 15:03	1.065	13.041	339	468244	64.8	10.557	-1.7%
SPRSPO-2-S-20260609	B48670	1.25	0.288	11.5	67.6	0.456	20138	0.272	0.666	0.0627	0.154		F2604126.D	2026-06-24 16:20	1.065	13.016	87723	466007	64.8	10.557	-2.2%
SPRSPO-3-S-20260609	C02000	1.11	0.256	10.2	67.6	0.456	20139	0.272	0.666	0.0627	0.154		F2604127.D	2026-06-24 16:45	1.065	13.016	81374	485825	64.8	10.557	2.0%
SPRSPO-4-S-20260609	C65340	1.10	0.254	10.1	67.6	0.456	20138	0.272	0.666	0.0627	0.154		F2604128.D	2026-06-24 17:11	1.065	13.016	78561	473523	64.8	10.557	-0.6%
SPRSPO-5-S-20260609	B47851	0.514	0.119	4.72	67.6	0.456	20137	0.272	0.666	0.0627	0.154	J	F2604129.D	2026-06-24 17:36	1.065	13.016	36365	468923	64.8	10.563	-1.6%
SPRSPO-6-S-20260609	C40642	0.710	0.164	6.52	67.6	0.456	20140	0.272	0.666	0.0627	0.154		F2604130.D	2026-06-24 18:03	1.065	13.016	49219	459855	64.8	10.563	-3.5%
SPRSPO-7-S-20260609	C70539	0.799	0.184	7.34	67.6	0.456	20140	0.272	0.666	0.0627	0.154		F2604131.D	2026-06-24 18:28	1.065	13.016	56235	466709	64.8	10.557	-2.0%
SPRSPO-8-S-20260609	C67447	0.601	0.138	5.52	67.6	0.456	20140	0.272	0.666	0.0627	0.154	J	F2604132.D	2026-06-24 18:54	1.065	13.016	42849	472937	64.8	10.556	-0.7%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-9-S-20260609	C56942	1.23	0.284	11.3	67.6	0.456	20140	0.272	0.666	0.0627	0.154		F2604134.D	2026-06-24 19:45	1.065	13.016	81926	440797	64.8	10.563	-7.5%
SPRSPO-10-S-20260609	C69479	0.861	0.198	7.90	67.6	0.456	20139	0.272	0.666	0.0627	0.154		F2604135.D	2026-06-24 20:10	1.065	13.016	56398	434505	64.8	10.557	-8.8%
SPRSPO-11-S-20260609	C01839	0.772	0.178	7.09	67.6	0.456	20138	0.272	0.666	0.0627	0.154		F2604136.D	2026-06-24 20:36	1.065	13.016	50723	435863	64.8	10.557	-8.5%
SPRSPO-12-S-20260609	C20587	1.01	0.232	9.23	67.6	0.456	20137	0.272	0.666	0.0627	0.154		F2604137.D	2026-06-24 21:01	1.065	13.016	64564	425759	64.8	10.563	-10.6%
SPRSPO-13-S-20260609	C70184	1.60	0.369	14.7	67.6	0.456	20136	0.272	0.666	0.0628	0.154		F2604138.D	2026-06-24 21:27	1.065	13.016	100421	415522	64.8	10.557	-12.8%
SPRSPO-13-D-20260609	C69802	1.62	0.372	14.8	67.6	0.456	20136	0.272	0.666	0.0628	0.154		F2604139.D	2026-06-24 21:52	1.065	13.016	101737	417643	64.8	10.563	-12.3%
SPRSPO-13-B-20260609	C38518	0.272	0.0628		67.6	0.456	20136	0.272	0.666	0.0628	0.154	ND	F2604140.D	2026-06-24 22:18	1.065	12.839	0	397777	64.8	10.557	-16.5%
SPRSPO-14-S-20260609	C43602	1.42	0.328	13.1	67.6	0.456	20134	0.272	0.666	0.0628	0.154		F2604141.D	2026-06-24 22:44	1.065	13.016	85831	399717	64.8	10.563	-16.1%
SPRSPO-15-S-20260609	C38882	2.38	0.548	21.8	67.6	0.456	20135	0.272	0.666	0.0628	0.154		F2604142.D	2026-06-24 23:09	1.065	13.016	138833	387337	64.8	10.563	-18.7%
SPRSPO-16-S-20260609	C43860	2.69	0.620	24.7	67.6	0.456	20137	0.272	0.666	0.0627	0.154		F2604143.D	2026-06-24 23:35	1.065	13.016	161229	397543	64.8	10.557	-16.6%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
SPRSPO-1-S-20260609	C59926	1.18	0.272	10.8	67.6	0.456	20140	0.272	0.620	0.0627	0.143		F2604124.D	2026-06-24 15:29	1.107	13.524	86450	466856	64.8	10.557	-2.0%
SPRSPO-1-D-20260609	C70555	1.14	0.264	10.5	67.6	0.456	20140	0.272	0.620	0.0627	0.143		F2604125.D	2026-06-24 15:54	1.107	13.524	84527	470966	64.8	10.557	-1.1%
SPRSPO-1-B-20260609	C60002	0.272	0.0627		67.6	0.456	20140	0.272	0.620	0.0627	0.143	ND	F2604123.D	2026-06-24 15:03	1.107	13.463	0	468244	64.8	10.557	-1.7%
SPRSPO-2-S-20260609	B48670	0.435	0.100	3.99	67.6	0.456	20138	0.272	0.620	0.0627	0.143	J	F2604126.D	2026-06-24 16:20	1.107	13.524	31768	466007	64.8	10.557	-2.2%
SPRSPO-3-S-20260609	C02000	0.394	0.0909	3.62	67.6	0.456	20139	0.272	0.620	0.0627	0.143	J	F2604127.D	2026-06-24 16:45	1.107	13.524	30026	485825	64.8	10.557	2.0%
SPRSPO-4-S-20260609	C65340	0.397	0.0915	3.65	67.6	0.456	20138	0.272	0.620	0.0627	0.143	J	F2604128.D	2026-06-24 17:11	1.107	13.518	29488	473523	64.8	10.557	-0.6%
SPRSPO-5-S-20260609	B47851	0.272	0.0627		67.6	0.456	20137	0.272	0.620	0.0627	0.143	ND	F2604129.D	2026-06-24 17:36	1.107	13.524	13589	468923	64.8	10.563	-1.6%
SPRSPO-6-S-20260609	C40642	0.272	0.0627		67.6	0.456	20140	0.272	0.620	0.0627	0.143	ND	F2604130.D	2026-06-24 18:03	1.107	13.524	18199	459855	64.8	10.563	-3.5%
SPRSPO-7-S-20260609	C70539	0.324	0.0746	2.97	67.6	0.456	20140	0.272	0.620	0.0627	0.143	J	F2604131.D	2026-06-24 18:28	1.107	13.524	23677	466709	64.8	10.557	-2.0%
SPRSPO-8-S-20260609	C67447	0.272	0.0627		67.6	0.456	20140	0.272	0.620	0.0627	0.143	ND	F2604132.D	2026-06-24 18:54	1.107	13.524	17096	472937	64.8	10.556	-0.7%
SPRSPO-9-S-20260609	C56942	0.470	0.108	4.31	67.6	0.456	20140	0.272	0.620	0.0627	0.143	J	F2604134.D	2026-06-24 19:45	1.107	13.524	32454	440797	64.8	10.563	-7.5%
SPRSPO-10-S-20260609	C69479	0.339	0.0781	3.11	67.6	0.456	20139	0.272	0.620	0.0627	0.143	J	F2604135.D	2026-06-24 20:10	1.107	13.524	23095	434505	64.8	10.557	-8.8%
SPRSPO-11-S-20260609	C01839	0.272	0.0627		67.6	0.456	20138	0.272	0.620	0.0627	0.143	ND	F2604136.D	2026-06-24 20:36	1.107	13.524	18394	435863	64.8	10.557	-8.5%
SPRSPO-12-S-20260609	C20587	0.347	0.0800	3.19	67.6	0.456	20137	0.272	0.620	0.0627	0.143	J	F2604137.D	2026-06-24 21:01	1.107	13.524	23180	425759	64.8	10.563	-10.6%
SPRSPO-13-S-20260609	C70184	0.594	0.137	5.45	67.6	0.456	20136	0.272	0.620	0.0628	0.143	J	F2604138.D	2026-06-24 21:27	1.107	13.524	38697	415522	64.8	10.557	-12.8%
SPRSPO-13-D-20260609	C69802	0.598	0.138	5.49	67.6	0.456	20136	0.272	0.620	0.0628	0.143	J	F2604139.D	2026-06-24 21:52	1.107	13.524	39139	417643	64.8	10.563	-12.3%
SPRSPO-13-B-20260609	C38518	0.272	0.0628		67.6	0.456	20136	0.272	0.620	0.0628	0.143	ND	F2604140.D	2026-06-24 22:18	1.107	13.187	0	397777	64.8	10.557	-16.5%
SPRSPO-14-S-20260609	C43602	0.516	0.119	4.73	67.6	0.456	20134	0.272	0.620	0.0628	0.143	J	F2604141.D	2026-06-24 22:44	1.107	13.524	32309	399717	64.8	10.563	-16.1%
SPRSPO-15-S-20260609	C38882	0.830	0.191	7.62	67.6	0.456	20135	0.272	0.620	0.0628	0.143		F2604142.D	2026-06-24 23:09	1.107	13.524	50385	387337	64.8	10.563	-18.7%
SPRSPO-16-S-20260609	C43860	0.930	0.214	8.54	67.6	0.456	20137	0.272	0.620	0.0627	0.143		F2604143.D	2026-06-24 23:35	1.107	13.524	57978	397543	64.8	10.557	-16.6%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	SPRSPO-1-B-20260609	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	SPRSPO-13-B-20260609	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	SPRSPO-1-D-20260609	0.93%	Pass	2.2%	Pass	2.6%	Pass	4.8%	Pass	3.1%	Pass
	SPRSPO-13-D-20260609	12%	Pass	2.2%	Pass	0.66%	Pass	0.79%	Pass	0.63%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2604121.D	C57446	Cal	0.905	0.864	0.905	4.7%	-8.9%		Pass	
2026GA206 Method Blank 1	F2604122.D	C61511	Blank		0.864	0.905			0.52%	Pass	ND
M325B CCV 5	F2604133.D	C34186	Check	0.901	0.864	0.905	4.2%		-1.3%	Pass	
M325B CCV 5	F2604144.D	C60287	Check	0.908	0.864	0.905	5.0%		-15%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2604121.D	C57446	Cal	1.064	1.050	1.064	1.3%	-6.3%		Pass	
2026GA206 Method Blank 1	F2604122.D	C61511	Blank		1.050	1.064			0.27%	Pass	ND
M325B CCV 5	F2604133.D	C34186	Check	1.119	1.050	1.064	6.6%		-1.4%	Pass	
M325B CCV 5	F2604144.D	C60287	Check	1.159	1.050	1.064	10%		-17%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2604121.D	C57446	Cal	1.296	1.233	1.296	5.1%	-6.3%		Pass	
2026GA206 Method Blank 1	F2604122.D	C61511	Blank		1.233	1.296			0.27%	Pass	ND
M325B CCV 5	F2604133.D	C34186	Check	1.306	1.233	1.296	5.9%		-1.4%	Pass	
M325B CCV 5	F2604144.D	C60287	Check	1.369	1.233	1.296	11%		-17%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2604121.D	C57446	Cal	1.065	1.028	1.065	3.6%	-6.3%		Pass	
2026GA206 Method Blank 1	F2604122.D	C61511	Blank		1.028	1.065			0.27%	Pass	ND
M325B CCV 5	F2604133.D	C34186	Check	1.037	1.028	1.065	0.81%		-1.4%	Pass	
M325B CCV 5	F2604144.D	C60287	Check	1.103	1.028	1.065	7.2%		-17%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2604121.D	C57446	Cal	1.107	1.054	1.107	5.1%	-6.3%		Pass	
2026GA206 Method Blank 1	F2604122.D	C61511	Blank		1.054	1.107			0.27%	Pass	ND
M325B CCV 5	F2604133.D	C34186	Check	1.079	1.054	1.107	2.4%		-1.4%	Pass	
M325B CCV 5	F2604144.D	C60287	Check	1.186	1.054	1.107	13%		-17%	Pass	

Chromatograms


Name	2026GA206 Method Blank 1
Comment	C61511
Data File	F2604122.D
Acq. Date-Time	6/24/2026 2:38:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	429,498	
Benzene	benzene-d6 (IS)	7.938	7.932	3,399	
Toluene-d8 (IS)		10.557	10.557	477,742	
Toluene	Toluene-d8 (IS)	10.648	10.655	6,964	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	1,148	
m-/p-Xylenes	Toluene-d8 (IS)	13.010	13.016	914	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	428	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604122.D
Counts
x10^3
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
* 13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.497-13.541 min, 7 scans) F2604122.D
Lib Match Score=42.3
Counts
x10^3
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
41.1
55.1
73.0
91.0
106.0
116.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-B-20260609
Comment	C60002
Data File	F2604123.D
Acq. Date-Time	6/24/2026 3:03:53 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	419,970	
Benzene	benzene-d6 (IS)	7.926	7.932	6,022	
Toluene-d8 (IS)		10.557	10.557	468,244	
Toluene	Toluene-d8 (IS)	10.655	10.655	12,045	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	899	
m-/p-Xylenes	Toluene-d8 (IS)	13.041	13.016	339	
o-Xylene	Toluene-d8 (IS)	13.463	13.524	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604123.D
Counts
x10^3
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
* 13.463 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.463-13.463 min, 1 scans) F2604123.D
Counts
x10^3
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
41.1
55.1
73.0
91.0
105.1
118.7
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-1-S-20260609
Comment	C59926
Data File	F2604124.D
Acq. Date-Time	6/24/2026 3:29:26 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	420,120	
Benzene	benzene-d6 (IS)	7.932	7.932	122,083	
Toluene-d8 (IS)		10.557	10.557	466,856	
Toluene	Toluene-d8 (IS)	10.655	10.655	409,462	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	88,801	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	251,785	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	86,450	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604124.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.481-13.567 min, 15 scans) F2604124.D
Counts
x10^3
Lib Match Score=82.0
91.1
106.1
111.1
39.1
51.1
63.0
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-1-D-20260609
Comment	C70555
Data File	F2604125.D
Acq. Date-Time	6/24/2026 3:54:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	421,261	
Benzene	benzene-d6 (IS)	7.932	7.932	121,283	
Toluene-d8 (IS)		10.557	10.557	470,966	
Toluene	Toluene-d8 (IS)	10.655	10.655	404,015	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	87,323	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	242,190	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	84,527	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604125.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.597 min, 19 scans) F2604125.D
Lib Match Score=76.5
Counts
x10^3
91.1
106.1
39.1
51.1
65.0
77.0
83.1
97.1
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-2-S-20260609
Comment	B48670
Data File	F2604126.D
Acq. Date-Time	6/24/2026 4:20:23 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	418,814	
Benzene	benzene-d6 (IS)	7.932	7.932	87,425	
Toluene-d8 (IS)		10.557	10.557	466,007	
Toluene	Toluene-d8 (IS)	10.655	10.655	224,728	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	37,478	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	87,723	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	31,768	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604126.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.490-13.601 min, 18 scans) F2604126.D
Counts
x10^3
Lib Match Score=67.4
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.1
78.0
97.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-3-S-20260609
Comment	C02000
Data File	F2604127.D
Acq. Date-Time	6/24/2026 4:45:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	431,485	
Benzene	benzene-d6 (IS)	7.932	7.932	69,076	
Toluene-d8 (IS)		10.557	10.557	485,825	
Toluene	Toluene-d8 (IS)	10.655	10.655	189,340	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	32,665	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	81,374	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	30,026	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604127.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.576 min, 14 scans) F2604127.D
Counts
x10^3
Lib Match Score=68.0
91.0
106.1
41.1
51.0
65.0
77.0
111.1
98.0
39.0
106.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-4-S-20260609
Comment	C65340
Data File	F2604128.D
Acq. Date-Time	6/24/2026 5:11:25 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	418,890	
Benzene	benzene-d6 (IS)	7.932	7.932	69,141	
Toluene-d8 (IS)		10.557	10.557	473,523	
Toluene	Toluene-d8 (IS)	10.655	10.655	221,256	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	32,935	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	78,561	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	29,488	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604128.D
Counts
x10^4
2
1.5
1
0.5
0
13.518 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.483-13.567 min, 14 scans) F2604128.D
Lib Match Score=70.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.0
65.1
77.0
97.0
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-5-S-20260609
Comment	B47851
Data File	F2604129.D
Acq. Date-Time	6/24/2026 5:36:57 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	417,613	
Benzene	benzene-d6 (IS)	7.932	7.932	53,682	
Toluene-d8 (IS)		10.563	10.557	468,923	
Toluene	Toluene-d8 (IS)	10.655	10.655	174,998	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	18,971	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	36,365	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	13,589	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604129.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.570 min, 13 scans) F2604129.D
Counts
x10^3
Lib Match Score=61.1
91.1
106.1
111.0
39.1
51.0
73.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-6-S-20260609
Comment	C40642
Data File	F2604130.D
Acq. Date-Time	6/24/2026 6:03:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	418,229	
Benzene	benzene-d6 (IS)	7.932	7.932	35,349	
Toluene-d8 (IS)		10.563	10.557	459,855	
Toluene	Toluene-d8 (IS)	10.655	10.655	174,644	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	23,196	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	49,219	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	18,199	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604130.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.489-13.604 min, 19 scans) F2604130.D
Lib Match Score=56.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
39.0
55.1
65.0
73.1
83.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-7-S-20260609
Comment	C70539
Data File	F2604131.D
Acq. Date-Time	6/24/2026 6:28:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	424,642	
Benzene	benzene-d6 (IS)	7.932	7.932	40,412	
Toluene-d8 (IS)		10.557	10.557	466,709	
Toluene	Toluene-d8 (IS)	10.655	10.655	194,300	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	21,149	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	56,235	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	23,677	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604131.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.481-13.561 min, 14 scans) F2604131.D
Counts
x10^3
Lib Match Score=63.1
91.1
106.1
39.1
51.0
65.0
77.0
111.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-8-S-20260609
Comment	C67447
Data File	F2604132.D
Acq. Date-Time	6/24/2026 6:54:16 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	418,923	
Benzene	benzene-d6 (IS)	7.932	7.932	37,337	
Toluene-d8 (IS)		10.556	10.557	472,937	
Toluene	Toluene-d8 (IS)	10.654	10.655	91,409	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	16,352	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	42,849	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	17,096	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604132.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.558 min, 11 scans) F2604132.D
Lib Match Score=66.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
39.1
51.0
67.1
77.1
111.1119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-9-S-20260609
Comment	C56942
Data File	F2604134.D
Acq. Date-Time	6/24/2026 7:45:16 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	406,178	
Benzene	benzene-d6 (IS)	7.932	7.932	46,152	
Toluene-d8 (IS)		10.563	10.557	440,797	
Toluene	Toluene-d8 (IS)	10.655	10.655	141,494	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	29,612	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	81,926	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	32,454	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604134.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.567 min, 13 scans) F2604134.D
Counts
x10^3
Lib Match Score=71.7
91.1
106.1
39.1
51.1
65.1
77.1
96.0
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-10-S-20260609
Comment	C69479
Data File	F2604135.D
Acq. Date-Time	6/24/2026 8:10:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	405,122	
Benzene	benzene-d6 (IS)	7.932	7.932	52,322	
Toluene-d8 (IS)		10.557	10.557	434,505	
Toluene	Toluene-d8 (IS)	10.655	10.655	117,528	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	20,024	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	56,398	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	23,095	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604135.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.487-13.571 min, 14 scans) F2604135.D
Lib Match Score=66.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.0
41.1
51.0
65.0
77.0
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-11-S-20260609
Comment	C01839
Data File	F2604136.D
Acq. Date-Time	6/24/2026 8:36:09 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	393,399	
Benzene	benzene-d6 (IS)	7.932	7.932	48,304	
Toluene-d8 (IS)		10.557	10.557	435,863	
Toluene	Toluene-d8 (IS)	10.655	10.655	124,988	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	26,615	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	50,723	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	18,394	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604136.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.490-13.561 min, 11 scans) F2604136.D
Counts
x10^3
Lib Match Score=66.1
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
65.0
77.0
95.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-12-S-20260609
Comment	C20587
Data File	F2604137.D
Acq. Date-Time	6/24/2026 9:01:32 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	386,970	
Benzene	benzene-d6 (IS)	7.932	7.932	61,531	
Toluene-d8 (IS)		10.563	10.557	425,759	
Toluene	Toluene-d8 (IS)	10.655	10.655	165,677	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	30,204	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	64,564	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	23,180	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604137.D
Counts
x10^4
2
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.488-13.554 min, 10 scans) F2604137.D
Lib Match Score=70.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
51.1
65.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	SPRSPO-13-S-20260609
Comment	C70184
Data File	F2604138.D
Acq. Date-Time	6/24/2026 9:27:00 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	384,754	
Benzene	benzene-d6 (IS)	7.932	7.932	57,280	
Toluene-d8 (IS)		10.557	10.557	415,522	
Toluene	Toluene-d8 (IS)	10.655	10.655	168,558	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	36,638	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	100,421	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	38,697	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604138.D
Counts
x10^4
13.524 min.
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.485-13.573 min, 14 scans) F2604138.D
Counts
x10^3
Lib Match Score=73.0
91.1
106.1
39.1
55.1
65.1
77.1
97.0
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-13-D-20260609
Comment	C69802
Data File	F2604139.D
Acq. Date-Time	6/24/2026 9:52:27 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	375,470	
Benzene	benzene-d6 (IS)	7.932	7.932	63,288	
Toluene-d8 (IS)		10.563	10.557	417,643	
Toluene	Toluene-d8 (IS)	10.655	10.655	173,112	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	36,584	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	101,737	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	39,139	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604139.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.486-13.572 min, 14 scans) F2604139.D
Lib Match Score=74.0
Counts
x10^3
91.1
106.1
39.1
51.1
65.1
79.0
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-13-B-20260609
Comment	C38518
Data File	F2604140.D
Acq. Date-Time	6/24/2026 10:18:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	367,144	
Benzene	benzene-d6 (IS)	7.926	7.932	3,507	
Toluene-d8 (IS)		10.557	10.557	397,777	
Toluene	Toluene-d8 (IS)	10.655	10.655	8,274	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	464	
m-/p-Xylenes	Toluene-d8 (IS)	12.839	13.016	ND	m
o-Xylene	Toluene-d8 (IS)	13.187	13.524	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604140.D
Counts
x10^2
* 13.187 min.
Acquisition Time (min)


+ Scan (13.187-13.187 min, 1 scans) F2604140.D
Counts
x10^3
41.1
54.1
73.0
81.0
91.2
105.1
117.1
125.8
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	SPRSPO-14-S-20260609
Comment	C43602
Data File	F2604141.D
Acq. Date-Time	6/24/2026 10:44:03 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	364,049	
Benzene	benzene-d6 (IS)	7.932	7.932	64,820	
Toluene-d8 (IS)		10.563	10.557	399,717	
Toluene	Toluene-d8 (IS)	10.655	10.655	183,170	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	40,156	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	85,831	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	32,309	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604141.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.485-13.577 min, 15 scans) F2604141.D
Counts
x10^3
Lib Match Score=68.1
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
39.1
51.1
67.0
77.0
97.0
111.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-15-S-20260609
Comment	C38882
Data File	F2604142.D
Acq. Date-Time	6/24/2026 11:09:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	359,069	
Benzene	benzene-d6 (IS)	7.932	7.932	80,680	
Toluene-d8 (IS)		10.563	10.557	387,337	
Toluene	Toluene-d8 (IS)	10.655	10.655	291,062	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	58,733	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	138,833	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	50,385	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2604142.D
Counts
x10^4
4
3
2
1
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.591 min, 17 scans) F2604142.D
Counts
x10^3
Lib Match Score=72.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
65.0
79.0
97.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	SPRSPO-16-S-20260609
Comment	C43860
Data File	F2604143.D
Acq. Date-Time	6/24/2026 11:35:00 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	361,175	
Benzene	benzene-d6 (IS)	7.932	7.932	87,946	
Toluene-d8 (IS)		10.557	10.557	397,543	
Toluene	Toluene-d8 (IS)	10.655	10.655	305,105	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	59,775	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	161,229	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	57,978	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2604143.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.591 min, 16 scans) F2604143.D
Counts
x10^3
Lib Match Score=78.1
91.1
106.1
39.1
51.0
63.0
69.1
77.1
97.0
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	1	F2603592.D	5.98	47851	54.9	467282	0.940	0.088
F060226A_CC185154	Benzene	2	F2603593.D	11.96	92809	54.9	459393	0.928	0.073
F060226A_CC185154	Benzene	3	F2603594.D	23.92	139496	54.9	463442	0.691	-0.2
F060226A_CC185154	Benzene	4	F2603602.D	47.82	363876	54.9	499057	0.837	-0.031
F060226A_CC185154	Benzene	5	F2603596.D	119.61	740151	54.9	471030	0.721	-0.17
F060226A_CC185154	Benzene	6	F2603597.D	239.22	1970749	54.9	459601	0.984	0.14
F060226A_CC185154	Benzene	7	F2603598.D	717.65	5725146	54.9	462228	0.948	0.097
						Avg:	468862	0.864	
						%RSD:	3.0%	13.6%	
F060226A_CC185154	Toluene	1	F2603592.D	5.25	47709	64.8	509406	1.156	0.1
F060226A_CC185154	Toluene	2	F2603593.D	10.51	92003	64.8	502138	1.131	0.077
F060226A_CC185154	Toluene	3	F2603594.D	21.01	156312	64.8	499066	0.967	-0.079
F060226A_CC185154	Toluene	4	F2603602.D	42.00	353414	64.8	531720	1.026	-0.023
F060226A_CC185154	Toluene	5	F2603596.D	105.05	694344	64.8	502134	0.853	-0.19
F060226A_CC185154	Toluene	6	F2603597.D	210.10	1867261	64.8	505954	1.139	0.085
F060226A_CC185154	Toluene	7	F2603598.D	630.31	5346493	64.8	510534	1.077	0.026
						Avg:	508707	1.050	
						%RSD:	2.2%	10.5%	
F060226A_CC185154	Ethylbenzene	1	F2603592.D	5.46	49130	64.8	509406	1.145	-0.071
F060226A_CC185154	Ethylbenzene	2	F2603593.D	10.92	112308	64.8	502138	1.328	0.077
F060226A_CC185154	Ethylbenzene	3	F2603594.D	21.84	196227	64.8	499066	1.167	-0.053
F060226A_CC185154	Ethylbenzene	4	F2603602.D	43.65	481296	64.8	531720	1.344	0.09
F060226A_CC185154	Ethylbenzene	5	F2603596.D	109.18	873540	64.8	502134	1.033	-0.16
F060226A_CC185154	Ethylbenzene	6	F2603597.D	218.36	2338398	64.8	505954	1.372	0.11
F060226A_CC185154	Ethylbenzene	7	F2603598.D	655.09	6402073	64.8	510534	1.241	0.0065
						Avg:	508707	1.233	
						%RSD:	2.2%	10.1%	
F060226A_CC185154	m-/p-Xylenes	1	F2603592.D	6.12	43991	64.8	509406	0.915	-0.11
F060226A_CC185154	m-/p-Xylenes	2	F2603593.D	12.24	105150	64.8	502138	1.110	0.079
F060226A_CC185154	m-/p-Xylenes	3	F2603594.D	24.47	187576	64.8	499066	0.996	-0.032
F060226A_CC185154	m-/p-Xylenes	4	F2603602.D	48.92	455036	64.8	531720	1.134	0.1
F060226A_CC185154	m-/p-Xylenes	5	F2603596.D	122.36	833795	64.8	502134	0.880	-0.14
F060226A_CC185154	m-/p-Xylenes	6	F2603597.D	244.72	2071778	64.8	505954	1.085	0.055
F060226A_CC185154	m-/p-Xylenes	7	F2603598.D	734.17	6239181	64.8	510534	1.079	0.049
						Avg:	508707	1.028	
						%RSD:	2.2%	9.7%	
F060226A_CC185154	o-Xylene	1	F2603592.D	5.69	41840	64.8	509406	0.936	-0.11
F060226A_CC185154	o-Xylene	2	F2603593.D	11.38	103923	64.8	502138	1.179	0.12
F060226A_CC185154	o-Xylene	3	F2603594.D	22.76	180336	64.8	499066	1.029	-0.023

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GA206-1 EPA Method 325B Analysis
Client No.: PROJ-027968 Site: Sprague - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	o-Xylene	4	F2603602.D	45.50	428822	64.8	531720	1.149	0.091
F060226A_CC185154	o-Xylene	5	F2603596.D	113.79	799795	64.8	502134	0.908	-0.14
F060226A_CC185154	o-Xylene	6	F2603597.D	227.59	2008036	64.8	505954	1.131	0.073
F060226A_CC185154	o-Xylene	7	F2603598.D	682.77	5608102	64.8	510534	1.043	-0.0099
						Avg:	508707	1.054	
						%RSD:	2.2%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	ICV	F2603599.D	178.34	1050667	54.9	463481	0.698	-19.0%
F060226A_CC185154	Toluene	ICV	F2603599.D	182.62	1193938	64.8	509401	0.832	-21.0%
F060226A_CC185154	Ethylbenzene	ICV	F2603599.D	180.56	1443094	64.8	509401	1.017	-18.0%
F060226A_CC185154	m-/p-Xylenes	ICV	F2603599.D	183.37	1117425	64.8	509401	0.776	-25.0%
F060226A_CC185154	o-Xylene	ICV	F2603599.D	183.72	1161032	64.8	509401	0.804	-24.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GA206

Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Sprague South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	39 Main Street	Project #:	PROJ-027968	Sample Event #:	2026GA206
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent Type:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@onterris.com	Quote #:	
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C59926	S	6/9/26	11:08 AM	6/23/26	10:48 AM	KV/KV		
1	C70555	D	6/9/26	11:08 AM	6/23/26	10:48 AM	KV/KV		
1	C60002	B	6/9/26	11:08 AM	6/23/26	10:48 AM	KV/KV		
2	B48670	S	6/9/26	11:14 AM	6/23/26	10:52 AM	KV/KV		
3	C02000	S	6/9/26	11:17 AM	6/23/26	10:56 AM	KV/KV		
4	C65340	S	6/9/26	11:21 AM	6/23/26	10:59 AM	KV/KV		
5	B47851	S	6/9/26	11:24 AM	6/23/26	11:01 AM	KV/KV		
6	C40642	S	6/9/26	11:27 AM	6/23/26	11:07 AM	KV/KV		
7	C70539	S	6/9/26	11:30 AM	6/23/26	11:10 AM	KV/KV		
8	C67447	S	6/9/26	11:37 AM	6/23/26	11:17 AM	KV/KV		
9	C56942	S	6/9/26	11:46 AM	6/23/26	11:26 AM	KV/KV		
10	C69479	S	6/9/26	11:49 AM	6/23/26	11:28 AM	KV/KV		
11	C01839	S	6/9/26	11:52 AM	6/23/26	11:30 AM	KV/KV		
12	C20587	S	6/9/26	11:55 AM	6/23/26	11:32 AM	KV/KV		
13	C70184	S	6/9/26	11:58 AM	6/23/26	11:34 AM	KV/KV		
13	C69802	D	6/9/26	11:58 AM	6/23/26	11:34 AM	KV/KV		
13	C38518	B	6/9/26	11:58 AM	6/23/26	11:34 AM	KV/KV		
14	C43602	S	6/9/26	12:02 PM	6/23/26	11:36 AM	KV/KV		
15	C38882	S	6/9/26	12:12 PM	6/23/26	11:47 AM	KV/KV		
16	C43860	S	6/9/26	12:14 PM	6/23/26	11:51 AM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/23/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Daniel Simeon		6/24/26	10:20 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: — 21.7 Fluke 4		Custody Seal #: 25D01077	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

APPENDIX B

No data was invalidated in Quarter 2, 2026.

Appendix C - Corrective Action Plan

ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	**ONTERRIS PERSONNEL RESPONSIBLE**	**DATE DUE**	**COMMENTS**
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Onterris staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Onterris has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Onterris project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Ongoing since 2/3/26	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Ongoing since 2/3/26	Field personnel required to perform a secondary review of samples prior to leaving the site to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	Ongoing since 2/3/26	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Ongoing since 2/3/26	Review of sample documentation within 3 business days of receipt.
Review of fleet tracking data	Project Manager	Ongoing since 2/3/26	Review of vehicle monitoring device on a weekly basis to confirm field personnel movements.
Periodic on site field assessments	Project Manager	Completed Week of 6/22/26	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Ongoing since 2/3/26	Scheduled cadence of status update meetings between Onterris project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	As needed.	Promptly notify client of any irregularities in sampling within 3 business days of discovery.