Fenceline Monitoring Report
Global Partners South Portland Maine Terminal

Quarter Data Report

Prepared for: Global Companies LLC
800 South Street, Suite 500
Waltham, MA 02453

Prepared By: Onterris
45 U.S. Hwy. 46 East
Suite 601
Pine Brook, NJ 07058

Reporting Period: Quarter 2, 2026
Report Date: August 12, 2026

Report Number: 047AA-031333-RT-1285

45 U.S. Hwy. 46 East, Suite 601
Pine Brook, NJ 07058
T: +1.973.575.2555
Onterris.com

For Planet & Progress

Global Partners South Portland Maine Terminal Feneline Monitoring

The State of Maine promulgated the Chapter 171 regulatory rule, which establishes control, operating, inspection, testing, monitoring recordkeeping, and licensure requirements for petroleum storage facilities pursuant to 38 M.R.S. Section 590(1). Chapter 171 applies to petroleum storage facilities licensed or required to obtain an air emission license pursuant to either Major and Minor Source Air Emission License Regulations, 06-096 C.M.R. ch. 115 or Part 70 Air Emission License Regulation, 06-096 C.M.R. Ch. 140. The Global South Portland Terminal operates under Air Emission License A-432-71-S-R/M issued by the State of Maine Department of Environmental Protection Bureau of Air Quality. The License was issued pursuant to Major and Minor Source Air Emission License Regulations, 06-096 C.M.R. Ch. 115 and is subject to the requirements of Ch. 171. Accordingly, fenceline monitoring for benzene, ethylbenzene, toluene, and xylenes (BTEX) and analyses of the samples in accordance with Appendix A to 40 C.F.R. Part 63.658, i.e., EPA Methods 325A and 325B as amended on 11/14/2018, is required.

The Global Companies LLC South Portland Terminal FLM program began on 8/21/24, in accordance with Chapter 171 Section 6B and the Global Companies LLC So. Portland Terminal Chpt. 171 Fenceline Monitoring Plan, Rev 1, dated 8/9/24 and submitted to MEDEP on 8/20/24.

Reporting Requirements of Section 8, Chapter 171 and Corresponding Report Section		
	Requirement	**Report Section**
A	Facility name and address	Cover Page
B	Year and reporting quarter	Cover Page
C	For each passive monitor:	
	Latitude and longitude location coordinates	Site Coordinates Page
	Sampler name	FLM Results Page (Numbered name by location, in Sample Location column)
	Identification of type of sampler	FLM Results
D	The beginning and ending dates for each sampling period.	FLM Results
E	Individual sample results in units of micrograms per cubic meter for each monitor for each sampling period that ends during the reporting period. Results below the method detection limit shall be flagged as such and reported at the method detection limit.	FLM Results
F	Meteorological data collected during each sampling period, including wind speed and direction.	Meteorological Data Pages

Global Partners South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260331	C24244	0.440	J	0.280	ND	0.348	J	0.280	ND	0.708	
GLBSP-2-S-20260331	B44216	0.530		0.280	ND	0.441	J	0.280	ND	0.752	
GLBSP-3-S-20260331	C70167	0.529		0.305	J	1		0.280	ND	0.873	
GLBSP-4-S-20260331	C39175	0.568		0.280	ND	0.429	J	0.280	ND	1.11	
GLBSP-5-S-20260331	C37475	0.449	J	0.280	ND	0.358	J	0.280	ND	0.767	
GLBSP-5-D-20260331	C39264	0.428	J	0.280	ND	0.341	J	0.280	ND	0.721	
GLBSP-5-B-20260331	C37051	0.192	ND	0.280	ND	0.280	ND	0.280	ND	0.248	ND
GLBSP-6-S-20260331	C61406	0.523		0.280	ND	0.539	J	0.280	ND	0.835	
GLBSP-7-S-20260331	B45080	0.568		0.280	ND	0.620	J	0.280	ND	0.972	
GLBSP-8-S-20260331	B46116	0.457	J	0.280	ND	0.349	J	0.280	ND	0.778	
GLBSP-9-S-20260331	C37435	0.502		0.280	ND	0.323	J	0.280	ND	0.76	
GLBSP-10-S-20260331	C36944	0.455	J	0.280	ND	0.387	J	0.280	ND	0.831	
GLBSP-11-S-20260331	C70055	0.485		0.280	ND	0.469	J	0.280	ND	0.797	
GLBSP-12-S-20260331	C71490	0.461		0.280	ND	0.414	J	0.280	ND	0.719	
GLBSP-13-S-20260331	B19290	0.571		0.280	ND	0.563	J	0.280	ND	1.33	
GLBSP-14-S-20260331	C38536	0.610		0.280	ND	0.557	J	0.280	ND	1.33	
GLBSP-14-D-20260331	C55306	0.471		0.280	ND	0.555	J	0.280	ND	1.04	
GLBSP-14-B-20260331	B43331	0.192	ND	0.280	ND	0.280	ND	0.280	ND	0.248	ND
GLBSP-15-S-20260331	C40117	0.653		0.280	ND	0.496	J	0.280	ND	1.19	
GLBSP-16-S-20260331	B46919	0.609		0.280	ND	0.388	J	0.280	ND	0.902	
GLBSP-17-S-20260331	C34219	0.485		0.280	ND	0.295	J	0.280	ND	0.888	
GLBSP-1-S-20260414	C56804	0.545		0.278	ND	0.632	J	0.278	ND	1.50	
GLBSP-2-S-20260414	C33512	0.587		0.513	J	1.28		0.362	J	1.72	
GLBSP-3-S-20260414	C60217	0.718		0.506	J	1.62		0.509	J	2.15	
GLBSP-4-S-20260414	B47147	0.804		0.277	ND	0.602	J	0.277	ND	1.76	
GLBSP-5-S-20260414	C70114	0.733		0.36	J	1.00		0.358	J	2.09	
GLBSP-5-D-20260414	C67416	0.690		0.321	J	0.955		0.329	J	1.91	
GLBSP-5-B-20260414	C38552	0.191	ND	0.278	ND	0.278	ND	0.278	ND	0.246	ND
GLBSP-6-S-20260414	C43660	0.669		0.365	J	0.899		0.306	J	2.19	
GLBSP-7-S-20260414	B33564	0.767		0.516	J	1.33		0.434	J	2.79	
GLBSP-8-S-20260414	C34155	0.667		0.359	J	0.829		0.293	J	1.94	

Global Partners South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-9-S-20260414	C53584	0.640		0.296	J	0.697		0.278	ND	1.66	
GLBSP-10-S-20260414	C55561	0.573		0.278	ND	0.678		0.278	ND	1.68	
GLBSP-11-S-20260414	B35529	0.593		0.278	ND	0.618	J	0.278	ND	1.59	
GLBSP-12-S-20260414	C61445	0.535		0.278	ND	0.658	J	0.278	ND	1.32	
GLBSP-13-S-20260414	C65306	0.574		0.380	J	1.12		0.417	J	1.60	
GLBSP-14-S-20260414	C73607	0.573		0.278	ND	0.832		0.311	J	1.50	
GLBSP-14-D-20260414	C43877	0.564		0.344	J	0.871		0.323	J	1.57	
GLBSP-14-B-20260414	C57730	0.191	ND	0.278	ND	0.278	ND	0.278	ND	0.257	J
GLBSP-15-S-20260414	C38939	0.446	J	0.278	ND	0.561	J	0.278	ND	1.24	
GLBSP-16-S-20260414	C55724	0.487		0.300	J	0.752		0.278	ND	1.29	
GLBSP-17-S-20260414	C17241	0.480		0.278	ND	0.486	J	0.278	ND	1.31	
GLBSP-1-S-20260428	C35756	0.613		0.276	ND	0.559	J	0.276	ND	1.61	
GLBSP-2-S-20260428	C36991	0.663		0.502	J	1.21		0.360	J	1.95	
GLBSP-3-S-20260428	C38565	0.717		0.445	J	1.16		0.366	J	1.97	
GLBSP-4-S-20260428	B17491	0.780		0.286	J	0.668	J	0.276	ND	1.95	
GLBSP-5-S-20260428	C02008	0.649		0.276	ND	0.572	J	0.276	ND	1.75	
GLBSP-5-D-20260428	C71773	0.631		0.276	ND	0.602	J	0.276	ND	1.58	
GLBSP-5-B-20260428	C71760	0.189	ND	0.276	ND	0.276	ND	0.276	ND	0.319	J
GLBSP-6-S-20260428	C01622	0.640		0.276	ND	0.589	J	0.276	ND	1.64	
GLBSP-7-S-20260428	C36992	0.793		0.475	J	1.19		0.412	J	2.44	
GLBSP-8-S-20260428	C73611	0.735		0.311	J	0.911		0.330	J	1.99	
GLBSP-9-S-20260428	C37454	0.668		0.342	J	0.843		0.314	J	1.86	
GLBSP-10-S-20260428	C71549	0.575		0.275	ND	0.614	J	0.275	ND	1.60	
GLBSP-11-S-20260428	C00653	0.538		0.275	ND	0.521	J	0.275	ND	1.47	
GLBSP-12-S-20260428	C16102	0.581		0.276	ND	0.554	J	0.276	ND	1.35	
GLBSP-13-S-20260428	C59966	0.668		0.434	J	1.15		0.430	J	2.00	
GLBSP-14-S-20260428	C57453	0.564		0.381	J	1.05		0.392	J	1.61	
GLBSP-14-D-20260428	C43317	0.538		0.378	J	1.05		0.392	J	1.70	
GLBSP-14-B-20260428	C38910	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.243	ND
GLBSP-15-S-20260428	C57768	0.441	J	0.275	ND	0.454	J	0.275	ND	0.987	
GLBSP-16-S-20260428	C01802	0.580		0.304	J	0.697		0.275	ND	1.50	

Global Partners South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
Sample Code	**Tube ID**	**Benzene**		**Ethylbenzene**		**m-/p-Xylene**		**o-Xylene**		**Toluene**	
		(ug/m³)	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**
GLBSP-17-S-20260428	C36947	0.522		0.275	ND	0.487	J	0.275	ND	1.30	
GLBSP-1-S-20260512	C43606	0.434	J,Pc	0.288	J	0.719	J	0.276	ND	1.43	
GLBSP-2-S-20260512	C33513	0.573	J,Pc	0.528	J	1.53		0.447	J	1.80	
GLBSP-3-S-20260512	C20444	0.679	J,Pc	0.446	J	1.13	J	0.335	J	1.88	
GLBSP-4-S-20260512	C40542	0.497	J,Pc	0.276	ND	0.744	J	0.276	ND	1.42	
GLBSP-5-S-20260512	C43695	0.515	J,Pc	0.276	ND	0.739	J	0.276	ND	1.48	
GLBSP-5-D-20260512	C16112	0.711	J,Pc	0.331	J	0.857	J	0.311	J	1.92	
GLBSP-5-B-20260512	B46946	0.190	ND,Pc	0.276	ND	0.276	ND	0.276	ND	0.244	ND
GLBSP-6-S-20260512	C60258	0.545	J,Pc	0.324	J	0.930	J	0.324	J	1.57	
GLBSP-7-S-20260512	C71633	0.729	J,Pc	0.485	J	1.54		0.554	J	2.19	
GLBSP-8-S-20260512	C01833	0.683	J,Pc	0.371	J	1.00	J	0.372	J	1.96	
GLBSP-9-S-20260512	C02035	0.637	J,Pc	0.345	J	0.962	J	0.357	J	1.81	
GLBSP-10-S-20260512	C57174	0.608	J,Pc	0.395	J	1.16	J	0.460	J	1.75	
GLBSP-11-S-20260512	C24092	0.508	J,Pc	0.276	ND	0.586	J	0.276	ND	1.38	
GLBSP-12-S-20260512	B29375	0.505	J,Pc	0.320	J	0.873	J	0.298	J	1.52	
GLBSP-13-S-20260512	B52929	0.574	J,Pc	0.428	J	1.12	J	0.447	J	1.68	
GLBSP-14-S-20260512	C01963	0.528	J,Pc	0.316	J	0.962	J	0.369	J	1.43	
GLBSP-14-D-20260512	C00599	0.558	J,Pc	0.400	J	0.891	J	0.349	J	1.49	
GLBSP-14-B-20260512	C57391	0.190	ND,Pc	0.277	ND	0.277	ND	0.277	ND	0.245	ND
GLBSP-15-S-20260512	C43327	0.479	J,Pc	0.277	ND	0.669	J	0.277	ND	1.23	
GLBSP-16-S-20260512	C69575	0.536	J,Pc	0.298	J	1.03	J	0.392	J	1.38	
GLBSP-17-S-20260512	C40653	0.414	J,Pc	0.277	ND	0.610	J	0.277	ND	1.18	
GLBSP-1-S-20260526	C33447	0.547		0.352	J	0.955	Pc	0.320	J	1.76	
GLBSP-2-S-20260526	C40697	0.551		0.594	J	1.52	Pc	0.421	J	1.94	
GLBSP-3-S-20260526	C57666	0.550		0.600		1.99	Pc	0.582	J	2.06	
GLBSP-4-S-20260526	C55385	0.586		0.380	J	0.967	Pc	0.308	J	1.89	
GLBSP-5-S-20260526	C71693	0.591		0.272	ND	0.891	Pc	0.303	J	1.73	
GLBSP-5-D-20260526	B47157	0.656		0.272	ND	0.573	J,Pc	0.272	ND	1.76	
GLBSP-5-B-20260526	C01303	0.187	ND	0.272	ND	0.272	ND,Pc	0.272	ND	0.241	ND
GLBSP-6-S-20260526	C67429	0.606		0.360	J	0.957	Pc	0.328	J	1.92	
GLBSP-7-S-20260526	C59936	0.772		0.764		2.50	Pc	0.842		3.22	

Global Partners South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit									
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit									
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit									
Sample Code	**Tube ID**	**Benzene**		**Ethylbenzene**		**m-/p-Xylene**		**o-Xylene**		**Toluene**	
		(ug/m³)	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**	**(ug/m³)**	**Flag**
GLBSP-8-S-20260526	C71526	0.599		0.414	J	1.26	Pc	0.448	J	2.06	
GLBSP-9-S-20260526	C69740	0.625		0.373	J	1.20	Pc	0.431	J	1.90	
GLBSP-10-S-20260526	C53584	0.683		0.368	J	1.02	Pc	0.379	J	1.93	
GLBSP-11-S-20260526	C38939	0.578		0.322	J	0.818	Pc	0.287	J	1.60	
GLBSP-12-S-20260526	C43554	0.575		0.320	J	0.848	Pc	0.286	J	1.54	
GLBSP-13-S-20260526	C61436	0.670		0.641		2.03	Pc	0.733		2.23	
GLBSP-14-S-20260526	C38514	0.574		0.471	J	1.30	Pc	0.470	J	1.86	
GLBSP-14-D-20260526	C70102	0.642		0.512	J	1.63	Pc	0.611	J	1.91	
GLBSP-14-B-20260526	C36915	0.187	ND	0.272	ND	0.272	ND,Pc	0.272	ND	0.241	ND
GLBSP-15-S-20260526	C38950	0.466		0.272	ND	0.544	J,Pc	0.272	ND	1.19	
GLBSP-16-S-20260526	C33512	0.475		0.452	J	1.02	Pc	0.342	J	1.57	
GLBSP-17-S-20260526	C60217	0.434	J	0.287	J	0.939	Pc	0.318	J	1.42	
GLBSP-1-S-20260609	C20550	0.672		0.352	J	0.644	J	0.272	ND	1.64	
GLBSP-2-S-20260609	C17145	0.625		0.645		1.65		0.513	J	1.92	
GLBSP-3-S-20260609	C37509	0.595		0.596		1.42		0.402	J	1.81	
GLBSP-4-S-20260609	C37431	0.588		0.420	J	1.05		0.343	J	1.79	
GLBSP-5-S-20260609	C20409	0.691		0.351	J	0.854		0.297	J	1.77	
GLBSP-5-D-20260609	C43667	0.628		0.363	J	0.921		0.319	J	1.82	
GLBSP-5-B-20260609	C40101	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
GLBSP-6-S-20260609	B18426	0.801		0.455	J	1.22		0.441	J	2.16	
GLBSP-7-S-20260609	B49659	0.836		0.616		1.57		0.559	J	2.69	
GLBSP-8-S-20260609	C57551	0.758		0.480	J	1.53		0.534	J	2.46	
GLBSP-9-S-20260609	B37532	0.636		0.396	J	1.07		0.408	J	1.93	
GLBSP-10-S-20260609	C43349	0.643		0.337	J	0.952		0.345	J	1.77	
GLBSP-11-S-20260609	B43745	0.576		0.349	J	0.903		0.341	J	1.55	
GLBSP-12-S-20260609	C70044	0.657		0.330	J	0.899		0.33	J	1.45	
GLBSP-13-S-20260609	C00678	0.739		0.640		1.58		0.622		2.08	
GLBSP-14-S-20260609	C57826	0.539		0.493	J	1.64		0.600	J	1.72	
GLBSP-14-D-20260609	C40635	0.536		0.503	J	1.29		0.484	J	1.76	
GLBSP-14-B-20260609	C43708	0.187	ND	0.272	ND	0.272	ND	0.272	ND	0.241	ND
GLBSP-15-S-20260609	C33243	0.536		0.281	J	0.822		0.302	J	1.20	

Global Partners South Portland Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-16-S-20260609	C38567	0.563		0.548	J	1.39		0.514	J	1.76	
GLBSP-17-S-20260609	C31348	0.475		0.336	J	0.769		0.272	ND	1.35	
Quarter 2, 2026 Maximum		0.836		0.764		2.50		0.842		3.22	
Quarter 2, 2026 Average		0.591		0.364		0.910		0.351		1.61	
Rolling Annual Maximum		3.35		2.97		9.23		3.21		15.6	
Rolling Annual Average		0.977		0.648		1.87		0.706		3.12	

GLOBAL PARTNERS – SOUTH PORTLAND TERMINAL

FLM MONITORING RESULTS

SAMPLE EVENTS 03-31-26 THROUGH 06-23-26

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-1-S-20260331	1	Benzene	Sample	0.44	ug/m3	0.192	ug/m3	J	Y	3/31/2026	12:36	4/14/2026	11:22
GLBSP-1-S-20260331	1	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:36	4/14/2026	11:22
GLBSP-1-S-20260331	1	m-/p-Xylenes	Sample	0.348	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:36	4/14/2026	11:22
GLBSP-1-S-20260331	1	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:36	4/14/2026	11:22
GLBSP-1-S-20260331	1	Toluene	Sample	0.708	ug/m3	0.248	ug/m3		Y	3/31/2026	12:36	4/14/2026	11:22
GLBSP-2-S-20260331	2	Benzene	Sample	0.53	ug/m3	0.192	ug/m3		Y	3/31/2026	12:38	4/14/2026	11:25
GLBSP-2-S-20260331	2	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:38	4/14/2026	11:25
GLBSP-2-S-20260331	2	m-/p-Xylenes	Sample	0.441	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:38	4/14/2026	11:25
GLBSP-2-S-20260331	2	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:38	4/14/2026	11:25
GLBSP-2-S-20260331	2	Toluene	Sample	0.752	ug/m3	0.248	ug/m3		Y	3/31/2026	12:38	4/14/2026	11:25
GLBSP-3-S-20260331	3	Benzene	Sample	0.529	ug/m3	0.192	ug/m3		Y	3/31/2026	12:40	4/14/2026	11:30
GLBSP-3-S-20260331	3	Ethylbenzene	Sample	0.305	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:40	4/14/2026	11:30
GLBSP-3-S-20260331	3	m-/p-Xylenes	Sample	1	ug/m3	0.28	ug/m3		Y	3/31/2026	12:40	4/14/2026	11:30
GLBSP-3-S-20260331	3	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:40	4/14/2026	11:30
GLBSP-3-S-20260331	3	Toluene	Sample	0.873	ug/m3	0.248	ug/m3		Y	3/31/2026	12:40	4/14/2026	11:30
GLBSP-4-S-20260331	4	Benzene	Sample	0.568	ug/m3	0.192	ug/m3		Y	3/31/2026	12:54	4/14/2026	11:35
GLBSP-4-S-20260331	4	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:54	4/14/2026	11:35
GLBSP-4-S-20260331	4	m-/p-Xylenes	Sample	0.429	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:54	4/14/2026	11:35
GLBSP-4-S-20260331	4	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:54	4/14/2026	11:35
GLBSP-4-S-20260331	4	Toluene	Sample	1.11	ug/m3	0.248	ug/m3		Y	3/31/2026	12:54	4/14/2026	11:35
GLBSP-5-S-20260331	5	Benzene	Sample	0.449	ug/m3	0.192	ug/m3	J	Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-S-20260331	5	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-S-20260331	5	m-/p-Xylenes	Sample	0.358	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-S-20260331	5	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-S-20260331	5	Toluene	Sample	0.767	ug/m3	0.248	ug/m3		Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-D-20260331	5	Benzene	Duplicate	0.428	ug/m3	0.192	ug/m3	J	Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-D-20260331	5	Ethylbenzene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-D-20260331	5	m-/p-Xylenes	Duplicate	0.341	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-D-20260331	5	o-Xylene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-D-20260331	5	Toluene	Duplicate	0.721	ug/m3	0.248	ug/m3		Y	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-B-20260331	5	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-B-20260331	5	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-B-20260331	5	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-B-20260331	5	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-5-B-20260331	5	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/31/2026	12:52	4/14/2026	11:40
GLBSP-6-S-20260331	6	Benzene	Sample	0.523	ug/m3	0.192	ug/m3		Y	3/31/2026	12:50	4/14/2026	11:42
GLBSP-6-S-20260331	6	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:50	4/14/2026	11:42
GLBSP-6-S-20260331	6	m-/p-Xylenes	Sample	0.539	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:50	4/14/2026	11:42
GLBSP-6-S-20260331	6	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:50	4/14/2026	11:42
GLBSP-6-S-20260331	6	Toluene	Sample	0.835	ug/m3	0.248	ug/m3		Y	3/31/2026	12:50	4/14/2026	11:42
GLBSP-7-S-20260331	7	Benzene	Sample	0.568	ug/m3	0.192	ug/m3		Y	3/31/2026	12:48	4/14/2026	11:46
GLBSP-7-S-20260331	7	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:48	4/14/2026	11:46
GLBSP-7-S-20260331	7	m-/p-Xylenes	Sample	0.62	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:48	4/14/2026	11:46
GLBSP-7-S-20260331	7	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:48	4/14/2026	11:46
GLBSP-7-S-20260331	7	Toluene	Sample	0.972	ug/m3	0.247	ug/m3		Y	3/31/2026	12:48	4/14/2026	11:46
GLBSP-8-S-20260331	8	Benzene	Sample	0.457	ug/m3	0.192	ug/m3	J	Y	3/31/2026	12:46	4/14/2026	11:48
GLBSP-8-S-20260331	8	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:46	4/14/2026	11:48
GLBSP-8-S-20260331	8	m-/p-Xylenes	Sample	0.349	ug/m3	0.28	ug/m3	J	Y	3/31/2026	12:46	4/14/2026	11:48
GLBSP-8-S-20260331	8	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	12:46	4/14/2026	11:48
GLBSP-8-S-20260331	8	Toluene	Sample	0.778	ug/m3	0.247	ug/m3		Y	3/31/2026	12:46	4/14/2026	11:48
GLBSP-9-S-20260331	9	Benzene	Sample	0.502	ug/m3	0.192	ug/m3		Y	3/31/2026	13:12	4/14/2026	11:52
GLBSP-9-S-20260331	9	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:12	4/14/2026	11:52
GLBSP-9-S-20260331	9	m-/p-Xylenes	Sample	0.323	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:12	4/14/2026	11:52
GLBSP-9-S-20260331	9	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:12	4/14/2026	11:52
GLBSP-9-S-20260331	9	Toluene	Sample	0.76	ug/m3	0.248	ug/m3		Y	3/31/2026	13:12	4/14/2026	11:52
GLBSP-10-S-20260331	10	Benzene	Sample	0.455	ug/m3	0.192	ug/m3	J	Y	3/31/2026	13:16	4/14/2026	11:57
GLBSP-10-S-20260331	10	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:16	4/14/2026	11:57
GLBSP-10-S-20260331	10	m-/p-Xylenes	Sample	0.387	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:16	4/14/2026	11:57
GLBSP-10-S-20260331	10	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:16	4/14/2026	11:57
GLBSP-10-S-20260331	10	Toluene	Sample	0.831	ug/m3	0.248	ug/m3		Y	3/31/2026	13:16	4/14/2026	11:57
GLBSP-11-S-20260331	11	Benzene	Sample	0.485	ug/m3	0.192	ug/m3		Y	3/31/2026	13:22	4/14/2026	12:00
GLBSP-11-S-20260331	11	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:22	4/14/2026	12:00
GLBSP-11-S-20260331	11	m-/p-Xylenes	Sample	0.469	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:22	4/14/2026	12:00
GLBSP-11-S-20260331	11	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:22	4/14/2026	12:00

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-11-S-20260331	11	Toluene	Sample	0.797	ug/m3	0.248	ug/m3		Y	3/31/2026	13:22	4/14/2026	12:00
GLBSP-12-S-20260331	12	Benzene	Sample	0.461	ug/m3	0.192	ug/m3		Y	3/31/2026	13:30	4/14/2026	12:04
GLBSP-12-S-20260331	12	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:30	4/14/2026	12:04
GLBSP-12-S-20260331	12	m-/p-Xylenes	Sample	0.414	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:30	4/14/2026	12:04
GLBSP-12-S-20260331	12	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:30	4/14/2026	12:04
GLBSP-12-S-20260331	12	Toluene	Sample	0.719	ug/m3	0.248	ug/m3		Y	3/31/2026	13:30	4/14/2026	12:04
GLBSP-13-S-20260331	13	Benzene	Sample	0.571	ug/m3	0.192	ug/m3		Y	3/31/2026	13:34	4/14/2026	12:09
GLBSP-13-S-20260331	13	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:34	4/14/2026	12:09
GLBSP-13-S-20260331	13	m-/p-Xylenes	Sample	0.563	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:34	4/14/2026	12:09
GLBSP-13-S-20260331	13	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:34	4/14/2026	12:09
GLBSP-13-S-20260331	13	Toluene	Sample	1.33	ug/m3	0.248	ug/m3		Y	3/31/2026	13:34	4/14/2026	12:09
GLBSP-14-S-20260331	14	Benzene	Sample	0.61	ug/m3	0.192	ug/m3		Y	3/31/2026	13:37	4/14/2026	12:14
GLBSP-14-S-20260331	14	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:37	4/14/2026	12:14
GLBSP-14-S-20260331	14	m-/p-Xylenes	Sample	0.557	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:37	4/14/2026	12:14
GLBSP-14-S-20260331	14	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:37	4/14/2026	12:14
GLBSP-14-S-20260331	14	Toluene	Sample	1.33	ug/m3	0.248	ug/m3		Y	3/31/2026	13:37	4/14/2026	12:14
GLBSP-14-D-20260331	14	Benzene	Duplicate	0.471	ug/m3	0.192	ug/m3		Y	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-D-20260331	14	Ethylbenzene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-D-20260331	14	m-/p-Xylenes	Duplicate	0.555	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-D-20260331	14	o-Xylene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-D-20260331	14	Toluene	Duplicate	1.04	ug/m3	0.248	ug/m3		Y	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-B-20260331	14	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-B-20260331	14	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-B-20260331	14	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-B-20260331	14	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-14-B-20260331	14	Toluene	Blank	<0.248	ug/m3	0.248	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:14
GLBSP-15-S-20260331	15	Benzene	Sample	0.653	ug/m3	0.192	ug/m3		Y	3/31/2026	13:40	4/14/2026	12:17
GLBSP-15-S-20260331	15	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:17
GLBSP-15-S-20260331	15	m-/p-Xylenes	Sample	0.496	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:40	4/14/2026	12:17
GLBSP-15-S-20260331	15	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:40	4/14/2026	12:17
GLBSP-15-S-20260331	15	Toluene	Sample	1.19	ug/m3	0.248	ug/m3		Y	3/31/2026	13:40	4/14/2026	12:17
GLBSP-16-S-20260331	16	Benzene	Sample	0.609	ug/m3	0.192	ug/m3		Y	3/31/2026	13:43	4/14/2026	12:20

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-16-S-20260331	16	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:43	4/14/2026	12:20
GLBSP-16-S-20260331	16	m-/p-Xylenes	Sample	0.388	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:43	4/14/2026	12:20
GLBSP-16-S-20260331	16	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:43	4/14/2026	12:20
GLBSP-16-S-20260331	16	Toluene	Sample	0.902	ug/m3	0.248	ug/m3		Y	3/31/2026	13:43	4/14/2026	12:20
GLBSP-17-S-20260331	17	Benzene	Sample	0.485	ug/m3	0.192	ug/m3		Y	3/31/2026	13:27	4/14/2026	12:24
GLBSP-17-S-20260331	17	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:27	4/14/2026	12:24
GLBSP-17-S-20260331	17	m-/p-Xylenes	Sample	0.295	ug/m3	0.28	ug/m3	J	Y	3/31/2026	13:27	4/14/2026	12:24
GLBSP-17-S-20260331	17	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/31/2026	13:27	4/14/2026	12:24
GLBSP-17-S-20260331	17	Toluene	Sample	0.888	ug/m3	0.247	ug/m3		Y	3/31/2026	13:27	4/14/2026	12:24
GLBSP-1-S-20260414	1	Benzene	Sample	0.545	ug/m3	0.191	ug/m3		Y	4/14/2026	11:22	4/28/2026	11:49
GLBSP-1-S-20260414	1	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:22	4/28/2026	11:49
GLBSP-1-S-20260414	1	m-/p-Xylenes	Sample	0.632	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:22	4/28/2026	11:49
GLBSP-1-S-20260414	1	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:22	4/28/2026	11:49
GLBSP-1-S-20260414	1	Toluene	Sample	1.5	ug/m3	0.245	ug/m3		Y	4/14/2026	11:22	4/28/2026	11:49
GLBSP-2-S-20260414	2	Benzene	Sample	0.587	ug/m3	0.191	ug/m3		Y	4/14/2026	11:25	4/28/2026	11:51
GLBSP-2-S-20260414	2	Ethylbenzene	Sample	0.513	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:25	4/28/2026	11:51
GLBSP-2-S-20260414	2	m-/p-Xylenes	Sample	1.28	ug/m3	0.278	ug/m3		Y	4/14/2026	11:25	4/28/2026	11:51
GLBSP-2-S-20260414	2	o-Xylene	Sample	0.362	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:25	4/28/2026	11:51
GLBSP-2-S-20260414	2	Toluene	Sample	1.72	ug/m3	0.246	ug/m3		Y	4/14/2026	11:25	4/28/2026	11:51
GLBSP-3-S-20260414	3	Benzene	Sample	0.718	ug/m3	0.191	ug/m3		Y	4/14/2026	11:30	4/28/2026	11:52
GLBSP-3-S-20260414	3	Ethylbenzene	Sample	0.506	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:30	4/28/2026	11:52
GLBSP-3-S-20260414	3	m-/p-Xylenes	Sample	1.62	ug/m3	0.278	ug/m3		Y	4/14/2026	11:30	4/28/2026	11:52
GLBSP-3-S-20260414	3	o-Xylene	Sample	0.509	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:30	4/28/2026	11:52
GLBSP-3-S-20260414	3	Toluene	Sample	2.15	ug/m3	0.246	ug/m3		Y	4/14/2026	11:30	4/28/2026	11:52
GLBSP-4-S-20260414	4	Benzene	Sample	0.804	ug/m3	0.191	ug/m3		Y	4/14/2026	11:35	4/28/2026	12:05
GLBSP-4-S-20260414	4	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	11:35	4/28/2026	12:05
GLBSP-4-S-20260414	4	m-/p-Xylenes	Sample	0.602	ug/m3	0.277	ug/m3	J	Y	4/14/2026	11:35	4/28/2026	12:05
GLBSP-4-S-20260414	4	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/14/2026	11:35	4/28/2026	12:05
GLBSP-4-S-20260414	4	Toluene	Sample	1.76	ug/m3	0.245	ug/m3		Y	4/14/2026	11:35	4/28/2026	12:05
GLBSP-5-S-20260414	5	Benzene	Sample	0.733	ug/m3	0.191	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-S-20260414	5	Ethylbenzene	Sample	0.36	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-S-20260414	5	m-/p-Xylenes	Sample	1	ug/m3	0.278	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-S-20260414	5	o-Xylene	Sample	0.358	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-S-20260414	5	Toluene	Sample	2.09	ug/m3	0.246	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-D-20260414	5	Benzene	Duplicate	0.69	ug/m3	0.191	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-D-20260414	5	Ethylbenzene	Duplicate	0.321	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-D-20260414	5	m-/p-Xylenes	Duplicate	0.955	ug/m3	0.278	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-D-20260414	5	o-Xylene	Duplicate	0.329	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-D-20260414	5	Toluene	Duplicate	1.91	ug/m3	0.246	ug/m3		Y	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-B-20260414	5	Benzene	Blank	<0.191	ug/m3	0.191	ug/m3	ND	N	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-B-20260414	5	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-B-20260414	5	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-B-20260414	5	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:40	4/28/2026	12:02
GLBSP-5-B-20260414	5	Toluene	Blank	<0.246	ug/m3	0.246	ug/m3	ND	N	4/14/2026	11:40	4/28/2026	12:02
GLBSP-6-S-20260414	6	Benzene	Sample	0.669	ug/m3	0.191	ug/m3		Y	4/14/2026	11:42	4/28/2026	12:01
GLBSP-6-S-20260414	6	Ethylbenzene	Sample	0.365	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:42	4/28/2026	12:01
GLBSP-6-S-20260414	6	m-/p-Xylenes	Sample	0.899	ug/m3	0.278	ug/m3		Y	4/14/2026	11:42	4/28/2026	12:01
GLBSP-6-S-20260414	6	o-Xylene	Sample	0.306	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:42	4/28/2026	12:01
GLBSP-6-S-20260414	6	Toluene	Sample	2.19	ug/m3	0.246	ug/m3		Y	4/14/2026	11:42	4/28/2026	12:01
GLBSP-7-S-20260414	7	Benzene	Sample	0.767	ug/m3	0.191	ug/m3		Y	4/14/2026	11:46	4/28/2026	12:00
GLBSP-7-S-20260414	7	Ethylbenzene	Sample	0.516	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:46	4/28/2026	12:00
GLBSP-7-S-20260414	7	m-/p-Xylenes	Sample	1.33	ug/m3	0.278	ug/m3		Y	4/14/2026	11:46	4/28/2026	12:00
GLBSP-7-S-20260414	7	o-Xylene	Sample	0.434	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:46	4/28/2026	12:00
GLBSP-7-S-20260414	7	Toluene	Sample	2.79	ug/m3	0.246	ug/m3		Y	4/14/2026	11:46	4/28/2026	12:00
GLBSP-8-S-20260414	8	Benzene	Sample	0.667	ug/m3	0.191	ug/m3		Y	4/14/2026	11:48	4/28/2026	11:58
GLBSP-8-S-20260414	8	Ethylbenzene	Sample	0.359	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:48	4/28/2026	11:58
GLBSP-8-S-20260414	8	m-/p-Xylenes	Sample	0.829	ug/m3	0.278	ug/m3		Y	4/14/2026	11:48	4/28/2026	11:58
GLBSP-8-S-20260414	8	o-Xylene	Sample	0.293	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:48	4/28/2026	11:58
GLBSP-8-S-20260414	8	Toluene	Sample	1.94	ug/m3	0.246	ug/m3		Y	4/14/2026	11:48	4/28/2026	11:58
GLBSP-9-S-20260414	9	Benzene	Sample	0.64	ug/m3	0.191	ug/m3		Y	4/14/2026	11:52	4/28/2026	12:15
GLBSP-9-S-20260414	9	Ethylbenzene	Sample	0.296	ug/m3	0.278	ug/m3	J	Y	4/14/2026	11:52	4/28/2026	12:15
GLBSP-9-S-20260414	9	m-/p-Xylenes	Sample	0.697	ug/m3	0.278	ug/m3		Y	4/14/2026	11:52	4/28/2026	12:15
GLBSP-9-S-20260414	9	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:52	4/28/2026	12:15
GLBSP-9-S-20260414	9	Toluene	Sample	1.66	ug/m3	0.246	ug/m3		Y	4/14/2026	11:52	4/28/2026	12:15

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-10-S-20260414	10	Benzene	Sample	0.573	ug/m3	0.191	ug/m3		Y	4/14/2026	11:57	4/28/2026	12:18
GLBSP-10-S-20260414	10	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:57	4/28/2026	12:18
GLBSP-10-S-20260414	10	m-/p-Xylenes	Sample	0.678	ug/m3	0.278	ug/m3		Y	4/14/2026	11:57	4/28/2026	12:18
GLBSP-10-S-20260414	10	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	11:57	4/28/2026	12:18
GLBSP-10-S-20260414	10	Toluene	Sample	1.68	ug/m3	0.246	ug/m3		Y	4/14/2026	11:57	4/28/2026	12:18
GLBSP-11-S-20260414	11	Benzene	Sample	0.593	ug/m3	0.191	ug/m3		Y	4/14/2026	12:00	4/28/2026	12:21
GLBSP-11-S-20260414	11	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:00	4/28/2026	12:21
GLBSP-11-S-20260414	11	m-/p-Xylenes	Sample	0.618	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:00	4/28/2026	12:21
GLBSP-11-S-20260414	11	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:00	4/28/2026	12:21
GLBSP-11-S-20260414	11	Toluene	Sample	1.59	ug/m3	0.246	ug/m3		Y	4/14/2026	12:00	4/28/2026	12:21
GLBSP-12-S-20260414	12	Benzene	Sample	0.535	ug/m3	0.191	ug/m3		Y	4/14/2026	12:04	4/28/2026	12:30
GLBSP-12-S-20260414	12	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:04	4/28/2026	12:30
GLBSP-12-S-20260414	12	m-/p-Xylenes	Sample	0.658	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:04	4/28/2026	12:30
GLBSP-12-S-20260414	12	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:04	4/28/2026	12:30
GLBSP-12-S-20260414	12	Toluene	Sample	1.32	ug/m3	0.246	ug/m3		Y	4/14/2026	12:04	4/28/2026	12:30
GLBSP-13-S-20260414	13	Benzene	Sample	0.574	ug/m3	0.191	ug/m3		Y	4/14/2026	12:09	4/28/2026	12:33
GLBSP-13-S-20260414	13	Ethylbenzene	Sample	0.38	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:09	4/28/2026	12:33
GLBSP-13-S-20260414	13	m-/p-Xylenes	Sample	1.12	ug/m3	0.278	ug/m3		Y	4/14/2026	12:09	4/28/2026	12:33
GLBSP-13-S-20260414	13	o-Xylene	Sample	0.417	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:09	4/28/2026	12:33
GLBSP-13-S-20260414	13	Toluene	Sample	1.6	ug/m3	0.246	ug/m3		Y	4/14/2026	12:09	4/28/2026	12:33
GLBSP-14-S-20260414	14	Benzene	Sample	0.573	ug/m3	0.191	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-S-20260414	14	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-S-20260414	14	m-/p-Xylenes	Sample	0.832	ug/m3	0.278	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-S-20260414	14	o-Xylene	Sample	0.311	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-S-20260414	14	Toluene	Sample	1.5	ug/m3	0.246	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-D-20260414	14	Benzene	Duplicate	0.564	ug/m3	0.191	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-D-20260414	14	Ethylbenzene	Duplicate	0.344	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-D-20260414	14	m-/p-Xylenes	Duplicate	0.871	ug/m3	0.278	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-D-20260414	14	o-Xylene	Duplicate	0.323	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-D-20260414	14	Toluene	Duplicate	1.57	ug/m3	0.246	ug/m3		Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-B-20260414	14	Benzene	Blank	<0.191	ug/m3	0.191	ug/m3	ND	N	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-B-20260414	14	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:14	4/28/2026	12:35

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-14-B-20260414	14	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-B-20260414	14	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:14	4/28/2026	12:35
GLBSP-14-B-20260414	14	Toluene	Blank	0.257	ug/m3	0.246	ug/m3	J	Y	4/14/2026	12:14	4/28/2026	12:35
GLBSP-15-S-20260414	15	Benzene	Sample	0.446	ug/m3	0.191	ug/m3	J	Y	4/14/2026	12:17	4/28/2026	12:37
GLBSP-15-S-20260414	15	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:17	4/28/2026	12:37
GLBSP-15-S-20260414	15	m-/p-Xylenes	Sample	0.561	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:17	4/28/2026	12:37
GLBSP-15-S-20260414	15	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:17	4/28/2026	12:37
GLBSP-15-S-20260414	15	Toluene	Sample	1.24	ug/m3	0.246	ug/m3		Y	4/14/2026	12:17	4/28/2026	12:37
GLBSP-16-S-20260414	16	Benzene	Sample	0.487	ug/m3	0.191	ug/m3		Y	4/14/2026	12:20	4/28/2026	12:40
GLBSP-16-S-20260414	16	Ethylbenzene	Sample	0.3	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:20	4/28/2026	12:40
GLBSP-16-S-20260414	16	m-/p-Xylenes	Sample	0.752	ug/m3	0.278	ug/m3		Y	4/14/2026	12:20	4/28/2026	12:40
GLBSP-16-S-20260414	16	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:20	4/28/2026	12:40
GLBSP-16-S-20260414	16	Toluene	Sample	1.29	ug/m3	0.246	ug/m3		Y	4/14/2026	12:20	4/28/2026	12:40
GLBSP-17-S-20260414	17	Benzene	Sample	0.48	ug/m3	0.191	ug/m3		Y	4/14/2026	12:24	4/28/2026	12:27
GLBSP-17-S-20260414	17	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:24	4/28/2026	12:27
GLBSP-17-S-20260414	17	m-/p-Xylenes	Sample	0.486	ug/m3	0.278	ug/m3	J	Y	4/14/2026	12:24	4/28/2026	12:27
GLBSP-17-S-20260414	17	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/14/2026	12:24	4/28/2026	12:27
GLBSP-17-S-20260414	17	Toluene	Sample	1.31	ug/m3	0.246	ug/m3		Y	4/14/2026	12:24	4/28/2026	12:27
GLBSP-1-S-20260428	1	Benzene	Sample	0.613	ug/m3	0.189	ug/m3		Y	4/28/2026	11:49	5/12/2026	12:59
GLBSP-1-S-20260428	1	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:49	5/12/2026	12:59
GLBSP-1-S-20260428	1	m-/p-Xylenes	Sample	0.559	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:49	5/12/2026	12:59
GLBSP-1-S-20260428	1	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	11:49	5/12/2026	12:59
GLBSP-1-S-20260428	1	Toluene	Sample	1.61	ug/m3	0.244	ug/m3		Y	4/28/2026	11:49	5/12/2026	12:59
GLBSP-2-S-20260428	2	Benzene	Sample	0.663	ug/m3	0.189	ug/m3		Y	4/28/2026	11:51	5/12/2026	13:05
GLBSP-2-S-20260428	2	Ethylbenzene	Sample	0.502	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:51	5/12/2026	13:05
GLBSP-2-S-20260428	2	m-/p-Xylenes	Sample	1.21	ug/m3	0.276	ug/m3		Y	4/28/2026	11:51	5/12/2026	13:05
GLBSP-2-S-20260428	2	o-Xylene	Sample	0.36	ug/m3	0.276	ug/m3	J	Y	4/28/2026	11:51	5/12/2026	13:05
GLBSP-2-S-20260428	2	Toluene	Sample	1.95	ug/m3	0.244	ug/m3		Y	4/28/2026	11:51	5/12/2026	13:05
GLBSP-3-S-20260428	3	Benzene	Sample	0.717	ug/m3	0.189	ug/m3		Y	4/28/2026	11:52	5/12/2026	13:25
GLBSP-3-S-20260428	3	Ethylbenzene	Sample	0.445	ug/m3	0.275	ug/m3	J	Y	4/28/2026	11:52	5/12/2026	13:25
GLBSP-3-S-20260428	3	m-/p-Xylenes	Sample	1.16	ug/m3	0.275	ug/m3		Y	4/28/2026	11:52	5/12/2026	13:25
GLBSP-3-S-20260428	3	o-Xylene	Sample	0.366	ug/m3	0.275	ug/m3	J	Y	4/28/2026	11:52	5/12/2026	13:25

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-3-S-20260428	3	Toluene	Sample	1.97	ug/m3	0.244	ug/m3		Y	4/28/2026	11:52	5/12/2026	13:25
GLBSP-4-S-20260428	4	Benzene	Sample	0.78	ug/m3	0.189	ug/m3		Y	4/28/2026	12:05	5/12/2026	13:20
GLBSP-4-S-20260428	4	Ethylbenzene	Sample	0.286	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:05	5/12/2026	13:20
GLBSP-4-S-20260428	4	m-/p-Xylenes	Sample	0.668	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:05	5/12/2026	13:20
GLBSP-4-S-20260428	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:05	5/12/2026	13:20
GLBSP-4-S-20260428	4	Toluene	Sample	1.95	ug/m3	0.244	ug/m3		Y	4/28/2026	12:05	5/12/2026	13:20
GLBSP-5-S-20260428	5	Benzene	Sample	0.649	ug/m3	0.189	ug/m3		Y	4/28/2026	12:02	5/12/2026	13:16
GLBSP-5-S-20260428	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:16
GLBSP-5-S-20260428	5	m-/p-Xylenes	Sample	0.572	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:02	5/12/2026	13:16
GLBSP-5-S-20260428	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:16
GLBSP-5-S-20260428	5	Toluene	Sample	1.75	ug/m3	0.244	ug/m3		Y	4/28/2026	12:02	5/12/2026	13:16
GLBSP-5-D-20260428	5	Benzene	Duplicate	0.631	ug/m3	0.189	ug/m3		Y	4/28/2026	12:02	5/12/2026	13:17
GLBSP-5-D-20260428	5	Ethylbenzene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:17
GLBSP-5-D-20260428	5	m-/p-Xylenes	Duplicate	0.602	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:02	5/12/2026	13:17
GLBSP-5-D-20260428	5	o-Xylene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:17
GLBSP-5-D-20260428	5	Toluene	Duplicate	1.58	ug/m3	0.244	ug/m3		Y	4/28/2026	12:02	5/12/2026	13:17
GLBSP-5-B-20260428	5	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:18
GLBSP-5-B-20260428	5	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:18
GLBSP-5-B-20260428	5	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:18
GLBSP-5-B-20260428	5	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:02	5/12/2026	13:18
GLBSP-5-B-20260428	5	Toluene	Blank	0.319	ug/m3	0.244	ug/m3	J	Y	4/28/2026	12:02	5/12/2026	13:18
GLBSP-6-S-20260428	6	Benzene	Sample	0.64	ug/m3	0.189	ug/m3		Y	4/28/2026	12:01	5/12/2026	13:20
GLBSP-6-S-20260428	6	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:01	5/12/2026	13:20
GLBSP-6-S-20260428	6	m-/p-Xylenes	Sample	0.589	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:01	5/12/2026	13:20
GLBSP-6-S-20260428	6	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:01	5/12/2026	13:20
GLBSP-6-S-20260428	6	Toluene	Sample	1.64	ug/m3	0.244	ug/m3		Y	4/28/2026	12:01	5/12/2026	13:20
GLBSP-7-S-20260428	7	Benzene	Sample	0.793	ug/m3	0.189	ug/m3		Y	4/28/2026	12:00	5/12/2026	13:25
GLBSP-7-S-20260428	7	Ethylbenzene	Sample	0.475	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:00	5/12/2026	13:25
GLBSP-7-S-20260428	7	m-/p-Xylenes	Sample	1.19	ug/m3	0.275	ug/m3		Y	4/28/2026	12:00	5/12/2026	13:25
GLBSP-7-S-20260428	7	o-Xylene	Sample	0.412	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:00	5/12/2026	13:25
GLBSP-7-S-20260428	7	Toluene	Sample	2.44	ug/m3	0.244	ug/m3		Y	4/28/2026	12:00	5/12/2026	13:25
GLBSP-8-S-20260428	8	Benzene	Sample	0.735	ug/m3	0.189	ug/m3		Y	4/28/2026	11:58	5/12/2026	13:30

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-8-S-20260428	8	Ethylbenzene	Sample	0.311	ug/m3	0.275	ug/m3	J	Y	4/28/2026	11:58	5/12/2026	13:30
GLBSP-8-S-20260428	8	m-/p-Xylenes	Sample	0.911	ug/m3	0.275	ug/m3		Y	4/28/2026	11:58	5/12/2026	13:30
GLBSP-8-S-20260428	8	o-Xylene	Sample	0.33	ug/m3	0.275	ug/m3	J	Y	4/28/2026	11:58	5/12/2026	13:30
GLBSP-8-S-20260428	8	Toluene	Sample	1.99	ug/m3	0.244	ug/m3		Y	4/28/2026	11:58	5/12/2026	13:30
GLBSP-9-S-20260428	9	Benzene	Sample	0.668	ug/m3	0.189	ug/m3		Y	4/28/2026	12:15	5/12/2026	13:35
GLBSP-9-S-20260428	9	Ethylbenzene	Sample	0.342	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:15	5/12/2026	13:35
GLBSP-9-S-20260428	9	m-/p-Xylenes	Sample	0.843	ug/m3	0.276	ug/m3		Y	4/28/2026	12:15	5/12/2026	13:35
GLBSP-9-S-20260428	9	o-Xylene	Sample	0.314	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:15	5/12/2026	13:35
GLBSP-9-S-20260428	9	Toluene	Sample	1.86	ug/m3	0.244	ug/m3		Y	4/28/2026	12:15	5/12/2026	13:35
GLBSP-10-S-20260428	10	Benzene	Sample	0.575	ug/m3	0.189	ug/m3		Y	4/28/2026	12:18	5/12/2026	13:40
GLBSP-10-S-20260428	10	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:18	5/12/2026	13:40
GLBSP-10-S-20260428	10	m-/p-Xylenes	Sample	0.614	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:18	5/12/2026	13:40
GLBSP-10-S-20260428	10	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:18	5/12/2026	13:40
GLBSP-10-S-20260428	10	Toluene	Sample	1.6	ug/m3	0.244	ug/m3		Y	4/28/2026	12:18	5/12/2026	13:40
GLBSP-11-S-20260428	11	Benzene	Sample	0.538	ug/m3	0.189	ug/m3		Y	4/28/2026	12:21	5/12/2026	13:45
GLBSP-11-S-20260428	11	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:21	5/12/2026	13:45
GLBSP-11-S-20260428	11	m-/p-Xylenes	Sample	0.521	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:21	5/12/2026	13:45
GLBSP-11-S-20260428	11	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:21	5/12/2026	13:45
GLBSP-11-S-20260428	11	Toluene	Sample	1.47	ug/m3	0.244	ug/m3		Y	4/28/2026	12:21	5/12/2026	13:45
GLBSP-12-S-20260428	12	Benzene	Sample	0.581	ug/m3	0.189	ug/m3		Y	4/28/2026	12:30	5/12/2026	13:51
GLBSP-12-S-20260428	12	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:30	5/12/2026	13:51
GLBSP-12-S-20260428	12	m-/p-Xylenes	Sample	0.554	ug/m3	0.276	ug/m3	J	Y	4/28/2026	12:30	5/12/2026	13:51
GLBSP-12-S-20260428	12	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	4/28/2026	12:30	5/12/2026	13:51
GLBSP-12-S-20260428	12	Toluene	Sample	1.35	ug/m3	0.244	ug/m3		Y	4/28/2026	12:30	5/12/2026	13:51
GLBSP-13-S-20260428	13	Benzene	Sample	0.668	ug/m3	0.189	ug/m3		Y	4/28/2026	12:33	5/12/2026	14:20
GLBSP-13-S-20260428	13	Ethylbenzene	Sample	0.434	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:33	5/12/2026	14:20
GLBSP-13-S-20260428	13	m-/p-Xylenes	Sample	1.15	ug/m3	0.275	ug/m3		Y	4/28/2026	12:33	5/12/2026	14:20
GLBSP-13-S-20260428	13	o-Xylene	Sample	0.43	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:33	5/12/2026	14:20
GLBSP-13-S-20260428	13	Toluene	Sample	2	ug/m3	0.243	ug/m3		Y	4/28/2026	12:33	5/12/2026	14:20
GLBSP-14-S-20260428	14	Benzene	Sample	0.564	ug/m3	0.189	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:25
GLBSP-14-S-20260428	14	Ethylbenzene	Sample	0.381	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:35	5/12/2026	14:25
GLBSP-14-S-20260428	14	m-/p-Xylenes	Sample	1.05	ug/m3	0.275	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:25

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-14-S-20260428	14	o-Xylene	Sample	0.392	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:35	5/12/2026	14:25
GLBSP-14-S-20260428	14	Toluene	Sample	1.61	ug/m3	0.243	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:25
GLBSP-14-D-20260428	14	Benzene	Duplicate	0.538	ug/m3	0.189	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:30
GLBSP-14-D-20260428	14	Ethylbenzene	Duplicate	0.378	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:35	5/12/2026	14:30
GLBSP-14-D-20260428	14	m-/p-Xylenes	Duplicate	1.05	ug/m3	0.275	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:30
GLBSP-14-D-20260428	14	o-Xylene	Duplicate	0.392	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:35	5/12/2026	14:30
GLBSP-14-D-20260428	14	Toluene	Duplicate	1.7	ug/m3	0.243	ug/m3		Y	4/28/2026	12:35	5/12/2026	14:30
GLBSP-14-B-20260428	14	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	4/28/2026	12:35	5/12/2026	14:33
GLBSP-14-B-20260428	14	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:35	5/12/2026	14:33
GLBSP-14-B-20260428	14	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:35	5/12/2026	14:33
GLBSP-14-B-20260428	14	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:35	5/12/2026	14:33
GLBSP-14-B-20260428	14	Toluene	Blank	<0.243	ug/m3	0.243	ug/m3	ND	N	4/28/2026	12:35	5/12/2026	14:33
GLBSP-15-S-20260428	15	Benzene	Sample	0.441	ug/m3	0.189	ug/m3	J	Y	4/28/2026	12:37	5/12/2026	14:36
GLBSP-15-S-20260428	15	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:37	5/12/2026	14:36
GLBSP-15-S-20260428	15	m-/p-Xylenes	Sample	0.454	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:37	5/12/2026	14:36
GLBSP-15-S-20260428	15	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:37	5/12/2026	14:36
GLBSP-15-S-20260428	15	Toluene	Sample	0.987	ug/m3	0.243	ug/m3		Y	4/28/2026	12:37	5/12/2026	14:36
GLBSP-16-S-20260428	16	Benzene	Sample	0.58	ug/m3	0.189	ug/m3		Y	4/28/2026	12:40	5/12/2026	14:40
GLBSP-16-S-20260428	16	Ethylbenzene	Sample	0.304	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:40	5/12/2026	14:40
GLBSP-16-S-20260428	16	m-/p-Xylenes	Sample	0.697	ug/m3	0.275	ug/m3		Y	4/28/2026	12:40	5/12/2026	14:40
GLBSP-16-S-20260428	16	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:40	5/12/2026	14:40
GLBSP-16-S-20260428	16	Toluene	Sample	1.5	ug/m3	0.243	ug/m3		Y	4/28/2026	12:40	5/12/2026	14:40
GLBSP-17-S-20260428	17	Benzene	Sample	0.522	ug/m3	0.189	ug/m3		Y	4/28/2026	12:27	5/12/2026	14:43
GLBSP-17-S-20260428	17	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:27	5/12/2026	14:43
GLBSP-17-S-20260428	17	m-/p-Xylenes	Sample	0.487	ug/m3	0.275	ug/m3	J	Y	4/28/2026	12:27	5/12/2026	14:43
GLBSP-17-S-20260428	17	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	4/28/2026	12:27	5/12/2026	14:43
GLBSP-17-S-20260428	17	Toluene	Sample	1.3	ug/m3	0.243	ug/m3		Y	4/28/2026	12:27	5/12/2026	14:43
GLBSP-1-S-20260512	1	Benzene	Sample	0.434	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	12:59	5/26/2026	10:43
GLBSP-1-S-20260512	1	Ethylbenzene	Sample	0.288	ug/m3	0.276	ug/m3	J	Y	5/12/2026	12:59	5/26/2026	10:43
GLBSP-1-S-20260512	1	m-/p-Xylenes	Sample	0.719	ug/m3	0.276	ug/m3	J	Y	5/12/2026	12:59	5/26/2026	10:43
GLBSP-1-S-20260512	1	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	12:59	5/26/2026	10:43
GLBSP-1-S-20260512	1	Toluene	Sample	1.43	ug/m3	0.244	ug/m3		Y	5/12/2026	12:59	5/26/2026	10:43

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-2-S-20260512	2	Benzene	Sample	0.573	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:05	5/26/2026	10:45
GLBSP-2-S-20260512	2	Ethylbenzene	Sample	0.528	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:05	5/26/2026	10:45
GLBSP-2-S-20260512	2	m-/p-Xylenes	Sample	1.53	ug/m3	0.276	ug/m3		Y	5/12/2026	13:05	5/26/2026	10:45
GLBSP-2-S-20260512	2	o-Xylene	Sample	0.447	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:05	5/26/2026	10:45
GLBSP-2-S-20260512	2	Toluene	Sample	1.8	ug/m3	0.244	ug/m3		Y	5/12/2026	13:05	5/26/2026	10:45
GLBSP-3-S-20260512	3	Benzene	Sample	0.679	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:25	5/26/2026	10:47
GLBSP-3-S-20260512	3	Ethylbenzene	Sample	0.446	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:25	5/26/2026	10:47
GLBSP-3-S-20260512	3	m-/p-Xylenes	Sample	1.13	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:25	5/26/2026	10:47
GLBSP-3-S-20260512	3	o-Xylene	Sample	0.335	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:25	5/26/2026	10:47
GLBSP-3-S-20260512	3	Toluene	Sample	1.88	ug/m3	0.245	ug/m3		Y	5/12/2026	13:25	5/26/2026	10:47
GLBSP-4-S-20260512	4	Benzene	Sample	0.497	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:20	5/26/2026	11:00
GLBSP-4-S-20260512	4	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:20	5/26/2026	11:00
GLBSP-4-S-20260512	4	m-/p-Xylenes	Sample	0.744	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:20	5/26/2026	11:00
GLBSP-4-S-20260512	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:20	5/26/2026	11:00
GLBSP-4-S-20260512	4	Toluene	Sample	1.42	ug/m3	0.244	ug/m3		Y	5/12/2026	13:20	5/26/2026	11:00
GLBSP-5-S-20260512	5	Benzene	Sample	0.515	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:16	5/26/2026	10:57
GLBSP-5-S-20260512	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:16	5/26/2026	10:57
GLBSP-5-S-20260512	5	m-/p-Xylenes	Sample	0.739	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:16	5/26/2026	10:57
GLBSP-5-S-20260512	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:16	5/26/2026	10:57
GLBSP-5-S-20260512	5	Toluene	Sample	1.48	ug/m3	0.244	ug/m3		Y	5/12/2026	13:16	5/26/2026	10:57
GLBSP-5-D-20260512	5	Benzene	Duplicate	0.711	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:17	5/26/2026	10:57
GLBSP-5-D-20260512	5	Ethylbenzene	Duplicate	0.331	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:17	5/26/2026	10:57
GLBSP-5-D-20260512	5	m-/p-Xylenes	Duplicate	0.857	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:17	5/26/2026	10:57
GLBSP-5-D-20260512	5	o-Xylene	Duplicate	0.311	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:17	5/26/2026	10:57
GLBSP-5-D-20260512	5	Toluene	Duplicate	1.92	ug/m3	0.244	ug/m3		Y	5/12/2026	13:17	5/26/2026	10:57
GLBSP-5-B-20260512	5	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND,Pc	N	5/12/2026	13:18	5/26/2026	10:57
GLBSP-5-B-20260512	5	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:18	5/26/2026	10:57
GLBSP-5-B-20260512	5	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:18	5/26/2026	10:57
GLBSP-5-B-20260512	5	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:18	5/26/2026	10:57
GLBSP-5-B-20260512	5	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	5/12/2026	13:18	5/26/2026	10:57
GLBSP-6-S-20260512	6	Benzene	Sample	0.545	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:20	5/26/2026	10:55
GLBSP-6-S-20260512	6	Ethylbenzene	Sample	0.324	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:20	5/26/2026	10:55

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-6-S-20260512	6	m-/p-Xylenes	Sample	0.93	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:20	5/26/2026	10:55
GLBSP-6-S-20260512	6	o-Xylene	Sample	0.324	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:20	5/26/2026	10:55
GLBSP-6-S-20260512	6	Toluene	Sample	1.57	ug/m3	0.244	ug/m3		Y	5/12/2026	13:20	5/26/2026	10:55
GLBSP-7-S-20260512	7	Benzene	Sample	0.729	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:25	5/26/2026	10:53
GLBSP-7-S-20260512	7	Ethylbenzene	Sample	0.485	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:25	5/26/2026	10:53
GLBSP-7-S-20260512	7	m-/p-Xylenes	Sample	1.54	ug/m3	0.276	ug/m3		Y	5/12/2026	13:25	5/26/2026	10:53
GLBSP-7-S-20260512	7	o-Xylene	Sample	0.554	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:25	5/26/2026	10:53
GLBSP-7-S-20260512	7	Toluene	Sample	2.19	ug/m3	0.245	ug/m3		Y	5/12/2026	13:25	5/26/2026	10:53
GLBSP-8-S-20260512	8	Benzene	Sample	0.683	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:30	5/26/2026	10:51
GLBSP-8-S-20260512	8	Ethylbenzene	Sample	0.371	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:30	5/26/2026	10:51
GLBSP-8-S-20260512	8	m-/p-Xylenes	Sample	1	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:30	5/26/2026	10:51
GLBSP-8-S-20260512	8	o-Xylene	Sample	0.372	ug/m3	0.277	ug/m3	J	Y	5/12/2026	13:30	5/26/2026	10:51
GLBSP-8-S-20260512	8	Toluene	Sample	1.96	ug/m3	0.245	ug/m3		Y	5/12/2026	13:30	5/26/2026	10:51
GLBSP-9-S-20260512	9	Benzene	Sample	0.637	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:35	5/26/2026	11:12
GLBSP-9-S-20260512	9	Ethylbenzene	Sample	0.345	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:35	5/26/2026	11:12
GLBSP-9-S-20260512	9	m-/p-Xylenes	Sample	0.962	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:35	5/26/2026	11:12
GLBSP-9-S-20260512	9	o-Xylene	Sample	0.357	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:35	5/26/2026	11:12
GLBSP-9-S-20260512	9	Toluene	Sample	1.81	ug/m3	0.244	ug/m3		Y	5/12/2026	13:35	5/26/2026	11:12
GLBSP-10-S-20260512	10	Benzene	Sample	0.608	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:40	5/26/2026	11:15
GLBSP-10-S-20260512	10	Ethylbenzene	Sample	0.395	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:40	5/26/2026	11:15
GLBSP-10-S-20260512	10	m-/p-Xylenes	Sample	1.16	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:40	5/26/2026	11:15
GLBSP-10-S-20260512	10	o-Xylene	Sample	0.46	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:40	5/26/2026	11:15
GLBSP-10-S-20260512	10	Toluene	Sample	1.75	ug/m3	0.244	ug/m3		Y	5/12/2026	13:40	5/26/2026	11:15
GLBSP-11-S-20260512	11	Benzene	Sample	0.508	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:45	5/26/2026	11:19
GLBSP-11-S-20260512	11	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:45	5/26/2026	11:19
GLBSP-11-S-20260512	11	m-/p-Xylenes	Sample	0.586	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:45	5/26/2026	11:19
GLBSP-11-S-20260512	11	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/12/2026	13:45	5/26/2026	11:19
GLBSP-11-S-20260512	11	Toluene	Sample	1.38	ug/m3	0.244	ug/m3		Y	5/12/2026	13:45	5/26/2026	11:19
GLBSP-12-S-20260512	12	Benzene	Sample	0.505	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	13:51	5/26/2026	11:26
GLBSP-12-S-20260512	12	Ethylbenzene	Sample	0.32	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:51	5/26/2026	11:26
GLBSP-12-S-20260512	12	m-/p-Xylenes	Sample	0.873	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:51	5/26/2026	11:26
GLBSP-12-S-20260512	12	o-Xylene	Sample	0.298	ug/m3	0.276	ug/m3	J	Y	5/12/2026	13:51	5/26/2026	11:26

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-12-S-20260512	12	Toluene	Sample	1.52	ug/m3	0.244	ug/m3		Y	5/12/2026	13:51	5/26/2026	11:26
GLBSP-13-S-20260512	13	Benzene	Sample	0.574	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:20	5/26/2026	11:28
GLBSP-13-S-20260512	13	Ethylbenzene	Sample	0.428	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:20	5/26/2026	11:28
GLBSP-13-S-20260512	13	m-/p-Xylenes	Sample	1.12	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:20	5/26/2026	11:28
GLBSP-13-S-20260512	13	o-Xylene	Sample	0.447	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:20	5/26/2026	11:28
GLBSP-13-S-20260512	13	Toluene	Sample	1.68	ug/m3	0.245	ug/m3		Y	5/12/2026	14:20	5/26/2026	11:28
GLBSP-14-S-20260512	14	Benzene	Sample	0.528	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:25	5/26/2026	11:31
GLBSP-14-S-20260512	14	Ethylbenzene	Sample	0.316	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:25	5/26/2026	11:31
GLBSP-14-S-20260512	14	m-/p-Xylenes	Sample	0.962	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:25	5/26/2026	11:31
GLBSP-14-S-20260512	14	o-Xylene	Sample	0.369	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:25	5/26/2026	11:31
GLBSP-14-S-20260512	14	Toluene	Sample	1.43	ug/m3	0.245	ug/m3		Y	5/12/2026	14:25	5/26/2026	11:31
GLBSP-14-D-20260512	14	Benzene	Duplicate	0.558	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:30	5/26/2026	11:31
GLBSP-14-D-20260512	14	Ethylbenzene	Duplicate	0.4	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:30	5/26/2026	11:31
GLBSP-14-D-20260512	14	m-/p-Xylenes	Duplicate	0.891	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:30	5/26/2026	11:31
GLBSP-14-D-20260512	14	o-Xylene	Duplicate	0.349	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:30	5/26/2026	11:31
GLBSP-14-D-20260512	14	Toluene	Duplicate	1.49	ug/m3	0.245	ug/m3		Y	5/12/2026	14:30	5/26/2026	11:31
GLBSP-14-B-20260512	14	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND,Pc	N	5/12/2026	14:33	5/26/2026	11:31
GLBSP-14-B-20260512	14	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:33	5/26/2026	11:31
GLBSP-14-B-20260512	14	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:33	5/26/2026	11:31
GLBSP-14-B-20260512	14	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:33	5/26/2026	11:31
GLBSP-14-B-20260512	14	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	5/12/2026	14:33	5/26/2026	11:31
GLBSP-15-S-20260512	15	Benzene	Sample	0.479	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:36	5/26/2026	11:34
GLBSP-15-S-20260512	15	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:36	5/26/2026	11:34
GLBSP-15-S-20260512	15	m-/p-Xylenes	Sample	0.669	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:36	5/26/2026	11:34
GLBSP-15-S-20260512	15	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:36	5/26/2026	11:34
GLBSP-15-S-20260512	15	Toluene	Sample	1.23	ug/m3	0.245	ug/m3		Y	5/12/2026	14:36	5/26/2026	11:34
GLBSP-16-S-20260512	16	Benzene	Sample	0.536	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:40	5/26/2026	11:37
GLBSP-16-S-20260512	16	Ethylbenzene	Sample	0.298	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:40	5/26/2026	11:37
GLBSP-16-S-20260512	16	m-/p-Xylenes	Sample	1.03	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:40	5/26/2026	11:37
GLBSP-16-S-20260512	16	o-Xylene	Sample	0.392	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:40	5/26/2026	11:37
GLBSP-16-S-20260512	16	Toluene	Sample	1.38	ug/m3	0.245	ug/m3		Y	5/12/2026	14:40	5/26/2026	11:37
GLBSP-17-S-20260512	17	Benzene	Sample	0.414	ug/m3	0.19	ug/m3	J,Pc	Y	5/12/2026	14:43	5/26/2026	11:23

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-17-S-20260512	17	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:43	5/26/2026	11:23
GLBSP-17-S-20260512	17	m-/p-Xylenes	Sample	0.61	ug/m3	0.277	ug/m3	J	Y	5/12/2026	14:43	5/26/2026	11:23
GLBSP-17-S-20260512	17	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	5/12/2026	14:43	5/26/2026	11:23
GLBSP-17-S-20260512	17	Toluene	Sample	1.18	ug/m3	0.245	ug/m3		Y	5/12/2026	14:43	5/26/2026	11:23
GLBSP-1-S-20260526	1	Benzene	Sample	0.547	ug/m3	0.187	ug/m3		Y	5/26/2026	10:43	6/9/2026	12:30
GLBSP-1-S-20260526	1	Ethylbenzene	Sample	0.352	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:43	6/9/2026	12:30
GLBSP-1-S-20260526	1	m-/p-Xylenes	Sample	0.955	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:43	6/9/2026	12:30
GLBSP-1-S-20260526	1	o-Xylene	Sample	0.32	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:43	6/9/2026	12:30
GLBSP-1-S-20260526	1	Toluene	Sample	1.76	ug/m3	0.241	ug/m3		Y	5/26/2026	10:43	6/9/2026	12:30
GLBSP-2-S-20260526	2	Benzene	Sample	0.551	ug/m3	0.187	ug/m3		Y	5/26/2026	10:45	6/9/2026	12:32
GLBSP-2-S-20260526	2	Ethylbenzene	Sample	0.594	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:45	6/9/2026	12:32
GLBSP-2-S-20260526	2	m-/p-Xylenes	Sample	1.52	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:45	6/9/2026	12:32
GLBSP-2-S-20260526	2	o-Xylene	Sample	0.421	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:45	6/9/2026	12:32
GLBSP-2-S-20260526	2	Toluene	Sample	1.94	ug/m3	0.241	ug/m3		Y	5/26/2026	10:45	6/9/2026	12:32
GLBSP-3-S-20260526	3	Benzene	Sample	0.55	ug/m3	0.187	ug/m3		Y	5/26/2026	10:47	6/9/2026	12:34
GLBSP-3-S-20260526	3	Ethylbenzene	Sample	0.6	ug/m3	0.272	ug/m3		Y	5/26/2026	10:47	6/9/2026	12:34
GLBSP-3-S-20260526	3	m-/p-Xylenes	Sample	1.99	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:47	6/9/2026	12:34
GLBSP-3-S-20260526	3	o-Xylene	Sample	0.582	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:47	6/9/2026	12:34
GLBSP-3-S-20260526	3	Toluene	Sample	2.06	ug/m3	0.241	ug/m3		Y	5/26/2026	10:47	6/9/2026	12:34
GLBSP-4-S-20260526	4	Benzene	Sample	0.586	ug/m3	0.187	ug/m3		Y	5/26/2026	11:00	6/9/2026	12:48
GLBSP-4-S-20260526	4	Ethylbenzene	Sample	0.38	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:00	6/9/2026	12:48
GLBSP-4-S-20260526	4	m-/p-Xylenes	Sample	0.967	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:00	6/9/2026	12:48
GLBSP-4-S-20260526	4	o-Xylene	Sample	0.308	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:00	6/9/2026	12:48
GLBSP-4-S-20260526	4	Toluene	Sample	1.89	ug/m3	0.241	ug/m3		Y	5/26/2026	11:00	6/9/2026	12:48
GLBSP-5-S-20260526	5	Benzene	Sample	0.591	ug/m3	0.187	ug/m3		Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-S-20260526	5	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-S-20260526	5	m-/p-Xylenes	Sample	0.891	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-S-20260526	5	o-Xylene	Sample	0.303	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-S-20260526	5	Toluene	Sample	1.73	ug/m3	0.241	ug/m3		Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-D-20260526	5	Benzene	Duplicate	0.656	ug/m3	0.187	ug/m3		Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-D-20260526	5	Ethylbenzene	Duplicate	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-D-20260526	5	m-/p-Xylenes	Duplicate	0.573	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	10:57	6/9/2026	12:45

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-5-D-20260526	5	o-Xylene	Duplicate	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-D-20260526	5	Toluene	Duplicate	1.76	ug/m3	0.241	ug/m3		Y	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-B-20260526	5	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-B-20260526	5	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-B-20260526	5	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-B-20260526	5	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-5-B-20260526	5	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	5/26/2026	10:57	6/9/2026	12:45
GLBSP-6-S-20260526	6	Benzene	Sample	0.606	ug/m3	0.187	ug/m3		Y	5/26/2026	10:55	6/9/2026	12:43
GLBSP-6-S-20260526	6	Ethylbenzene	Sample	0.36	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:55	6/9/2026	12:43
GLBSP-6-S-20260526	6	m-/p-Xylenes	Sample	0.957	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:55	6/9/2026	12:43
GLBSP-6-S-20260526	6	o-Xylene	Sample	0.328	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:55	6/9/2026	12:43
GLBSP-6-S-20260526	6	Toluene	Sample	1.92	ug/m3	0.241	ug/m3		Y	5/26/2026	10:55	6/9/2026	12:43
GLBSP-7-S-20260526	7	Benzene	Sample	0.772	ug/m3	0.187	ug/m3		Y	5/26/2026	10:53	6/9/2026	12:40
GLBSP-7-S-20260526	7	Ethylbenzene	Sample	0.764	ug/m3	0.272	ug/m3		Y	5/26/2026	10:53	6/9/2026	12:40
GLBSP-7-S-20260526	7	m-/p-Xylenes	Sample	2.5	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:53	6/9/2026	12:40
GLBSP-7-S-20260526	7	o-Xylene	Sample	0.842	ug/m3	0.272	ug/m3		Y	5/26/2026	10:53	6/9/2026	12:40
GLBSP-7-S-20260526	7	Toluene	Sample	3.22	ug/m3	0.241	ug/m3		Y	5/26/2026	10:53	6/9/2026	12:40
GLBSP-8-S-20260526	8	Benzene	Sample	0.599	ug/m3	0.187	ug/m3		Y	5/26/2026	10:51	6/9/2026	12:38
GLBSP-8-S-20260526	8	Ethylbenzene	Sample	0.414	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:51	6/9/2026	12:38
GLBSP-8-S-20260526	8	m-/p-Xylenes	Sample	1.26	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	10:51	6/9/2026	12:38
GLBSP-8-S-20260526	8	o-Xylene	Sample	0.448	ug/m3	0.272	ug/m3	J	Y	5/26/2026	10:51	6/9/2026	12:38
GLBSP-8-S-20260526	8	Toluene	Sample	2.06	ug/m3	0.241	ug/m3		Y	5/26/2026	10:51	6/9/2026	12:38
GLBSP-9-S-20260526	9	Benzene	Sample	0.625	ug/m3	0.187	ug/m3		Y	5/26/2026	11:12	6/9/2026	12:55
GLBSP-9-S-20260526	9	Ethylbenzene	Sample	0.373	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:12	6/9/2026	12:55
GLBSP-9-S-20260526	9	m-/p-Xylenes	Sample	1.2	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:12	6/9/2026	12:55
GLBSP-9-S-20260526	9	o-Xylene	Sample	0.431	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:12	6/9/2026	12:55
GLBSP-9-S-20260526	9	Toluene	Sample	1.9	ug/m3	0.241	ug/m3		Y	5/26/2026	11:12	6/9/2026	12:55
GLBSP-10-S-20260526	10	Benzene	Sample	0.683	ug/m3	0.187	ug/m3		Y	5/26/2026	11:15	6/9/2026	12:58
GLBSP-10-S-20260526	10	Ethylbenzene	Sample	0.368	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:15	6/9/2026	12:58
GLBSP-10-S-20260526	10	m-/p-Xylenes	Sample	1.02	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:15	6/9/2026	12:58
GLBSP-10-S-20260526	10	o-Xylene	Sample	0.379	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:15	6/9/2026	12:58
GLBSP-10-S-20260526	10	Toluene	Sample	1.93	ug/m3	0.241	ug/m3		Y	5/26/2026	11:15	6/9/2026	12:58

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-11-S-20260526	11	Benzene	Sample	0.578	ug/m3	0.187	ug/m3		Y	5/26/2026	11:19	6/9/2026	13:02
GLBSP-11-S-20260526	11	Ethylbenzene	Sample	0.322	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:19	6/9/2026	13:02
GLBSP-11-S-20260526	11	m-/p-Xylenes	Sample	0.818	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:19	6/9/2026	13:02
GLBSP-11-S-20260526	11	o-Xylene	Sample	0.287	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:19	6/9/2026	13:02
GLBSP-11-S-20260526	11	Toluene	Sample	1.6	ug/m3	0.241	ug/m3		Y	5/26/2026	11:19	6/9/2026	13:02
GLBSP-12-S-20260526	12	Benzene	Sample	0.575	ug/m3	0.187	ug/m3		Y	5/26/2026	11:26	6/9/2026	13:13
GLBSP-12-S-20260526	12	Ethylbenzene	Sample	0.32	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:26	6/9/2026	13:13
GLBSP-12-S-20260526	12	m-/p-Xylenes	Sample	0.848	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:26	6/9/2026	13:13
GLBSP-12-S-20260526	12	o-Xylene	Sample	0.286	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:26	6/9/2026	13:13
GLBSP-12-S-20260526	12	Toluene	Sample	1.54	ug/m3	0.241	ug/m3		Y	5/26/2026	11:26	6/9/2026	13:13
GLBSP-13-S-20260526	13	Benzene	Sample	0.67	ug/m3	0.187	ug/m3		Y	5/26/2026	11:28	6/9/2026	13:16
GLBSP-13-S-20260526	13	Ethylbenzene	Sample	0.641	ug/m3	0.272	ug/m3		Y	5/26/2026	11:28	6/9/2026	13:16
GLBSP-13-S-20260526	13	m-/p-Xylenes	Sample	2.03	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:28	6/9/2026	13:16
GLBSP-13-S-20260526	13	o-Xylene	Sample	0.733	ug/m3	0.272	ug/m3		Y	5/26/2026	11:28	6/9/2026	13:16
GLBSP-13-S-20260526	13	Toluene	Sample	2.23	ug/m3	0.241	ug/m3		Y	5/26/2026	11:28	6/9/2026	13:16
GLBSP-14-S-20260526	14	Benzene	Sample	0.574	ug/m3	0.187	ug/m3		Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-S-20260526	14	Ethylbenzene	Sample	0.471	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-S-20260526	14	m-/p-Xylenes	Sample	1.3	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-S-20260526	14	o-Xylene	Sample	0.47	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-S-20260526	14	Toluene	Sample	1.86	ug/m3	0.241	ug/m3		Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-D-20260526	14	Benzene	Duplicate	0.642	ug/m3	0.187	ug/m3		Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-D-20260526	14	Ethylbenzene	Duplicate	0.512	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-D-20260526	14	m-/p-Xylenes	Duplicate	1.63	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-D-20260526	14	o-Xylene	Duplicate	0.611	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-D-20260526	14	Toluene	Duplicate	1.91	ug/m3	0.241	ug/m3		Y	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-B-20260526	14	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-B-20260526	14	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-B-20260526	14	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND,Pc	N	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-B-20260526	14	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	11:31	6/9/2026	13:19
GLBSP-14-B-20260526	14	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	5/26/2026	11:31	6/9/2026	13:19
GLBSP-15-S-20260526	15	Benzene	Sample	0.466	ug/m3	0.187	ug/m3		Y	5/26/2026	11:34	6/9/2026	13:22
GLBSP-15-S-20260526	15	Ethylbenzene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	11:34	6/9/2026	13:22

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-15-S-20260526	15	m-/p-Xylenes	Sample	0.544	ug/m3	0.272	ug/m3	J,Pc	Y	5/26/2026	11:34	6/9/2026	13:22
GLBSP-15-S-20260526	15	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	5/26/2026	11:34	6/9/2026	13:22
GLBSP-15-S-20260526	15	Toluene	Sample	1.19	ug/m3	0.241	ug/m3		Y	5/26/2026	11:34	6/9/2026	13:22
GLBSP-16-S-20260526	16	Benzene	Sample	0.475	ug/m3	0.187	ug/m3		Y	5/26/2026	11:37	6/9/2026	13:25
GLBSP-16-S-20260526	16	Ethylbenzene	Sample	0.452	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:37	6/9/2026	13:25
GLBSP-16-S-20260526	16	m-/p-Xylenes	Sample	1.02	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:37	6/9/2026	13:25
GLBSP-16-S-20260526	16	o-Xylene	Sample	0.342	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:37	6/9/2026	13:25
GLBSP-16-S-20260526	16	Toluene	Sample	1.57	ug/m3	0.241	ug/m3		Y	5/26/2026	11:37	6/9/2026	13:25
GLBSP-17-S-20260526	17	Benzene	Sample	0.434	ug/m3	0.187	ug/m3	J	Y	5/26/2026	11:23	6/9/2026	13:07
GLBSP-17-S-20260526	17	Ethylbenzene	Sample	0.287	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:23	6/9/2026	13:07
GLBSP-17-S-20260526	17	m-/p-Xylenes	Sample	0.939	ug/m3	0.272	ug/m3	Pc	Y	5/26/2026	11:23	6/9/2026	13:07
GLBSP-17-S-20260526	17	o-Xylene	Sample	0.318	ug/m3	0.272	ug/m3	J	Y	5/26/2026	11:23	6/9/2026	13:07
GLBSP-17-S-20260526	17	Toluene	Sample	1.42	ug/m3	0.241	ug/m3		Y	5/26/2026	11:23	6/9/2026	13:07
GLBSP-1-S-20260609	1	Benzene	Sample	0.672	ug/m3	0.187	ug/m3		Y	6/9/2026	12:30	6/23/2026	12:06
GLBSP-1-S-20260609	1	Ethylbenzene	Sample	0.352	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:30	6/23/2026	12:06
GLBSP-1-S-20260609	1	m-/p-Xylenes	Sample	0.644	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:30	6/23/2026	12:06
GLBSP-1-S-20260609	1	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	12:30	6/23/2026	12:06
GLBSP-1-S-20260609	1	Toluene	Sample	1.64	ug/m3	0.241	ug/m3		Y	6/9/2026	12:30	6/23/2026	12:06
GLBSP-2-S-20260609	2	Benzene	Sample	0.625	ug/m3	0.187	ug/m3		Y	6/9/2026	12:32	6/23/2026	12:09
GLBSP-2-S-20260609	2	Ethylbenzene	Sample	0.645	ug/m3	0.272	ug/m3		Y	6/9/2026	12:32	6/23/2026	12:09
GLBSP-2-S-20260609	2	m-/p-Xylenes	Sample	1.65	ug/m3	0.272	ug/m3		Y	6/9/2026	12:32	6/23/2026	12:09
GLBSP-2-S-20260609	2	o-Xylene	Sample	0.513	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:32	6/23/2026	12:09
GLBSP-2-S-20260609	2	Toluene	Sample	1.92	ug/m3	0.241	ug/m3		Y	6/9/2026	12:32	6/23/2026	12:09
GLBSP-3-S-20260609	3	Benzene	Sample	0.595	ug/m3	0.187	ug/m3		Y	6/9/2026	12:34	6/23/2026	12:12
GLBSP-3-S-20260609	3	Ethylbenzene	Sample	0.596	ug/m3	0.272	ug/m3		Y	6/9/2026	12:34	6/23/2026	12:12
GLBSP-3-S-20260609	3	m-/p-Xylenes	Sample	1.42	ug/m3	0.272	ug/m3		Y	6/9/2026	12:34	6/23/2026	12:12
GLBSP-3-S-20260609	3	o-Xylene	Sample	0.402	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:34	6/23/2026	12:12
GLBSP-3-S-20260609	3	Toluene	Sample	1.81	ug/m3	0.241	ug/m3		Y	6/9/2026	12:34	6/23/2026	12:12
GLBSP-4-S-20260609	4	Benzene	Sample	0.588	ug/m3	0.187	ug/m3		Y	6/9/2026	12:48	6/23/2026	12:25
GLBSP-4-S-20260609	4	Ethylbenzene	Sample	0.42	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:48	6/23/2026	12:25
GLBSP-4-S-20260609	4	m-/p-Xylenes	Sample	1.05	ug/m3	0.272	ug/m3		Y	6/9/2026	12:48	6/23/2026	12:25
GLBSP-4-S-20260609	4	o-Xylene	Sample	0.343	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:48	6/23/2026	12:25

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-4-S-20260609	4	Toluene	Sample	1.79	ug/m3	0.241	ug/m3		Y	6/9/2026	12:48	6/23/2026	12:25
GLBSP-5-S-20260609	5	Benzene	Sample	0.691	ug/m3	0.187	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-S-20260609	5	Ethylbenzene	Sample	0.351	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-S-20260609	5	m-/p-Xylenes	Sample	0.854	ug/m3	0.272	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-S-20260609	5	o-Xylene	Sample	0.297	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-S-20260609	5	Toluene	Sample	1.77	ug/m3	0.241	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-D-20260609	5	Benzene	Duplicate	0.628	ug/m3	0.187	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-D-20260609	5	Ethylbenzene	Duplicate	0.363	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-D-20260609	5	m-/p-Xylenes	Duplicate	0.921	ug/m3	0.272	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-D-20260609	5	o-Xylene	Duplicate	0.319	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-D-20260609	5	Toluene	Duplicate	1.82	ug/m3	0.241	ug/m3		Y	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-B-20260609	5	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-B-20260609	5	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-B-20260609	5	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-B-20260609	5	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	12:45	6/23/2026	12:23
GLBSP-5-B-20260609	5	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	6/9/2026	12:45	6/23/2026	12:23
GLBSP-6-S-20260609	6	Benzene	Sample	0.801	ug/m3	0.187	ug/m3		Y	6/9/2026	12:43	6/23/2026	12:21
GLBSP-6-S-20260609	6	Ethylbenzene	Sample	0.455	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:43	6/23/2026	12:21
GLBSP-6-S-20260609	6	m-/p-Xylenes	Sample	1.22	ug/m3	0.272	ug/m3		Y	6/9/2026	12:43	6/23/2026	12:21
GLBSP-6-S-20260609	6	o-Xylene	Sample	0.441	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:43	6/23/2026	12:21
GLBSP-6-S-20260609	6	Toluene	Sample	2.16	ug/m3	0.241	ug/m3		Y	6/9/2026	12:43	6/23/2026	12:21
GLBSP-7-S-20260609	7	Benzene	Sample	0.836	ug/m3	0.187	ug/m3		Y	6/9/2026	12:40	6/23/2026	12:19
GLBSP-7-S-20260609	7	Ethylbenzene	Sample	0.616	ug/m3	0.272	ug/m3		Y	6/9/2026	12:40	6/23/2026	12:19
GLBSP-7-S-20260609	7	m-/p-Xylenes	Sample	1.57	ug/m3	0.272	ug/m3		Y	6/9/2026	12:40	6/23/2026	12:19
GLBSP-7-S-20260609	7	o-Xylene	Sample	0.559	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:40	6/23/2026	12:19
GLBSP-7-S-20260609	7	Toluene	Sample	2.69	ug/m3	0.241	ug/m3		Y	6/9/2026	12:40	6/23/2026	12:19
GLBSP-8-S-20260609	8	Benzene	Sample	0.758	ug/m3	0.187	ug/m3		Y	6/9/2026	12:38	6/23/2026	12:17
GLBSP-8-S-20260609	8	Ethylbenzene	Sample	0.48	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:38	6/23/2026	12:17
GLBSP-8-S-20260609	8	m-/p-Xylenes	Sample	1.53	ug/m3	0.272	ug/m3		Y	6/9/2026	12:38	6/23/2026	12:17
GLBSP-8-S-20260609	8	o-Xylene	Sample	0.534	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:38	6/23/2026	12:17
GLBSP-8-S-20260609	8	Toluene	Sample	2.46	ug/m3	0.241	ug/m3		Y	6/9/2026	12:38	6/23/2026	12:17
GLBSP-9-S-20260609	9	Benzene	Sample	0.636	ug/m3	0.187	ug/m3		Y	6/9/2026	12:55	6/23/2026	12:35

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-9-S-20260609	9	Ethylbenzene	Sample	0.396	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:55	6/23/2026	12:35
GLBSP-9-S-20260609	9	m-/p-Xylenes	Sample	1.07	ug/m3	0.272	ug/m3		Y	6/9/2026	12:55	6/23/2026	12:35
GLBSP-9-S-20260609	9	o-Xylene	Sample	0.408	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:55	6/23/2026	12:35
GLBSP-9-S-20260609	9	Toluene	Sample	1.93	ug/m3	0.241	ug/m3		Y	6/9/2026	12:55	6/23/2026	12:35
GLBSP-10-S-20260609	10	Benzene	Sample	0.643	ug/m3	0.187	ug/m3		Y	6/9/2026	12:58	6/23/2026	12:39
GLBSP-10-S-20260609	10	Ethylbenzene	Sample	0.337	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:58	6/23/2026	12:39
GLBSP-10-S-20260609	10	m-/p-Xylenes	Sample	0.952	ug/m3	0.272	ug/m3		Y	6/9/2026	12:58	6/23/2026	12:39
GLBSP-10-S-20260609	10	o-Xylene	Sample	0.345	ug/m3	0.272	ug/m3	J	Y	6/9/2026	12:58	6/23/2026	12:39
GLBSP-10-S-20260609	10	Toluene	Sample	1.77	ug/m3	0.241	ug/m3		Y	6/9/2026	12:58	6/23/2026	12:39
GLBSP-11-S-20260609	11	Benzene	Sample	0.576	ug/m3	0.187	ug/m3		Y	6/9/2026	13:02	6/23/2026	12:45
GLBSP-11-S-20260609	11	Ethylbenzene	Sample	0.349	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:02	6/23/2026	12:45
GLBSP-11-S-20260609	11	m-/p-Xylenes	Sample	0.903	ug/m3	0.272	ug/m3		Y	6/9/2026	13:02	6/23/2026	12:45
GLBSP-11-S-20260609	11	o-Xylene	Sample	0.341	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:02	6/23/2026	12:45
GLBSP-11-S-20260609	11	Toluene	Sample	1.55	ug/m3	0.241	ug/m3		Y	6/9/2026	13:02	6/23/2026	12:45
GLBSP-12-S-20260609	12	Benzene	Sample	0.657	ug/m3	0.187	ug/m3		Y	6/9/2026	13:13	6/23/2026	12:51
GLBSP-12-S-20260609	12	Ethylbenzene	Sample	0.33	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:13	6/23/2026	12:51
GLBSP-12-S-20260609	12	m-/p-Xylenes	Sample	0.899	ug/m3	0.272	ug/m3		Y	6/9/2026	13:13	6/23/2026	12:51
GLBSP-12-S-20260609	12	o-Xylene	Sample	0.33	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:13	6/23/2026	12:51
GLBSP-12-S-20260609	12	Toluene	Sample	1.45	ug/m3	0.241	ug/m3		Y	6/9/2026	13:13	6/23/2026	12:51
GLBSP-13-S-20260609	13	Benzene	Sample	0.739	ug/m3	0.187	ug/m3		Y	6/9/2026	13:16	6/23/2026	12:56
GLBSP-13-S-20260609	13	Ethylbenzene	Sample	0.64	ug/m3	0.272	ug/m3		Y	6/9/2026	13:16	6/23/2026	12:56
GLBSP-13-S-20260609	13	m-/p-Xylenes	Sample	1.58	ug/m3	0.272	ug/m3		Y	6/9/2026	13:16	6/23/2026	12:56
GLBSP-13-S-20260609	13	o-Xylene	Sample	0.622	ug/m3	0.272	ug/m3		Y	6/9/2026	13:16	6/23/2026	12:56
GLBSP-13-S-20260609	13	Toluene	Sample	2.08	ug/m3	0.241	ug/m3		Y	6/9/2026	13:16	6/23/2026	12:56
GLBSP-14-S-20260609	14	Benzene	Sample	0.539	ug/m3	0.187	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-S-20260609	14	Ethylbenzene	Sample	0.493	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-S-20260609	14	m-/p-Xylenes	Sample	1.64	ug/m3	0.272	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-S-20260609	14	o-Xylene	Sample	0.6	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-S-20260609	14	Toluene	Sample	1.72	ug/m3	0.241	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-D-20260609	14	Benzene	Duplicate	0.536	ug/m3	0.187	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-D-20260609	14	Ethylbenzene	Duplicate	0.503	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-D-20260609	14	m-/p-Xylenes	Duplicate	1.29	ug/m3	0.272	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58

Global Partners South Portland Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE	SAMPLE END TIME
GLBSP-14-D-20260609	14	o-Xylene	Duplicate	0.484	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-D-20260609	14	Toluene	Duplicate	1.76	ug/m3	0.241	ug/m3		Y	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-B-20260609	14	Benzene	Blank	<0.187	ug/m3	0.187	ug/m3	ND	N	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-B-20260609	14	Ethylbenzene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-B-20260609	14	m-/p-Xylenes	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-B-20260609	14	o-Xylene	Blank	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	13:19	6/23/2026	12:58
GLBSP-14-B-20260609	14	Toluene	Blank	<0.241	ug/m3	0.241	ug/m3	ND	N	6/9/2026	13:19	6/23/2026	12:58
GLBSP-15-S-20260609	15	Benzene	Sample	0.536	ug/m3	0.187	ug/m3		Y	6/9/2026	13:22	6/23/2026	13:00
GLBSP-15-S-20260609	15	Ethylbenzene	Sample	0.281	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:22	6/23/2026	13:00
GLBSP-15-S-20260609	15	m-/p-Xylenes	Sample	0.822	ug/m3	0.272	ug/m3		Y	6/9/2026	13:22	6/23/2026	13:00
GLBSP-15-S-20260609	15	o-Xylene	Sample	0.302	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:22	6/23/2026	13:00
GLBSP-15-S-20260609	15	Toluene	Sample	1.2	ug/m3	0.241	ug/m3		Y	6/9/2026	13:22	6/23/2026	13:00
GLBSP-16-S-20260609	16	Benzene	Sample	0.563	ug/m3	0.187	ug/m3		Y	6/9/2026	13:25	6/23/2026	13:02
GLBSP-16-S-20260609	16	Ethylbenzene	Sample	0.548	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:25	6/23/2026	13:02
GLBSP-16-S-20260609	16	m-/p-Xylenes	Sample	1.39	ug/m3	0.272	ug/m3		Y	6/9/2026	13:25	6/23/2026	13:02
GLBSP-16-S-20260609	16	o-Xylene	Sample	0.514	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:25	6/23/2026	13:02
GLBSP-16-S-20260609	16	Toluene	Sample	1.76	ug/m3	0.241	ug/m3		Y	6/9/2026	13:25	6/23/2026	13:02
GLBSP-17-S-20260609	17	Benzene	Sample	0.475	ug/m3	0.187	ug/m3		Y	6/9/2026	13:07	6/23/2026	12:48
GLBSP-17-S-20260609	17	Ethylbenzene	Sample	0.336	ug/m3	0.272	ug/m3	J	Y	6/9/2026	13:07	6/23/2026	12:48
GLBSP-17-S-20260609	17	m-/p-Xylenes	Sample	0.769	ug/m3	0.272	ug/m3		Y	6/9/2026	13:07	6/23/2026	12:48
GLBSP-17-S-20260609	17	o-Xylene	Sample	<0.272	ug/m3	0.272	ug/m3	ND	N	6/9/2026	13:07	6/23/2026	12:48
GLBSP-17-S-20260609	17	Toluene	Sample	1.35	ug/m3	0.241	ug/m3		Y	6/9/2026	13:07	6/23/2026	12:48

FLM Data Flag Abbreviations - EPA Method 325B	
Flag	**Explanation**
ND	The analyte was not present above the Method Detection Limit
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

GLOBAL PARTNERS – SOUTH PORTLAND TERMINAL

METEOROLOGICAL DATA

03-31-26 THROUGH 06-23-26

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
3/31/26 13:00	4.0	43	4.2	1013
3/31/26 14:00	2.9	43	4.9	1014
3/31/26 15:00	3.5	56	4.7	1013
3/31/26 16:00	3.9	60	4.4	1013
3/31/26 17:00	3.3	61	4.3	1013
3/31/26 18:00	3.1	82	4.0	1013
3/31/26 19:00	2.7	92	3.7	1013
3/31/26 20:00	2.4	111	3.0	1013
3/31/26 21:00	3.0	93	3.0	1012
3/31/26 22:00	2.9	136	3.0	1012
3/31/26 23:00	2.4	160	2.9	1011
4/1/26 0:00	1.4	241	2.9	1009
4/1/26 1:00	1.5	225	2.9	1008
4/1/26 2:00	2.6	252	2.9	1008
4/1/26 3:00	1.6	178	3.0	1007
4/1/26 4:00	1.9	194	3.0	1007
4/1/26 5:00	2.1	192	3.1	1007
4/1/26 6:00	1.5	190	3.0	1008
4/1/26 7:00	1.7	23	3.7	1009
4/1/26 8:00	2.5	52	4.0	1010
4/1/26 9:00	2.5	63	4.3	1012
4/1/26 10:00	1.7	106	5.2	1013
4/1/26 11:00	2.4	73	6.3	1014
4/1/26 12:00	2.7	57	7.1	1015
4/1/26 13:00	2.1	92	8.9	1016
4/1/26 14:00	4.0	55	11.0	1016
4/1/26 15:00	4.7	8	11.8	1017
4/1/26 16:00	3.9	25	11.5	1018
4/1/26 17:00	5.2	4	10.7	1020
4/1/26 18:00	6.2	7	8.4	1021
4/1/26 19:00	5.8	4	6.8	1023
4/1/26 20:00	5.1	5	5.9	1024
4/1/26 21:00	4.8	4	5.7	1026
4/1/26 22:00	5.0	13	4.9	1026
4/1/26 23:00	5.9	35	4.0	1027
4/2/26 0:00	5.3	45	3.2	1028
4/2/26 1:00	4.5	38	3.0	1028
4/2/26 2:00	4.4	35	2.6	1029
4/2/26 3:00	4.2	34	2.0	1029
4/2/26 4:00	4.1	35	1.9	1030
4/2/26 5:00	4.5	29	1.5	1030
4/2/26 6:00	4.9	48	1.0	1031
4/2/26 7:00	4.8	47	1.0	1031
4/2/26 8:00	4.1	35	1.6	1032
4/2/26 9:00	4.3	45	1.9	1033
4/2/26 10:00	4.4	50	2.4	1034
4/2/26 11:00	4.6	67	2.9	1034

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/2/26 12:00	5.5	103	3.0	1034
4/2/26 13:00	5.9	95	3.6	1034
4/2/26 14:00	5.7	98	3.1	1033
4/2/26 15:00	5.9	95	2.8	1033
4/2/26 16:00	5.5	103	2.0	1033
4/2/26 17:00	5.2	101	2.0	1033
4/2/26 18:00	5.0	95	2.0	1033
4/2/26 19:00	5.0	91	1.9	1033
4/2/26 20:00	4.5	94	1.9	1033
4/2/26 21:00	4.1	91	1.9	1033
4/2/26 22:00	3.6	107	1.3	1032
4/2/26 23:00	2.8	105	1.6	1032
4/3/26 0:00	2.0	111	1.9	1032
4/3/26 1:00	3.3	119	2.0	1031
4/3/26 2:00	3.6	127	1.9	1030
4/3/26 3:00	3.2	134	1.9	1029
4/3/26 4:00	3.1	130	1.9	1028
4/3/26 5:00	2.9	137	1.9	1027
4/3/26 6:00	2.5	145	2.9	1026
4/3/26 7:00	2.7	148	2.9	1026
4/3/26 8:00	3.1	155	2.9	1025
4/3/26 9:00	2.9	159	3.7	1024
4/3/26 10:00	3.2	168	3.9	1023
4/3/26 11:00	3.2	178	4.0	1021
4/3/26 12:00	2.7	177	4.1	1019
4/3/26 13:00	3.5	187	5.0	1018
4/3/26 14:00	2.8	189	5.4	1017
4/3/26 15:00	2.4	180	6.0	1015
4/3/26 16:00	3.3	187	6.0	1014
4/3/26 17:00	2.6	188	6.9	1014
4/3/26 18:00	2.2	182	7.0	1013
4/3/26 19:00	2.0	183	6.2	1012
4/3/26 20:00	1.5	180	5.6	1012
4/3/26 21:00	2.0	203	5.4	1012
4/3/26 22:00	1.6	237	6.0	1011
4/3/26 23:00	2.2	226	6.8	1010
4/4/26 0:00	3.0	232	7.6	1010
4/4/26 1:00	4.1	230	10.5	1010
4/4/26 2:00	3.8	232	11.7	1010
4/4/26 3:00	2.9	313	11.3	1012
4/4/26 4:00	3.4	332	10.6	1014
4/4/26 5:00	4.8	337	10.7	1016
4/4/26 6:00	5.9	335	9.4	1017
4/4/26 7:00	7.9	351	8.9	1019
4/4/26 8:00	6.4	15	8.2	1021
4/4/26 9:00	6.6	27	8.4	1023
4/4/26 10:00	6.2	25	8.7	1024
4/4/26 11:00	6.0	64	8.2	1025
4/4/26 12:00	5.1	81	8.8	1025

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/4/26 13:00	6.4	102	8.3	1026
4/4/26 14:00	6.4	106	7.1	1026
4/4/26 15:00	5.9	129	6.3	1027
4/4/26 16:00	5.5	129	6.0	1027
4/4/26 17:00	6.2	135	4.8	1027
4/4/26 18:00	5.6	128	3.3	1027
4/4/26 19:00	4.9	113	3.0	1027
4/4/26 20:00	5.3	110	2.9	1027
4/4/26 21:00	4.6	121	2.9	1027
4/4/26 22:00	5.3	120	2.9	1027
4/4/26 23:00	4.9	119	2.9	1025
4/5/26 0:00	4.8	125	2.9	1024
4/5/26 1:00	4.8	137	3.0	1023
4/5/26 2:00	5.6	140	3.0	1022
4/5/26 3:00	4.9	145	2.9	1020
4/5/26 4:00	3.9	142	2.9	1018
4/5/26 5:00	3.3	139	3.0	1016
4/5/26 6:00	2.5	125	3.0	1015
4/5/26 7:00	2.3	108	3.9	1013
4/5/26 8:00	2.5	105	3.9	1011
4/5/26 9:00	1.8	70	4.0	1009
4/5/26 10:00	2.1	351	5.0	1008
4/5/26 11:00	1.5	4	5.6	1007
4/5/26 12:00	2.1	282	6.8	1005
4/5/26 13:00	3.3	255	6.9	1005
4/5/26 14:00	2.0	208	6.9	1003
4/5/26 15:00	3.1	192	6.5	1003
4/5/26 16:00	2.7	175	6.3	1001
4/5/26 17:00	2.2	205	6.4	1002
4/5/26 18:00	2.6	215	7.1	1002
4/5/26 19:00	3.0	243	7.9	1002
4/5/26 20:00	3.5	255	7.9	1003
4/5/26 21:00	4.9	252	7.9	1004
4/5/26 22:00	6.3	266	6.9	1004
4/5/26 23:00	4.4	268	5.9	1004
4/6/26 0:00	4.1	274	5.9	1004
4/6/26 1:00	3.9	266	5.4	1003
4/6/26 2:00	3.8	257	5.4	1003
4/6/26 3:00	3.1	246	5.7	1003
4/6/26 4:00	3.8	248	4.7	1003
4/6/26 5:00	4.1	276	4.6	1004
4/6/26 6:00	4.9	271	3.9	1005
4/6/26 7:00	5.2	274	4.2	1005
4/6/26 8:00	7.4	280	5.8	1006
4/6/26 9:00	7.9	278	6.4	1006
4/6/26 10:00	7.9	281	7.0	1006
4/6/26 11:00	9.0	282	7.1	1007
4/6/26 12:00	8.8	282	7.2	1007
4/6/26 13:00	9.9	287	7.6	1007

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/6/26 14:00	9.0	290	8.0	1008
4/6/26 15:00	9.7	289	7.6	1008
4/6/26 16:00	8.1	307	6.7	1008
4/6/26 17:00	6.9	327	6.0	1009
4/6/26 18:00	6.5	316	5.0	1011
4/6/26 19:00	5.4	313	3.2	1012
4/6/26 20:00	3.1	309	2.4	1014
4/6/26 21:00	4.0	284	1.9	1015
4/6/26 22:00	2.1	271	0.9	1015
4/6/26 23:00	1.7	225	0.6	1016
4/7/26 0:00	1.5	250	-1.6	1016
4/7/26 1:00	2.0	229	-1.2	1016
4/7/26 2:00	2.3	233	-1.6	1016
4/7/26 3:00	1.6	233	-2.1	1017
4/7/26 4:00	1.5	220	-2.8	1017
4/7/26 5:00	1.5	225	-3.2	1017
4/7/26 6:00	1.5	235	-2.3	1018
4/7/26 7:00	ND	ND	-1.4	1019
4/7/26 8:00	1.5	20	0.7	1019
4/7/26 9:00	1.5	150	2.1	1019
4/7/26 10:00	2.6	159	1.4	1019
4/7/26 11:00	1.9	148	0.7	1020
4/7/26 12:00	2.2	93	0.2	1019
4/7/26 13:00	3.1	90	1.0	1019
4/7/26 14:00	3.2	80	1.0	1019
4/7/26 15:00	3.2	88	1.6	1019
4/7/26 16:00	2.8	89	2.0	1019
4/7/26 17:00	2.0	90	2.0	1019
4/7/26 18:00	1.7	94	2.0	1020
4/7/26 19:00	1.5	160	1.9	1021
4/7/26 20:00	1.7	223	1.6	1022
4/7/26 21:00	4.1	292	0.9	1023
4/7/26 22:00	4.2	316	0.9	1024
4/7/26 23:00	5.3	327	0.5	1025
4/8/26 0:00	5.6	326	-0.9	1027
4/8/26 1:00	5.0	338	-1.3	1028
4/8/26 2:00	5.6	333	-2.1	1028
4/8/26 3:00	5.0	338	-2.6	1029
4/8/26 4:00	3.8	341	-3.1	1030
4/8/26 5:00	3.5	348	-3.8	1031
4/8/26 6:00	3.1	349	-3.8	1032
4/8/26 7:00	3.4	346	-2.3	1033
4/8/26 8:00	4.8	353	-0.8	1034
4/8/26 9:00	4.1	8	1.0	1034
4/8/26 10:00	4.2	19	1.9	1035
4/8/26 11:00	2.3	4	2.7	1035
4/8/26 12:00	2.7	321	3.5	1034
4/8/26 13:00	2.7	268	4.3	1034
4/8/26 14:00	3.9	186	5.0	1033

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/8/26 15:00	5.0	171	4.0	1032
4/8/26 16:00	5.0	175	3.2	1032
4/8/26 17:00	4.7	186	3.0	1032
4/8/26 18:00	4.1	188	2.3	1032
4/8/26 19:00	2.9	194	1.7	1032
4/8/26 20:00	3.3	215	0.9	1033
4/8/26 21:00	2.0	202	0.5	1033
4/8/26 22:00	1.5	210	-0.8	1033
4/8/26 23:00	2.0	228	-1.1	1033
4/9/26 0:00	1.9	229	-1.1	1034
4/9/26 1:00	1.5	222	-1.3	1033
4/9/26 2:00	1.5	273	-2.0	1033
4/9/26 3:00	ND	ND	-3.0	1033
4/9/26 4:00	1.5	230	-2.8	1033
4/9/26 5:00	1.9	208	-2.1	1033
4/9/26 6:00	2.5	207	-1.1	1033
4/9/26 7:00	2.6	216	0.4	1034
4/9/26 8:00	3.5	214	2.5	1034
4/9/26 9:00	3.3	196	5.1	1033
4/9/26 10:00	4.4	193	7.0	1033
4/9/26 11:00	5.9	196	8.0	1033
4/9/26 12:00	7.1	186	8.2	1032
4/9/26 13:00	7.4	170	7.7	1031
4/9/26 14:00	8.1	171	6.6	1031
4/9/26 15:00	8.6	175	6.0	1030
4/9/26 16:00	8.2	174	6.0	1029
4/9/26 17:00	6.2	176	6.0	1029
4/9/26 18:00	5.5	181	5.2	1028
4/9/26 19:00	5.1	184	4.0	1028
4/9/26 20:00	5.3	180	3.9	1028
4/9/26 21:00	5.4	182	4.4	1027
4/9/26 22:00	5.7	195	4.9	1027
4/9/26 23:00	5.4	195	4.2	1027
4/10/26 0:00	3.7	194	3.9	1027
4/10/26 1:00	4.8	190	3.9	1026
4/10/26 2:00	3.9	197	3.9	1025
4/10/26 3:00	3.4	198	3.2	1025
4/10/26 4:00	3.5	202	3.0	1025
4/10/26 5:00	3.2	205	2.9	1024
4/10/26 6:00	2.5	197	2.9	1024
4/10/26 7:00	4.1	208	3.8	1024
4/10/26 8:00	3.8	215	5.9	1023
4/10/26 9:00	2.6	217	8.2	1022
4/10/26 10:00	3.9	163	9.7	1022
4/10/26 11:00	4.6	149	9.8	1021
4/10/26 12:00	5.2	156	11.3	1020
4/10/26 13:00	5.8	171	11.7	1019
4/10/26 14:00	5.4	178	12.5	1018
4/10/26 15:00	6.5	183	12.6	1017

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/10/26 16:00	6.0	179	11.7	1016
4/10/26 17:00	5.5	181	9.5	1015
4/10/26 18:00	4.9	185	9.0	1014
4/10/26 19:00	5.0	187	9.0	1014
4/10/26 20:00	5.1	188	9.8	1013
4/10/26 21:00	4.1	190	10.0	1013
4/10/26 22:00	2.9	193	10.0	1013
4/10/26 23:00	2.1	168	9.2	1012
4/11/26 0:00	2.5	55	9.0	1013
4/11/26 1:00	1.8	112	8.0	1012
4/11/26 2:00	1.4	110	8.2	1011
4/11/26 3:00	3.2	344	8.3	1011
4/11/26 4:00	3.2	329	9.0	1013
4/11/26 5:00	3.6	339	9.3	1013
4/11/26 6:00	5.9	334	8.8	1015
4/11/26 7:00	5.9	335	8.6	1016
4/11/26 8:00	7.6	333	9.1	1016
4/11/26 9:00	6.5	338	10.3	1017
4/11/26 10:00	7.0	314	11.2	1017
4/11/26 11:00	6.9	329	11.1	1017
4/11/26 12:00	6.6	321	11.0	1017
4/11/26 13:00	6.5	320	11.9	1017
4/11/26 14:00	7.6	336	11.8	1017
4/11/26 15:00	8.1	335	11.9	1017
4/11/26 16:00	7.8	330	11.3	1018
4/11/26 17:00	7.6	330	10.2	1019
4/11/26 18:00	8.2	331	8.9	1020
4/11/26 19:00	6.6	333	7.3	1021
4/11/26 20:00	4.5	322	6.4	1023
4/11/26 21:00	5.3	317	5.8	1024
4/11/26 22:00	4.2	306	4.2	1024
4/11/26 23:00	3.7	314	4.0	1025
4/12/26 0:00	3.2	253	3.5	1025
4/12/26 1:00	4.0	296	2.2	1026
4/12/26 2:00	4.0	304	2.0	1026
4/12/26 3:00	3.4	322	2.5	1027
4/12/26 4:00	3.1	305	1.4	1027
4/12/26 5:00	2.5	292	1.4	1028
4/12/26 6:00	2.8	290	1.4	1029
4/12/26 7:00	3.0	301	3.8	1030
4/12/26 8:00	4.2	327	6.5	1030
4/12/26 9:00	5.0	341	7.8	1030
4/12/26 10:00	4.0	11	9.2	1030
4/12/26 11:00	2.2	84	9.4	1029
4/12/26 12:00	4.1	179	10.3	1029
4/12/26 13:00	6.4	164	9.0	1028
4/12/26 14:00	6.4	173	8.7	1028
4/12/26 15:00	5.3	175	8.8	1027
4/12/26 16:00	5.4	186	7.3	1027


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (3/31/26 13:00 to 4/14/26 11:00)

4/12/26 17:00	4.9	192	6.8	1026
4/12/26 18:00	4.9	194	6.0	1026
4/12/26 19:00	3.8	197	6.0	1026
4/12/26 20:00	3.0	191	6.0	1026
4/12/26 21:00	3.1	176	5.9	1026
4/12/26 22:00	3.7	160	5.9	1025
4/12/26 23:00	3.4	166	5.9	1024
4/13/26 0:00	3.3	171	5.9	1023
4/13/26 1:00	4.0	187	5.5	1023
4/13/26 2:00	3.6	186	4.6	1022
4/13/26 3:00	3.8	184	4.0	1021
4/13/26 4:00	4.4	183	4.9	1020
4/13/26 5:00	5.2	190	5.8	1018
4/13/26 6:00	5.5	194	5.9	1017
4/13/26 7:00	4.9	193	6.0	1017
4/13/26 8:00	4.9	191	6.4	1015
4/13/26 9:00	3.8	199	7.2	1014
4/13/26 10:00	3.3	217	9.4	1012
4/13/26 11:00	5.0	237	12.3	1011
4/13/26 12:00	3.8	226	12.4	1009
4/13/26 13:00	2.5	162	11.8	1008
4/13/26 14:00	2.1	135	12.7	1007
4/13/26 15:00	2.9	181	13.0	1006
4/13/26 16:00	1.7	134	13.0	1005
4/13/26 17:00	1.9	135	13.0	1005
4/13/26 18:00	2.7	102	13.4	1005
4/13/26 19:00	2.3	127	11.9	1005
4/13/26 20:00	3.1	244	15.8	1006
4/13/26 21:00	3.1	239	16.9	1007
4/13/26 22:00	3.3	230	16.3	1007
4/13/26 23:00	2.9	230	15.9	1007
4/14/26 0:00	2.5	243	15.0	1008
4/14/26 1:00	3.1	248	14.7	1008
4/14/26 2:00	2.2	252	13.2	1008
4/14/26 3:00	3.1	266	13.4	1009
4/14/26 4:00	2.9	284	13.0	1009
4/14/26 5:00	1.9	293	11.9	1010
4/14/26 6:00	2.1	360	11.0	1011
4/14/26 7:00	1.7	126	13.1	1011
4/14/26 8:00	2.1	150	15.2	1012
4/14/26 9:00	1.6	139	17.7	1012
4/14/26 10:00	2.2	162	18.6	1012
4/14/26 11:00	4.6	95	19.2	1012

PWM Wind Rose 3/31/26 13:00 - 4/14/26 11:00

Wind Speed (m/s)(MaineVC - KPWM | MaineVC)



Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
4/14/26 12:00	5.3	124	19.6	1011
4/14/26 13:00	6.0	129	19.5	1011
4/14/26 14:00	6.0	140	18.5	1010
4/14/26 15:00	4.7	116	17.7	1009
4/14/26 16:00	5.4	111	14.8	1008
4/14/26 17:00	3.8	116	12.8	1008
4/14/26 18:00	4.5	57	11.3	1008
4/14/26 19:00	4.2	50	10.4	1008
4/14/26 20:00	4.0	83	10.5	1007
4/14/26 21:00	3.5	83	8.8	1007
4/14/26 22:00	2.4	45	8.1	1007
4/14/26 23:00	2.0	27	8.6	1007
4/15/26 0:00	1.8	341	9.0	1007
4/15/26 1:00	1.8	246	9.6	1007
4/15/26 2:00	1.8	263	9.5	1007
4/15/26 3:00	1.7	330	10.0	1007
4/15/26 4:00	1.5	30	10.2	1007
4/15/26 5:00	1.7	84	10.3	1007
4/15/26 6:00	1.6	86	10.0	1008
4/15/26 7:00	1.7	83	10.0	1010
4/15/26 8:00	2.1	106	10.8	1010
4/15/26 9:00	1.8	107	11.0	1011
4/15/26 10:00	1.6	98	11.9	1011
4/15/26 11:00	1.5	65	13.4	1012
4/15/26 12:00	2.2	84	15.0	1011
4/15/26 13:00	2.0	173	15.8	1011
4/15/26 14:00	3.5	106	14.5	1010
4/15/26 15:00	3.1	147	14.0	1010
4/15/26 16:00	2.8	165	12.8	1010
4/15/26 17:00	2.6	171	11.0	1010
4/15/26 18:00	3.1	172	9.6	1011
4/15/26 19:00	1.7	193	9.0	1011
4/15/26 20:00	2.1	255	9.0	1012
4/15/26 21:00	1.5	65	9.4	1012
4/15/26 22:00	1.5	135	9.3	1012
4/15/26 23:00	1.7	124	9.0	1012
4/16/26 0:00	2.3	103	9.0	1011
4/16/26 1:00	1.9	86	8.8	1011
4/16/26 2:00	2.4	71	8.5	1011
4/16/26 3:00	2.5	47	8.0	1010
4/16/26 4:00	2.1	103	8.1	1010
4/16/26 5:00	2.3	89	8.0	1010
4/16/26 6:00	2.8	84	7.7	1010
4/16/26 7:00	3.0	67	7.8	1010
4/16/26 8:00	2.0	16	8.0	1011
4/16/26 9:00	1.5	33	8.9	1011
4/16/26 10:00	1.9	47	9.9	1011

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/16/26 11:00	2.5	98	10.8	1011
4/16/26 12:00	2.8	105	11.0	1010
4/16/26 13:00	3.5	91	11.6	1009
4/16/26 14:00	3.6	104	10.9	1009
4/16/26 15:00	3.3	119	9.8	1008
4/16/26 16:00	3.2	83	9.0	1007
4/16/26 17:00	4.0	84	8.0	1007
4/16/26 18:00	2.8	104	7.0	1007
4/16/26 19:00	2.4	98	7.0	1006
4/16/26 20:00	1.9	95	6.1	1006
4/16/26 21:00	1.7	138	6.0	1006
4/16/26 22:00	1.6	116	6.0	1005
4/16/26 23:00	3.2	23	6.0	1005
4/17/26 0:00	3.9	351	7.0	1007
4/17/26 1:00	2.2	33	7.0	1005
4/17/26 2:00	3.0	108	7.1	1003
4/17/26 3:00	2.0	268	7.7	1004
4/17/26 4:00	2.7	215	7.9	1005
4/17/26 5:00	1.8	1	8.0	1005
4/17/26 6:00	2.2	351	8.2	1005
4/17/26 7:00	1.8	359	9.2	1006
4/17/26 8:00	3.1	164	10.1	1008
4/17/26 9:00	2.6	181	8.9	1009
4/17/26 10:00	3.3	51	11.2	1010
4/17/26 11:00	3.3	44	12.8	1010
4/17/26 12:00	3.8	81	15.2	1010
4/17/26 13:00	3.6	102	16.7	1010
4/17/26 14:00	4.0	105	17.2	1010
4/17/26 15:00	3.8	102	17.9	1010
4/17/26 16:00	3.3	95	18.0	1010
4/17/26 17:00	3.5	112	18.0	1011
4/17/26 18:00	2.9	167	14.9	1012
4/17/26 19:00	1.7	204	13.0	1013
4/17/26 20:00	1.5	250	11.7	1014
4/17/26 21:00	1.3	285	10.4	1015
4/17/26 22:00	1.6	321	9.5	1015
4/17/26 23:00	ND	ND	8.7	1015
4/18/26 0:00	1.5	108	7.7	1016
4/18/26 1:00	1.7	350	7.4	1016
4/18/26 2:00	ND	ND	6.7	1016
4/18/26 3:00	1.6	ND	5.7	1016
4/18/26 4:00	2.3	304	5.3	1016
4/18/26 5:00	2.3	349	5.2	1018
4/18/26 6:00	2.2	66	6.4	1019
4/18/26 7:00	2.9	101	8.1	1019
4/18/26 8:00	4.2	100	8.0	1020
4/18/26 9:00	3.2	93	8.5	1020
4/18/26 10:00	4.3	93	10.9	1020
4/18/26 11:00	5.4	93	11.5	1020

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/18/26 12:00	6.2	91	11.5	1020
4/18/26 13:00	7.6	92	11.0	1019
4/18/26 14:00	6.9	97	9.9	1019
4/18/26 15:00	6.7	96	8.4	1018
4/18/26 16:00	5.5	97	7.4	1017
4/18/26 17:00	5.0	96	6.8	1017
4/18/26 18:00	5.3	92	6.0	1016
4/18/26 19:00	4.2	95	5.9	1016
4/18/26 20:00	4.8	94	6.0	1015
4/18/26 21:00	4.0	111	7.5	1013
4/18/26 22:00	2.9	95	6.0	1014
4/18/26 23:00	3.1	92	6.0	1013
4/19/26 0:00	3.7	88	5.9	1012
4/19/26 1:00	2.9	109	5.9	1012
4/19/26 2:00	2.0	107	5.9	1011
4/19/26 3:00	1.7	124	5.9	1010
4/19/26 4:00	1.7	133	5.9	1009
4/19/26 5:00	1.7	118	6.0	1008
4/19/26 6:00	2.3	141	6.0	1007
4/19/26 7:00	1.8	169	6.0	1007
4/19/26 8:00	2.0	159	6.0	1006
4/19/26 9:00	2.6	154	6.2	1005
4/19/26 10:00	1.8	195	6.3	1005
4/19/26 11:00	1.7	202	6.9	1005
4/19/26 12:00	2.3	306	7.0	1004
4/19/26 13:00	3.5	326	7.4	1004
4/19/26 14:00	4.1	310	7.4	1004
4/19/26 15:00	7.0	339	7.1	1003
4/19/26 16:00	5.5	327	5.9	1004
4/19/26 17:00	6.2	319	4.5	1005
4/19/26 18:00	4.3	328	3.2	1006
4/19/26 19:00	5.1	317	2.5	1007
4/19/26 20:00	3.7	322	2.0	1008
4/19/26 21:00	2.5	278	1.3	1009
4/19/26 22:00	1.8	212	1.1	1010
4/19/26 23:00	2.0	229	0.8	1011
4/20/26 0:00	2.3	229	-0.1	1011
4/20/26 1:00	1.5	220	-0.3	1012
4/20/26 2:00	1.4	240	-1.1	1012
4/20/26 3:00	1.5	235	-1.1	1013
4/20/26 4:00	1.6	236	-1.3	1013
4/20/26 5:00	1.8	237	-1.1	1013
4/20/26 6:00	1.9	246	-0.7	1014
4/20/26 7:00	2.7	257	1.8	1015
4/20/26 8:00	4.3	259	4.0	1015
4/20/26 9:00	4.6	265	6.1	1015
4/20/26 10:00	5.4	271	6.7	1016
4/20/26 11:00	6.4	284	7.4	1016
4/20/26 12:00	6.2	278	7.5	1016

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/20/26 13:00	6.8	290	8.3	1016
4/20/26 14:00	6.9	320	6.9	1017
4/20/26 15:00	6.4	320	7.0	1017
4/20/26 16:00	6.2	325	7.3	1017
4/20/26 17:00	5.5	329	6.6	1018
4/20/26 18:00	6.1	332	5.8	1019
4/20/26 19:00	4.6	338	4.1	1020
4/20/26 20:00	4.3	350	2.5	1021
4/20/26 21:00	3.2	355	1.3	1022
4/20/26 22:00	2.3	350	0.9	1023
4/20/26 23:00	1.9	1	0.7	1023
4/21/26 0:00	1.5	15	-0.6	1024
4/21/26 1:00	1.9	300	-1.6	1024
4/21/26 2:00	1.8	290	-3.2	1024
4/21/26 3:00	2.0	288	-3.5	1024
4/21/26 4:00	1.6	296	-3.7	1025
4/21/26 5:00	1.7	281	-3.7	1025
4/21/26 6:00	1.5	285	-3.0	1025
4/21/26 7:00	1.6	295	-0.5	1026
4/21/26 8:00	ND	ND	2.2	1026
4/21/26 9:00	1.9	307	3.9	1026
4/21/26 10:00	2.0	5	4.4	1025
4/21/26 11:00	3.0	118	5.2	1025
4/21/26 12:00	4.0	163	5.3	1024
4/21/26 13:00	5.0	150	5.9	1024
4/21/26 14:00	5.4	172	6.1	1023
4/21/26 15:00	5.9	170	5.6	1023
4/21/26 16:00	6.3	164	5.2	1022
4/21/26 17:00	5.9	170	4.2	1022
4/21/26 18:00	5.7	176	3.9	1022
4/21/26 19:00	4.8	190	3.0	1022
4/21/26 20:00	3.9	190	2.9	1022
4/21/26 21:00	3.4	187	2.9	1022
4/21/26 22:00	3.3	194	2.9	1022
4/21/26 23:00	3.7	191	2.9	1022
4/22/26 0:00	3.2	188	3.0	1022
4/22/26 1:00	2.6	198	3.0	1021
4/22/26 2:00	1.9	194	2.9	1020
4/22/26 3:00	1.5	218	2.0	1020
4/22/26 4:00	1.6	231	1.4	1020
4/22/26 5:00	1.5	215	1.4	1020
4/22/26 6:00	1.5	210	2.4	1020
4/22/26 7:00	3.0	210	3.8	1020
4/22/26 8:00	3.1	196	5.6	1020
4/22/26 9:00	4.6	179	6.9	1019
4/22/26 10:00	5.5	172	7.1	1019
4/22/26 11:00	5.4	182	6.9	1018
4/22/26 12:00	5.5	189	6.5	1018
4/22/26 13:00	5.8	189	6.2	1018

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/22/26 14:00	5.5	192	6.0	1017
4/22/26 15:00	4.7	191	6.7	1016
4/22/26 16:00	4.9	187	6.8	1015
4/22/26 17:00	5.1	194	6.5	1015
4/22/26 18:00	4.1	193	6.0	1014
4/22/26 19:00	4.3	189	6.0	1014
4/22/26 20:00	3.1	187	6.0	1014
4/22/26 21:00	3.2	188	6.0	1014
4/22/26 22:00	2.8	192	5.9	1014
4/22/26 23:00	2.8	199	5.9	1013
4/23/26 0:00	2.2	206	5.9	1013
4/23/26 1:00	2.3	201	5.9	1012
4/23/26 2:00	3.0	197	5.9	1011
4/23/26 3:00	2.2	205	5.5	1010
4/23/26 4:00	1.5	186	4.3	1010
4/23/26 5:00	1.6	212	3.9	1009
4/23/26 6:00	1.2	354	3.6	1009
4/23/26 7:00	1.8	285	4.4	1009
4/23/26 8:00	2.4	324	5.3	1009
4/23/26 9:00	2.6	343	8.5	1008
4/23/26 10:00	6.1	322	11.1	1008
4/23/26 11:00	7.9	333	11.9	1007
4/23/26 12:00	8.2	334	13.1	1007
4/23/26 13:00	7.7	348	13.0	1007
4/23/26 14:00	7.2	0	12.9	1007
4/23/26 15:00	6.8	14	13.0	1006
4/23/26 16:00	7.1	11	12.8	1006
4/23/26 17:00	7.0	353	11.9	1006
4/23/26 18:00	6.6	359	10.8	1007
4/23/26 19:00	5.4	8	8.6	1007
4/23/26 20:00	3.5	16	7.1	1008
4/23/26 21:00	3.5	17	6.5	1008
4/23/26 22:00	2.2	24	5.2	1008
4/23/26 23:00	3.6	10	4.3	1008
4/24/26 0:00	4.9	350	4.8	1008
4/24/26 1:00	3.3	353	3.8	1008
4/24/26 2:00	3.7	359	3.0	1007
4/24/26 3:00	3.4	306	2.4	1007
4/24/26 4:00	2.8	301	1.3	1007
4/24/26 5:00	2.9	328	1.9	1008
4/24/26 6:00	3.1	315	2.2	1008
4/24/26 7:00	4.2	329	4.1	1008
4/24/26 8:00	4.0	349	6.6	1008
4/24/26 9:00	4.0	348	7.7	1008
4/24/26 10:00	3.9	341	8.7	1008
4/24/26 11:00	5.4	340	8.9	1008
4/24/26 12:00	5.2	345	9.3	1007
4/24/26 13:00	5.8	11	9.7	1007
4/24/26 14:00	4.2	24	10.0	1007

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/24/26 15:00	3.2	75	9.2	1008
4/24/26 16:00	3.7	172	7.4	1008
4/24/26 17:00	3.9	162	7.0	1009
4/24/26 18:00	2.7	173	6.9	1010
4/24/26 19:00	1.7	165	6.2	1011
4/24/26 20:00	1.8	103	5.7	1012
4/24/26 21:00	2.5	43	4.9	1013
4/24/26 22:00	3.7	39	4.7	1014
4/24/26 23:00	1.6	1	3.9	1014
4/25/26 0:00	1.7	292	2.5	1014
4/25/26 1:00	1.8	299	1.0	1014
4/25/26 2:00	2.1	288	0.3	1014
4/25/26 3:00	1.4	284	-0.4	1015
4/25/26 4:00	1.6	274	-1.1	1015
4/25/26 5:00	1.7	281	-1.4	1015
4/25/26 6:00	1.5	283	-0.1	1016
4/25/26 7:00	1.8	288	3.1	1016
4/25/26 8:00	2.1	327	6.4	1016
4/25/26 9:00	3.0	349	8.5	1016
4/25/26 10:00	3.2	61	9.1	1016
4/25/26 11:00	2.9	92	10.3	1015
4/25/26 12:00	2.9	130	11.0	1015
4/25/26 13:00	3.0	200	11.6	1015
4/25/26 14:00	4.6	166	12.0	1014
4/25/26 15:00	5.4	170	11.8	1014
4/25/26 16:00	5.8	189	10.8	1014
4/25/26 17:00	5.6	201	9.2	1014
4/25/26 18:00	4.3	192	9.0	1014
4/25/26 19:00	3.2	203	7.7	1014
4/25/26 20:00	3.1	210	6.7	1015
4/25/26 21:00	2.0	232	5.9	1015
4/25/26 22:00	1.5	234	5.3	1015
4/25/26 23:00	1.5	228	3.9	1015
4/26/26 0:00	1.5	220	3.6	1016
4/26/26 1:00	1.8	207	3.4	1015
4/26/26 2:00	2.0	227	3.8	1015
4/26/26 3:00	1.5	292	2.9	1015
4/26/26 4:00	2.1	280	2.3	1016
4/26/26 5:00	2.1	283	1.4	1016
4/26/26 6:00	1.6	295	2.4	1016
4/26/26 7:00	1.5	320	6.6	1017
4/26/26 8:00	1.9	58	9.9	1017
4/26/26 9:00	2.1	91	11.7	1018
4/26/26 10:00	2.6	84	13.1	1018
4/26/26 11:00	3.0	87	13.0	1018
4/26/26 12:00	3.0	104	14.0	1018
4/26/26 13:00	2.7	102	14.5	1017
4/26/26 14:00	2.6	153	15.3	1017
4/26/26 15:00	3.5	156	15.0	1017


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

4/26/26 16:00	4.4	160	14.0	1017
4/26/26 17:00	3.9	163	13.2	1018
4/26/26 18:00	2.8	167	12.6	1018
4/26/26 19:00	1.9	155	11.4	1018
4/26/26 20:00	ND	ND	9.3	1019
4/26/26 21:00	ND	ND	7.4	1019
4/26/26 22:00	1.5	320	6.7	1020
4/26/26 23:00	1.5	360	6.1	1020
4/27/26 0:00	1.5	290	5.1	1020
4/27/26 1:00	2.1	302	4.0	1020
4/27/26 2:00	2.4	284	3.3	1020
4/27/26 3:00	2.1	311	2.8	1020
4/27/26 4:00	1.5	293	2.3	1021
4/27/26 5:00	1.7	288	1.8	1021
4/27/26 6:00	2.1	299	2.7	1022
4/27/26 7:00	1.8	310	7.0	1022
4/27/26 8:00	1.5	285	11.3	1023
4/27/26 9:00	1.4	35	14.2	1023
4/27/26 10:00	2.1	68	16.0	1023
4/27/26 11:00	3.6	86	16.9	1023
4/27/26 12:00	3.2	144	17.8	1022
4/27/26 13:00	4.1	174	17.8	1022
4/27/26 14:00	4.4	166	17.0	1022
4/27/26 15:00	4.9	162	17.2	1021
4/27/26 16:00	4.3	171	16.9	1021
4/27/26 17:00	4.8	180	15.1	1021
4/27/26 18:00	4.0	182	13.2	1021
4/27/26 19:00	3.0	174	11.7	1021
4/27/26 20:00	2.9	165	10.3	1022
4/27/26 21:00	2.3	154	8.4	1022
4/27/26 22:00	2.1	155	7.9	1023
4/27/26 23:00	1.5	150	7.0	1022
4/28/26 0:00	2.1	92	6.1	1022
4/28/26 1:00	2.4	94	5.9	1022
4/28/26 2:00	2.7	90	5.5	1021
4/28/26 3:00	3.4	87	5.7	1021
4/28/26 4:00	3.3	87	4.9	1022
4/28/26 5:00	3.8	81	5.9	1022
4/28/26 6:00	3.9	87	5.9	1022
4/28/26 7:00	3.0	81	6.3	1022
4/28/26 8:00	2.0	57	7.9	1022
4/28/26 9:00	2.5	97	8.6	1022
4/28/26 10:00	3.3	102	9.0	1022
4/28/26 11:00	3.5	102	9.5	1022

Global South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (4/14/26 12:00 to 4/28/26 11:00)

PWM Wind Rose 4/14/26 12:00 - 4/28/26 11:00



Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
4/28/26 12:00	4.1	87	10.6	1021
4/28/26 13:00	4.5	79	11.0	1021
4/28/26 14:00	4.0	79	11.0	1021
4/28/26 15:00	4.1	90	11.0	1020
4/28/26 16:00	4.4	96	11.0	1020
4/28/26 17:00	4.9	95	10.5	1020
4/28/26 18:00	3.2	86	8.9	1020
4/28/26 19:00	3.0	87	7.3	1019
4/28/26 20:00	2.4	86	6.9	1019
4/28/26 21:00	2.9	90	6.6	1018
4/28/26 22:00	2.3	82	7.2	1018
4/28/26 23:00	1.7	41	7.9	1018
4/29/26 0:00	1.7	5	7.9	1017
4/29/26 1:00	1.8	70	7.9	1016
4/29/26 2:00	2.2	70	7.9	1017
4/29/26 3:00	1.5	90	7.9	1017
4/29/26 4:00	3.0	95	7.3	1016
4/29/26 5:00	3.1	93	6.0	1015
4/29/26 6:00	3.7	92	6.1	1015
4/29/26 7:00	3.3	94	6.2	1016
4/29/26 8:00	3.8	89	6.0	1017
4/29/26 9:00	4.6	93	6.2	1017
4/29/26 10:00	4.0	97	7.7	1016
4/29/26 11:00	4.0	96	8.5	1015
4/29/26 12:00	5.4	92	8.4	1014
4/29/26 13:00	5.0	94	8.0	1014
4/29/26 14:00	5.2	96	7.7	1014
4/29/26 15:00	5.1	93	7.2	1014
4/29/26 16:00	5.9	87	7.0	1013
4/29/26 17:00	5.9	89	6.8	1012
4/29/26 18:00	6.1	90	6.0	1012
4/29/26 19:00	5.3	90	6.0	1012
4/29/26 20:00	6.3	91	6.0	1012
4/29/26 21:00	5.5	87	6.0	1012
4/29/26 22:00	5.2	81	6.0	1011
4/29/26 23:00	4.2	77	6.0	1011
4/30/26 0:00	3.6	69	6.0	1010
4/30/26 1:00	3.9	67	6.0	1009
4/30/26 2:00	3.7	65	6.1	1008
4/30/26 3:00	3.3	62	6.2	1008
4/30/26 4:00	3.0	69	6.7	1007
4/30/26 5:00	4.8	72	6.9	1006
4/30/26 6:00	3.9	74	6.9	1006
4/30/26 7:00	4.4	77	7.0	1006
4/30/26 8:00	4.5	80	7.0	1006
4/30/26 9:00	4.2	80	7.4	1006
4/30/26 10:00	4.6	87	8.0	1006

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

4/30/26 11:00	4.9	91	7.7	1005
4/30/26 12:00	4.7	75	7.1	1005
4/30/26 13:00	3.3	75	7.1	1005
4/30/26 14:00	3.5	83	8.0	1004
4/30/26 15:00	3.4	68	8.3	1003
4/30/26 16:00	3.1	53	8.0	1003
4/30/26 17:00	2.2	47	8.0	1003
4/30/26 18:00	1.6	26	8.0	1003
4/30/26 19:00	1.7	351	8.0	1003
4/30/26 20:00	2.2	324	8.0	1004
4/30/26 21:00	2.2	331	8.0	1004
4/30/26 22:00	2.6	312	8.0	1004
4/30/26 23:00	2.9	295	7.6	1003
5/1/26 0:00	2.8	273	7.7	1004
5/1/26 1:00	3.0	287	8.0	1004
5/1/26 2:00	3.7	317	8.0	1004
5/1/26 3:00	2.6	309	7.5	1004
5/1/26 4:00	2.1	286	6.6	1004
5/1/26 5:00	1.5	283	6.1	1004
5/1/26 6:00	2.3	273	6.5	1005
5/1/26 7:00	2.7	303	8.2	1005
5/1/26 8:00	4.2	327	9.5	1005
5/1/26 9:00	4.9	329	10.9	1006
5/1/26 10:00	3.9	277	11.7	1006
5/1/26 11:00	3.8	284	11.7	1006
5/1/26 12:00	4.0	298	13.0	1005
5/1/26 13:00	3.9	294	13.9	1005
5/1/26 14:00	5.1	292	15.1	1005
5/1/26 15:00	5.1	317	15.1	1004
5/1/26 16:00	7.1	318	15.7	1005
5/1/26 17:00	6.5	323	15.7	1005
5/1/26 18:00	6.4	318	14.2	1006
5/1/26 19:00	4.3	312	12.4	1007
5/1/26 20:00	2.7	321	10.7	1008
5/1/26 21:00	1.9	316	9.4	1009
5/1/26 22:00	ND	ND	7.8	1009
5/1/26 23:00	1.5	330	6.3	1009
5/2/26 0:00	0.7	ND	4.3	1009
5/2/26 1:00	1.7	311	3.4	1009
5/2/26 2:00	1.9	293	4.0	1009
5/2/26 3:00	1.8	278	4.6	1010
5/2/26 4:00	2.0	3	3.9	1010
5/2/26 5:00	2.3	50	5.6	1009
5/2/26 6:00	2.7	73	7.5	1010
5/2/26 7:00	2.5	74	7.7	1011
5/2/26 8:00	4.9	70	6.9	1010
5/2/26 9:00	4.9	86	7.1	1010
5/2/26 10:00	4.7	84	7.5	1010
5/2/26 11:00	4.7	88	8.0	1010

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

5/2/26 12:00	3.0	84	8.6	1009
5/2/26 13:00	2.0	88	9.3	1009
5/2/26 14:00	3.5	164	10.2	1009
5/2/26 15:00	2.6	160	10.8	1008
5/2/26 16:00	2.3	162	9.6	1008
5/2/26 17:00	2.2	328	9.2	1008
5/2/26 18:00	2.2	61	8.3	1008
5/2/26 19:00	2.8	53	7.9	1008
5/2/26 20:00	2.1	19	7.9	1008
5/2/26 21:00	3.6	355	7.3	1008
5/2/26 22:00	2.8	6	6.9	1008
5/2/26 23:00	2.8	36	6.9	1008
5/3/26 0:00	3.3	341	6.9	1007
5/3/26 1:00	3.2	321	6.9	1007
5/3/26 2:00	2.8	345	6.0	1006
5/3/26 3:00	2.2	343	6.0	1005
5/3/26 4:00	2.1	357	5.9	1005
5/3/26 5:00	2.9	350	5.6	1004
5/3/26 6:00	3.5	358	6.0	1004
5/3/26 7:00	4.2	350	6.0	1004
5/3/26 8:00	5.0	338	6.6	1003
5/3/26 9:00	5.1	333	6.9	1003
5/3/26 10:00	5.8	332	7.1	1002
5/3/26 11:00	7.6	340	7.9	1002
5/3/26 12:00	7.8	331	8.0	1002
5/3/26 13:00	7.6	330	9.0	1002
5/3/26 14:00	7.2	321	10.9	1002
5/3/26 15:00	7.1	319	11.7	1001
5/3/26 16:00	7.1	318	11.0	1001
5/3/26 17:00	7.1	309	10.7	1002
5/3/26 18:00	7.6	310	10.1	1002
5/3/26 19:00	5.9	300	8.9	1003
5/3/26 20:00	4.8	294	7.6	1004
5/3/26 21:00	2.9	273	6.6	1005
5/3/26 22:00	1.7	255	5.7	1005
5/3/26 23:00	2.1	241	5.1	1005
5/4/26 0:00	2.1	227	4.1	1005
5/4/26 1:00	2.3	226	3.9	1006
5/4/26 2:00	3.2	242	4.4	1006
5/4/26 3:00	2.6	244	5.0	1006
5/4/26 4:00	2.7	245	5.6	1006
5/4/26 5:00	2.0	246	5.9	1006
5/4/26 6:00	2.3	256	6.6	1006
5/4/26 7:00	3.5	244	8.6	1006
5/4/26 8:00	3.3	233	10.1	1006
5/4/26 9:00	4.3	234	12.5	1005
5/4/26 10:00	5.3	244	15.6	1004
5/4/26 11:00	6.1	249	17.4	1003
5/4/26 12:00	7.8	240	19.5	1003

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

5/4/26 13:00	8.0	250	18.9	1002
5/4/26 14:00	5.8	270	18.9	1003
5/4/26 15:00	5.0	273	20.2	1002
5/4/26 16:00	6.5	265	21.3	1002
5/4/26 17:00	4.7	274	21.3	1002
5/4/26 18:00	4.2	254	20.9	1002
5/4/26 19:00	2.3	238	19.6	1003
5/4/26 20:00	3.6	170	12.6	1004
5/4/26 21:00	3.5	181	11.9	1005
5/4/26 22:00	3.9	197	13.5	1005
5/4/26 23:00	4.7	212	15.9	1005
5/5/26 0:00	4.8	216	15.9	1006
5/5/26 1:00	4.5	218	15.2	1006
5/5/26 2:00	3.1	209	13.3	1006
5/5/26 3:00	2.6	187	10.7	1006
5/5/26 4:00	2.0	168	8.7	1006
5/5/26 5:00	2.2	179	8.9	1006
5/5/26 6:00	3.7	194	10.1	1006
5/5/26 7:00	3.8	187	11.4	1006
5/5/26 8:00	3.8	183	13.1	1005
5/5/26 9:00	4.0	175	15.9	1006
5/5/26 10:00	5.1	171	15.1	1005
5/5/26 11:00	5.0	161	17.8	1005
5/5/26 12:00	5.8	161	18.3	1004
5/5/26 13:00	6.6	176	18.3	1003
5/5/26 14:00	8.5	185	17.9	1003
5/5/26 15:00	7.7	189	17.0	1002
5/5/26 16:00	8.6	191	16.8	1002
5/5/26 17:00	8.6	190	15.9	1002
5/5/26 18:00	8.3	194	16.0	1002
5/5/26 19:00	4.4	207	18.0	1004
5/5/26 20:00	3.5	175	16.8	1005
5/5/26 21:00	2.7	173	15.1	1006
5/5/26 22:00	2.3	178	13.3	1006
5/5/26 23:00	3.2	180	12.7	1005
5/6/26 0:00	3.6	185	13.0	1006
5/6/26 1:00	3.7	181	13.0	1005
5/6/26 2:00	3.9	183	11.9	1005
5/6/26 3:00	2.8	186	12.0	1006
5/6/26 4:00	3.1	184	12.0	1006
5/6/26 5:00	2.1	179	11.3	1006
5/6/26 6:00	2.5	180	11.7	1006
5/6/26 7:00	1.9	182	12.6	1007
5/6/26 8:00	4.1	176	13.0	1006
5/6/26 9:00	4.4	185	13.0	1006
5/6/26 10:00	4.9	188	13.8	1006
5/6/26 11:00	5.2	189	14.2	1006
5/6/26 12:00	5.3	185	14.7	1005
5/6/26 13:00	6.7	187	13.0	1004

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

5/6/26 14:00	6.7	191	12.8	1004
5/6/26 15:00	4.2	181	12.6	1004
5/6/26 16:00	5.3	179	12.7	1003
5/6/26 17:00	6.5	190	11.8	1003
5/6/26 18:00	6.5	190	11.0	1003
5/6/26 19:00	6.3	186	11.0	1002
5/6/26 20:00	6.0	189	11.0	1002
5/6/26 21:00	5.1	185	11.0	1002
5/6/26 22:00	3.6	188	11.0	1001
5/6/26 23:00	2.5	200	11.5	1001
5/7/26 0:00	3.1	262	12.7	1002
5/7/26 1:00	3.7	330	11.4	1002
5/7/26 2:00	2.6	314	10.5	1003
5/7/26 3:00	2.9	324	9.9	1003
5/7/26 4:00	3.5	336	9.0	1003
5/7/26 5:00	2.6	334	8.9	1004
5/7/26 6:00	2.2	306	8.8	1004
5/7/26 7:00	2.8	307	9.5	1004
5/7/26 8:00	2.5	287	11.6	1004
5/7/26 9:00	2.9	300	13.3	1004
5/7/26 10:00	2.9	283	14.3	1003
5/7/26 11:00	3.6	268	15.2	1003
5/7/26 12:00	5.6	267	15.1	1003
5/7/26 13:00	7.0	268	15.8	1002
5/7/26 14:00	6.9	284	16.8	1002
5/7/26 15:00	6.3	275	16.8	1001
5/7/26 16:00	5.7	272	16.5	1001
5/7/26 17:00	5.6	278	16.2	1001
5/7/26 18:00	5.7	271	15.2	1002
5/7/26 19:00	4.4	282	13.8	1002
5/7/26 20:00	3.7	319	12.4	1003
5/7/26 21:00	4.2	338	11.5	1004
5/7/26 22:00	2.6	333	9.4	1005
5/7/26 23:00	2.3	310	8.4	1005
5/8/26 0:00	3.0	310	6.7	1005
5/8/26 1:00	3.1	306	5.8	1005
5/8/26 2:00	3.0	313	5.1	1004
5/8/26 3:00	2.3	286	4.6	1004
5/8/26 4:00	2.8	279	3.9	1004
5/8/26 5:00	1.8	275	3.2	1005
5/8/26 6:00	1.8	280	4.6	1006
5/8/26 7:00	2.7	286	8.2	1006
5/8/26 8:00	3.3	278	10.9	1006
5/8/26 9:00	4.1	290	12.3	1006
5/8/26 10:00	4.1	294	12.7	1005
5/8/26 11:00	5.1	287	13.8	1005
5/8/26 12:00	4.9	313	12.7	1005
5/8/26 13:00	4.6	318	13.4	1005
5/8/26 14:00	4.6	303	13.1	1005

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

5/8/26 15:00	7.1	296	13.0	1005
5/8/26 16:00	7.2	296	12.9	1005
5/8/26 17:00	5.5	309	13.1	1006
5/8/26 18:00	4.6	324	12.1	1006
5/8/26 19:00	3.1	322	10.9	1007
5/8/26 20:00	2.5	319	9.0	1008
5/8/26 21:00	1.3	300	8.2	1009
5/8/26 22:00	ND	ND	6.9	1009
5/8/26 23:00	1.7	280	7.1	1010
5/9/26 0:00	ND	ND	6.9	1010
5/9/26 1:00	ND	ND	6.6	1010
5/9/26 2:00	1.5	210	6.4	1011
5/9/26 3:00	ND	ND	5.4	1011
5/9/26 4:00	1.7	282	4.1	1011
5/9/26 5:00	2.1	ND	2.8	1011
5/9/26 6:00	1.7	291	4.1	1012
5/9/26 7:00	1.5	295	7.9	1012
5/9/26 8:00	2.6	162	11.3	1012
5/9/26 9:00	3.3	156	12.8	1012
5/9/26 10:00	3.9	169	13.0	1012
5/9/26 11:00	4.1	173	11.8	1013
5/9/26 12:00	4.1	176	10.5	1013
5/9/26 13:00	3.2	176	8.2	1013
5/9/26 14:00	2.8	157	7.6	1013
5/9/26 15:00	2.9	134	7.0	1012
5/9/26 16:00	4.0	87	7.0	1012
5/9/26 17:00	4.4	91	7.0	1012
5/9/26 18:00	4.5	84	7.0	1011
5/9/26 19:00	3.9	77	7.0	1011
5/9/26 20:00	3.4	65	7.4	1011
5/9/26 21:00	2.4	44	7.9	1011
5/9/26 22:00	1.5	ND	7.9	1011
5/9/26 23:00	1.5	90	8.1	1010
5/10/26 0:00	1.5	100	8.1	1010
5/10/26 1:00	2.0	167	8.9	1010
5/10/26 2:00	1.9	176	8.9	1009
5/10/26 3:00	1.6	174	8.9	1009
5/10/26 4:00	1.8	206	8.9	1009
5/10/26 5:00	1.6	183	8.9	1009
5/10/26 6:00	1.9	180	9.0	1009
5/10/26 7:00	3.0	200	9.8	1010
5/10/26 8:00	2.5	192	10.9	1010
5/10/26 9:00	2.2	199	11.8	1010
5/10/26 10:00	3.2	167	13.0	1010
5/10/26 11:00	3.3	155	13.6	1010
5/10/26 12:00	3.5	163	15.0	1010
5/10/26 13:00	4.3	165	14.3	1009
5/10/26 14:00	4.8	162	14.3	1009
5/10/26 15:00	4.6	164	14.2	1009


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

5/10/26 16:00	2.7	233	13.2	1009
5/10/26 17:00	2.9	93	12.9	1009
5/10/26 18:00	3.4	87	11.5	1009
5/10/26 19:00	2.2	74	10.0	1010
5/10/26 20:00	1.5	40	10.0	1010
5/10/26 21:00	1.5	170	10.0	1011
5/10/26 22:00	1.5	215	10.0	1011
5/10/26 23:00	2.5	308	10.1	1012
5/11/26 0:00	2.5	320	8.6	1013
5/11/26 1:00	2.6	305	8.4	1013
5/11/26 2:00	2.2	329	7.6	1013
5/11/26 3:00	2.5	320	7.4	1014
5/11/26 4:00	1.9	305	6.7	1014
5/11/26 5:00	1.9	303	7.1	1015
5/11/26 6:00	2.1	279	7.8	1015
5/11/26 7:00	2.9	315	8.5	1016
5/11/26 8:00	2.3	342	10.3	1016
5/11/26 9:00	2.6	315	11.3	1016
5/11/26 10:00	3.9	303	13.5	1015
5/11/26 11:00	3.3	312	14.5	1015
5/11/26 12:00	3.3	288	14.8	1014
5/11/26 13:00	4.2	272	15.4	1014
5/11/26 14:00	5.2	179	13.2	1013
5/11/26 15:00	4.0	169	13.0	1013
5/11/26 16:00	3.5	178	13.0	1013
5/11/26 17:00	3.0	258	13.3	1013
5/11/26 18:00	5.2	336	13.7	1013
5/11/26 19:00	5.0	348	12.7	1014
5/11/26 20:00	4.3	332	11.6	1014
5/11/26 21:00	3.6	332	10.3	1015
5/11/26 22:00	3.5	337	8.8	1015
5/11/26 23:00	2.6	341	7.8	1016
5/12/26 0:00	2.4	303	6.4	1015
5/12/26 1:00	3.4	301	4.0	1015
5/12/26 2:00	3.5	313	4.6	1015
5/12/26 3:00	2.8	310	4.0	1015
5/12/26 4:00	2.9	311	3.5	1016
5/12/26 5:00	3.4	312	3.4	1016
5/12/26 6:00	3.4	318	6.0	1016
5/12/26 7:00	4.1	330	8.2	1017
5/12/26 8:00	3.7	337	10.3	1017
5/12/26 9:00	4.7	334	11.0	1017
5/12/26 10:00	5.2	317	12.0	1017
5/12/26 11:00	4.8	306	12.3	1016
5/12/26 12:00	6.0	319	13.2	1015
5/12/26 13:00	5.9	315	13.6	1015

Global South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (4/28/26 12:00 to 5/12/26 13:00)

PWM Wind Rose 4/28/26 12:00 - 5/12/26 13:00



Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

Date & Time	Wind Speed	Wind Direction	Temperature	Barometric Pressure
	m/s	Deg.	°C	mb
5/12/26 13:00	5.9	315	13.6	1015
5/12/26 14:00	5.4	319	13.4	1015
5/12/26 15:00	5.9	316	13.7	1014
5/12/26 16:00	5.6	329	13.6	1014
5/12/26 17:00	5.2	318	14.1	1014
5/12/26 18:00	4.8	328	13.2	1014
5/12/26 19:00	4.2	324	12.2	1015
5/12/26 20:00	3.3	334	10.5	1016
5/12/26 21:00	1.9	353	9.3	1017
5/12/26 22:00	1.7	342	8.4	1016
5/12/26 23:00	1.5	ND	6.7	1016
5/13/26 0:00	2.1	290	4.6	1017
5/13/26 1:00	1.5	283	4.4	1017
5/13/26 2:00	1.8	278	3.0	1017
5/13/26 3:00	1.7	259	2.8	1016
5/13/26 4:00	1.9	287	2.7	1016
5/13/26 5:00	1.8	351	3.1	1016
5/13/26 6:00	1.5	331	4.9	1016
5/13/26 7:00	1.5	290	6.7	1016
5/13/26 8:00	1.8	26	7.9	1016
5/13/26 9:00	2.3	76	8.0	1016
5/13/26 10:00	3.5	108	8.6	1016
5/13/26 11:00	3.9	105	9.0	1016
5/13/26 12:00	3.6	105	8.3	1015
5/13/26 13:00	3.0	127	8.9	1015
5/13/26 14:00	2.4	119	8.9	1013
5/13/26 15:00	2.8	129	9.0	1013
5/13/26 16:00	2.3	148	10.4	1012
5/13/26 17:00	2.1	124	10.8	1012
5/13/26 18:00	3.0	92	9.2	1011
5/13/26 19:00	2.4	83	9.0	1011
5/13/26 20:00	2.1	42	9.0	1011
5/13/26 21:00	1.5	33	8.9	1011
5/13/26 22:00	1.5	50	8.9	1011
5/13/26 23:00	1.5	350	8.7	1011
5/14/26 0:00	1.5	10	8.5	1011
5/14/26 1:00	ND	ND	8.5	1010
5/14/26 2:00	1.5	163	8.9	1010
5/14/26 3:00	1.5	150	8.9	1010
5/14/26 4:00	1.6	94	8.9	1009
5/14/26 5:00	1.8	106	8.9	1009
5/14/26 6:00	2.0	125	9.4	1009
5/14/26 7:00	2.6	143	10.5	1009
5/14/26 8:00	4.0	146	11.7	1009
5/14/26 9:00	5.0	156	12.0	1009
5/14/26 10:00	5.7	151	13.7	1009
5/14/26 11:00	7.9	153	15.7	1008

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/14/26 12:00	6.4	134	15.1	1008
5/14/26 13:00	6.7	121	13.9	1007
5/14/26 14:00	6.5	115	13.0	1007
5/14/26 15:00	5.5	94	11.1	1006
5/14/26 16:00	6.4	93	10.1	1005
5/14/26 17:00	6.9	87	9.0	1005
5/14/26 18:00	6.4	71	9.7	1004
5/14/26 19:00	6.7	71	11.0	1004
5/14/26 20:00	7.8	74	11.0	1004
5/14/26 21:00	6.8	71	10.3	1005
5/14/26 22:00	7.3	69	9.4	1005
5/14/26 23:00	6.6	71	9.0	1005
5/15/26 0:00	5.8	76	9.0	1005
5/15/26 1:00	6.2	78	9.0	1004
5/15/26 2:00	5.3	79	9.0	1004
5/15/26 3:00	5.2	82	9.0	1005
5/15/26 4:00	5.7	93	9.0	1005
5/15/26 5:00	6.6	89	9.0	1005
5/15/26 6:00	7.2	81	9.9	1006
5/15/26 7:00	6.0	76	10.0	1007
5/15/26 8:00	4.9	83	10.4	1008
5/15/26 9:00	4.7	83	10.5	1009
5/15/26 10:00	4.0	79	11.0	1010
5/15/26 11:00	3.4	88	11.0	1010
5/15/26 12:00	3.7	76	12.1	1010
5/15/26 13:00	4.5	72	13.1	1010
5/15/26 14:00	4.2	86	13.7	1010
5/15/26 15:00	2.9	101	14.0	1010
5/15/26 16:00	2.0	71	14.5	1010
5/15/26 17:00	2.1	38	14.8	1010
5/15/26 18:00	1.8	15	14.7	1010
5/15/26 19:00	1.9	336	14.8	1011
5/15/26 20:00	1.9	250	12.9	1011
5/15/26 21:00	1.9	235	11.9	1011
5/15/26 22:00	1.9	244	11.9	1012
5/15/26 23:00	1.7	243	11.2	1012
5/16/26 0:00	1.5	244	10.9	1012
5/16/26 1:00	1.5	237	10.9	1012
5/16/26 2:00	1.6	234	10.9	1011
5/16/26 3:00	1.8	227	10.9	1012
5/16/26 4:00	1.5	231	9.9	1012
5/16/26 5:00	1.5	240	9.8	1012
5/16/26 6:00	2.4	228	11.4	1013
5/16/26 7:00	2.6	243	13.0	1013
5/16/26 8:00	2.6	255	16.3	1013
5/16/26 9:00	3.6	246	18.2	1012
5/16/26 10:00	2.8	256	20.1	1012
5/16/26 11:00	4.4	270	21.6	1012
5/16/26 12:00	5.1	264	22.7	1011

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/16/26 13:00	4.2	247	22.9	1010
5/16/26 14:00	5.2	172	21.5	1009
5/16/26 15:00	6.3	180	21.5	1008
5/16/26 16:00	7.3	176	19.7	1008
5/16/26 17:00	6.1	180	19.0	1008
5/16/26 18:00	4.3	178	18.8	1008
5/16/26 19:00	3.7	180	17.2	1007
5/16/26 20:00	3.3	188	15.4	1007
5/16/26 21:00	2.0	186	13.9	1007
5/16/26 22:00	2.5	196	13.4	1007
5/16/26 23:00	2.1	198	15.5	1006
5/17/26 0:00	2.6	196	16.1	1006
5/17/26 1:00	3.1	213	16.6	1006
5/17/26 2:00	4.6	226	16.9	1006
5/17/26 3:00	4.2	230	16.5	1006
5/17/26 4:00	3.6	241	15.9	1006
5/17/26 5:00	3.7	252	16.0	1007
5/17/26 6:00	2.3	256	17.3	1008
5/17/26 7:00	3.1	247	19.1	1008
5/17/26 8:00	4.4	253	21.6	1009
5/17/26 9:00	5.5	258	23.1	1009
5/17/26 10:00	5.3	270	24.6	1010
5/17/26 11:00	5.7	272	25.5	1010
5/17/26 12:00	5.3	259	26.0	1010
5/17/26 13:00	6.3	275	26.5	1010
5/17/26 14:00	6.2	264	27.5	1010
5/17/26 15:00	6.9	277	27.6	1010
5/17/26 16:00	7.1	282	27.9	1010
5/17/26 17:00	6.3	302	27.3	1010
5/17/26 18:00	4.1	320	26.8	1011
5/17/26 19:00	3.5	322	24.9	1012
5/17/26 20:00	2.7	336	22.9	1013
5/17/26 21:00	3.1	356	20.9	1014
5/17/26 22:00	2.7	336	20.0	1015
5/17/26 23:00	3.0	335	18.4	1016
5/18/26 0:00	2.1	344	17.4	1017
5/18/26 1:00	2.8	16	14.3	1017
5/18/26 2:00	1.6	34	15.1	1018
5/18/26 3:00	1.5	264	13.0	1019
5/18/26 4:00	1.5	200	12.6	1019
5/18/26 5:00	ND	ND	12.0	1020
5/18/26 6:00	ND	ND	13.4	1021
5/18/26 7:00	2.0	95	16.3	1021
5/18/26 8:00	2.8	90	17.0	1022
5/18/26 9:00	3.2	96	16.5	1022
5/18/26 10:00	3.5	86	16.0	1023
5/18/26 11:00	5.5	105	16.4	1022
5/18/26 12:00	5.1	132	16.5	1022
5/18/26 13:00	5.2	164	17.0	1021

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/18/26 14:00	5.1	175	17.0	1021
5/18/26 15:00	5.1	176	17.2	1020
5/18/26 16:00	4.6	169	17.0	1019
5/18/26 17:00	4.5	157	16.2	1019
5/18/26 18:00	2.9	166	15.5	1018
5/18/26 19:00	2.8	102	13.1	1017
5/18/26 20:00	2.5	94	11.3	1017
5/18/26 21:00	2.0	95	11.0	1017
5/18/26 22:00	1.9	102	11.0	1017
5/18/26 23:00	1.5	85	11.0	1016
5/19/26 0:00	1.5	160	11.0	1016
5/19/26 1:00	1.5	271	10.8	1015
5/19/26 2:00	1.5	210	10.7	1015
5/19/26 3:00	1.5	175	10.2	1014
5/19/26 4:00	ND	ND	10.5	1013
5/19/26 5:00	1.5	232	10.6	1013
5/19/26 6:00	1.8	218	12.4	1013
5/19/26 7:00	1.9	227	16.0	1013
5/19/26 8:00	2.2	247	20.8	1012
5/19/26 9:00	2.9	275	25.7	1012
5/19/26 10:00	3.1	222	28.9	1011
5/19/26 11:00	4.3	166	29.1	1010
5/19/26 12:00	6.6	269	32.8	1009
5/19/26 13:00	6.0	254	32.9	1008
5/19/26 14:00	6.7	264	32.2	1008
5/19/26 15:00	7.3	271	32.3	1008
5/19/26 16:00	6.0	270	31.5	1008
5/19/26 17:00	6.3	270	31.5	1007
5/19/26 18:00	5.0	271	30.9	1007
5/19/26 19:00	3.1	178	26.7	1007
5/19/26 20:00	3.1	199	24.9	1008
5/19/26 21:00	3.0	206	23.2	1008
5/19/26 22:00	3.8	217	23.7	1008
5/19/26 23:00	3.3	221	22.9	1008
5/20/26 0:00	2.1	226	22.6	1008
5/20/26 1:00	1.8	220	21.9	1008
5/20/26 2:00	2.0	212	21.6	1007
5/20/26 3:00	2.3	190	19.5	1006
5/20/26 4:00	2.1	178	17.5	1006
5/20/26 5:00	2.2	170	17.0	1006
5/20/26 6:00	2.3	211	19.8	1006
5/20/26 7:00	2.6	223	23.5	1006
5/20/26 8:00	4.8	243	26.8	1006
5/20/26 9:00	6.3	270	28.5	1006
5/20/26 10:00	7.1	267	29.1	1006
5/20/26 11:00	5.5	273	29.5	1006
5/20/26 12:00	6.1	257	30.3	1006
5/20/26 13:00	7.8	263	30.9	1005
5/20/26 14:00	8.2	266	30.5	1005

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/20/26 15:00	7.8	261	29.2	1005
5/20/26 16:00	7.7	280	28.9	1005
5/20/26 17:00	6.6	263	28.9	1005
5/20/26 18:00	6.0	263	27.9	1006
5/20/26 19:00	4.5	290	26.1	1007
5/20/26 20:00	4.5	318	24.2	1008
5/20/26 21:00	5.0	318	23.2	1010
5/20/26 22:00	5.6	326	22.2	1011
5/20/26 23:00	5.5	326	20.9	1011
5/21/26 0:00	5.1	327	19.3	1012
5/21/26 1:00	4.1	332	18.2	1013
5/21/26 2:00	4.2	343	17.3	1013
5/21/26 3:00	6.1	350	15.7	1014
5/21/26 4:00	5.6	350	14.1	1015
5/21/26 5:00	4.3	3	12.9	1017
5/21/26 6:00	4.1	356	12.9	1018
5/21/26 7:00	5.0	353	13.0	1019
5/21/26 8:00	4.9	348	14.5	1019
5/21/26 9:00	4.5	351	15.5	1019
5/21/26 10:00	4.0	351	15.8	1019
5/21/26 11:00	4.5	312	16.7	1020
5/21/26 12:00	4.1	318	16.9	1019
5/21/26 13:00	4.7	322	17.5	1019
5/21/26 14:00	4.1	317	17.9	1019
5/21/26 15:00	4.3	203	17.0	1019
5/21/26 16:00	4.2	194	16.0	1019
5/21/26 17:00	4.6	191	14.8	1019
5/21/26 18:00	4.0	197	13.8	1019
5/21/26 19:00	3.2	198	13.0	1020
5/21/26 20:00	1.7	191	11.7	1021
5/21/26 21:00	2.2	337	10.9	1022
5/21/26 22:00	2.5	4	10.9	1023
5/21/26 23:00	2.4	345	10.3	1024
5/22/26 0:00	2.9	346	9.2	1024
5/22/26 1:00	2.0	358	8.8	1024
5/22/26 2:00	1.9	348	7.9	1024
5/22/26 3:00	1.7	338	6.5	1025
5/22/26 4:00	2.4	298	4.9	1025
5/22/26 5:00	1.9	300	4.9	1026
5/22/26 6:00	2.7	314	7.5	1027
5/22/26 7:00	3.5	328	10.5	1028
5/22/26 8:00	3.8	320	12.5	1028
5/22/26 9:00	4.9	338	13.8	1028
5/22/26 10:00	4.6	11	14.7	1027
5/22/26 11:00	3.1	26	15.7	1027
5/22/26 12:00	2.3	300	16.6	1026
5/22/26 13:00	3.9	177	16.4	1026
5/22/26 14:00	5.9	169	16.3	1025
5/22/26 15:00	6.0	193	15.3	1024

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/22/26 16:00	5.9	189	15.8	1024
5/22/26 17:00	6.1	192	15.2	1023
5/22/26 18:00	4.6	193	14.0	1024
5/22/26 19:00	3.4	199	13.1	1024
5/22/26 20:00	2.2	208	12.1	1025
5/22/26 21:00	1.5	240	11.5	1026
5/22/26 22:00	1.5	240	9.9	1026
5/22/26 23:00	1.5	140	8.2	1026
5/23/26 0:00	1.5	270	8.2	1027
5/23/26 1:00	1.9	287	7.5	1027
5/23/26 2:00	2.1	289	7.1	1027
5/23/26 3:00	2.3	282	6.8	1028
5/23/26 4:00	2.3	304	6.9	1028
5/23/26 5:00	2.3	343	7.2	1029
5/23/26 6:00	1.9	355	9.2	1030
5/23/26 7:00	3.3	38	12.1	1031
5/23/26 8:00	3.4	52	13.6	1031
5/23/26 9:00	4.0	90	15.7	1032
5/23/26 10:00	5.3	94	15.7	1032
5/23/26 11:00	4.6	94	15.5	1032
5/23/26 12:00	4.7	97	16.2	1031
5/23/26 13:00	5.1	132	16.1	1031
5/23/26 14:00	4.6	159	14.9	1031
5/23/26 15:00	4.4	180	13.9	1031
5/23/26 16:00	3.9	183	13.2	1031
5/23/26 17:00	3.5	187	13.0	1031
5/23/26 18:00	2.1	192	12.3	1031
5/23/26 19:00	2.2	160	12.0	1031
5/23/26 20:00	1.5	158	11.0	1031
5/23/26 21:00	1.5	160	10.9	1032
5/23/26 22:00	ND	ND	10.3	1031
5/23/26 23:00	ND	ND	9.9	1031
5/24/26 0:00	1.7	100	9.7	1031
5/24/26 1:00	1.7	96	9.4	1031
5/24/26 2:00	1.6	84	9.6	1031
5/24/26 3:00	1.6	91	9.5	1031
5/24/26 4:00	2.4	101	9.3	1031
5/24/26 5:00	2.4	87	9.8	1031
5/24/26 6:00	2.5	79	10.4	1031
5/24/26 7:00	2.5	77	10.9	1032
5/24/26 8:00	2.6	84	11.2	1032
5/24/26 9:00	3.4	88	11.2	1032
5/24/26 10:00	3.0	103	11.5	1032
5/24/26 11:00	3.3	122	12.0	1032
5/24/26 12:00	3.6	126	12.0	1031
5/24/26 13:00	3.0	148	11.2	1031
5/24/26 14:00	3.1	132	11.0	1031
5/24/26 15:00	2.6	128	11.0	1030
5/24/26 16:00	2.6	112	10.6	1029


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

5/24/26 17:00	3.1	78	9.4	1029
5/24/26 18:00	4.0	74	9.0	1028
5/24/26 19:00	3.4	81	9.0	1027
5/24/26 20:00	3.5	75	9.0	1027
5/24/26 21:00	3.4	81	9.0	1027
5/24/26 22:00	3.3	78	9.0	1026
5/24/26 23:00	3.5	79	9.0	1025
5/25/26 0:00	3.4	74	9.1	1023
5/25/26 1:00	3.8	83	10.0	1022
5/25/26 2:00	4.6	89	10.0	1021
5/25/26 3:00	3.7	87	10.0	1020
5/25/26 4:00	3.7	90	10.5	1019
5/25/26 5:00	3.1	88	11.0	1018
5/25/26 6:00	2.2	80	11.0	1017
5/25/26 7:00	1.9	70	10.9	1016
5/25/26 8:00	1.5	51	11.0	1015
5/25/26 9:00	1.9	349	11.7	1014
5/25/26 10:00	3.7	311	11.9	1014
5/25/26 11:00	3.0	308	12.1	1013
5/25/26 12:00	3.5	312	14.2	1012
5/25/26 13:00	4.1	291	16.5	1012
5/25/26 14:00	3.8	289	18.5	1011
5/25/26 15:00	3.4	316	20.6	1011
5/25/26 16:00	3.5	315	21.9	1011
5/25/26 17:00	2.9	174	20.1	1011
5/25/26 18:00	2.5	192	18.4	1011
5/25/26 19:00	2.7	226	17.0	1012
5/25/26 20:00	2.8	302	17.5	1012
5/25/26 21:00	2.2	329	17.6	1014
5/25/26 22:00	2.4	306	15.6	1014
5/25/26 23:00	2.1	279	13.9	1014
5/26/26 0:00	2.2	277	12.4	1015
5/26/26 1:00	1.5	270	11.3	1014
5/26/26 2:00	1.5	247	10.8	1014
5/26/26 3:00	2.2	298	9.8	1014
5/26/26 4:00	2.1	294	9.6	1014
5/26/26 5:00	1.8	262	10.5	1015
5/26/26 6:00	2.1	270	12.5	1015
5/26/26 7:00	1.6	249	15.9	1015
5/26/26 8:00	2.8	271	19.6	1015
5/26/26 9:00	3.2	245	21.8	1015
5/26/26 10:00	3.2	227	23.1	1014
2/17/26 12:00	3.0	195	1.3	1016
2/17/26 13:00	3.4	179	2.0	1015

Global South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (5/12/26 13:00 to 5/26/26 10:00)

PWM Wind Rose 5/12/26 13:00 - 5/26/26 10:00



Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
5/26/26 11:00	4.1	185	24.0	1014
5/26/26 12:00	4.8	180	24.1	1013
5/26/26 13:00	5.6	177	24.0	1012
5/26/26 14:00	6.8	181	23.7	1011
5/26/26 15:00	6.1	182	22.4	1010
5/26/26 16:00	6.6	183	22.8	1010
5/26/26 17:00	5.1	181	23.0	1009
5/26/26 18:00	5.2	189	21.9	1008
5/26/26 19:00	4.7	197	20.4	1008
5/26/26 20:00	2.8	195	19.0	1008
5/26/26 21:00	2.8	211	19.0	1008
5/26/26 22:00	2.6	217	20.3	1008
5/26/26 23:00	2.7	238	20.6	1008
5/27/26 0:00	2.8	218	20.0	1007
5/27/26 1:00	2.8	204	18.9	1007
5/27/26 2:00	3.1	208	18.2	1006
5/27/26 3:00	2.7	233	17.9	1006
5/27/26 4:00	2.5	236	17.6	1006
5/27/26 5:00	1.7	249	16.9	1006
5/27/26 6:00	2.0	226	17.8	1006
5/27/26 7:00	2.4	235	19.1	1006
5/27/26 8:00	3.1	252	21.6	1006
5/27/26 9:00	3.9	253	23.0	1005
5/27/26 10:00	4.7	259	24.0	1005
5/27/26 11:00	4.4	263	24.9	1004
5/27/26 12:00	4.1	260	26.8	1003
5/27/26 13:00	4.0	285	27.9	1003
5/27/26 14:00	4.3	329	27.6	1002
5/27/26 15:00	4.8	306	27.0	1002
5/27/26 16:00	4.3	321	26.8	1002
5/27/26 17:00	5.0	332	26.9	1002
5/27/26 18:00	4.6	340	26.4	1002
5/27/26 19:00	4.2	352	23.6	1003
5/27/26 20:00	5.0	355	22.3	1004
5/27/26 21:00	4.6	359	20.5	1005
5/27/26 22:00	4.6	356	18.4	1005
5/27/26 23:00	3.4	348	17.3	1005
5/28/26 0:00	3.7	343	16.3	1005
5/28/26 1:00	3.0	337	15.3	1005
5/28/26 2:00	2.9	323	14.2	1005
5/28/26 3:00	2.3	303	13.6	1005
5/28/26 4:00	1.6	339	13.8	1005
5/28/26 5:00	2.1	336	13.9	1006
5/28/26 6:00	1.8	293	14.3	1006
5/28/26 7:00	2.6	3	16.9	1006
5/28/26 8:00	4.1	0	17.7	1006
5/28/26 9:00	4.2	348	18.5	1006

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

5/28/26 10:00	5.5	321	19.5	1006
5/28/26 11:00	5.0	322	18.8	1006
5/28/26 12:00	4.3	99	16.5	1006
5/28/26 13:00	3.0	65	18.9	1006
5/28/26 14:00	6.7	340	20.4	1006
5/28/26 15:00	7.3	353	19.9	1006
5/28/26 16:00	7.1	344	18.9	1006
5/28/26 17:00	6.4	336	17.7	1007
5/28/26 18:00	5.7	329	17.0	1008
5/28/26 19:00	6.0	334	16.5	1008
5/28/26 20:00	5.1	331	15.8	1009
5/28/26 21:00	4.1	324	14.8	1009
5/28/26 22:00	2.8	312	12.8	1009
5/28/26 23:00	2.8	336	12.0	1009
5/29/26 0:00	2.5	350	11.8	1009
5/29/26 1:00	2.2	352	11.9	1009
5/29/26 2:00	ND	ND	10.8	1009
5/29/26 3:00	1.5	250	10.9	1008
5/29/26 4:00	ND	ND	10.9	1008
5/29/26 5:00	1.9	358	10.6	1009
5/29/26 6:00	2.1	109	10.0	1009
5/29/26 7:00	1.7	188	10.5	1009
5/29/26 8:00	1.5	213	12.1	1009
5/29/26 9:00	4.4	319	14.7	1008
5/29/26 10:00	3.7	14	15.6	1008
5/29/26 11:00	4.4	139	14.4	1007
5/29/26 12:00	4.8	177	13.6	1007
5/29/26 13:00	4.5	184	12.7	1007
5/29/26 14:00	5.2	181	14.1	1006
5/29/26 15:00	5.7	167	12.9	1006
5/29/26 16:00	4.7	161	13.0	1006
5/29/26 17:00	4.4	157	11.8	1006
5/29/26 18:00	3.8	148	11.0	1006
5/29/26 19:00	3.7	150	11.0	1005
5/29/26 20:00	3.9	133	10.4	1006
5/29/26 21:00	3.3	123	10.0	1006
5/29/26 22:00	3.8	112	10.0	1006
5/29/26 23:00	5.8	108	9.1	1005
5/30/26 0:00	7.2	103	9.0	1005
5/30/26 1:00	8.7	96	9.0	1005
5/30/26 2:00	10.3	85	8.3	1005
5/30/26 3:00	10.4	77	7.3	1005
5/30/26 4:00	10.1	70	6.9	1006
5/30/26 5:00	9.7	60	6.3	1007
5/30/26 6:00	8.8	54	6.0	1009
5/30/26 7:00	8.4	51	5.9	1010
5/30/26 8:00	7.1	37	5.4	1011
5/30/26 9:00	5.8	25	5.7	1012
5/30/26 10:00	6.1	22	6.3	1012

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

5/30/26 11:00	6.8	29	7.5	1013
5/30/26 12:00	6.7	34	8.3	1014
5/30/26 13:00	6.9	36	9.0	1014
5/30/26 14:00	6.2	25	9.2	1014
5/30/26 15:00	5.6	20	10.3	1014
5/30/26 16:00	5.7	27	11.0	1014
5/30/26 17:00	5.2	39	11.7	1015
5/30/26 18:00	4.5	53	11.7	1015
5/30/26 19:00	3.3	59	10.7	1015
5/30/26 20:00	2.0	21	8.9	1015
5/30/26 21:00	1.5	350	7.6	1015
5/30/26 22:00	2.1	288	6.5	1015
5/30/26 23:00	2.3	289	5.9	1015
5/31/26 0:00	1.9	292	5.5	1014
5/31/26 1:00	2.6	290	4.6	1014
5/31/26 2:00	1.8	270	3.9	1013
5/31/26 3:00	2.4	278	2.9	1012
5/31/26 4:00	3.2	279	3.4	1012
5/31/26 5:00	2.6	278	3.8	1012
5/31/26 6:00	3.0	285	5.0	1012
5/31/26 7:00	3.4	293	7.0	1011
5/31/26 8:00	2.7	296	9.2	1011
5/31/26 9:00	2.4	291	13.4	1011
5/31/26 10:00	1.7	271	16.4	1010
5/31/26 11:00	3.6	275	16.5	1010
5/31/26 12:00	2.1	272	16.1	1009
5/31/26 13:00	2.2	231	16.3	1009
5/31/26 14:00	2.5	261	15.5	1009
5/31/26 15:00	3.0	102	13.5	1008
5/31/26 16:00	4.8	166	12.9	1008
5/31/26 17:00	4.0	156	12.3	1008
5/31/26 18:00	2.9	77	10.6	1008
5/31/26 19:00	2.2	113	10.0	1009
5/31/26 20:00	2.0	334	9.3	1009
5/31/26 21:00	2.0	48	9.0	1009
5/31/26 22:00	1.8	107	9.0	1010
5/31/26 23:00	2.0	98	9.0	1010
6/1/26 0:00	2.7	93	9.0	1010
6/1/26 1:00	4.0	87	8.9	1011
6/1/26 2:00	3.8	78	8.9	1011
6/1/26 3:00	3.0	62	8.9	1012
6/1/26 4:00	2.9	29	8.7	1012
6/1/26 5:00	2.1	23	8.2	1013
6/1/26 6:00	2.4	16	8.7	1013
6/1/26 7:00	2.5	19	9.4	1014
6/1/26 8:00	2.0	46	11.0	1014
6/1/26 9:00	2.8	21	11.9	1015
6/1/26 10:00	3.2	38	12.8	1015
6/1/26 11:00	2.9	63	14.0	1015

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

6/1/26 12:00	3.3	75	15.3	1016
6/1/26 13:00	2.4	104	15.9	1016
6/1/26 14:00	3.9	181	15.5	1016
6/1/26 15:00	4.3	181	15.3	1016
6/1/26 16:00	3.8	174	15.7	1015
6/1/26 17:00	4.3	173	15.7	1015
6/1/26 18:00	3.5	169	14.3	1016
6/1/26 19:00	3.1	175	13.0	1016
6/1/26 20:00	2.9	198	12.0	1017
6/1/26 21:00	2.7	214	11.3	1017
6/1/26 22:00	2.0	215	10.9	1017
6/1/26 23:00	1.5	260	9.2	1017
6/2/26 0:00	1.5	164	7.8	1017
6/2/26 1:00	1.5	ND	7.6	1017
6/2/26 2:00	1.5	290	6.7	1017
6/2/26 3:00	1.9	290	6.4	1017
6/2/26 4:00	1.5	310	5.9	1017
6/2/26 5:00	2.1	288	5.9	1017
6/2/26 6:00	1.6	287	8.2	1017
6/2/26 7:00	1.5	293	11.9	1017
6/2/26 8:00	1.6	284	14.9	1017
6/2/26 9:00	2.4	237	17.7	1017
6/2/26 10:00	2.7	224	19.2	1016
6/2/26 11:00	3.5	195	20.6	1016
6/2/26 12:00	4.1	170	20.6	1015
6/2/26 13:00	3.5	175	20.7	1015
6/2/26 14:00	5.0	324	21.9	1015
6/2/26 15:00	6.1	323	22.3	1015
6/2/26 16:00	4.1	351	22.0	1015
6/2/26 17:00	3.7	348	21.9	1015
6/2/26 18:00	3.3	354	21.0	1015
6/2/26 19:00	2.5	329	19.1	1016
6/2/26 20:00	2.0	93	16.6	1017
6/2/26 21:00	1.5	ND	15.9	1017
6/2/26 22:00	2.1	300	15.0	1017
6/2/26 23:00	1.5	80	14.6	1018
6/3/26 0:00	ND	ND	13.9	1018
6/3/26 1:00	2.1	290	13.9	1017
6/3/26 2:00	1.5	278	13.5	1017
6/3/26 3:00	1.5	275	11.9	1017
6/3/26 4:00	1.5	290	10.7	1017
6/3/26 5:00	2.0	282	11.0	1017
6/3/26 6:00	2.3	279	14.0	1018
6/3/26 7:00	1.6	312	16.2	1018
6/3/26 8:00	2.3	297	18.7	1018
6/3/26 9:00	2.3	312	21.6	1018
6/3/26 10:00	1.9	288	23.6	1018
6/3/26 11:00	2.0	334	25.4	1018
6/3/26 12:00	3.2	196	25.7	1017

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

6/3/26 13:00	5.2	165	24.5	1017
6/3/26 14:00	5.0	171	24.2	1016
6/3/26 15:00	5.8	184	23.3	1016
6/3/26 16:00	5.5	187	23.0	1016
6/3/26 17:00	5.2	192	22.6	1016
6/3/26 18:00	5.0	188	22.1	1016
6/3/26 19:00	3.6	195	20.3	1016
6/3/26 20:00	3.4	202	18.9	1016
6/3/26 21:00	1.9	186	18.0	1016
6/3/26 22:00	1.5	180	16.6	1017
6/3/26 23:00	ND	ND	15.0	1017
6/4/26 0:00	ND	ND	13.5	1017
6/4/26 1:00	1.1	ND	12.6	1017
6/4/26 2:00	1.6	290	12.4	1016
6/4/26 3:00	1.5	280	12.0	1016
6/4/26 4:00	ND	ND	11.9	1016
6/4/26 5:00	1.8	278	12.1	1016
6/4/26 6:00	2.2	282	14.7	1016
6/4/26 7:00	2.0	302	18.1	1016
6/4/26 8:00	1.5	300	22.0	1016
6/4/26 9:00	2.0	247	25.4	1016
6/4/26 10:00	2.6	216	27.5	1016
6/4/26 11:00	4.4	194	27.9	1015
6/4/26 12:00	5.7	166	26.2	1014
6/4/26 13:00	5.5	176	24.1	1014
6/4/26 14:00	5.2	172	25.0	1013
6/4/26 15:00	5.4	183	26.0	1012
6/4/26 16:00	5.2	187	26.0	1012
6/4/26 17:00	4.6	186	25.0	1011
6/4/26 18:00	4.3	185	23.4	1010
6/4/26 19:00	3.7	193	22.0	1010
6/4/26 20:00	2.5	193	19.5	1010
6/4/26 21:00	1.5	280	17.0	1010
6/4/26 22:00	1.5	243	16.1	1011
6/4/26 23:00	1.5	270	15.7	1011
6/5/26 0:00	1.5	310	15.4	1011
6/5/26 1:00	1.5	280	14.9	1011
6/5/26 2:00	ND	ND	14.2	1011
6/5/26 3:00	2.4	279	14.1	1011
6/5/26 4:00	2.6	269	14.3	1010
6/5/26 5:00	2.3	273	13.5	1011
6/5/26 6:00	2.6	277	15.9	1011
6/5/26 7:00	2.4	286	19.2	1011
6/5/26 8:00	2.8	317	22.3	1011
6/5/26 9:00	2.4	357	25.0	1011
6/5/26 10:00	2.8	64	26.2	1011
6/5/26 11:00	2.7	106	26.2	1011
6/5/26 12:00	2.3	114	27.3	1010
6/5/26 13:00	3.4	160	27.1	1010

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

6/5/26 14:00	4.2	178	27.2	1010
6/5/26 15:00	4.6	174	25.8	1010
6/5/26 16:00	4.1	162	23.7	1010
6/5/26 17:00	3.3	164	22.4	1010
6/5/26 18:00	2.7	138	21.0	1010
6/5/26 19:00	2.6	111	18.5	1011
6/5/26 20:00	2.4	93	16.3	1011
6/5/26 21:00	2.8	94	15.2	1012
6/5/26 22:00	3.0	88	14.0	1012
6/5/26 23:00	2.6	88	13.4	1011
6/6/26 0:00	1.8	72	13.3	1011
6/6/26 1:00	1.5	22	13.2	1011
6/6/26 2:00	1.8	29	12.9	1011
6/6/26 3:00	1.5	19	13.0	1011
6/6/26 4:00	2.8	88	12.9	1010
6/6/26 5:00	3.3	87	12.9	1010
6/6/26 6:00	2.9	91	13.0	1011
6/6/26 7:00	2.8	78	13.7	1011
6/6/26 8:00	3.5	76	14.5	1010
6/6/26 9:00	3.6	86	16.0	1010
6/6/26 10:00	3.6	84	16.1	1010
6/6/26 11:00	4.2	89	15.8	1009
6/6/26 12:00	4.1	91	15.7	1008
6/6/26 13:00	4.1	88	15.0	1007
6/6/26 14:00	4.3	89	14.0	1007
6/6/26 15:00	3.6	96	13.8	1006
6/6/26 16:00	3.7	87	13.0	1005
6/6/26 17:00	3.7	89	13.1	1004
6/6/26 18:00	3.5	92	13.5	1004
6/6/26 19:00	3.5	89	13.0	1003
6/6/26 20:00	2.4	89	13.0	1003
6/6/26 21:00	1.9	92	13.0	1002
6/6/26 22:00	2.6	29	13.0	1002
6/6/26 23:00	2.2	91	13.6	1001
6/7/26 0:00	1.6	139	13.7	1000
6/7/26 1:00	1.8	209	13.2	1000
6/7/26 2:00	1.8	210	13.0	999
6/7/26 3:00	1.9	217	12.9	998
6/7/26 4:00	2.8	222	13.7	998
6/7/26 5:00	2.7	221	15.7	998
6/7/26 6:00	2.3	215	16.7	999
6/7/26 7:00	3.0	237	18.1	999
6/7/26 8:00	4.7	251	20.6	999
6/7/26 9:00	4.8	265	22.0	1000
6/7/26 10:00	6.6	272	23.1	1000
6/7/26 11:00	6.4	278	22.6	1001
6/7/26 12:00	5.0	287	20.7	1001
6/7/26 13:00	4.9	269	21.1	1002
6/7/26 14:00	5.2	333	20.7	1003


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (5/26/26 11:00 to 6/9/26 12:00)

6/7/26 15:00	2.8	23	18.0	1004
6/7/26 16:00	5.5	34	18.9	1005
6/7/26 17:00	4.0	25	18.9	1007
6/7/26 18:00	6.9	22	18.3	1008
6/7/26 19:00	6.3	22	17.0	1010
6/7/26 20:00	6.0	21	16.1	1012
6/7/26 21:00	5.0	3	14.6	1013
6/7/26 22:00	3.2	349	13.3	1014
6/7/26 23:00	3.6	325	12.9	1015
6/8/26 0:00	3.7	327	12.9	1015
6/8/26 1:00	3.0	320	11.8	1016
6/8/26 2:00	1.5	263	10.6	1017
6/8/26 3:00	1.8	289	9.9	1017
6/8/26 4:00	1.5	280	9.8	1018
6/8/26 5:00	1.8	288	9.7	1019
6/8/26 6:00	1.7	290	12.0	1020
6/8/26 7:00	1.7	301	15.4	1020
6/8/26 8:00	2.6	300	17.8	1020
6/8/26 9:00	2.5	339	20.3	1020
6/8/26 10:00	3.3	349	21.9	1020
6/8/26 11:00	3.2	20	23.0	1020
6/8/26 12:00	3.6	6	23.8	1020
6/8/26 13:00	4.1	190	22.9	1020
6/8/26 14:00	4.0	184	22.7	1019
6/8/26 15:00	4.5	175	22.8	1019
6/8/26 16:00	5.2	173	23.0	1018
6/8/26 17:00	4.8	188	22.1	1018
6/8/26 18:00	4.8	189	21.3	1018
6/8/26 19:00	3.9	196	19.4	1018
6/8/26 20:00	3.2	205	18.5	1018
6/8/26 21:00	2.5	203	17.3	1019
6/8/26 22:00	2.8	202	16.7	1019
6/8/26 23:00	1.8	223	15.5	1019
6/9/26 0:00	1.7	269	14.2	1018
6/9/26 1:00	1.9	280	13.4	1018
6/9/26 2:00	1.5	247	13.2	1018
6/9/26 3:00	1.5	237	12.7	1017
6/9/26 4:00	2.1	337	12.2	1018
6/9/26 5:00	2.2	262	12.6	1018
6/9/26 6:00	2.0	291	14.9	1018
6/9/26 7:00	3.0	285	18.1	1018
6/9/26 8:00	3.7	306	21.4	1017
6/9/26 9:00	3.2	306	23.5	1017
6/9/26 10:00	3.2	287	25.6	1016
6/9/26 11:00	3.5	300	26.9	1016
6/9/26 12:00	3.1	283	27.4	1015

PWM Wind Rose 5/26/26 11:00 - 6/9/26 12:00

Wind Speed (m/s)(MaineVC - KPWM | MaineVC)



Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
6/9/26 13:00	3.9	253	28.3	1014
6/9/26 14:00	3.6	262	28.8	1013
6/9/26 15:00	4.0	250	28.9	1012
6/9/26 16:00	3.7	267	29.0	1012
6/9/26 17:00	2.9	211	27.6	1011
6/9/26 18:00	3.3	170	25.1	1011
6/9/26 19:00	2.0	177	21.9	1011
6/9/26 20:00	1.5	153	19.3	1011
6/9/26 21:00	ND	ND	18.0	1011
6/9/26 22:00	1.5	ND	17.0	1011
6/9/26 23:00	ND	ND	16.7	1011
6/10/26 0:00	ND	ND	16.3	1011
6/10/26 1:00	ND	ND	16.2	1011
6/10/26 2:00	1.7	258	16.0	1010
6/10/26 3:00	1.5	290	15.5	1010
6/10/26 4:00	1.5	270	15.5	1009
6/10/26 5:00	1.5	274	15.5	1010
6/10/26 6:00	1.4	280	16.9	1010
6/10/26 7:00	1.3	290	19.2	1009
6/10/26 8:00	1.8	291	22.5	1010
6/10/26 9:00	2.2	317	24.6	1009
6/10/26 10:00	2.1	293	26.8	1009
6/10/26 11:00	2.2	336	28.4	1008
6/10/26 12:00	4.4	167	27.7	1008
6/10/26 13:00	3.9	155	24.0	1007
6/10/26 14:00	4.4	161	24.5	1007
6/10/26 15:00	4.0	157	25.8	1006
6/10/26 16:00	3.2	170	26.5	1006
6/10/26 17:00	3.6	165	25.1	1005
6/10/26 18:00	3.1	151	23.0	1005
6/10/26 19:00	2.4	175	21.9	1005
6/10/26 20:00	2.5	196	21.0	1005
6/10/26 21:00	1.5	194	20.9	1005
6/10/26 22:00	1.5	189	20.7	1005
6/10/26 23:00	1.9	110	19.3	1005
6/11/26 0:00	2.0	56	18.0	1005
6/11/26 1:00	2.3	105	17.8	1004
6/11/26 2:00	2.3	237	18.0	1004
6/11/26 3:00	2.1	180	18.0	1003
6/11/26 4:00	1.7	331	18.5	1003
6/11/26 5:00	1.7	268	18.9	1003
6/11/26 6:00	1.5	50	19.0	1003
6/11/26 7:00	ND	ND	19.1	1003
6/11/26 8:00	ND	ND	20.3	1004
6/11/26 9:00	1.7	14	22.0	1004
6/11/26 10:00	1.9	109	22.2	1003
6/11/26 11:00	1.6	233	23.7	1003

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/11/26 12:00	1.8	79	25.2	1003
6/11/26 13:00	2.0	98	25.6	1002
6/11/26 14:00	2.8	281	29.1	1002
6/11/26 15:00	2.1	160	30.0	1001
6/11/26 16:00	1.7	148	28.3	1001
6/11/26 17:00	3.7	181	26.2	1001
6/11/26 18:00	2.4	192	26.0	1002
6/11/26 19:00	3.2	190	23.9	1002
6/11/26 20:00	1.5	187	22.9	1002
6/11/26 21:00	1.3	30	21.9	1003
6/11/26 22:00	2.2	214	22.2	1003
6/11/26 23:00	2.0	213	21.1	1003
6/12/26 0:00	1.3	218	20.1	1002
6/12/26 1:00	1.0	81	20.7	1002
6/12/26 2:00	1.3	74	19.8	1002
6/12/26 3:00	1.2	25	19.8	1002
6/12/26 4:00	1.6	59	18.9	1002
6/12/26 5:00	1.3	106	18.6	1002
6/12/26 6:00	1.0	91	18.8	1002
6/12/26 7:00	1.7	78	20.0	1002
6/12/26 8:00	1.9	70	19.4	1002
6/12/26 9:00	1.8	47	18.5	1002
6/12/26 10:00	3.1	89	21.5	1003
6/12/26 11:00	2.3	77	20.9	1002
6/12/26 12:00	1.6	85	20.1	1002
6/12/26 13:00	2.0	84	21.8	1001
6/12/26 14:00	3.3	96	22.5	1001
6/12/26 15:00	4.0	90	20.9	1001
6/12/26 16:00	3.5	94	20.4	1001
6/12/26 17:00	3.7	92	18.9	1001
6/12/26 18:00	3.7	87	16.9	1001
6/12/26 19:00	3.0	85	15.7	1001
6/12/26 20:00	3.3	91	14.5	1002
6/12/26 21:00	2.5	88	14.0	1002
6/12/26 22:00	2.3	91	14.1	1002
6/12/26 23:00	2.6	89	14.0	1002
6/13/26 0:00	3.0	86	14.0	1003
6/13/26 1:00	1.5	112	14.5	1003
6/13/26 2:00	1.8	116	14.3	1004
6/13/26 3:00	1.5	80	14.0	1003
6/13/26 4:00	1.5	264	14.7	1004
6/13/26 5:00	1.5	262	15.8	1004
6/13/26 6:00	1.8	271	16.0	1005
6/13/26 7:00	1.9	278	16.2	1005
6/13/26 8:00	2.6	294	20.8	1005
6/13/26 9:00	4.1	313	24.3	1005
6/13/26 10:00	3.5	318	26.4	1005
6/13/26 11:00	4.7	326	27.5	1006
6/13/26 12:00	3.7	308	28.0	1006

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/13/26 13:00	3.0	318	28.7	1005
6/13/26 14:00	3.0	321	29.1	1005
6/13/26 15:00	3.3	159	28.5	1005
6/13/26 16:00	4.4	171	27.0	1005
6/13/26 17:00	4.2	185	26.6	1005
6/13/26 18:00	2.7	206	25.6	1005
6/13/26 19:00	1.7	206	26.2	1006
6/13/26 20:00	1.5	275	24.3	1006
6/13/26 21:00	ND	ND	21.8	1006
6/13/26 22:00	1.5	280	20.5	1007
6/13/26 23:00	ND	ND	19.4	1007
6/14/26 0:00	2.1	ND	18.5	1007
6/14/26 1:00	1.5	300	17.8	1007
6/14/26 2:00	1.5	260	17.7	1007
6/14/26 3:00	1.6	266	17.0	1007
6/14/26 4:00	1.8	274	16.5	1007
6/14/26 5:00	2.4	277	16.9	1006
6/14/26 6:00	1.4	290	18.4	1006
6/14/26 7:00	2.2	284	21.0	1007
6/14/26 8:00	2.0	240	24.0	1007
6/14/26 9:00	2.8	196	25.9	1007
6/14/26 10:00	3.6	176	26.3	1007
6/14/26 11:00	4.7	176	27.0	1006
6/14/26 12:00	6.2	180	26.5	1006
6/14/26 13:00	5.2	182	26.1	1005
6/14/26 14:00	6.5	188	25.3	1005
6/14/26 15:00	5.4	186	24.0	1004
6/14/26 16:00	4.5	188	23.7	1004
6/14/26 17:00	4.8	186	23.7	1003
6/14/26 18:00	3.5	176	23.2	1003
6/14/26 19:00	3.5	184	23.1	1002
6/14/26 20:00	3.8	191	22.7	1002
6/14/26 21:00	3.3	192	22.2	1002
6/14/26 22:00	4.5	185	22.5	1002
6/14/26 23:00	4.6	188	21.5	1001
6/15/26 0:00	5.0	183	20.9	1001
6/15/26 1:00	5.5	188	20.8	1000
6/15/26 2:00	4.6	193	19.7	1000
6/15/26 3:00	4.0	194	18.8	1000
6/15/26 4:00	2.6	163	17.5	999
6/15/26 5:00	3.0	170	17.0	998
6/15/26 6:00	4.0	162	17.0	997
6/15/26 7:00	2.9	203	17.3	997
6/15/26 8:00	2.2	265	18.6	997
6/15/26 9:00	3.8	313	20.7	997
6/15/26 10:00	5.7	342	22.4	998
6/15/26 11:00	5.8	329	23.6	998
6/15/26 12:00	5.9	339	24.3	999
6/15/26 13:00	5.3	317	24.7	999

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/15/26 14:00	4.0	309	25.7	998
6/15/26 15:00	4.8	308	25.2	998
6/15/26 16:00	4.9	312	25.4	999
6/15/26 17:00	4.8	323	24.7	999
6/15/26 18:00	4.2	329	23.7	999
6/15/26 19:00	4.3	328	22.8	1000
6/15/26 20:00	3.9	317	21.8	1001
6/15/26 21:00	4.5	313	20.9	1001
6/15/26 22:00	4.4	318	19.2	1002
6/15/26 23:00	5.0	331	18.9	1002
6/16/26 0:00	5.1	334	17.9	1003
6/16/26 1:00	3.3	332	16.9	1003
6/16/26 2:00	3.5	316	16.4	1003
6/16/26 3:00	3.2	302	15.0	1004
6/16/26 4:00	2.3	299	13.1	1004
6/16/26 5:00	2.2	280	13.1	1005
6/16/26 6:00	2.1	284	14.9	1005
6/16/26 7:00	3.3	309	16.8	1005
6/16/26 8:00	4.6	332	17.9	1005
6/16/26 9:00	4.8	327	19.0	1005
6/16/26 10:00	4.1	303	20.1	1005
6/16/26 11:00	3.8	283	20.0	1005
6/16/26 12:00	3.5	283	21.4	1005
6/16/26 13:00	3.2	273	22.2	1005
6/16/26 14:00	3.5	301	23.1	1004
6/16/26 15:00	3.5	286	23.9	1004
6/16/26 16:00	3.6	185	22.1	1004
6/16/26 17:00	4.4	183	21.5	1004
6/16/26 18:00	3.9	187	21.0	1004
6/16/26 19:00	3.6	195	19.2	1005
6/16/26 20:00	3.3	187	17.7	1005
6/16/26 21:00	2.1	200	16.2	1006
6/16/26 22:00	1.6	202	15.9	1006
6/16/26 23:00	1.5	195	15.2	1006
6/17/26 0:00	ND	ND	13.9	1007
6/17/26 1:00	1.5	300	13.0	1007
6/17/26 2:00	1.5	288	12.9	1006
6/17/26 3:00	1.6	250	12.0	1006
6/17/26 4:00	1.5	255	11.9	1007
6/17/26 5:00	1.5	280	11.7	1007
6/17/26 6:00	1.5	280	13.2	1007
6/17/26 7:00	1.7	299	16.6	1007
6/17/26 8:00	1.5	300	19.7	1008
6/17/26 9:00	1.5	87	22.2	1007
6/17/26 10:00	2.9	93	23.0	1007
6/17/26 11:00	3.2	106	23.7	1007
6/17/26 12:00	4.3	161	24.0	1007
6/17/26 13:00	4.7	161	23.9	1007
6/17/26 14:00	4.8	170	23.0	1006

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/17/26 15:00	4.5	171	22.5	1007
6/17/26 16:00	4.7	163	22.5	1006
6/17/26 17:00	4.1	160	22.0	1006
6/17/26 18:00	3.7	161	20.2	1006
6/17/26 19:00	3.7	187	18.0	1007
6/17/26 20:00	2.0	166	17.1	1007
6/17/26 21:00	1.5	132	16.2	1008
6/17/26 22:00	1.5	130	15.9	1008
6/17/26 23:00	1.4	88	15.9	1007
6/18/26 0:00	2.0	170	15.9	1007
6/18/26 1:00	2.2	179	16.1	1007
6/18/26 2:00	1.6	179	15.9	1007
6/18/26 3:00	ND	ND	15.9	1006
6/18/26 4:00	1.9	162	15.9	1006
6/18/26 5:00	3.2	187	16.3	1006
6/18/26 6:00	3.2	182	16.4	1006
6/18/26 7:00	3.0	169	15.9	1006
6/18/26 8:00	3.0	173	16.0	1005
6/18/26 9:00	3.3	155	15.9	1005
6/18/26 10:00	4.9	153	15.9	1004
6/18/26 11:00	5.3	146	15.9	1003
6/18/26 12:00	7.5	152	16.1	1001
6/18/26 13:00	8.0	157	16.5	999
6/18/26 14:00	8.3	158	16.4	997
6/18/26 15:00	7.5	167	17.0	995
6/18/26 16:00	6.0	178	17.0	994
6/18/26 17:00	6.0	197	17.4	994
6/18/26 18:00	2.9	192	17.0	993
6/18/26 19:00	3.5	195	17.0	994
6/18/26 20:00	3.6	204	17.0	994
6/18/26 21:00	2.9	210	17.0	994
6/18/26 22:00	3.3	208	17.0	994
6/18/26 23:00	2.7	220	17.0	994
6/19/26 0:00	2.6	251	17.0	994
6/19/26 1:00	2.8	218	16.7	994
6/19/26 2:00	3.4	232	17.0	994
6/19/26 3:00	2.6	234	16.6	994
6/19/26 4:00	3.5	234	16.0	994
6/19/26 5:00	3.8	227	16.0	994
6/19/26 6:00	4.1	240	17.3	995
6/19/26 7:00	4.6	254	18.9	995
6/19/26 8:00	6.1	262	20.9	995
6/19/26 9:00	6.6	258	22.1	995
6/19/26 10:00	6.7	262	22.8	996
6/19/26 11:00	6.9	264	23.0	996
6/19/26 12:00	6.3	274	23.4	996
6/19/26 13:00	6.7	266	23.2	996
6/19/26 14:00	5.9	271	23.1	996
6/19/26 15:00	6.1	270	23.3	996

Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/19/26 16:00	6.2	278	23.3	996
6/19/26 17:00	6.2	270	23.3	996
6/19/26 18:00	6.3	259	23.2	996
6/19/26 19:00	5.3	258	22.8	996
6/19/26 20:00	3.5	249	21.9	997
6/19/26 21:00	3.3	272	21.0	997
6/19/26 22:00	3.0	298	18.1	997
6/19/26 23:00	2.5	254	17.9	997
6/20/26 0:00	3.6	255	17.5	996
6/20/26 1:00	4.2	256	16.9	996
6/20/26 2:00	4.3	256	16.9	996
6/20/26 3:00	5.1	263	16.9	995
6/20/26 4:00	5.3	268	17.3	995
6/20/26 5:00	5.3	271	16.9	995
6/20/26 6:00	4.8	264	16.9	996
6/20/26 7:00	5.0	267	17.6	996
6/20/26 8:00	5.2	264	18.2	996
6/20/26 9:00	6.2	283	19.8	996
6/20/26 10:00	7.7	306	21.0	996
6/20/26 11:00	7.2	309	20.9	997
6/20/26 12:00	7.8	312	22.0	998
6/20/26 13:00	8.6	325	22.7	998
6/20/26 14:00	8.4	325	22.5	999
6/20/26 15:00	8.5	313	22.8	1000
6/20/26 16:00	7.5	324	21.9	1000
6/20/26 17:00	6.5	328	22.0	1000
6/20/26 18:00	5.3	323	21.9	1001
6/20/26 19:00	3.8	320	20.6	1002
6/20/26 20:00	2.2	275	18.9	1003
6/20/26 21:00	2.6	273	17.7	1003
6/20/26 22:00	2.4	269	17.0	1004
6/20/26 23:00	2.7	268	16.6	1004
6/21/26 0:00	1.7	264	16.5	1004
6/21/26 1:00	2.2	255	15.9	1004
6/21/26 2:00	2.3	267	16.1	1004
6/21/26 3:00	2.4	278	15.7	1004
6/21/26 4:00	1.5	273	15.3	1004
6/21/26 5:00	1.7	281	13.6	1004
6/21/26 6:00	2.0	275	15.8	1005
6/21/26 7:00	2.4	301	18.4	1005
6/21/26 8:00	2.6	314	20.5	1006
6/21/26 9:00	2.6	321	21.6	1006
6/21/26 10:00	1.9	307	22.8	1005
6/21/26 11:00	3.4	264	21.1	1006
6/21/26 12:00	3.3	99	20.7	1006
6/21/26 13:00	3.3	133	20.7	1006
6/21/26 14:00	3.8	200	20.6	1006
6/21/26 15:00	3.5	206	19.8	1006
6/21/26 16:00	2.9	232	21.5	1007


Global South Portland Maine Terminal Fenceline Monitoring

Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

6/21/26 17:00	3.4	315	21.3	1007
6/21/26 18:00	2.3	312	20.9	1007
6/21/26 19:00	2.0	342	20.6	1008
6/21/26 20:00	1.5	10	19.0	1009
6/21/26 21:00	1.7	66	17.4	1010
6/21/26 22:00	ND	ND	16.8	1010
6/21/26 23:00	1.5	230	16.1	1011
6/22/26 0:00	1.8	280	14.8	1011
6/22/26 1:00	1.8	277	14.5	1012
6/22/26 2:00	ND	ND	14.1	1012
6/22/26 3:00	1.3	290	13.2	1012
6/22/26 4:00	ND	ND	13.1	1012
6/22/26 5:00	2.0	278	13.1	1013
6/22/26 6:00	1.5	285	15.4	1014
6/22/26 7:00	1.5	315	17.4	1015
6/22/26 8:00	1.5	150	19.6	1015
6/22/26 9:00	2.6	82	21.7	1015
6/22/26 10:00	3.8	88	21.8	1015
6/22/26 11:00	3.3	124	22.1	1015
6/22/26 12:00	4.0	172	21.7	1015
6/22/26 13:00	3.6	168	21.0	1015
6/22/26 14:00	3.6	169	19.4	1016
6/22/26 15:00	3.3	165	18.7	1016
6/22/26 16:00	2.7	182	17.5	1016
6/22/26 17:00	2.1	189	17.0	1016
6/22/26 18:00	1.8	211	17.0	1016
6/22/26 19:00	2.1	161	17.0	1015
6/22/26 20:00	2.4	181	16.0	1015
6/22/26 21:00	1.7	161	16.0	1015
6/22/26 22:00	2.0	112	15.9	1015
6/22/26 23:00	2.4	89	15.4	1014
6/23/26 0:00	4.4	97	15.0	1013
6/23/26 1:00	5.1	84	15.0	1013
6/23/26 2:00	4.9	88	14.3	1013
6/23/26 3:00	5.1	94	14.0	1011
6/23/26 4:00	4.9	87	14.2	1010
6/23/26 5:00	3.0	65	14.0	1010
6/23/26 6:00	3.2	43	14.1	1009
6/23/26 7:00	2.6	6	14.8	1009
6/23/26 8:00	3.8	338	15.8	1009
6/23/26 9:00	3.9	343	16.1	1009
6/23/26 10:00	4.4	340	17.5	1009
6/23/26 11:00	4.7	346	18.1	1009
6/23/26 12:00	5.0	354	19.3	1008

Global South Portland Maine Terminal Fenceline Monitoring
Portland International Jet Airport (PWM) Meteorological Data (6/9/26 13:00 to 6/23/26 12:00)

PWM Wind Rose 6/9/26 13:00 - 6/23/26 12:00



GLOBAL PARTNERS - SOUTH PORTLAND TERMINAL

SITE COORIDNATES

Global Partners South Portland Maine Site Coordinates

Terminal Fenceline Perimeter Length = 1,979 m
Terminal Fenceline Area = 38.3 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 164.9 m (± 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	43.633939°	-70.276140°	to Site 17: 179.8 to Site 2:150.0	The distance between the closest emission units and Site 1 and fenceline is >50 m.
Site 2	BTEX	43.634640°	-70.276201°	75.0 (to Site 1) 75.0 (to Site 3)	Site 2 is an additional site and is located halfway between Site 1 and 3 due to emission unit's (Tanks #15 & #2) being located between Sites 1 & 3 and Tanks #15 & #2 are both <50 m from the fenceline. Site 2 is ~3 m inside fenceline because pipes block access to fenceline.
Site 3	BTEX	43.635247°	-70.276307°	to Site 2: 150.0 to Site 4:151.8	Site 3 is located in the immediate area of 3 licensed emission units (Tanks #'s 1, 9 & 2) that are < 50 m from the fenceline.
Site 4	BTEX	43.635925°	-70.276487°	75.9 (to Site 3) 75.9 (to Site 5)	Site 4 is an additional site and is located halfway between Sites 3 & 5 due to emission unit (Tank #8) being located between Sites 3 & 5 and Tank #8 is <50 m from the fenceline.
Site 5	BTEX	43.636461°	-70.276348°	to Site 4: 151.8 to Site 6: 165.1	Site 5 is located in the immediate area of 1 licensed emission unit (Tanks #'8) that is < 50 m from the fenceline.
Site 6	BTEX	43.636362°	-70.275929°	38.8 (to Site 5) 126.3 (to Site 7)	Site 6 is an additional site and is adjacent to dock area (Facility is licensed to transfer product from terminal to maritime vessels).
Site 7	BTEX	43.635556°	-70.275067°	to Site 6: 165.1 to Site 8:165.5	Site 7 is located in the area of 3 licensed emission units (Tanks #'s 1, 9 & 3) that are < 50 m from the fenceline. Site 7 is located 5.3m inside the fenceline because the fenceline cannot be safely accessed in this area, which has a steep grade down to the shore of the Fore River that is surfaced with riprap rock.
Site 8	BTEX	43.635126°	-70.274480°	69.8 (to Site 7) 96.7 (to Site 9)	Site 8 is an additional site and is Site due to emissions unit (Boiler house #1) located within 50 m of fenceline between Sites 7 and 9. Due to inaccessible terrain and pipe obstructions, Site 8 is the only accessible location available approximately halfway between Sites 7 and 9.

Global Partners South Portland Maine Site Coordinates

Terminal Fenceline Perimeter Length = 1,979 m
Terminal Fenceline Area = 38.3 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 164.9 m (± 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 9	BTEX	43.634739°	-70.273370°	to Site 8: 165.5 to Site 10: 169.7	The distance between the closest emission units and Site 9 and fenceline is >50 m. Site 9 is located on a narrow spit of raised land that separates Barberry Creek and the Fore River. Site 9 is 4 m inside the fenceline because large pipes routed along this narrow spit of land block access to the fenceline.
Site 10	BTEX	43.634070°	-70.271446°	to Site 9: 169.7 to Site 11: 153.8	Site 10 is located 3.5 m inside the fenceline because large pipes block access to the fenceline in this area.
Site 11	BTEX	43.633027°	-70.272374°	to Site 10: 153.8 to Site 12: 167.1	Site 11 is at the fenceline in the immediate area where licensed emissions units Boiler House #2 and Tank #4 are located. Both of these emissions units are < 50 m from the fenceline.
Site 12	BTEX	43.631874°	-70.273756°	to Site 11: 167.1 to Site 13: 175.0	Site 12 is located 9.2 m inside the fenceline because large pipes block any closer access to the fenceline in this area. Site 12 is approximately 46 m NE of Tank #5, a licensed emissions source located within 50 m of the facility fenceline.
Site 13	BTEX	43.631209°	-70.274374°	to Site 12: 175.0 to Site 14: 157.2	Site 13 is an additional site and is placed between Sites 12 and 14, due to licensed emissions unit Tank #6 located between Sites 12 and 14 and within 50 m from fenceline.
Site 14	BTEX	43.630640°	-70.275009°	to Site 13: 157.2 to Site 15: 164.9	The distance between the closest tanks and Site 14 and fenceline is >50 m.
Site 15	BTEX	43.629853°	-70.276208°	to Site 14: 164.9 to Site 16: 179.2	The distance between the closest tanks and Site 15 and fenceline is >50 m.
Site 16	BTEX	43.631282°	-70.276184°	to Site 15: 179.2 to Site 17: 179.8	Site 16 is located where emissions unit Tank #16 is located. Tank #16 is<50 m from the fenceline.

Global Partners South Portland Maine Site Coordinates

Terminal Fenceline Perimeter Length = 1,979 m
Terminal Fenceline Area = 38.3 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 164.9 m (± 12.5 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 17	BTEX	43.632907°	-70.276441°	to Site 16: 179.8 to Site 1:150.0	The distance between the closest emission units and Site 17 and fenceline is >50 m.

Aerial View of the Global Partners South Portland Terminal and FLM Locations



APPENDIX A – LAB RESULTS

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 45 Global - South Portland

Client Project# PROJ-031333
Samples Received: 4/15/2026

Analytical Report
2026GB201

EPA Method 325B Analysis

Report Issue Date: 4/17/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



ENTHALPY ANALYTICAL

Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 12
Chromatograms . . . 15
Initial Calibration . . . 82
Sample Custody . . . 85
    Chain of Custody . . . 86

Narrative Summary

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GB201-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Enthalpy Analytical on April 15, 2026 at 14.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260331	C24244	Sample
GLBSP-2-S-20260331	B44216	Sample
GLBSP-3-S-20260331	C70167	Sample
GLBSP-4-S-20260331	C39175	Sample
GLBSP-5-S-20260331	C37475	Sample
GLBSP-5-D-20260331	C39264	Duplicate
GLBSP-5-B-20260331	C37051	Blank
GLBSP-6-S-20260331	C61406	Sample
GLBSP-7-S-20260331	B45080	Sample
GLBSP-8-S-20260331	B46116	Sample
GLBSP-9-S-20260331	C37435	Sample
GLBSP-10-S-20260331	C36944	Sample
GLBSP-11-S-20260331	C70055	Sample
GLBSP-12-S-20260331	C71490	Sample
GLBSP-13-S-20260331	B19290	Sample
GLBSP-14-S-20260331	C38536	Sample
GLBSP-14-D-20260331	C55306	Duplicate
GLBSP-14-B-20260331	B43331	Blank
GLBSP-15-S-20260331	C40117	Sample
GLBSP-16-S-20260331	B46919	Sample
GLBSP-17-S-20260331	C34219	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GB201-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D040726A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260331	C24244	0.440	J	0.708		0.280	ND	0.348	J	0.280	ND
GLBSP-2-S-20260331	B44216	0.530		0.752		0.280	ND	0.441	J	0.280	ND
GLBSP-3-S-20260331	C70167	0.529		0.873		0.305	J	1.00		0.280	ND
GLBSP-4-S-20260331	C39175	0.568		1.11		0.280	ND	0.429	J	0.280	ND
GLBSP-5-S-20260331	C37475	0.449	J	0.767		0.280	ND	0.358	J	0.280	ND
GLBSP-5-D-20260331	C39264	0.428	J	0.721		0.280	ND	0.341	J	0.280	ND
GLBSP-5-B-20260331	C37051	0.192	ND	0.248	ND	0.280	ND	0.280	ND	0.280	ND
GLBSP-6-S-20260331	C61406	0.523		0.835		0.280	ND	0.539	J	0.280	ND
GLBSP-7-S-20260331	B45080	0.568		0.972		0.280	ND	0.620	J	0.280	ND
GLBSP-8-S-20260331	B46116	0.457	J	0.778		0.280	ND	0.349	J	0.280	ND
GLBSP-9-S-20260331	C37435	0.502		0.760		0.280	ND	0.323	J	0.280	ND
GLBSP-10-S-20260331	C36944	0.455	J	0.831		0.280	ND	0.387	J	0.280	ND
GLBSP-11-S-20260331	C70055	0.485		0.797		0.280	ND	0.469	J	0.280	ND
GLBSP-12-S-20260331	C71490	0.461		0.719		0.280	ND	0.414	J	0.280	ND
GLBSP-13-S-20260331	B19290	0.571		1.33		0.280	ND	0.563	J	0.280	ND
GLBSP-14-S-20260331	C38536	0.610		1.33		0.280	ND	0.557	J	0.280	ND
GLBSP-14-D-20260331	C55306	0.471		1.04		0.280	ND	0.555	J	0.280	ND
GLBSP-14-B-20260331	B43331	0.192	ND	0.248	ND	0.280	ND	0.280	ND	0.280	ND
GLBSP-15-S-20260331	C40117	0.653		1.19		0.280	ND	0.496	J	0.280	ND
GLBSP-16-S-20260331	B46919	0.609		0.902		0.280	ND	0.388	J	0.280	ND
GLBSP-17-S-20260331	C34219	0.485		0.888		0.280	ND	0.295	J	0.280	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260331	C24244	0.440	0.138	5.72	41.9	0.648	20086	0.192	0.460	0.0602	0.144	J	D2602180.d	2026-04-15 15:18	1.760	8.160	78693	440072	56.3	8.103	-0.1%
GLBSP-2-S-20260331	B44216	0.530	0.166	6.89	41.9	0.648	20087	0.192	0.460	0.0602	0.144		D2602181.d	2026-04-15 15:44	1.760	8.160	96600	448354	56.3	8.102	1.7%
GLBSP-3-S-20260331	C70167	0.529	0.166	6.89	41.9	0.648	20090	0.192	0.459	0.0602	0.144		D2602182.d	2026-04-15 16:10	1.760	8.160	96598	448965	56.3	8.102	1.9%
GLBSP-4-S-20260331	C39175	0.568	0.178	7.39	41.9	0.648	20081	0.192	0.460	0.0602	0.144		D2602183.d	2026-04-15 16:35	1.760	8.160	103076	446291	56.3	8.102	1.3%
GLBSP-5-S-20260331	C37475	0.449	0.141	5.84	41.9	0.648	20088	0.192	0.460	0.0602	0.144	J	D2602184.d	2026-04-15 17:01	1.760	8.160	81954	449243	56.3	8.103	1.9%
GLBSP-5-D-20260331	C39264	0.428	0.134	5.56	41.9	0.648	20088	0.192	0.460	0.0602	0.144	J	D2602185.d	2026-04-15 17:28	1.760	8.160	78760	452999	56.3	8.102	2.8%
GLBSP-5-B-20260331	C37051	0.192	0.0602		41.9	0.648	20088	0.192	0.460	0.0602	0.144	ND	D2602178.d	2026-04-15 14:27	1.760	8.160	9413	445179	56.3	8.102	1.0%
GLBSP-6-S-20260331	C61406	0.523	0.164	6.80	41.9	0.648	20092	0.192	0.459	0.0602	0.144		D2602186.d	2026-04-15 17:53	1.760	8.160	95176	447842	56.3	8.102	1.6%
GLBSP-7-S-20260331	B45080	0.568	0.178	7.40	41.9	0.648	20098	0.192	0.459	0.0601	0.144		D2602187.d	2026-04-15 18:19	1.760	8.160	106037	458750	56.3	8.103	4.1%
GLBSP-8-S-20260331	B46116	0.457	0.143	5.95	41.9	0.648	20102	0.192	0.459	0.0601	0.144	J	D2602188.d	2026-04-15 18:45	1.760	8.159	83578	449858	56.3	8.102	2.1%
GLBSP-9-S-20260331	C37435	0.502	0.157	6.53	41.9	0.648	20080	0.192	0.460	0.0602	0.144		D2602189.d	2026-04-15 19:11	1.760	8.160	93335	457743	56.3	8.102	3.9%
GLBSP-10-S-20260331	C36944	0.455	0.143	5.92	41.9	0.648	20081	0.192	0.460	0.0602	0.144	J	D2602191.d	2026-04-15 20:02	1.760	8.160	83220	449660	56.3	8.102	2.0%
GLBSP-11-S-20260331	C70055	0.485	0.152	6.31	41.9	0.648	20078	0.192	0.460	0.0602	0.144		D2602192.d	2026-04-15 20:28	1.760	8.160	89627	454267	56.3	8.102	3.1%
GLBSP-12-S-20260331	C71490	0.461	0.144	5.99	41.9	0.648	20074	0.192	0.460	0.0602	0.144		D2602193.d	2026-04-15 20:54	1.760	8.160	84025	448676	56.3	8.102	1.8%
GLBSP-13-S-20260331	B19290	0.571	0.179	7.43	41.9	0.648	20075	0.192	0.460	0.0602	0.144		D2602194.d	2026-04-15 21:19	1.760	8.160	104313	449475	56.3	8.102	2.0%
GLBSP-14-S-20260331	C38536	0.610	0.191	7.94	41.9	0.648	20077	0.192	0.460	0.0602	0.144		D2602195.d	2026-04-15 21:46	1.760	8.160	112249	452571	56.3	8.103	2.7%
GLBSP-14-D-20260331	C55306	0.471	0.148	6.13	41.9	0.648	20074	0.192	0.460	0.0602	0.144		D2602196.d	2026-04-15 22:12	1.760	8.167	86516	451687	56.3	8.102	2.5%
GLBSP-14-B-20260331	B43331	0.192	0.0602		41.9	0.648	20074	0.192	0.460	0.0602	0.144	ND	D2602179.d	2026-04-15 14:53	1.760	8.167	10453	436487	56.3	8.102	-1.0%
GLBSP-15-S-20260331	C40117	0.653	0.205	8.50	41.9	0.648	20077	0.192	0.460	0.0602	0.144		D2602197.d	2026-04-15 22:37	1.760	8.160	120596	454240	56.3	8.103	3.1%
GLBSP-16-S-20260331	B46919	0.609	0.191	7.92	42.0	0.648	20077	0.192	0.460	0.0602	0.144		D2602198.d	2026-04-15 23:03	1.760	8.160	112153	452915	56.3	8.103	2.8%
GLBSP-17-S-20260331	C34219	0.485	0.152	6.32	42.0	0.648	20097	0.192	0.459	0.0601	0.144		D2602199.d	2026-04-15 23:29	1.760	8.160	89581	453828	56.3	8.103	3.0%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260331	C24244	0.708	0.188	7.15	41.9	0.503	20086	0.248	0.520	0.0657	0.138		D2602180.d	2026-04-15 15:18	2.147	10.889	104987	452068	66.1	10.796	-1.0%
GLBSP-2-S-20260331	B44216	0.752	0.200	7.59	41.9	0.503	20087	0.248	0.520	0.0657	0.138		D2602181.d	2026-04-15 15:44	2.147	10.889	113449	460035	66.1	10.789	0.7%
GLBSP-3-S-20260331	C70167	0.873	0.232	8.81	41.9	0.503	20090	0.248	0.520	0.0657	0.138		D2602182.d	2026-04-15 16:10	2.147	10.889	131883	460597	66.1	10.796	0.9%
GLBSP-4-S-20260331	C39175	1.11	0.295	11.2	41.9	0.503	20081	0.248	0.520	0.0658	0.138		D2602183.d	2026-04-15 16:35	2.147	10.889	166703	457571	66.1	10.796	0.2%
GLBSP-5-S-20260331	C37475	0.767	0.204	7.75	41.9	0.503	20088	0.248	0.520	0.0657	0.138		D2602184.d	2026-04-15 17:01	2.147	10.889	118264	469744	66.1	10.796	2.9%
GLBSP-5-D-20260331	C39264	0.721	0.191	7.28	41.9	0.503	20088	0.248	0.520	0.0657	0.138		D2602185.d	2026-04-15 17:28	2.147	10.889	109616	463681	66.1	10.796	1.5%
GLBSP-5-B-20260331	C37051	0.248	0.0657		41.9	0.503	20088	0.248	0.520	0.0657	0.138	ND	D2602178.d	2026-04-15 14:27	2.147	10.889	25705	453037	66.1	10.796	-0.8%
GLBSP-6-S-20260331	C61406	0.835	0.222	8.44	41.9	0.503	20092	0.248	0.520	0.0657	0.138		D2602186.d	2026-04-15 17:53	2.147	10.889	128227	467780	66.1	10.796	2.4%
GLBSP-7-S-20260331	B45080	0.972	0.258	9.83	41.9	0.503	20098	0.247	0.520	0.0657	0.138		D2602187.d	2026-04-15 18:19	2.147	10.889	148252	464414	66.1	10.796	1.7%
GLBSP-8-S-20260331	B46116	0.778	0.207	7.86	41.9	0.503	20102	0.247	0.520	0.0657	0.138		D2602188.d	2026-04-15 18:45	2.147	10.889	117475	459787	66.1	10.795	0.7%
GLBSP-9-S-20260331	C37435	0.760	0.202	7.67	41.9	0.503	20080	0.248	0.520	0.0658	0.138		D2602189.d	2026-04-15 19:11	2.147	10.889	116831	468820	66.1	10.796	2.7%
GLBSP-10-S-20260331	C36944	0.831	0.221	8.38	41.9	0.503	20081	0.248	0.520	0.0658	0.138		D2602191.d	2026-04-15 20:02	2.147	10.889	128764	472653	66.1	10.796	3.5%
GLBSP-11-S-20260331	C70055	0.797	0.212	8.05	41.9	0.503	20078	0.248	0.520	0.0658	0.138		D2602192.d	2026-04-15 20:28	2.147	10.889	122919	470114	66.1	10.789	3.0%
GLBSP-12-S-20260331	C71490	0.719	0.191	7.26	41.9	0.503	20074	0.248	0.520	0.0658	0.138		D2602193.d	2026-04-15 20:54	2.147	10.889	109864	465865	66.1	10.796	2.0%
GLBSP-13-S-20260331	B19290	1.33	0.354	13.4	41.9	0.503	20075	0.248	0.520	0.0658	0.138		D2602194.d	2026-04-15 21:19	2.147	10.889	203858	466574	66.1	10.796	2.2%
GLBSP-14-S-20260331	C38536	1.33	0.353	13.4	41.9	0.503	20077	0.248	0.520	0.0658	0.138		D2602195.d	2026-04-15 21:46	2.147	10.889	203586	467017	66.1	10.796	2.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260331	C55306	1.04	0.277	10.5	41.9	0.503	20074	0.248	0.520	0.0658	0.138		D2602196.d	2026-04-15 22:12	2.147	10.889	161427	471714	66.1	10.795	3.3%
GLBSP-14-B-20260331	B43331	0.248	0.0658		41.9	0.503	20074	0.248	0.520	0.0658	0.138	ND	D2602179.d	2026-04-15 14:53	2.147	10.889	30759	450309	66.1	10.796	-1.4%
GLBSP-15-S-20260331	C40117	1.19	0.316	12.0	41.9	0.503	20077	0.248	0.520	0.0658	0.138		D2602197.d	2026-04-15 22:37	2.147	10.889	184531	473196	66.1	10.796	3.6%
GLBSP-16-S-20260331	B46919	0.902	0.239	9.10	42.0	0.503	20077	0.248	0.520	0.0658	0.138		D2602198.d	2026-04-15 23:03	2.147	10.889	139191	470684	66.1	10.796	3.1%
GLBSP-17-S-20260331	C34219	0.888	0.236	8.97	42.0	0.503	20097	0.247	0.520	0.0657	0.138		D2602199.d	2026-04-15 23:29	2.147	10.889	136346	467884	66.1	10.796	2.5%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260331	C24244	0.280	0.0645		41.9	0.445	20086	0.280	0.611	0.0645	0.141	ND	D2602180.d	2026-04-15 15:18	2.204	13.074	20619	452068	66.1	10.796	-1.0%
GLBSP-2-S-20260331	B44216	0.280	0.0645		41.9	0.445	20087	0.280	0.611	0.0645	0.141	ND	D2602181.d	2026-04-15 15:44	2.204	13.081	24613	460035	66.1	10.789	0.7%
GLBSP-3-S-20260331	C70167	0.305	0.0702	2.72	41.9	0.445	20090	0.280	0.611	0.0645	0.141	J	D2602182.d	2026-04-15 16:10	2.204	13.074	41823	460597	66.1	10.796	0.9%
GLBSP-4-S-20260331	C39175	0.280	0.0645		41.9	0.445	20081	0.280	0.611	0.0645	0.141	ND	D2602183.d	2026-04-15 16:35	2.204	13.074	23443	457571	66.1	10.796	0.2%
GLBSP-5-S-20260331	C37475	0.280	0.0645		41.9	0.445	20088	0.280	0.611	0.0645	0.141	ND	D2602184.d	2026-04-15 17:01	2.204	13.074	21878	469744	66.1	10.796	2.9%
GLBSP-5-D-20260331	C39264	0.280	0.0645		41.9	0.445	20088	0.280	0.611	0.0645	0.141	ND	D2602185.d	2026-04-15 17:28	2.204	13.074	18228	463681	66.1	10.796	1.5%
GLBSP-5-B-20260331	C37051	0.280	0.0645		41.9	0.445	20088	0.280	0.611	0.0645	0.141	ND	D2602178.d	2026-04-15 14:27	2.204	13.081	5910	453037	66.1	10.796	-0.8%
GLBSP-6-S-20260331	C61406	0.280	0.0645		41.9	0.445	20092	0.280	0.611	0.0645	0.141	ND	D2602186.d	2026-04-15 17:53	2.204	13.074	22300	467780	66.1	10.796	2.4%
GLBSP-7-S-20260331	B45080	0.280	0.0645		41.9	0.445	20098	0.280	0.611	0.0645	0.141	ND	D2602187.d	2026-04-15 18:19	2.204	13.081	29409	464414	66.1	10.796	1.7%
GLBSP-8-S-20260331	B46116	0.280	0.0644		41.9	0.445	20102	0.280	0.611	0.0644	0.141	ND	D2602188.d	2026-04-15 18:45	2.204	13.080	20887	459787	66.1	10.795	0.7%
GLBSP-9-S-20260331	C37435	0.280	0.0645		41.9	0.445	20080	0.280	0.611	0.0645	0.141	ND	D2602189.d	2026-04-15 19:11	2.204	13.081	21505	468820	66.1	10.796	2.7%
GLBSP-10-S-20260331	C36944	0.280	0.0645		41.9	0.445	20081	0.280	0.611	0.0645	0.141	ND	D2602191.d	2026-04-15 20:02	2.204	13.081	20754	472653	66.1	10.796	3.5%
GLBSP-11-S-20260331	C70055	0.280	0.0645		41.9	0.445	20078	0.280	0.611	0.0645	0.141	ND	D2602192.d	2026-04-15 20:28	2.204	13.074	24009	470114	66.1	10.789	3.0%
GLBSP-12-S-20260331	C71490	0.280	0.0645		41.9	0.445	20074	0.280	0.611	0.0645	0.141	ND	D2602193.d	2026-04-15 20:54	2.204	13.081	17675	465865	66.1	10.796	2.0%
GLBSP-13-S-20260331	B19290	0.280	0.0645		41.9	0.445	20075	0.280	0.611	0.0645	0.141	ND	D2602194.d	2026-04-15 21:19	2.204	13.074	34912	466574	66.1	10.796	2.2%
GLBSP-14-S-20260331	C38536	0.280	0.0645		41.9	0.445	20077	0.280	0.611	0.0645	0.141	ND	D2602195.d	2026-04-15 21:46	2.204	13.074	32957	467017	66.1	10.796	2.3%
GLBSP-14-D-20260331	C55306	0.280	0.0645		41.9	0.445	20074	0.280	0.611	0.0645	0.141	ND	D2602196.d	2026-04-15 22:12	2.204	13.073	30223	471714	66.1	10.795	3.3%
GLBSP-14-B-20260331	B43331	0.280	0.0645		41.9	0.445	20074	0.280	0.611	0.0645	0.141	ND	D2602179.d	2026-04-15 14:53	2.204	13.067	2075	450309	66.1	10.796	-1.4%
GLBSP-15-S-20260331	C40117	0.280	0.0645		41.9	0.445	20077	0.280	0.611	0.0645	0.141	ND	D2602197.d	2026-04-15 22:37	2.204	13.074	34237	473196	66.1	10.796	3.6%
GLBSP-16-S-20260331	B46919	0.280	0.0645		42.0	0.445	20077	0.280	0.611	0.0645	0.141	ND	D2602198.d	2026-04-15 23:03	2.204	13.074	25759	470684	66.1	10.796	3.1%
GLBSP-17-S-20260331	C34219	0.280	0.0645		42.0	0.445	20097	0.280	0.611	0.0645	0.141	ND	D2602199.d	2026-04-15 23:29	2.204	13.074	18277	467884	66.1	10.796	2.5%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260331	C24244	0.348	0.0803	3.11	41.9	0.445	20086	0.280	0.685	0.0645	0.158	J	D2602180.d	2026-04-15 15:18	1.656	13.253	35258	452068	66.1	10.796	-1.0%
GLBSP-2-S-20260331	B44216	0.441	0.102	3.94	41.9	0.445	20087	0.280	0.685	0.0645	0.158	J	D2602181.d	2026-04-15 15:44	1.656	13.253	45447	460035	66.1	10.789	0.7%
GLBSP-3-S-20260331	C70167	1.00	0.231	8.96	41.9	0.445	20090	0.280	0.685	0.0645	0.158		D2602182.d	2026-04-15 16:10	1.656	13.253	103399	460597	66.1	10.796	0.9%
GLBSP-4-S-20260331	C39175	0.429	0.0989	3.83	41.9	0.445	20081	0.280	0.685	0.0645	0.158	J	D2602183.d	2026-04-15 16:35	1.656	13.253	43950	457571	66.1	10.796	0.2%
GLBSP-5-S-20260331	C37475	0.358	0.0825	3.20	41.9	0.445	20088	0.280	0.685	0.0645	0.158	J	D2602184.d	2026-04-15 17:01	1.656	13.253	37655	469744	66.1	10.796	2.9%
GLBSP-5-D-20260331	C39264	0.341	0.0786	3.05	41.9	0.445	20088	0.280	0.685	0.0645	0.158	J	D2602185.d	2026-04-15 17:28	1.656	13.253	35410	463681	66.1	10.796	1.5%
GLBSP-5-B-20260331	C37051	0.280	0.0645		41.9	0.445	20088	0.280	0.685	0.0645	0.158	ND	D2602178.d	2026-04-15 14:27	1.656	13.274	683	453037	66.1	10.796	-0.8%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260331	C61406	0.539	0.124	4.81	41.9	0.445	20092	0.280	0.685	0.0645	0.158	J	D2602186.d	2026-04-15 17:53	1.656	13.253	56436	467780	66.1	10.796	2.4%
GLBSP-7-S-20260331	B45080	0.620	0.143	5.54	41.9	0.445	20098	0.280	0.684	0.0645	0.158	J	D2602187.d	2026-04-15 18:19	1.656	13.253	64481	464414	66.1	10.796	1.7%
GLBSP-8-S-20260331	B46116	0.349	0.0804	3.12	41.9	0.445	20102	0.280	0.684	0.0644	0.158	J	D2602188.d	2026-04-15 18:45	1.656	13.252	35958	459787	66.1	10.795	0.7%
GLBSP-9-S-20260331	C37435	0.323	0.0744	2.88	41.9	0.445	20080	0.280	0.685	0.0645	0.158	J	D2602189.d	2026-04-15 19:11	1.656	13.260	33899	468820	66.1	10.796	2.7%
GLBSP-10-S-20260331	C36944	0.387	0.0892	3.46	41.9	0.445	20081	0.280	0.685	0.0645	0.158	J	D2602191.d	2026-04-15 20:02	1.656	13.253	40965	472653	66.1	10.796	3.5%
GLBSP-11-S-20260331	C70055	0.469	0.108	4.18	41.9	0.445	20078	0.280	0.685	0.0645	0.158	J	D2602192.d	2026-04-15 20:28	1.656	13.253	49307	470114	66.1	10.789	3.0%
GLBSP-12-S-20260331	C71490	0.414	0.0954	3.69	41.9	0.445	20074	0.280	0.685	0.0645	0.158	J	D2602193.d	2026-04-15 20:54	1.656	13.253	43134	465865	66.1	10.796	2.0%
GLBSP-13-S-20260331	B19290	0.563	0.130	5.02	41.9	0.445	20075	0.280	0.685	0.0645	0.158	J	D2602194.d	2026-04-15 21:19	1.656	13.253	58761	466574	66.1	10.796	2.2%
GLBSP-14-S-20260331	C38536	0.557	0.128	4.97	41.9	0.445	20077	0.280	0.685	0.0645	0.158	J	D2602195.d	2026-04-15 21:46	1.656	13.253	58234	467017	66.1	10.796	2.3%
GLBSP-14-D-20260331	C55306	0.555	0.128	4.96	41.9	0.445	20074	0.280	0.685	0.0645	0.158	J	D2602196.d	2026-04-15 22:12	1.656	13.252	58602	471714	66.1	10.795	3.3%
GLBSP-14-B-20260331	B43331	0.280	0.0645		41.9	0.445	20074	0.280	0.685	0.0645	0.158	ND	D2602179.d	2026-04-15 14:53	1.656	13.432	0	450309	66.1	10.796	-1.4%
GLBSP-15-S-20260331	C40117	0.496	0.114	4.43	41.9	0.445	20077	0.280	0.685	0.0645	0.158	J	D2602197.d	2026-04-15 22:37	1.656	13.253	52506	473196	66.1	10.796	3.6%
GLBSP-16-S-20260331	B46919	0.388	0.0894	3.46	42.0	0.445	20077	0.280	0.685	0.0645	0.158	J	D2602198.d	2026-04-15 23:03	1.656	13.253	40865	470684	66.1	10.796	3.1%
GLBSP-17-S-20260331	C34219	0.295	0.0680	2.64	42.0	0.445	20097	0.280	0.684	0.0645	0.158	J	D2602199.d	2026-04-15 23:29	1.656	13.253	30940	467884	66.1	10.796	2.5%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260331	C24244	0.280	0.0645		41.9	0.445	20086	0.280	0.637	0.0645	0.147	ND	D2602180.d	2026-04-15 15:18	1.686	13.747	10289	452068	66.1	10.796	-1.0%
GLBSP-2-S-20260331	B44216	0.280	0.0645		41.9	0.445	20087	0.280	0.637	0.0645	0.147	ND	D2602181.d	2026-04-15 15:44	1.686	13.754	14589	460035	66.1	10.789	0.7%
GLBSP-3-S-20260331	C70167	0.280	0.0645		41.9	0.445	20090	0.280	0.637	0.0645	0.147	ND	D2602182.d	2026-04-15 16:10	1.686	13.754	28579	460597	66.1	10.796	0.9%
GLBSP-4-S-20260331	C39175	0.280	0.0645		41.9	0.445	20081	0.280	0.637	0.0645	0.147	ND	D2602183.d	2026-04-15 16:35	1.686	13.754	14345	457571	66.1	10.796	0.2%
GLBSP-5-S-20260331	C37475	0.280	0.0645		41.9	0.445	20088	0.280	0.637	0.0645	0.147	ND	D2602184.d	2026-04-15 17:01	1.686	13.754	13822	469744	66.1	10.796	2.9%
GLBSP-5-D-20260331	C39264	0.280	0.0645		41.9	0.445	20088	0.280	0.637	0.0645	0.147	ND	D2602185.d	2026-04-15 17:28	1.686	13.754	13176	463681	66.1	10.796	1.5%
GLBSP-5-B-20260331	C37051	0.280	0.0645		41.9	0.445	20088	0.280	0.637	0.0645	0.147	ND	D2602178.d	2026-04-15 14:27	1.686	13.597	0	453037	66.1	10.796	-0.8%
GLBSP-6-S-20260331	C61406	0.280	0.0645		41.9	0.445	20092	0.280	0.637	0.0645	0.147	ND	D2602186.d	2026-04-15 17:53	1.686	13.754	17787	467780	66.1	10.796	2.4%
GLBSP-7-S-20260331	B45080	0.280	0.0645		41.9	0.445	20098	0.280	0.636	0.0645	0.147	ND	D2602187.d	2026-04-15 18:19	1.686	13.754	21695	464414	66.1	10.796	1.7%
GLBSP-8-S-20260331	B46116	0.280	0.0644		41.9	0.445	20102	0.280	0.636	0.0644	0.147	ND	D2602188.d	2026-04-15 18:45	1.686	13.747	12616	459787	66.1	10.795	0.7%
GLBSP-9-S-20260331	C37435	0.280	0.0645		41.9	0.445	20080	0.280	0.637	0.0645	0.147	ND	D2602189.d	2026-04-15 19:11	1.686	13.754	14099	468820	66.1	10.796	2.7%
GLBSP-10-S-20260331	C36944	0.280	0.0645		41.9	0.445	20081	0.280	0.637	0.0645	0.147	ND	D2602191.d	2026-04-15 20:02	1.686	13.747	14541	472653	66.1	10.796	3.5%
GLBSP-11-S-20260331	C70055	0.280	0.0645		41.9	0.445	20078	0.280	0.637	0.0645	0.147	ND	D2602192.d	2026-04-15 20:28	1.686	13.754	18220	470114	66.1	10.789	3.0%
GLBSP-12-S-20260331	C71490	0.280	0.0645		41.9	0.445	20074	0.280	0.637	0.0645	0.147	ND	D2602193.d	2026-04-15 20:54	1.686	13.754	15606	465865	66.1	10.796	2.0%
GLBSP-13-S-20260331	B19290	0.280	0.0645		41.9	0.445	20075	0.280	0.637	0.0645	0.147	ND	D2602194.d	2026-04-15 21:19	1.686	13.747	22680	466574	66.1	10.796	2.2%
GLBSP-14-S-20260331	C38536	0.280	0.0645		41.9	0.445	20077	0.280	0.637	0.0645	0.147	ND	D2602195.d	2026-04-15 21:46	1.686	13.754	24309	467017	66.1	10.796	2.3%
GLBSP-14-D-20260331	C55306	0.280	0.0645		41.9	0.445	20074	0.280	0.637	0.0645	0.147	ND	D2602196.d	2026-04-15 22:12	1.686	13.754	21735	471714	66.1	10.795	3.3%
GLBSP-14-B-20260331	B43331	0.280	0.0645		41.9	0.445	20074	0.280	0.637	0.0645	0.147	ND	D2602179.d	2026-04-15 14:53	1.686	13.754	1880	450309	66.1	10.796	-1.4%
GLBSP-15-S-20260331	C40117	0.280	0.0645		41.9	0.445	20077	0.280	0.637	0.0645	0.147	ND	D2602197.d	2026-04-15 22:37	1.686	13.747	20333	473196	66.1	10.796	3.6%
GLBSP-16-S-20260331	B46919	0.280	0.0645		42.0	0.445	20077	0.280	0.637	0.0645	0.147	ND	D2602198.d	2026-04-15 23:03	1.686	13.747	15205	470684	66.1	10.796	3.1%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260331	C34219	0.280	0.0645		42.0	0.445	20097	0.280	0.636	0.0645	0.147	ND	D2602199.d	2026-04-15 23:29	1.686	13.754	11335	467884	66.1	10.796	2.5%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260331	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260331	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260331	4.8%	Pass	6.3%	Pass	ND	Pass	4.8%	Pass	ND	Pass
	GLBSP-14-D-20260331	26%	Pass	24%	Pass	ND	Pass	0.36%	Pass	ND	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602176.d	B52724	Cal	1.760	1.657	1.760	6.2%	-7.5%		Pass	
2026GB201 Method Blank-1	D2602177.d	C43206	Blank		1.657	1.760			1.8%	Pass	ND
M325B CCV 5	D2602190.d	C20524	Check	1.670	1.657	1.760	0.79%		4.0%	Pass	
M325B CCV 5	D2602200.d	C70018	Check	1.699	1.657	1.760	2.5%		1.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602176.d	B52724	Cal	2.147	2.138	2.147	0.40%	-6.6%		Pass	
2026GB201 Method Blank-1	D2602177.d	C43206	Blank		2.138	2.147			1.6%	Pass	J
M325B CCV 5	D2602190.d	C20524	Check	2.113	2.138	2.147	-1.2%		5.1%	Pass	
M325B CCV 5	D2602200.d	C70018	Check	2.041	2.138	2.147	-4.5%		3.0%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602176.d	B52724	Cal	2.204	2.315	2.204	-4.8%	-6.6%		Pass	
2026GB201 Method Blank-1	D2602177.d	C43206	Blank		2.315	2.204			1.6%	Pass	ND
M325B CCV 5	D2602190.d	C20524	Check	2.202	2.315	2.204	-4.9%		5.1%	Pass	
M325B CCV 5	D2602200.d	C70018	Check	2.047	2.315	2.204	-12%		3.0%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602176.d	B52724	Cal	1.656	1.850	1.656	-10%	-6.6%		Pass	
2026GB201 Method Blank-1	D2602177.d	C43206	Blank		1.850	1.656			1.6%	Pass	ND
M325B CCV 5	D2602190.d	C20524	Check	1.646	1.850	1.656	-11%		5.1%	Pass	
M325B CCV 5	D2602200.d	C70018	Check	1.561	1.850	1.656	-16%		3.0%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602176.d	B52724	Cal	1.686	1.883	1.686	-10%	-6.6%		Pass	
2026GB201 Method Blank-1	D2602177.d	C43206	Blank		1.883	1.686			1.6%	Pass	ND
M325B CCV 5	D2602190.d	C20524	Check	1.651	1.883	1.686	-12%		5.1%	Pass	
M325B CCV 5	D2602200.d	C70018	Check	1.573	1.883	1.686	-16%		3.0%	Pass	

Chromatograms


Name	2026GB201 Method Blank-1
Comment	C43206
Data File	D2602177.d
Acq. Date-Time	4/15/2026 2:01:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,473	
Benzene	benzene-d6 (IS)	8.159	8.160	8,511	
Toluene-d8 (IS)		10.795	10.796	463,886	
Toluene	Toluene-d8 (IS)	10.889	10.889	38,444	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	1,715	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.252	2,531	
o-Xylene	Toluene-d8 (IS)	13.367	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602177.d
Counts
x10^3
* 13.367 min
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.367-13.367 min, 1 scans) D2602177.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.2
67.1
79.1
91.1
105.1
119.0
72.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260331
Comment	C37051
Data File	D2602178.d
Acq. Date-Time	4/15/2026 2:27:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	445,179	
Benzene	benzene-d6 (IS)	8.160	8.160	9,413	
Toluene-d8 (IS)		10.796	10.796	453,037	
Toluene	Toluene-d8 (IS)	10.889	10.889	25,705	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	5,910	
m-/p-Xylenes	Toluene-d8 (IS)	13.274	13.252	683	
o-Xylene	Toluene-d8 (IS)	13.597	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602178.d
Counts
x10^3
* 13.597 min.
3.25
3
2.75
2.5
2.25
2
1.75
1.5
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.597-13.597 min, 1 scans) D2602178.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.2
55.1
67.1
79.1
91.2
105.1
120.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260331
Comment	B43331
Data File	D2602179.d
Acq. Date-Time	4/15/2026 2:53:07 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	436,487	
Benzene	benzene-d6 (IS)	8.167	8.160	10,453	
Toluene-d8 (IS)		10.796	10.796	450,309	
Toluene	Toluene-d8 (IS)	10.889	10.889	30,759	
Ethylbenzene	Toluene-d8 (IS)	13.067	13.081	2,075	
m-/p-Xylenes	Toluene-d8 (IS)	13.432	13.252	ND	m
o-Xylene	Toluene-d8 (IS)	13.754	13.754	1,880	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602179.d
Counts
x10^3
13.754 min.
3
2.75
2.5
2.25
2
1.75
1.5
1.25
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.736-13.781 min, 6 scans) D2602179.d
Counts
x10^3
Lib Match Score=40.2
39.1
55.1
67.1
79.1
94.2
105.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260331
Comment	C24244
Data File	D2602180.d
Acq. Date-Time	4/15/2026 3:18:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	440,072	
Benzene	benzene-d6 (IS)	8.160	8.160	78,693	
Toluene-d8 (IS)		10.796	10.796	452,068	
Toluene	Toluene-d8 (IS)	10.889	10.889	104,987	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	20,619	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	35,258	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	10,289	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602180.d
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.728-13.783 min, 7 scans) D2602180.d
Lib Match Score=48.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
118.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260331
Comment	B44216
Data File	D2602181.d
Acq. Date-Time	4/15/2026 3:44:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,354	
Benzene	benzene-d6 (IS)	8.160	8.160	96,600	
Toluene-d8 (IS)		10.789	10.796	460,035	
Toluene	Toluene-d8 (IS)	10.889	10.889	113,449	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	24,613	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	45,447	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	14,589	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602181.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.726-13.781 min, 7 scans) D2602181.d
Counts
x10^3
Lib Match Score=50.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260331
Comment	C70167
Data File	D2602182.d
Acq. Date-Time	4/15/2026 4:10:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,965	
Benzene	benzene-d6 (IS)	8.160	8.160	96,598	
Toluene-d8 (IS)		10.796	10.796	460,597	
Toluene	Toluene-d8 (IS)	10.889	10.889	131,883	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	41,823	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	103,399	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	28,579	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602182.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.722-13.785 min, 9 scans) D2602182.d
Counts
x10^3
Lib Match Score=54.3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.2
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260331
Comment	C39175
Data File	D2602183.d
Acq. Date-Time	4/15/2026 4:35:57 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	446,291	
Benzene	benzene-d6 (IS)	8.160	8.160	103,076	
Toluene-d8 (IS)		10.796	10.796	457,571	
Toluene	Toluene-d8 (IS)	10.889	10.889	166,703	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	23,443	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	43,950	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	14,345	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602183.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.690-13.783 min, 13 scans) D2602183.d
Counts
x10^3
Lib Match Score=47.8
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260331
Comment	C37475
Data File	D2602184.d
Acq. Date-Time	4/15/2026 5:01:38 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	449,243	
Benzene	benzene-d6 (IS)	8.160	8.160	81,954	
Toluene-d8 (IS)		10.796	10.796	469,744	
Toluene	Toluene-d8 (IS)	10.889	10.889	118,264	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	21,878	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	37,655	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	13,822	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602184.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.720-13.783 min, 9 scans) D2602184.d
Counts
x10^3
Lib Match Score=49.3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.2
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260331
Comment	C39264
Data File	D2602185.d
Acq. Date-Time	4/15/2026 5:28:18 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	452,999	
Benzene	benzene-d6 (IS)	8.160	8.160	78,760	
Toluene-d8 (IS)		10.796	10.796	463,681	
Toluene	Toluene-d8 (IS)	10.889	10.889	109,616	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	18,228	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	35,410	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	13,176	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602185.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.733-13.782 min, 7 scans) D2602185.d
Counts
x10^3
Lib Match Score=48.7
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
121.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260331
Comment	C61406
Data File	D2602186.d
Acq. Date-Time	4/15/2026 5:53:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	447,842	
Benzene	benzene-d6 (IS)	8.160	8.160	95,176	
Toluene-d8 (IS)		10.796	10.796	467,780	
Toluene	Toluene-d8 (IS)	10.889	10.889	128,227	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	22,300	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	56,436	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	17,787	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602186.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.724-13.797 min, 10 scans) D2602186.d
Lib Match Score=51.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260331
Comment	B45080
Data File	D2602187.d
Acq. Date-Time	4/15/2026 6:19:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	458,750	
Benzene	benzene-d6 (IS)	8.160	8.160	106,037	
Toluene-d8 (IS)		10.796	10.796	464,414	
Toluene	Toluene-d8 (IS)	10.889	10.889	148,252	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	29,409	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	64,481	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	21,695	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602187.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.704-13.783 min, 11 scans) D2602187.d
Lib Match Score=48.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
122.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260331
Comment	B46116
Data File	D2602188.d
Acq. Date-Time	4/15/2026 6:45:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,858	
Benzene	benzene-d6 (IS)	8.159	8.160	83,578	
Toluene-d8 (IS)		10.795	10.796	459,787	
Toluene	Toluene-d8 (IS)	10.889	10.889	117,475	
Ethylbenzene	Toluene-d8 (IS)	13.080	13.081	20,887	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.252	35,958	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	12,616	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602188.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.782 min, 8 scans) D2602188.d
Counts
x10^3
Lib Match Score=49.5
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
120.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260331
Comment	C37435
Data File	D2602189.d
Acq. Date-Time	4/15/2026 7:11:17 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	457,743	
Benzene	benzene-d6 (IS)	8.160	8.160	93,335	
Toluene-d8 (IS)		10.796	10.796	468,820	
Toluene	Toluene-d8 (IS)	10.889	10.889	116,831	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	21,505	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	33,899	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	14,099	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602189.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.726-13.782 min, 7 scans) D2602189.d
Counts
x10^3
Lib Match Score=50.6
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260331
Comment	C36944
Data File	D2602191.d
Acq. Date-Time	4/15/2026 8:02:45 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,660	
Benzene	benzene-d6 (IS)	8.160	8.160	83,220	
Toluene-d8 (IS)		10.796	10.796	472,653	
Toluene	Toluene-d8 (IS)	10.889	10.889	128,764	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	20,754	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	40,965	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	14,541	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602191.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.787 min, 9 scans) D2602191.d
Counts
x10^3
Lib Match Score=48.5
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
120.1
51.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260331
Comment	C70055
Data File	D2602192.d
Acq. Date-Time	4/15/2026 8:28:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	454,267	
Benzene	benzene-d6 (IS)	8.160	8.160	89,627	
Toluene-d8 (IS)		10.789	10.796	470,114	
Toluene	Toluene-d8 (IS)	10.889	10.889	122,919	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	24,009	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	49,307	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	18,220	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602192.d
Counts
x10^4
2
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.721-13.776 min, 8 scans) D2602192.d
Counts
x10^3
Lib Match Score=50.3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260331
Comment	C71490
Data File	D2602193.d
Acq. Date-Time	4/15/2026 8:54:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,676	
Benzene	benzene-d6 (IS)	8.160	8.160	84,025	
Toluene-d8 (IS)		10.796	10.796	465,865	
Toluene	Toluene-d8 (IS)	10.889	10.889	109,864	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	17,675	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	43,134	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	15,606	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602193.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.782 min, 7 scans) D2602193.d
Counts
x10^3
Lib Match Score=51.6
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260331
Comment	B19290
Data File	D2602194.d
Acq. Date-Time	4/15/2026 9:19:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,475	
Benzene	benzene-d6 (IS)	8.160	8.160	104,313	
Toluene-d8 (IS)		10.796	10.796	466,574	
Toluene	Toluene-d8 (IS)	10.889	10.889	203,858	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	34,912	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	58,761	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	22,680	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602194.d
Counts
x10^4
2
1.5
1
0.5
0
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.727-13.812 min, 12 scans) D2602194.d
Lib Match Score=50.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260331
Comment	C38536
Data File	D2602195.d
Acq. Date-Time	4/15/2026 9:46:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	452,571	
Benzene	benzene-d6 (IS)	8.160	8.160	112,249	
Toluene-d8 (IS)		10.796	10.796	467,017	
Toluene	Toluene-d8 (IS)	10.889	10.889	203,586	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	32,957	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	58,234	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	24,309	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602195.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.714-13.797 min, 11 scans) D2602195.d
Lib Match Score=50.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
81.1
106.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260331
Comment	C55306
Data File	D2602196.d
Acq. Date-Time	4/15/2026 10:12:03 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	451,687	
Benzene	benzene-d6 (IS)	8.167	8.160	86,516	
Toluene-d8 (IS)		10.795	10.796	471,714	
Toluene	Toluene-d8 (IS)	10.889	10.889	161,427	
Ethylbenzene	Toluene-d8 (IS)	13.073	13.081	30,223	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.252	58,602	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	21,735	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602196.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.716-13.786 min, 10 scans) D2602196.d
Lib Match Score=50.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260331
Comment	C40117
Data File	D2602197.d
Acq. Date-Time	4/15/2026 10:37:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	454,240	
Benzene	benzene-d6 (IS)	8.160	8.160	120,596	
Toluene-d8 (IS)		10.796	10.796	473,196	
Toluene	Toluene-d8 (IS)	10.889	10.889	184,531	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	34,237	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	52,506	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	20,333	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602197.d
Counts
x10^4
2
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.724-13.790 min, 10 scans) D2602197.d
Counts
x10^3
Lib Match Score=51.2
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
118.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260331
Comment	B46919
Data File	D2602198.d
Acq. Date-Time	4/15/2026 11:03:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	452,915	
Benzene	benzene-d6 (IS)	8.160	8.160	112,153	
Toluene-d8 (IS)		10.796	10.796	470,684	
Toluene	Toluene-d8 (IS)	10.889	10.889	139,191	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	25,759	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	40,865	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	15,205	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602198.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.747 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.727-13.781 min, 7 scans) D2602198.d
Counts
x10^3
Lib Match Score=50.2
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.0
106.1
117.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260331
Comment	C34219
Data File	D2602199.d
Acq. Date-Time	4/15/2026 11:29:13 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	453,828	
Benzene	benzene-d6 (IS)	8.160	8.160	89,581	
Toluene-d8 (IS)		10.796	10.796	467,884	
Toluene	Toluene-d8 (IS)	10.889	10.889	136,346	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	18,277	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	30,940	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	11,335	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan D2602199.d
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.718-13.775 min, 8 scans) D2602199.d
Counts
x10^3
Lib Match Score=47.9
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)

Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	1	D2601972.d	5.98	83301	56.3	474115	1.655	-0.0011
D040726A_CC185154	Benzene	2	D2601973.d	11.96	173112	56.3	475128	1.716	0.036
D040726A_CC185154	Benzene	3	D2601974.d	23.92	360003	56.3	474359	1.788	0.079
D040726A_CC185154	Benzene	4	D2601975.d	47.83	701865	56.3	475636	1.738	0.049
D040726A_CC185154	Benzene	5	D2601982.d	120.74	1377294	56.3	482140	1.333	-0.2
D040726A_CC185154	Benzene	6	D2601977.d	239.16	3512579	56.3	480207	1.723	0.04
D040726A_CC185154	Benzene	7	D2601978.d	717.49	9955487	56.3	474355	1.648	-0.0057
						Avg:	476563	1.657	
						%RSD:	0.7%	9.1%	
D040726A_CC185154	Toluene	1	D2601972.d	5.25	98735	66.1	488961	2.540	0.19
D040726A_CC185154	Toluene	2	D2601973.d	10.50	187038	66.1	487793	2.412	0.13
D040726A_CC185154	Toluene	3	D2601974.d	21.01	364416	66.1	478365	2.396	0.12
D040726A_CC185154	Toluene	4	D2601975.d	42.01	681970	66.1	498574	2.151	0.0061
D040726A_CC185154	Toluene	5	D2601982.d	106.04	1255918	66.1	480361	1.629	-0.24
D040726A_CC185154	Toluene	6	D2601977.d	210.06	3098245	66.1	501234	1.944	-0.091
D040726A_CC185154	Toluene	7	D2601978.d	630.17	8810137	66.1	487817	1.893	-0.11
						Avg:	489015	2.138	
						%RSD:	1.7%	15.5%	
D040726A_CC185154	Ethylbenzene	1	D2601972.d	5.46	98587	66.1	488961	2.441	0.054
D040726A_CC185154	Ethylbenzene	2	D2601973.d	10.92	191396	66.1	487793	2.375	0.026
D040726A_CC185154	Ethylbenzene	3	D2601974.d	21.83	424072	66.1	478365	2.683	0.16
D040726A_CC185154	Ethylbenzene	4	D2601975.d	43.66	853901	66.1	498574	2.591	0.12
D040726A_CC185154	Ethylbenzene	5	D2601982.d	110.21	1462291	66.1	480361	1.825	-0.21
D040726A_CC185154	Ethylbenzene	6	D2601977.d	218.31	3588565	66.1	501234	2.167	-0.064
D040726A_CC185154	Ethylbenzene	7	D2601978.d	654.94	10257434	66.1	487817	2.121	-0.084
						Avg:	489015	2.315	
						%RSD:	1.7%	12.9%	
D040726A_CC185154	m-/p-Xylenes	1	D2601972.d	6.12	93635	66.1	488961	2.068	0.12
D040726A_CC185154	m-/p-Xylenes	2	D2601973.d	12.23	164118	66.1	487793	1.817	-0.018
D040726A_CC185154	m-/p-Xylenes	3	D2601974.d	24.47	383883	66.1	478365	2.167	0.17
D040726A_CC185154	m-/p-Xylenes	4	D2601975.d	48.93	750706	66.1	498574	2.033	0.099
D040726A_CC185154	m-/p-Xylenes	5	D2601982.d	123.52	1338750	66.1	480361	1.491	-0.19
D040726A_CC185154	m-/p-Xylenes	6	D2601977.d	244.67	3122200	66.1	501234	1.682	-0.091
D040726A_CC185154	m-/p-Xylenes	7	D2601978.d	734.01	9179744	66.1	487817	1.694	-0.085
						Avg:	489015	1.850	
						%RSD:	1.7%	13.3%	
D040726A_CC185154	o-Xylene	1	D2601972.d	5.69	89361	66.1	488961	2.122	0.13
D040726A_CC185154	o-Xylene	2	D2601973.d	11.38	162805	66.1	487793	1.938	0.029
D040726A_CC185154	o-Xylene	3	D2601974.d	22.75	357275	66.1	478365	2.169	0.15

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GB201-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	o-Xylene	4	D2601975.d	45.51	710513	66.1	498574	2.069	0.099
D040726A_CC185154	o-Xylene	5	D2601982.d	114.87	1268454	66.1	480361	1.519	-0.19
D040726A_CC185154	o-Xylene	6	D2601977.d	227.54	2930762	66.1	501234	1.698	-0.098
D040726A_CC185154	o-Xylene	7	D2601978.d	682.62	8389331	66.1	487817	1.664	-0.12
						Avg:	489015	1.883	
						%RSD:	1.7%	13.6%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	ICV	D2601979.d	178.34	2264657	56.3	480353	1.489	-10.0%
D040726A_CC185154	Toluene	ICV	D2601979.d	182.62	2373487	66.1	488019	1.759	-18.0%
D040726A_CC185154	Ethylbenzene	ICV	D2601979.d	180.57	2663581	66.1	488019	1.997	-14.0%
D040726A_CC185154	m-/p-Xylenes	ICV	D2601979.d	183.38	2085662	66.1	488019	1.540	-17.0%
D040726A_CC185154	o-Xylene	ICV	D2601979.d	183.73	2121448	66.1	488019	1.563	-17.0%

M325B PDF Report ver.20260203

Sample Custody

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

ENTHALPY ANALYTICAL

2026GB201

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Global South Portland	**Client Name:**	Montrose Air Quality Services, LLC	**PO#:**	
Site Address:	1 Clark Road	**Project Number:**	PROJ-031333	**Sample Event #**	2026GB202
City:	South Portland	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@montrose-env.com		
Zip:	04106	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C24244	S	3/31/26	12:36 PM	4/14/26	11:22 AM	KV/BC		
2	B44216	S	3/31/26	12:38 PM	4/14/26	11:25 AM	KV/BC		
3	C70167	S	3/31/26	12:40 PM	4/14/26	11:30 AM	KV/BC		
4	C39175	S	3/31/26	12:54 PM	4/14/26	11:35 AM	KV/BC		
5	C37475	S	3/31/26	12:52 PM	4/14/26	11:40 AM	KV/BC		
5	C39264	D	3/31/26	12:52 PM	4/14/26	11:40 AM	KV/BC		
5	C37051	B	3/31/26	12:52 PM	4/14/26	11:40 AM	KV/BC		
6	C61406	S	3/31/26	12:50 PM	4/14/26	11:42 AM	KV/BC		
7	B45080	S	3/31/26	12:48 PM	4/14/26	11:46 AM	KV/BC		
8	B46116	S	3/31/26	12:46 PM	4/14/26	11:48 AM	KV/BC		
9	C37435	S	3/31/26	1:12 PM	4/14/26	11:52 AM	KV/BC		
10	C36944	S	3/31/26	1:16 PM	4/14/26	11:57 AM	KV/BC		
11	C70055	S	3/31/26	1:22 PM	4/14/26	12:00 PM	KV/BC		
12	C71490	S	3/31/26	1:30 PM	4/14/26	12:04 PM	KV/BC		
13	B19290	S	3/31/26	1:34 PM	4/14/26	12:09 PM	KV/BC		
14	C38536	S	3/31/26	1:37 PM	4/14/26	12:14 PM	KV/BC		
14	C55306	D	3/31/26	1:40 PM	4/14/26	12:14 PM	KV/BC		
14	B43331	B	3/31/26	1:40 PM	4/14/26	12:14 PM	KV/BC		
15	C40117	S	3/31/26	1:40 PM	4/14/26	12:17 PM	KV/BC		
16	B46919	S	3/31/26	1:43 PM	4/14/26	12:20 PM	KV/BC		
17	C34219	S	3/31/26	1:27 PM	4/14/26	12:24 PM	KV/BC		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Benjamin Curry	BC	4/14/2026	16:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Anella McCamy		4/15/26	10:00 AM

Sample Condition Upon Receipt:			Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
Good			Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Ice Temp:	Blank Temp: 14.5°	FLUKE3		Add Custody Seal # below: 25E08751	

Comments:

This Is The Last Page Of This Report.

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 46 Global - South Portland

Client Project# PROJ-031333
Samples Received: 4/29/2026

Analytical Report
2026GB202

EPA Method 325B Analysis

Report Issue Date: 5/6/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 12
Chromatograms 16
Initial Calibration 83
Sample Custody 86
    Chain of Custody 87

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB202-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on April 29, 2026 at 16.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260414	C56804	Sample
GLBSP-2-S-20260414	C33512	Sample
GLBSP-3-S-20260414	C60217	Sample
GLBSP-4-S-20260414	B47147	Sample
GLBSP-5-S-20260414	C70114	Sample
GLBSP-5-D-20260414	C67416	Duplicate
GLBSP-5-B-20260414	C38552	Blank
GLBSP-6-S-20260414	C43660	Sample
GLBSP-7-S-20260414	B33564	Sample
GLBSP-8-S-20260414	C34155	Sample
GLBSP-9-S-20260414	C53584	Sample
GLBSP-10-S-20260414	C55561	Sample
GLBSP-11-S-20260414	B35529	Sample
GLBSP-12-S-20260414	C61445	Sample
GLBSP-13-S-20260414	C65306	Sample
GLBSP-14-S-20260414	C73607	Sample
GLBSP-14-D-20260414	C43877	Duplicate
GLBSP-14-B-20260414	C57730	Blank
GLBSP-15-S-20260414	C38939	Sample
GLBSP-16-S-20260414	C55724	Sample
GLBSP-17-S-20260414	C17241	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB202-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260414	C56804	0.545		1.50		0.278	ND	0.632	J	0.278	ND
GLBSP-2-S-20260414	C33512	0.587		1.72		0.513	J	1.28		0.362	J
GLBSP-3-S-20260414	C60217	0.718		2.15		0.506	J	1.62		0.509	J
GLBSP-4-S-20260414	B47147	0.804		1.76		0.277	ND	0.602	J	0.277	ND
GLBSP-5-S-20260414	C70114	0.733		2.09		0.360	J	1.00		0.358	J
GLBSP-5-D-20260414	C67416	0.690		1.91		0.321	J	0.955		0.329	J
GLBSP-5-B-20260414	C38552	0.191	ND	0.246	ND	0.278	ND	0.278	ND	0.278	ND
GLBSP-6-S-20260414	C43660	0.669		2.19		0.365	J	0.899		0.306	J
GLBSP-7-S-20260414	B33564	0.767		2.79		0.516	J	1.33		0.434	J
GLBSP-8-S-20260414	C34155	0.667		1.94		0.359	J	0.829		0.293	J
GLBSP-9-S-20260414	C53584	0.640		1.66		0.296	J	0.697		0.278	ND
GLBSP-10-S-20260414	C55561	0.573		1.68		0.278	ND	0.678		0.278	ND
GLBSP-11-S-20260414	B35529	0.593		1.59		0.278	ND	0.618	J	0.278	ND
GLBSP-12-S-20260414	C61445	0.535		1.32		0.278	ND	0.658	J	0.278	ND
GLBSP-13-S-20260414	C65306	0.574		1.60		0.380	J	1.12		0.417	J
GLBSP-14-S-20260414	C73607	0.573		1.50		0.278	ND	0.832		0.311	J
GLBSP-14-D-20260414	C43877	0.564		1.57		0.344	J	0.871		0.323	J
GLBSP-14-B-20260414	C57730	0.191	ND	0.257	J	0.278	ND	0.278	ND	0.278	ND
GLBSP-15-S-20260414	C38939	0.446	J	1.24		0.278	ND	0.561	J	0.278	ND
GLBSP-16-S-20260414	C55724	0.487		1.29		0.300	J	0.752		0.278	ND
GLBSP-17-S-20260414	C17241	0.480		1.31		0.278	ND	0.486	J	0.278	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260414	C56804	0.545	0.171	7.15	45.4	0.650	20187	0.191	0.454	0.0597	0.142		F2602904.D	2026-04-29 23:37	0.930	7.932	37813	320403	56.3	7.877	-15.7%
GLBSP-2-S-20260414	C33512	0.587	0.184	7.71	45.4	0.650	20186	0.191	0.454	0.0597	0.142		F2602905.D	2026-04-30 00:02	0.930	7.938	39408	309786	56.3	7.877	-18.5%
GLBSP-3-S-20260414	C60217	0.718	0.225	9.42	45.4	0.650	20182	0.191	0.455	0.0597	0.142		F2602906.D	2026-04-30 00:26	0.930	7.932	49931	321107	56.3	7.877	-15.5%
GLBSP-4-S-20260414	B47147	0.804	0.252	10.6	45.4	0.650	20190	0.191	0.454	0.0597	0.142		F2602907.D	2026-04-30 00:50	0.930	7.932	52657	302228	56.3	7.877	-20.5%
GLBSP-5-S-20260414	C70114	0.733	0.230	9.62	45.4	0.650	20182	0.191	0.455	0.0597	0.142		F2602908.D	2026-04-30 01:14	0.930	7.932	50320	316919	56.3	7.877	-16.6%
GLBSP-5-D-20260414	C67416	0.690	0.216	9.05	45.4	0.650	20182	0.191	0.455	0.0597	0.142		F2602909.D	2026-04-30 01:39	0.930	7.938	47560	318447	56.3	7.877	-16.2%
GLBSP-5-B-20260414	C38552	0.191	0.0597		45.4	0.650	20182	0.191	0.455	0.0597	0.142	ND	F2602903.D	2026-04-29 23:13	0.930	7.938	5638	330063	56.3	7.877	-13.2%
GLBSP-6-S-20260414	C43660	0.669	0.210	8.78	45.4	0.650	20179	0.191	0.455	0.0597	0.142		F2602910.D	2026-04-30 02:03	0.930	7.932	45803	316036	56.3	7.877	-16.9%
GLBSP-7-S-20260414	B33564	0.767	0.240	10.1	45.4	0.650	20174	0.191	0.455	0.0597	0.142		F2602911.D	2026-04-30 02:27	0.930	7.938	50631	305002	56.3	7.877	-19.8%
GLBSP-8-S-20260414	C34155	0.667	0.209	8.74	45.4	0.650	20170	0.191	0.455	0.0597	0.142		F2602912.D	2026-04-30 02:51	0.930	7.932	42234	292626	56.3	7.877	-23.0%
GLBSP-9-S-20260414	C53584	0.640	0.200	8.39	45.4	0.650	20183	0.191	0.455	0.0597	0.142		F2602913.D	2026-04-30 03:16	0.930	7.932	43846	316525	56.3	7.877	-16.7%
GLBSP-10-S-20260414	C55561	0.573	0.179	7.51	45.4	0.650	20181	0.191	0.455	0.0597	0.142		F2602915.D	2026-04-30 04:06	0.930	7.932	37435	301794	56.3	7.877	-20.6%
GLBSP-11-S-20260414	B35529	0.593	0.186	7.78	45.4	0.650	20181	0.191	0.455	0.0597	0.142		F2602916.D	2026-04-30 04:30	0.930	7.932	40538	315520	56.3	7.877	-17.0%
GLBSP-12-S-20260414	C61445	0.535	0.168	7.03	45.4	0.650	20186	0.191	0.454	0.0597	0.142		F2602917.D	2026-04-30 04:55	0.930	7.939	33523	289064	56.3	7.877	-24.0%
GLBSP-13-S-20260414	C65306	0.574	0.180	7.53	45.4	0.650	20184	0.191	0.455	0.0597	0.142		F2602918.D	2026-04-30 05:20	0.930	7.938	48482	390070	56.3	7.877	2.6%
GLBSP-14-S-20260414	C73607	0.573	0.179	7.51	45.4	0.650	20181	0.191	0.455	0.0597	0.142		F2602919.D	2026-04-30 05:45	0.930	7.932	48778	393337	56.3	7.877	3.5%
GLBSP-14-D-20260414	C43877	0.564	0.177	7.40	45.4	0.650	20181	0.191	0.455	0.0597	0.142		F2602920.D	2026-04-30 06:12	0.930	7.938	48205	394720	56.3	7.877	3.8%
GLBSP-14-B-20260414	C57730	0.191	0.0597		45.4	0.650	20181	0.191	0.455	0.0597	0.142	ND	F2602921.D	2026-04-30 06:37	0.930	7.938	3309	393637	56.3	7.877	3.6%
GLBSP-15-S-20260414	C38939	0.446	0.140	5.84	45.4	0.650	20180	0.191	0.455	0.0597	0.142	J	F2602922.D	2026-04-30 07:02	0.930	7.938	37779	391545	56.3	7.877	3.0%
GLBSP-16-S-20260414	C55724	0.487	0.153	6.39	45.4	0.650	20180	0.191	0.455	0.0597	0.142		F2602923.D	2026-04-30 07:28	0.930	7.939	41487	393306	56.3	7.877	3.5%
GLBSP-17-S-20260414	C17241	0.480	0.150	6.29	45.4	0.650	20163	0.191	0.455	0.0597	0.143		F2602924.D	2026-04-30 07:53	0.930	7.932	40976	394634	56.3	7.877	3.8%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260414	C56804	1.50	0.398	15.3	45.4	0.504	20187	0.245	0.514	0.0652	0.137		F2602904.D	2026-04-29 23:37	1.112	10.661	83837	326373	66.1	10.569	-20.2%
GLBSP-2-S-20260414	C33512	1.72	0.456	17.5	45.4	0.504	20186	0.246	0.514	0.0652	0.137		F2602905.D	2026-04-30 00:02	1.112	10.661	96445	327904	66.1	10.569	-19.8%
GLBSP-3-S-20260414	C60217	2.15	0.572	21.9	45.4	0.504	20182	0.246	0.514	0.0652	0.137		F2602906.D	2026-04-30 00:26	1.112	10.661	119695	324380	66.1	10.569	-20.7%
GLBSP-4-S-20260414	B47147	1.76	0.467	17.9	45.4	0.504	20190	0.245	0.514	0.0652	0.137		F2602907.D	2026-04-30 00:50	1.112	10.661	94548	313433	66.1	10.569	-23.3%
GLBSP-5-S-20260414	C70114	2.09	0.555	21.3	45.4	0.504	20182	0.246	0.514	0.0652	0.137		F2602908.D	2026-04-30 01:14	1.112	10.661	112832	315056	66.1	10.569	-22.9%
GLBSP-5-D-20260414	C67416	1.91	0.508	19.5	45.4	0.504	20182	0.246	0.514	0.0652	0.137		F2602909.D	2026-04-30 01:39	1.112	10.661	109110	332889	66.1	10.563	-18.6%
GLBSP-5-B-20260414	C38552	0.246	0.0652		45.4	0.504	20182	0.246	0.514	0.0652	0.137	ND	F2602903.D	2026-04-29 23:13	1.112	10.661	10267	338809	66.1	10.569	-17.1%
GLBSP-6-S-20260414	C43660	2.19	0.582	22.3	45.4	0.504	20179	0.246	0.514	0.0652	0.137		F2602910.D	2026-04-30 02:03	1.112	10.661	120543	321005	66.1	10.569	-21.5%
GLBSP-7-S-20260414	B33564	2.79	0.741	28.4	45.4	0.504	20174	0.246	0.515	0.0652	0.137		F2602911.D	2026-04-30 02:27	1.112	10.661	146782	306871	66.1	10.569	-24.9%
GLBSP-8-S-20260414	C34155	1.94	0.514	19.7	45.4	0.504	20170	0.246	0.515	0.0652	0.137		F2602912.D	2026-04-30 02:51	1.112	10.661	103116	310764	66.1	10.569	-24.0%
GLBSP-9-S-20260414	C53584	1.66	0.440	16.9	45.4	0.504	20183	0.246	0.514	0.0652	0.137		F2602913.D	2026-04-30 03:16	1.112	10.661	94530	332975	66.1	10.563	-18.6%
GLBSP-10-S-20260414	C55561	1.68	0.447	17.1	45.4	0.504	20181	0.246	0.514	0.0652	0.137		F2602915.D	2026-04-30 04:06	1.112	10.661	90632	313967	66.1	10.569	-23.2%
GLBSP-11-S-20260414	B35529	1.59	0.422	16.2	45.4	0.504	20181	0.246	0.514	0.0652	0.137		F2602916.D	2026-04-30 04:30	1.112	10.661	89028	327109	66.1	10.569	-20.0%
GLBSP-12-S-20260414	C61445	1.32	0.351	13.5	45.4	0.504	20186	0.246	0.514	0.0652	0.137		F2602917.D	2026-04-30 04:55	1.112	10.655	69142	304735	66.1	10.563	-25.5%
GLBSP-13-S-20260414	C65306	1.60	0.424	16.3	45.4	0.504	20184	0.246	0.514	0.0652	0.137		F2602918.D	2026-04-30 05:20	1.112	10.655	112644	411412	66.1	10.563	0.6%
GLBSP-14-S-20260414	C73607	1.50	0.398	15.3	45.4	0.504	20181	0.246	0.514	0.0652	0.137		F2602919.D	2026-04-30 05:45	1.112	10.661	105861	411897	66.1	10.563	0.8%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260414	C43877	1.57	0.417	16.0	45.4	0.504	20181	0.246	0.514	0.0652	0.137		F2602920.D	2026-04-30 06:12	1.112	10.661	110922	412568	66.1	10.563	0.9%
GLBSP-14-B-20260414	C57730	0.257	0.0681	2.61	45.4	0.504	20181	0.246	0.514	0.0652	0.137	J	F2602921.D	2026-04-30 06:37	1.112	10.661	18193	413799	66.1	10.563	1.2%
GLBSP-15-S-20260414	C38939	1.24	0.328	12.6	45.4	0.504	20180	0.246	0.514	0.0652	0.137		F2602922.D	2026-04-30 07:02	1.112	10.661	87870	414771	66.1	10.563	1.5%
GLBSP-16-S-20260414	C55724	1.29	0.343	13.1	45.4	0.504	20180	0.246	0.514	0.0652	0.137		F2602923.D	2026-04-30 07:28	1.112	10.661	91413	413457	66.1	10.563	1.1%
GLBSP-17-S-20260414	C17241	1.31	0.349	13.4	45.4	0.504	20163	0.246	0.515	0.0653	0.137		F2602924.D	2026-04-30 07:53	1.112	10.661	93484	415763	66.1	10.563	1.7%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260414	C56804	0.278	0.0640		45.4	0.446	20187	0.278	0.604	0.0640	0.139	ND	F2602904.D	2026-04-29 23:37	1.220	12.845	14481	326373	66.1	10.569	-20.2%
GLBSP-2-S-20260414	C33512	0.513	0.118	4.62	45.4	0.446	20186	0.278	0.604	0.0640	0.139	J	F2602905.D	2026-04-30 00:02	1.220	12.845	27981	327904	66.1	10.569	-19.8%
GLBSP-3-S-20260414	C60217	0.506	0.117	4.56	45.4	0.446	20182	0.278	0.604	0.0640	0.139	J	F2602906.D	2026-04-30 00:26	1.220	12.845	27286	324380	66.1	10.569	-20.7%
GLBSP-4-S-20260414	B47147	0.277	0.0639		45.4	0.446	20190	0.277	0.604	0.0639	0.139	ND	F2602907.D	2026-04-30 00:50	1.220	12.845	11870	313433	66.1	10.569	-23.3%
GLBSP-5-S-20260414	C70114	0.360	0.0830	3.24	45.4	0.446	20182	0.278	0.604	0.0640	0.139	J	F2602908.D	2026-04-30 01:14	1.220	12.845	18870	315056	66.1	10.569	-22.9%
GLBSP-5-D-20260414	C67416	0.321	0.0739	2.89	45.4	0.446	20182	0.278	0.604	0.0640	0.139	J	F2602909.D	2026-04-30 01:39	1.220	12.845	17750	332889	66.1	10.563	-18.6%
GLBSP-5-B-20260414	C38552	0.278	0.0640		45.4	0.446	20182	0.278	0.604	0.0640	0.139	ND	F2602903.D	2026-04-29 23:13	1.220	12.845	1691	338809	66.1	10.569	-17.1%
GLBSP-6-S-20260414	C43660	0.365	0.0841	3.29	45.4	0.446	20179	0.278	0.604	0.0640	0.139	J	F2602910.D	2026-04-30 02:03	1.220	12.845	19482	321005	66.1	10.569	-21.5%
GLBSP-7-S-20260414	B33564	0.516	0.119	4.65	45.4	0.446	20174	0.278	0.605	0.0640	0.139	J	F2602911.D	2026-04-30 02:27	1.220	12.845	26331	306871	66.1	10.569	-24.9%
GLBSP-8-S-20260414	C34155	0.359	0.0828	3.24	45.4	0.446	20170	0.278	0.605	0.0640	0.139	J	F2602912.D	2026-04-30 02:51	1.220	12.845	18568	310764	66.1	10.569	-24.0%
GLBSP-9-S-20260414	C53584	0.296	0.0682	2.67	45.4	0.446	20183	0.278	0.604	0.0640	0.139	J	F2602913.D	2026-04-30 03:16	1.220	12.845	16394	332975	66.1	10.563	-18.6%
GLBSP-10-S-20260414	C55561	0.278	0.0640		45.4	0.446	20181	0.278	0.604	0.0640	0.139	ND	F2602915.D	2026-04-30 04:06	1.220	12.845	14402	313967	66.1	10.569	-23.2%
GLBSP-11-S-20260414	B35529	0.278	0.0640		45.4	0.446	20181	0.278	0.604	0.0640	0.139	ND	F2602916.D	2026-04-30 04:30	1.220	12.845	15066	327109	66.1	10.569	-20.0%
GLBSP-12-S-20260414	C61445	0.278	0.0640		45.4	0.446	20186	0.278	0.604	0.0640	0.139	ND	F2602917.D	2026-04-30 04:55	1.220	12.845	11906	304735	66.1	10.563	-25.5%
GLBSP-13-S-20260414	C65306	0.380	0.0875	3.42	45.4	0.446	20184	0.278	0.604	0.0640	0.139	J	F2602918.D	2026-04-30 05:20	1.220	12.845	25995	411412	66.1	10.563	0.6%
GLBSP-14-S-20260414	C73607	0.278	0.0640		45.4	0.446	20181	0.278	0.604	0.0640	0.139	ND	F2602919.D	2026-04-30 05:45	1.220	12.845	18696	411897	66.1	10.563	0.8%
GLBSP-14-D-20260414	C43877	0.344	0.0793	3.10	45.4	0.446	20181	0.278	0.604	0.0640	0.139	J	F2602920.D	2026-04-30 06:12	1.220	12.845	23616	412568	66.1	10.563	0.9%
GLBSP-14-B-20260414	C57730	0.278	0.0640		45.4	0.446	20181	0.278	0.604	0.0640	0.139	ND	F2602921.D	2026-04-30 06:37	1.220	12.845	936	413799	66.1	10.563	1.2%
GLBSP-15-S-20260414	C38939	0.278	0.0640		45.4	0.446	20180	0.278	0.604	0.0640	0.139	ND	F2602922.D	2026-04-30 07:02	1.220	12.845	14588	414771	66.1	10.563	1.5%
GLBSP-16-S-20260414	C55724	0.300	0.0692	2.70	45.4	0.446	20180	0.278	0.604	0.0640	0.139	J	F2602923.D	2026-04-30 07:28	1.220	12.845	20638	413457	66.1	10.563	1.1%
GLBSP-17-S-20260414	C17241	0.278	0.0640		45.4	0.446	20163	0.278	0.605	0.0640	0.139	ND	F2602924.D	2026-04-30 07:53	1.220	12.845	12588	415763	66.1	10.563	1.7%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260414	C56804	0.632	0.146	5.70	45.4	0.446	20187	0.278	0.677	0.0640	0.156	J	F2602904.D	2026-04-29 23:37	0.980	13.022	27595	326373	66.1	10.569	-20.2%
GLBSP-2-S-20260414	C33512	1.28	0.295	11.5	45.4	0.446	20186	0.278	0.677	0.0640	0.156		F2602905.D	2026-04-30 00:02	0.980	13.022	56039	327904	66.1	10.569	-19.8%
GLBSP-3-S-20260414	C60217	1.62	0.373	14.6	45.4	0.446	20182	0.278	0.677	0.0640	0.156		F2602906.D	2026-04-30 00:26	0.980	13.022	70119	324380	66.1	10.569	-20.7%
GLBSP-4-S-20260414	B47147	0.602	0.139	5.43	45.4	0.446	20190	0.277	0.677	0.0639	0.156	J	F2602907.D	2026-04-30 00:50	0.980	13.022	25236	313433	66.1	10.569	-23.3%
GLBSP-5-S-20260414	C70114	1.00	0.231	9.03	45.4	0.446	20182	0.278	0.677	0.0640	0.156		F2602908.D	2026-04-30 01:14	0.980	13.022	42215	315056	66.1	10.569	-22.9%
GLBSP-5-D-20260414	C67416	0.955	0.220	8.60	45.4	0.446	20182	0.278	0.677	0.0640	0.156		F2602909.D	2026-04-30 01:39	0.980	13.022	42503	332889	66.1	10.563	-18.6%
GLBSP-5-B-20260414	C38552	0.278	0.0640		45.4	0.446	20182	0.278	0.677	0.0640	0.156	ND	F2602903.D	2026-04-29 23:13	0.980	13.022	771	338809	66.1	10.569	-17.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260414	C43660	0.899	0.207	8.10	45.4	0.446	20179	0.278	0.677	0.0640	0.156		F2602910.D	2026-04-30 02:03	0.980	13.022	38581	321005	66.1	10.569	-21.5%
GLBSP-7-S-20260414	B33564	1.33	0.306	12.0	45.4	0.446	20174	0.278	0.678	0.0640	0.156		F2602911.D	2026-04-30 02:27	0.980	13.022	54500	306871	66.1	10.569	-24.9%
GLBSP-8-S-20260414	C34155	0.829	0.191	7.46	45.4	0.446	20170	0.278	0.678	0.0640	0.156		F2602912.D	2026-04-30 02:51	0.980	13.022	34423	310764	66.1	10.569	-24.0%
GLBSP-9-S-20260414	C53584	0.697	0.161	6.28	45.4	0.446	20183	0.278	0.677	0.0640	0.156		F2602913.D	2026-04-30 03:16	0.980	13.022	31010	332975	66.1	10.563	-18.6%
GLBSP-10-S-20260414	C55561	0.678	0.156	6.10	45.4	0.446	20181	0.278	0.677	0.0640	0.156		F2602915.D	2026-04-30 04:06	0.980	13.022	28442	313967	66.1	10.569	-23.2%
GLBSP-11-S-20260414	B35529	0.618	0.143	5.57	45.4	0.446	20181	0.278	0.677	0.0640	0.156	J	F2602916.D	2026-04-30 04:30	0.980	13.022	27038	327109	66.1	10.569	-20.0%
GLBSP-12-S-20260414	C61445	0.658	0.152	5.93	45.4	0.446	20186	0.278	0.677	0.0640	0.156	J	F2602917.D	2026-04-30 04:55	0.980	13.022	26795	304735	66.1	10.563	-25.5%
GLBSP-13-S-20260414	C65306	1.12	0.259	10.1	45.4	0.446	20184	0.278	0.677	0.0640	0.156		F2602918.D	2026-04-30 05:20	0.980	13.022	61755	411412	66.1	10.563	0.6%
GLBSP-14-S-20260414	C73607	0.832	0.192	7.49	45.4	0.446	20181	0.278	0.677	0.0640	0.156		F2602919.D	2026-04-30 05:45	0.980	13.016	45791	411897	66.1	10.563	0.8%
GLBSP-14-D-20260414	C43877	0.871	0.201	7.84	45.4	0.446	20181	0.278	0.677	0.0640	0.156		F2602920.D	2026-04-30 06:12	0.980	13.022	48014	412568	66.1	10.563	0.9%
GLBSP-14-B-20260414	C57730	0.278	0.0640		45.4	0.446	20181	0.278	0.677	0.0640	0.156	ND	F2602921.D	2026-04-30 06:37	0.980	13.028	674	413799	66.1	10.563	1.2%
GLBSP-15-S-20260414	C38939	0.561	0.129	5.05	45.4	0.446	20180	0.278	0.677	0.0640	0.156	J	F2602922.D	2026-04-30 07:02	0.980	13.022	31111	414771	66.1	10.563	1.5%
GLBSP-16-S-20260414	C55724	0.752	0.173	6.77	45.4	0.446	20180	0.278	0.677	0.0640	0.156		F2602923.D	2026-04-30 07:28	0.980	13.022	41535	413457	66.1	10.563	1.1%
GLBSP-17-S-20260414	C17241	0.486	0.112	4.37	45.4	0.446	20163	0.278	0.678	0.0640	0.156	J	F2602924.D	2026-04-30 07:53	0.980	13.022	26980	415763	66.1	10.563	1.7%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260414	C56804	0.278	0.0640		45.4	0.446	20187	0.278	0.630	0.0640	0.145	ND	F2602904.D	2026-04-29 23:37	1.030	13.524	9329	326373	66.1	10.569	-20.2%
GLBSP-2-S-20260414	C33512	0.362	0.0835	3.26	45.4	0.446	20186	0.278	0.630	0.0640	0.145	J	F2602905.D	2026-04-30 00:02	1.030	13.524	16671	327904	66.1	10.569	-19.8%
GLBSP-3-S-20260414	C60217	0.509	0.117	4.59	45.4	0.446	20182	0.278	0.630	0.0640	0.145	J	F2602906.D	2026-04-30 00:26	1.030	13.524	23186	324380	66.1	10.569	-20.7%
GLBSP-4-S-20260414	B47147	0.277	0.0639		45.4	0.446	20190	0.277	0.630	0.0639	0.145	ND	F2602907.D	2026-04-30 00:50	1.030	13.524	8736	313433	66.1	10.569	-23.3%
GLBSP-5-S-20260414	C70114	0.358	0.0824	3.22	45.4	0.446	20182	0.278	0.630	0.0640	0.145	J	F2602908.D	2026-04-30 01:14	1.030	13.524	15818	315056	66.1	10.569	-22.9%
GLBSP-5-D-20260414	C67416	0.329	0.0759	2.97	45.4	0.446	20182	0.278	0.630	0.0640	0.145	J	F2602909.D	2026-04-30 01:39	1.030	13.524	15384	332889	66.1	10.563	-18.6%
GLBSP-5-B-20260414	C38552	0.278	0.0640		45.4	0.446	20182	0.278	0.630	0.0640	0.145	ND	F2602903.D	2026-04-29 23:13	1.030	13.524	356	338809	66.1	10.569	-17.1%
GLBSP-6-S-20260414	C43660	0.306	0.0706	2.76	45.4	0.446	20179	0.278	0.630	0.0640	0.145	J	F2602910.D	2026-04-30 02:03	1.030	13.524	13797	321005	66.1	10.569	-21.5%
GLBSP-7-S-20260414	B33564	0.434	0.100	3.91	45.4	0.446	20174	0.278	0.630	0.0640	0.145	J	F2602911.D	2026-04-30 02:27	1.030	13.524	18696	306871	66.1	10.569	-24.9%
GLBSP-8-S-20260414	C34155	0.293	0.0676	2.64	45.4	0.446	20170	0.278	0.630	0.0640	0.145	J	F2602912.D	2026-04-30 02:51	1.030	13.524	12785	310764	66.1	10.569	-24.0%
GLBSP-9-S-20260414	C53584	0.278	0.0640		45.4	0.446	20183	0.278	0.630	0.0640	0.145	ND	F2602913.D	2026-04-30 03:16	1.030	13.524	11681	332975	66.1	10.563	-18.6%
GLBSP-10-S-20260414	C55561	0.278	0.0640		45.4	0.446	20181	0.278	0.630	0.0640	0.145	ND	F2602915.D	2026-04-30 04:06	1.030	13.524	10407	313967	66.1	10.569	-23.2%
GLBSP-11-S-20260414	B35529	0.278	0.0640		45.4	0.446	20181	0.278	0.630	0.0640	0.145	ND	F2602916.D	2026-04-30 04:30	1.030	13.524	10077	327109	66.1	10.569	-20.0%
GLBSP-12-S-20260414	C61445	0.278	0.0640		45.4	0.446	20186	0.278	0.630	0.0640	0.145	ND	F2602917.D	2026-04-30 04:55	1.030	13.524	10554	304735	66.1	10.563	-25.5%
GLBSP-13-S-20260414	C65306	0.417	0.0962	3.76	45.4	0.446	20184	0.278	0.630	0.0640	0.145	J	F2602918.D	2026-04-30 05:20	1.030	13.524	24096	411412	66.1	10.563	0.6%
GLBSP-14-S-20260414	C73607	0.311	0.0717	2.80	45.4	0.446	20181	0.278	0.630	0.0640	0.145	J	F2602919.D	2026-04-30 05:45	1.030	13.524	17986	411897	66.1	10.563	0.8%
GLBSP-14-D-20260414	C43877	0.323	0.0743	2.91	45.4	0.446	20181	0.278	0.630	0.0640	0.145	J	F2602920.D	2026-04-30 06:12	1.030	13.524	18679	412568	66.1	10.563	0.9%
GLBSP-14-B-20260414	C57730	0.278	0.0640		45.4	0.446	20181	0.278	0.630	0.0640	0.145	ND	F2602921.D	2026-04-30 06:37	1.030	13.524	347	413799	66.1	10.563	1.2%
GLBSP-15-S-20260414	C38939	0.278	0.0640		45.4	0.446	20180	0.278	0.630	0.0640	0.145	ND	F2602922.D	2026-04-30 07:02	1.030	13.524	11840	414771	66.1	10.563	1.5%
GLBSP-16-S-20260414	C55724	0.278	0.0640		45.4	0.446	20180	0.278	0.630	0.0640	0.145	ND	F2602923.D	2026-04-30 07:28	1.030	13.524	15734	413457	66.1	10.563	1.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260414	C17241	0.278	0.0640		45.4	0.446	20163	0.278	0.631	0.0640	0.145	ND	F2602924.D	2026-04-30 07:53	1.030	13.524	10417	415763	66.1	10.563	1.7%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260414	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260414	ND	Pass	0.257	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260414	6.1%	Pass	8.9%	Pass	12%	Pass	4.8%	Pass	8.3%	Pass
	GLBSP-14-D-20260414	1.5%	Pass	4.5%	Pass	ND	Pass	4.6%	Pass	3.6%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602884.D	C55515	Cal	0.930	0.904	0.930	2.9%	-30%		Pass	
M325B CCV 5 REC	F2602901.D	C55515	Check	0.939	0.904	0.930	3.9%		-7.0%	Pass	
2026GB202 Method Blank 1	F2602902.D	C36866	Blank		0.904	0.930			-8.5%	Pass	ND
M325B CCV 5	F2602914.D	B44226	Check	0.953	0.904	0.930	5.4%		-2.1%	Pass	
M325B CCV 5 REC	F2602925.D	B44226	Check	0.868	0.904	0.930	-4.0%		-5.8%	Pass	TF

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602884.D	C55515	Cal	1.112	1.091	1.112	1.9%	-35%		Pass	
M325B CCV 5 REC	F2602901.D	C55515	Check	1.137	1.091	1.112	4.3%		-10%	Pass	
2026GB202 Method Blank 1	F2602902.D	C36866	Blank		1.091	1.112			-11%	Pass	J
M325B CCV 5	F2602914.D	B44226	Check	1.161	1.091	1.112	6.4%		-6.7%	Pass	
M325B CCV 5 REC	F2602925.D	B44226	Check	1.051	1.091	1.112	-3.7%		-7.6%	Pass	TF

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602884.D	C55515	Cal	1.220	1.150	1.220	6.1%	-35%		Pass	
M325B CCV 5 REC	F2602901.D	C55515	Check	1.229	1.150	1.220	6.9%		-10%	Pass	
2026GB202 Method Blank 1	F2602902.D	C36866	Blank		1.150	1.220			-11%	Pass	ND
M325B CCV 5	F2602914.D	B44226	Check	1.246	1.150	1.220	8.3%		-6.7%	Pass	
M325B CCV 5 REC	F2602925.D	B44226	Check	1.129	1.150	1.220	-1.8%		-7.6%	Pass	TF

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602884.D	C55515	Cal	0.980	0.940	0.980	4.3%	-35%		Pass	
M325B CCV 5 REC	F2602901.D	C55515	Check	0.963	0.940	0.980	2.5%		-10%	Pass	
2026GB202 Method Blank 1	F2602902.D	C36866	Blank		0.940	0.980			-11%	Pass	ND
M325B CCV 5	F2602914.D	B44226	Check	1.009	0.940	0.980	7.4%		-6.7%	Pass	
M325B CCV 5 REC	F2602925.D	B44226	Check	0.876	0.940	0.980	-6.8%		-7.6%	Pass	TF

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602884.D	C55515	Cal	1.030	0.944	1.030	9.1%	-35%		Pass	
M325B CCV 5 REC	F2602901.D	C55515	Check	1.005	0.944	1.030	6.5%		-10%	Pass	
2026GB202 Method Blank 1	F2602902.D	C36866	Blank		0.944	1.030			-11%	Pass	ND

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602914.D	B44226	Check	1.041	0.944	1.030	10%		-6.7%	Pass	
M325B CCV 5 REC	F2602925.D	B44226	Check	0.909	0.944	1.030	-3.7%		-7.6%	Pass	TF

Chromatograms


Name	2026GB202 Method Blank 1
Comment	C36866; Recollect
Data File	F2602902.D
Acq. Date-Time	4/29/2026 10:49:34 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	347,883	
Benzene	benzene-d6 (IS)	7.932	7.945	4,904	
Toluene-d8 (IS)		10.569	10.569	365,444	
Toluene	Toluene-d8 (IS)	10.661	10.667	16,764	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	2,102	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	1,146	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	672	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602902.D
Counts
x10^2
13.530 min.
6
5
4
3
2
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.495-13.559 min, 10 scans) F2602902.D
Lib Match Score=36.8
Counts
x10^3
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
41.1
55.1
73.0
81.0
91.0
106.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260414
Comment	C38552; Recollect
Data File	F2602903.D
Acq. Date-Time	4/29/2026 11:13:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	330,063	
Benzene	benzene-d6 (IS)	7.938	7.945	5,638	
Toluene-d8 (IS)		10.569	10.569	338,809	
Toluene	Toluene-d8 (IS)	10.661	10.667	10,267	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,691	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	771	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	356	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602903.D
Counts
x10^2
13.524 min.
5
4
3
2
1
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.512-13.548 min, 7 scans) F2602903.D
Counts
x10^3
Lib Match Score=37.8
41.0
55.0
73.1
91.0
106.0
119.0
98.0
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260414
Comment	C56804; Recollect
Data File	F2602904.D
Acq. Date-Time	4/29/2026 11:37:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	320,403	
Benzene	benzene-d6 (IS)	7.932	7.945	37,813	
Toluene-d8 (IS)		10.569	10.569	326,373	
Toluene	Toluene-d8 (IS)	10.661	10.667	83,837	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,481	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	27,595	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	9,329	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602904.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.489-13.567 min, 13 scans) F2602904.D
Counts
x10^3
Lib Match Score=59.1
91.1
106.1
41.1
51.0
73.0
79.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260414
Comment	C33512; Recollect
Data File	F2602905.D
Acq. Date-Time	4/30/2026 12:02:08 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	309,786	m
Benzene	benzene-d6 (IS)	7.938	7.945	39,408	
Toluene-d8 (IS)		10.569	10.569	327,904	
Toluene	Toluene-d8 (IS)	10.661	10.667	96,445	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	27,981	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	56,039	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,671	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602905.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.492-13.571 min, 13 scans) F2602905.D
Counts
x10^3
Lib Match Score=65.3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.1
51.0
65.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260414
Comment	C60217; Recollect
Data File	F2602906.D
Acq. Date-Time	4/30/2026 12:26:24 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	321,107	
Benzene	benzene-d6 (IS)	7.932	7.945	49,931	
Toluene-d8 (IS)		10.569	10.569	324,380	
Toluene	Toluene-d8 (IS)	10.661	10.667	119,695	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	27,286	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	70,119	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	23,186	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602906.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.606 min, 19 scans) F2602906.D
Counts
x10^3
Lib Match Score=65.1
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
65.1
77.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260414
Comment	B47147; Recollect
Data File	F2602907.D
Acq. Date-Time	4/30/2026 12:50:37 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	302,228	
Benzene	benzene-d6 (IS)	7.932	7.945	52,657	
Toluene-d8 (IS)		10.569	10.569	313,433	
Toluene	Toluene-d8 (IS)	10.661	10.667	94,548	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	11,870	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	25,236	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	8,736	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602907.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.491-13.561 min, 12 scans) F2602907.D
Counts
x10^3
Lib Match Score=57.9
91.1
106.1
41.1
55.1
67.0
73.1
81.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260414
Comment	C70114; Recollect
Data File	F2602908.D
Acq. Date-Time	4/30/2026 1:14:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	316,919	
Benzene	benzene-d6 (IS)	7.932	7.945	50,320	
Toluene-d8 (IS)		10.569	10.569	315,056	
Toluene	Toluene-d8 (IS)	10.661	10.667	112,832	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,870	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	42,215	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,818	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602908.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.490-13.565 min, 12 scans) F2602908.D
Counts
x10^3
Lib Match Score=65.4
91.1
106.1
111.1119.1
39.0
51.0
67.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260414
Comment	C67416; Recollect
Data File	F2602909.D
Acq. Date-Time	4/30/2026 1:39:12 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	318,447	
Benzene	benzene-d6 (IS)	7.938	7.945	47,560	
Toluene-d8 (IS)		10.563	10.569	332,889	
Toluene	Toluene-d8 (IS)	10.661	10.667	109,110	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,750	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	42,503	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,384	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602909.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.567 min, 14 scans) F2602909.D
Counts
x10^3
Lib Match Score=63.9
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.1
65.0
73.1
111.1119.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260414
Comment	C43660; Recollect
Data File	F2602910.D
Acq. Date-Time	4/30/2026 2:03:25 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	316,036	
Benzene	benzene-d6 (IS)	7.932	7.945	45,803	
Toluene-d8 (IS)		10.569	10.569	321,005	
Toluene	Toluene-d8 (IS)	10.661	10.667	120,543	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,482	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	38,581	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	13,797	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602910.D
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.589 min, 17 scans) F2602910.D
Lib Match Score=58.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.2
39.1
55.0
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260414
Comment	B33564; Recollect
Data File	F2602911.D
Acq. Date-Time	4/30/2026 2:27:41 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	305,002	
Benzene	benzene-d6 (IS)	7.938	7.945	50,631	
Toluene-d8 (IS)		10.569	10.569	306,871	
Toluene	Toluene-d8 (IS)	10.661	10.667	146,782	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	26,331	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	54,500	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,696	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602911.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.587 min, 17 scans) F2602911.D
Counts
x10^3
Lib Match Score=63.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.0
55.1
67.1
77.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260414
Comment	C34155; Recollect
Data File	F2602912.D
Acq. Date-Time	4/30/2026 2:51:57 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	292,626	
Benzene	benzene-d6 (IS)	7.932	7.945	42,234	
Toluene-d8 (IS)		10.569	10.569	310,764	
Toluene	Toluene-d8 (IS)	10.661	10.667	103,116	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,568	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	34,423	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,785	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602912.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.561 min, 12 scans) F2602912.D
Counts
x10^3
Lib Match Score=62.5
91.1
106.1
111.1
39.0
55.1
67.0
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260414
Comment	C53584; Recollect
Data File	F2602913.D
Acq. Date-Time	4/30/2026 3:16:13 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	316,525	
Benzene	benzene-d6 (IS)	7.932	7.945	43,846	
Toluene-d8 (IS)		10.563	10.569	332,975	
Toluene	Toluene-d8 (IS)	10.661	10.667	94,530	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,394	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	31,010	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,681	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602913.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.489-13.567 min, 13 scans) F2602913.D
Lib Match Score=60.9
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260414
Comment	C55561; Recollect
Data File	F2602915.D
Acq. Date-Time	4/30/2026 4:06:43 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	301,794	
Benzene	benzene-d6 (IS)	7.932	7.945	37,435	
Toluene-d8 (IS)		10.569	10.569	313,967	
Toluene	Toluene-d8 (IS)	10.661	10.667	90,632	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,402	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,442	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,407	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602915.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.489-13.561 min, 12 scans) F2602915.D
Lib Match Score=60.5
Counts
x10^3
91.1
106.1
41.1
55.1
73.0
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260414
Comment	B35529; Recollect
Data File	F2602916.D
Acq. Date-Time	4/30/2026 4:30:56 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	315,520	m
Benzene	benzene-d6 (IS)	7.932	7.945	40,538	
Toluene-d8 (IS)		10.569	10.569	327,109	
Toluene	Toluene-d8 (IS)	10.661	10.667	89,028	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	15,066	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	27,038	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,077	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602916.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.565 min, 11 scans) F2602916.D
Lib Match Score=59.9
Counts
x10^3
91.1
106.1
39.1
51.1
73.0
79.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260414
Comment	C61445; Recollect
Data File	F2602917.D
Acq. Date-Time	4/30/2026 4:55:12 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	289,064	
Benzene	benzene-d6 (IS)	7.939	7.945	33,523	
Toluene-d8 (IS)		10.563	10.569	304,735	
Toluene	Toluene-d8 (IS)	10.655	10.667	69,142	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	11,906	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	26,795	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,554	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602917.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.561 min, 12 scans) F2602917.D
Lib Match Score=60.0
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260414
Comment	C65306
Data File	F2602918.D
Acq. Date-Time	4/30/2026 5:20:36 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	390,070	m
Benzene	benzene-d6 (IS)	7.938	7.945	48,482	
Toluene-d8 (IS)		10.563	10.569	411,412	
Toluene	Toluene-d8 (IS)	10.655	10.667	112,644	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	25,995	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	61,755	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	24,096	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602918.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.578 min, 15 scans) F2602918.D
Counts
x10^3
Lib Match Score=68.0
91.1
106.1
41.1
55.1
67.1
79.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260414
Comment	C73607
Data File	F2602919.D
Acq. Date-Time	4/30/2026 5:45:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	393,337	
Benzene	benzene-d6 (IS)	7.932	7.945	48,778	
Toluene-d8 (IS)		10.563	10.569	411,897	
Toluene	Toluene-d8 (IS)	10.661	10.667	105,861	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,696	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	45,791	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,986	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602919.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.481-13.573 min, 16 scans) F2602919.D
Counts
x10^3
Lib Match Score=62.9
91.1
106.1
39.0
51.0
67.1
77.0
97.1
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260414
Comment	C43877
Data File	F2602920.D
Acq. Date-Time	4/30/2026 6:12:10 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	394,720	
Benzene	benzene-d6 (IS)	7.938	7.945	48,205	
Toluene-d8 (IS)		10.563	10.569	412,568	
Toluene	Toluene-d8 (IS)	10.661	10.667	110,922	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,616	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	48,014	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,679	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602920.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.594 min, 17 scans) F2602920.D
Counts
x10^3
Lib Match Score=62.8
91.1
106.1
41.0
55.1
69.1
77.0
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260414
Comment	C57730
Data File	F2602921.D
Acq. Date-Time	4/30/2026 6:37:31 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	393,637	
Benzene	benzene-d6 (IS)	7.938	7.945	3,309	
Toluene-d8 (IS)		10.563	10.569	413,799	
Toluene	Toluene-d8 (IS)	10.661	10.667	18,193	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	936	
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	674	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	347	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602921.D
Counts
x10^2
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.536 min, 6 scans) F2602921.D
Lib Match Score=38.6
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260414
Comment	C38939
Data File	F2602922.D
Acq. Date-Time	4/30/2026 7:02:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	391,545	
Benzene	benzene-d6 (IS)	7.938	7.945	37,779	
Toluene-d8 (IS)		10.563	10.569	414,771	
Toluene	Toluene-d8 (IS)	10.661	10.667	87,870	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,588	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	31,111	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,840	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602922.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.492-13.584 min, 15 scans) F2602922.D
Counts
x10^3
Lib Match Score=58.9
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
55.1
67.1
77.0
111.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260414
Comment	C55724
Data File	F2602923.D
Acq. Date-Time	4/30/2026 7:28:17 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	393,306	
Benzene	benzene-d6 (IS)	7.939	7.945	41,487	
Toluene-d8 (IS)		10.563	10.569	413,457	
Toluene	Toluene-d8 (IS)	10.661	10.667	91,413	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	20,638	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	41,535	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,734	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602923.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.493-13.569 min, 13 scans) F2602923.D
Counts
x10^3
Lib Match Score=63.8
91.1
106.1
39.1
55.1
67.1
77.0
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260414
Comment	C17241
Data File	F2602924.D
Acq. Date-Time	4/30/2026 7:53:40 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	394,634	
Benzene	benzene-d6 (IS)	7.932	7.945	40,976	
Toluene-d8 (IS)		10.563	10.569	415,763	
Toluene	Toluene-d8 (IS)	10.661	10.667	93,484	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	12,588	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	26,980	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,417	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2602924.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.597 min, 16 scans) F2602924.D
Lib Match Score=55.2
Counts
x10^3
91.1
41.1
55.1
73.1
106.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB202-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260421

Sample Custody

EPA Method 325 A/B
Field Test Data Sheet and Chain of Custody Record

#VALUE! 2026GB202 Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Global South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	1 Clark Road	Project Number:	PROJ-031333	Sample Event #	2026GB202
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@onterris.com		
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C56804	S	4/14/26	11:22 AM	4/28/26	11:49 AM	BC/KV		
2	C33512	S	4/14/26	11:25 AM	4/28/26	11:51 AM	BC/KV		
3	C60217	S	4/14/26	11:30 AM	4/28/26	11:52 AM	BC/KV		
4	B47147	S	4/14/26	11:35 AM	4/28/26	12:05 PM	BC/KV		
5	C70114	S	4/14/26	11:40 AM	4/28/26	12:02 PM	BC/KV		
5	C67416	D	4/14/26	11:40 AM	4/28/26	12:02 PM	BC/KV		
5	C38552	B	4/14/26	11:40 AM	4/28/26	12:02 PM	BC/KV		
6	C43660	S	4/14/26	11:42 AM	4/28/26	12:01 PM	BC/KV		
7	(1) B33561	S	4/14/26	11:46 AM	4/28/26	12:00 PM	BC/KV		
8	C34155	S	4/14/26	11:48 AM	4/28/26	11:58 AM	BC/KV		
9	C53584	S	4/14/26	11:52 AM	4/28/26	12:15 PM	BC/KV		
10	C55561	S	4/14/26	11:57 AM	4/28/26	12:18 PM	BC/KV		
11	B35529	S	4/14/26	12:00 PM	4/28/26	12:21 PM	BC/KV		
12	C61445	S	4/14/26	12:04 PM	4/28/26	12:30 PM	BC/KV		
13	C65306	S	4/14/26	12:09 PM	4/28/26	12:33 PM	BC/KV		
14	C73607	S	4/14/26	12:14 PM	4/28/26	12:35 PM	BC/KV		
14	C43877	D	4/14/26	12:14 PM	4/28/26	12:35 PM	BC/KV		
14	C57730	B	4/14/26	12:14 PM	4/28/26	12:35 PM	BC/KV		
15	C38939	S	4/14/26	12:17 PM	4/28/26	12:37 PM	BC/KV		
16	C55724	S	4/14/26	12:20 PM	4/28/26	12:40 PM	BC/KV		
17	C17241	S	4/14/26	12:24 PM	4/28/26	12:27 PM	BC/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	4/28/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grandmon	Paige Grandmon	4-29-26	10:45am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Temp: Blank Temp: 16.3 Flake4		Add Custody Seal # below: 25E08860	

Comments: (1)EE, should be B33564, as per tube list PEG 4-29-26

This Is The Last Page Of This Report.

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 47 Global - South Portland

Client Project# PROJ-031333
Samples Received: 5/13/2026

Analytical Report
2026GB203

EPA Method 325B Analysis

Report Issue Date: 5/20/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 12
Chromatograms . . . 15
Initial Calibration . . . 82
Sample Custody . . . 85
    Chain of Custody . . . 86

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB203-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on May 13, 2026 at 18.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260428	C35756	Sample
GLBSP-2-S-20260428	C36991	Sample
GLBSP-3-S-20260428	C38565	Sample
GLBSP-4-S-20260428	B17491	Sample
GLBSP-5-S-20260428	C02008	Sample
GLBSP-5-D-20260428	C71773	Duplicate
GLBSP-5-B-20260428	C71760	Blank
GLBSP-6-S-20260428	C01622	Sample
GLBSP-7-S-20260428	C36992	Sample
GLBSP-8-S-20260428	C73611	Sample
GLBSP-9-S-20260428	C37454	Sample
GLBSP-10-S-20260428	C71549	Sample
GLBSP-11-S-20260428	C00653	Sample
GLBSP-12-S-20260428	C16102	Sample
GLBSP-13-S-20260428	C59966	Sample
GLBSP-14-S-20260428	C57453	Sample
GLBSP-14-D-20260428	C43317	Duplicate
GLBSP-14-B-20260428	C38910	Blank
GLBSP-15-S-20260428	C57768	Sample
GLBSP-16-S-20260428	C01802	Sample
GLBSP-17-S-20260428	C36947	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB203-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260428	C35756	0.613		1.61		0.276	ND	0.559	J	0.276	ND
GLBSP-2-S-20260428	C36991	0.663		1.95		0.502	J	1.21		0.360	J
GLBSP-3-S-20260428	C38565	0.717		1.97		0.445	J	1.16		0.366	J
GLBSP-4-S-20260428	B17491	0.780		1.95		0.286	J	0.668	J	0.276	ND
GLBSP-5-S-20260428	C02008	0.649		1.75		0.276	ND	0.572	J	0.276	ND
GLBSP-5-D-20260428	C71773	0.631		1.58		0.276	ND	0.602	J	0.276	ND
GLBSP-5-B-20260428	C71760	0.189	ND	0.319	J	0.276	ND	0.276	ND	0.276	ND
GLBSP-6-S-20260428	C01622	0.640		1.64		0.276	ND	0.589	J	0.276	ND
GLBSP-7-S-20260428	C36992	0.793		2.44		0.475	J	1.19		0.412	J
GLBSP-8-S-20260428	C73611	0.735		1.99		0.311	J	0.911		0.330	J
GLBSP-9-S-20260428	C37454	0.668		1.86		0.342	J	0.843		0.314	J
GLBSP-10-S-20260428	C71549	0.575		1.60		0.275	ND	0.614	J	0.275	ND
GLBSP-11-S-20260428	C00653	0.538		1.47		0.275	ND	0.521	J	0.275	ND
GLBSP-12-S-20260428	C16102	0.581		1.35		0.276	ND	0.554	J	0.276	ND
GLBSP-13-S-20260428	C59966	0.668		2.00		0.434	J	1.15		0.430	J
GLBSP-14-S-20260428	C57453	0.564		1.61		0.381	J	1.05		0.392	J
GLBSP-14-D-20260428	C43317	0.538		1.70		0.378	J	1.05		0.392	J
GLBSP-14-B-20260428	C38910	0.189	ND	0.243	ND	0.275	ND	0.275	ND	0.275	ND
GLBSP-15-S-20260428	C57768	0.441	J	0.987		0.275	ND	0.454	J	0.275	ND
GLBSP-16-S-20260428	C01802	0.580		1.50		0.304	J	0.697		0.275	ND
GLBSP-17-S-20260428	C36947	0.522		1.30		0.275	ND	0.487	J	0.275	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260428	C35756	0.613	0.192	8.09	50.1	0.653	20230	0.189	0.451	0.0593	0.141		F2603192.D	2026-05-13 15:48	0.764	7.932	58123	529562	56.3	7.877	0.8%
GLBSP-2-S-20260428	C36991	0.663	0.208	8.76	50.1	0.653	20234	0.189	0.451	0.0593	0.141		F2603193.D	2026-05-13 16:13	0.764	7.932	63532	534931	56.3	7.877	1.8%
GLBSP-3-S-20260428	C38565	0.717	0.225	9.48	50.1	0.653	20253	0.189	0.451	0.0592	0.141		F2603194.D	2026-05-13 16:39	0.764	7.932	68112	529664	56.3	7.877	0.8%
GLBSP-4-S-20260428	B17491	0.780	0.244	10.3	50.1	0.653	20235	0.189	0.451	0.0593	0.141		F2603195.D	2026-05-13 17:04	0.764	7.932	74621	533584	56.3	7.877	1.6%
GLBSP-5-S-20260428	C02008	0.649	0.203	8.58	50.1	0.653	20234	0.189	0.451	0.0593	0.141		F2603196.D	2026-05-13 17:29	0.764	7.932	62847	540090	56.3	7.877	2.8%
GLBSP-5-D-20260428	C71773	0.631	0.198	8.34	50.1	0.653	20235	0.189	0.451	0.0593	0.141		F2603197.D	2026-05-13 17:55	0.764	7.932	60459	534433	56.3	7.877	1.7%
GLBSP-5-B-20260428	C71760	0.189	0.0593		50.1	0.653	20236	0.189	0.451	0.0593	0.141	ND	F2603191.D	2026-05-13 15:22	0.764	7.932	8233	526561	56.3	7.877	0.2%
GLBSP-6-S-20260428	C01622	0.640	0.200	8.45	50.1	0.653	20239	0.189	0.451	0.0593	0.141		F2603198.D	2026-05-13 18:21	0.764	7.932	62605	546090	56.3	7.877	4.0%
GLBSP-7-S-20260428	C36992	0.793	0.248	10.5	50.1	0.653	20245	0.189	0.451	0.0592	0.141		F2603199.D	2026-05-13 18:47	0.764	7.932	77776	546966	56.3	7.877	4.1%
GLBSP-8-S-20260428	C73611	0.735	0.230	9.72	50.1	0.653	20252	0.189	0.451	0.0592	0.141		F2603200.D	2026-05-13 19:12	0.764	7.932	72307	548590	56.3	7.877	4.4%
GLBSP-9-S-20260428	C37454	0.668	0.209	8.83	50.1	0.653	20240	0.189	0.451	0.0592	0.141		F2603201.D	2026-05-13 19:38	0.764	7.932	65085	543681	56.3	7.877	3.5%
GLBSP-10-S-20260428	C71549	0.575	0.180	7.60	50.1	0.653	20242	0.189	0.451	0.0592	0.141		F2603203.D	2026-05-13 20:28	0.764	7.932	55060	534296	56.3	7.877	1.7%
GLBSP-11-S-20260428	C00653	0.538	0.169	7.12	50.1	0.653	20244	0.189	0.451	0.0592	0.141		F2603204.D	2026-05-13 20:53	0.764	7.932	48496	502323	56.3	7.877	-4.4%
GLBSP-12-S-20260428	C16102	0.581	0.182	7.67	50.1	0.653	20241	0.189	0.451	0.0592	0.141		F2603205.D	2026-05-13 21:19	0.764	7.932	53956	518341	56.3	7.877	-1.3%
GLBSP-13-S-20260428	C59966	0.668	0.209	8.84	50.1	0.653	20267	0.189	0.451	0.0592	0.141		F2603206.D	2026-05-13 21:44	0.764	7.932	60310	503025	56.3	7.877	-4.2%
GLBSP-14-S-20260428	C57453	0.564	0.177	7.46	50.1	0.653	20270	0.189	0.450	0.0592	0.141		F2603207.D	2026-05-13 22:09	0.764	7.932	50175	495727	56.3	7.877	-5.6%
GLBSP-14-D-20260428	C43317	0.538	0.169	7.12	50.1	0.653	20275	0.189	0.450	0.0591	0.141		F2603208.D	2026-05-13 22:35	0.764	7.932	47151	487919	56.3	7.877	-7.1%
GLBSP-14-B-20260428	C38910	0.189	0.0591		50.1	0.653	20278	0.189	0.450	0.0591	0.141	ND	F2603209.D	2026-05-13 23:01	0.764	7.932	4635	491496	56.3	7.877	-6.4%
GLBSP-15-S-20260428	C57768	0.441	0.138	5.84	50.1	0.653	20279	0.189	0.450	0.0591	0.141	J	F2603210.D	2026-05-13 23:26	0.764	7.932	36270	458019	56.3	7.877	-12.8%
GLBSP-16-S-20260428	C01802	0.580	0.182	7.68	50.1	0.653	20280	0.189	0.450	0.0591	0.141		F2603211.D	2026-05-13 23:52	0.764	7.932	51052	489787	56.3	7.877	-6.8%
GLBSP-17-S-20260428	C36947	0.522	0.164	6.92	50.1	0.653	20296	0.189	0.450	0.0591	0.141		F2603212.D	2026-05-14 00:17	0.764	7.932	45640	486314	56.3	7.871	-7.4%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260428	C35756	1.61	0.429	16.5	50.1	0.507	20230	0.244	0.511	0.0647	0.136		F2603192.D	2026-05-13 15:48	0.928	10.655	132402	569781	66.1	10.557	3.2%
GLBSP-2-S-20260428	C36991	1.95	0.517	20.0	50.1	0.507	20234	0.244	0.511	0.0647	0.136		F2603193.D	2026-05-13 16:13	0.928	10.655	161516	576441	66.1	10.557	4.4%
GLBSP-3-S-20260428	C38565	1.97	0.524	20.3	50.1	0.507	20253	0.244	0.510	0.0647	0.135		F2603194.D	2026-05-13 16:39	0.928	10.655	160305	563385	66.1	10.557	2.1%
GLBSP-4-S-20260428	B17491	1.95	0.519	20.0	50.1	0.507	20235	0.244	0.511	0.0647	0.136		F2603195.D	2026-05-13 17:04	0.928	10.655	161456	573767	66.1	10.557	3.9%
GLBSP-5-S-20260428	C02008	1.75	0.466	18.0	50.1	0.507	20234	0.244	0.511	0.0647	0.136		F2603196.D	2026-05-13 17:29	0.928	10.655	147548	584299	66.1	10.563	5.9%
GLBSP-5-D-20260428	C71773	1.58	0.421	16.2	50.1	0.507	20235	0.244	0.511	0.0647	0.136		F2603197.D	2026-05-13 17:55	0.928	10.655	134937	591476	66.1	10.563	7.2%
GLBSP-5-B-20260428	C71760	0.319	0.0848	3.27	50.1	0.507	20236	0.244	0.511	0.0647	0.136	J	F2603191.D	2026-05-13 15:22	0.928	10.655	26477	575707	66.1	10.563	4.3%
GLBSP-6-S-20260428	C01622	1.64	0.435	16.8	50.1	0.507	20239	0.244	0.511	0.0647	0.136		F2603198.D	2026-05-13 18:21	0.928	10.655	138242	585837	66.1	10.563	6.1%
GLBSP-7-S-20260428	C36992	2.44	0.649	25.1	50.1	0.507	20245	0.244	0.510	0.0647	0.136		F2603199.D	2026-05-13 18:47	0.928	10.655	208192	591077	66.1	10.557	7.1%
GLBSP-8-S-20260428	C73611	1.99	0.529	20.4	50.1	0.507	20252	0.244	0.510	0.0647	0.135		F2603200.D	2026-05-13 19:12	0.928	10.655	170939	595788	66.1	10.557	7.9%
GLBSP-9-S-20260428	C37454	1.86	0.495	19.1	50.1	0.507	20240	0.244	0.511	0.0647	0.136		F2603201.D	2026-05-13 19:38	0.928	10.661	149129	555055	66.1	10.563	0.6%
GLBSP-10-S-20260428	C71549	1.60	0.425	16.4	50.1	0.507	20242	0.244	0.511	0.0647	0.136		F2603203.D	2026-05-13 20:28	0.928	10.654	134577	582947	66.1	10.563	5.6%
GLBSP-11-S-20260428	C00653	1.47	0.390	15.1	50.1	0.507	20244	0.244	0.510	0.0647	0.136		F2603204.D	2026-05-13 20:53	0.928	10.655	119860	565819	66.1	10.563	2.5%
GLBSP-12-S-20260428	C16102	1.35	0.357	13.8	50.1	0.507	20241	0.244	0.511	0.0647	0.136		F2603205.D	2026-05-13 21:19	0.928	10.655	108448	559335	66.1	10.557	1.3%
GLBSP-13-S-20260428	C59966	2.00	0.531	20.6	50.1	0.507	20267	0.243	0.510	0.0646	0.135		F2603206.D	2026-05-13 21:44	0.928	10.655	156903	543411	66.1	10.563	-1.6%
GLBSP-14-S-20260428	C57453	1.61	0.427	16.5	50.1	0.507	20270	0.243	0.510	0.0646	0.135		F2603207.D	2026-05-13 22:09	0.928	10.655	125721	542074	66.1	10.563	-1.8%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260428	C43317	1.70	0.451	17.4	50.1	0.507	20275	0.243	0.510	0.0646	0.135		F2603208.D	2026-05-13 22:35	0.928	10.661	130160	531097	66.1	10.563	-3.8%
GLBSP-14-B-20260428	C38910	0.243	0.0646		50.1	0.507	20278	0.243	0.510	0.0646	0.135	ND	F2603209.D	2026-05-13 23:01	0.928	10.655	14911	533356	66.1	10.563	-3.4%
GLBSP-15-S-20260428	C57768	0.987	0.262	10.1	50.1	0.507	20279	0.243	0.510	0.0646	0.135		F2603210.D	2026-05-13 23:26	0.928	10.655	74682	524356	66.1	10.563	-5.0%
GLBSP-16-S-20260428	C01802	1.50	0.399	15.5	50.1	0.507	20280	0.243	0.510	0.0646	0.135		F2603211.D	2026-05-13 23:52	0.928	10.655	114875	528995	66.1	10.563	-4.2%
GLBSP-17-S-20260428	C36947	1.30	0.344	13.3	50.1	0.507	20296	0.243	0.509	0.0645	0.135		F2603212.D	2026-05-14 00:17	0.928	10.655	99068	529012	66.1	10.563	-4.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260428	C35756	0.276	0.0635		50.1	0.448	20230	0.276	0.600	0.0635	0.138	ND	F2603192.D	2026-05-13 15:48	1.075	12.845	19966	569781	66.1	10.557	3.2%
GLBSP-2-S-20260428	C36991	0.502	0.116	4.56	50.1	0.448	20234	0.276	0.600	0.0635	0.138	J	F2603193.D	2026-05-13 16:13	1.075	12.839	42742	576441	66.1	10.557	4.4%
GLBSP-3-S-20260428	C38565	0.445	0.103	4.04	50.1	0.448	20253	0.275	0.599	0.0635	0.138	J	F2603194.D	2026-05-13 16:39	1.075	12.839	37062	563385	66.1	10.557	2.1%
GLBSP-4-S-20260428	B17491	0.286	0.0660	2.60	50.1	0.448	20235	0.276	0.600	0.0635	0.138	J	F2603195.D	2026-05-13 17:04	1.075	12.839	24251	573767	66.1	10.557	3.9%
GLBSP-5-S-20260428	C02008	0.276	0.0635		50.1	0.448	20234	0.276	0.600	0.0635	0.138	ND	F2603196.D	2026-05-13 17:29	1.075	12.845	19142	584299	66.1	10.563	5.9%
GLBSP-5-D-20260428	C71773	0.276	0.0635		50.1	0.448	20235	0.276	0.600	0.0635	0.138	ND	F2603197.D	2026-05-13 17:55	1.075	12.839	18150	591476	66.1	10.563	7.2%
GLBSP-5-B-20260428	C71760	0.276	0.0635		50.1	0.448	20236	0.276	0.600	0.0635	0.138	ND	F2603191.D	2026-05-13 15:22	1.075	12.839	1273	575707	66.1	10.563	4.3%
GLBSP-6-S-20260428	C01622	0.276	0.0635		50.1	0.448	20239	0.276	0.600	0.0635	0.138	ND	F2603198.D	2026-05-13 18:21	1.075	12.845	23206	585837	66.1	10.563	6.1%
GLBSP-7-S-20260428	C36992	0.475	0.109	4.31	50.1	0.448	20245	0.275	0.600	0.0635	0.138	J	F2603199.D	2026-05-13 18:47	1.075	12.839	41426	591077	66.1	10.557	7.1%
GLBSP-8-S-20260428	C73611	0.311	0.0716	2.82	50.1	0.448	20252	0.275	0.600	0.0635	0.138	J	F2603200.D	2026-05-13 19:12	1.075	12.839	27364	595788	66.1	10.557	7.9%
GLBSP-9-S-20260428	C37454	0.342	0.0787	3.10	50.1	0.448	20240	0.276	0.600	0.0635	0.138	J	F2603201.D	2026-05-13 19:38	1.075	12.845	27994	555055	66.1	10.563	0.6%
GLBSP-10-S-20260428	C71549	0.275	0.0635		50.1	0.448	20242	0.275	0.600	0.0635	0.138	ND	F2603203.D	2026-05-13 20:28	1.075	12.845	18429	582947	66.1	10.563	5.6%
GLBSP-11-S-20260428	C00653	0.275	0.0635		50.1	0.448	20244	0.275	0.600	0.0635	0.138	ND	F2603204.D	2026-05-13 20:53	1.075	12.845	19246	565819	66.1	10.563	2.5%
GLBSP-12-S-20260428	C16102	0.276	0.0635		50.1	0.448	20241	0.276	0.600	0.0635	0.138	ND	F2603205.D	2026-05-13 21:19	1.075	12.845	19735	559335	66.1	10.557	1.3%
GLBSP-13-S-20260428	C59966	0.434	0.0999	3.94	50.1	0.448	20267	0.275	0.599	0.0634	0.138	J	F2603206.D	2026-05-13 21:44	1.075	12.845	34843	543411	66.1	10.563	-1.6%
GLBSP-14-S-20260428	C57453	0.381	0.0878	3.46	50.1	0.448	20270	0.275	0.599	0.0634	0.138	J	F2603207.D	2026-05-13 22:09	1.075	12.845	30552	542074	66.1	10.563	-1.8%
GLBSP-14-D-20260428	C43317	0.378	0.0871	3.44	50.1	0.448	20275	0.275	0.599	0.0634	0.138	J	F2603208.D	2026-05-13 22:35	1.075	12.839	29697	531097	66.1	10.563	-3.8%
GLBSP-14-B-20260428	C38910	0.275	0.0634		50.1	0.448	20278	0.275	0.599	0.0634	0.138	ND	F2603209.D	2026-05-13 23:01	1.075	12.845	1026	533356	66.1	10.563	-3.4%
GLBSP-15-S-20260428	C57768	0.275	0.0634		50.1	0.448	20279	0.275	0.599	0.0634	0.138	ND	F2603210.D	2026-05-13 23:26	1.075	12.845	14462	524356	66.1	10.563	-5.0%
GLBSP-16-S-20260428	C01802	0.304	0.0702	2.77	50.1	0.448	20280	0.275	0.599	0.0634	0.138	J	F2603211.D	2026-05-13 23:52	1.075	12.845	23825	528995	66.1	10.563	-4.2%
GLBSP-17-S-20260428	C36947	0.275	0.0633		50.1	0.448	20296	0.275	0.598	0.0633	0.138	ND	F2603212.D	2026-05-14 00:17	1.075	12.845	18024	529012	66.1	10.563	-4.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260428	C35756	0.559	0.129	5.07	50.1	0.448	20230	0.276	0.673	0.0635	0.155	J	F2603192.D	2026-05-13 15:48	0.948	13.022	41490	569781	66.1	10.557	3.2%
GLBSP-2-S-20260428	C36991	1.21	0.278	11.0	50.1	0.448	20234	0.276	0.672	0.0635	0.155		F2603193.D	2026-05-13 16:13	0.948	13.016	90616	576441	66.1	10.557	4.4%
GLBSP-3-S-20260428	C38565	1.16	0.268	10.5	50.1	0.448	20253	0.275	0.672	0.0635	0.155		F2603194.D	2026-05-13 16:39	0.948	13.016	85295	563385	66.1	10.557	2.1%
GLBSP-4-S-20260428	B17491	0.668	0.154	6.06	50.1	0.448	20235	0.276	0.672	0.0635	0.155	J	F2603195.D	2026-05-13 17:04	0.948	13.016	49878	573767	66.1	10.557	3.9%
GLBSP-5-S-20260428	C02008	0.572	0.132	5.19	50.1	0.448	20234	0.276	0.672	0.0635	0.155	J	F2603196.D	2026-05-13 17:29	0.948	13.016	43520	584299	66.1	10.563	5.9%
GLBSP-5-D-20260428	C71773	0.602	0.139	5.46	50.1	0.448	20235	0.276	0.672	0.0635	0.155	J	F2603197.D	2026-05-13 17:55	0.948	13.016	46362	591476	66.1	10.563	7.2%
GLBSP-5-B-20260428	C71760	0.276	0.0635		50.1	0.448	20236	0.276	0.672	0.0635	0.155	ND	F2603191.D	2026-05-13 15:22	0.948	13.022	1229	575707	66.1	10.563	4.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260428	C01622	0.589	0.136	5.34	50.1	0.448	20239	0.276	0.672	0.0635	0.155	J	F2603198.D	2026-05-13 18:21	0.948	13.022	44930	585837	66.1	10.563	6.1%
GLBSP-7-S-20260428	C36992	1.19	0.275	10.8	50.1	0.448	20245	0.275	0.672	0.0635	0.155		F2603199.D	2026-05-13 18:47	0.948	13.016	91792	591077	66.1	10.557	7.1%
GLBSP-8-S-20260428	C73611	0.911	0.210	8.27	50.1	0.448	20252	0.275	0.672	0.0635	0.155		F2603200.D	2026-05-13 19:12	0.948	13.016	70733	595788	66.1	10.557	7.9%
GLBSP-9-S-20260428	C37454	0.843	0.194	7.65	50.1	0.448	20240	0.276	0.672	0.0635	0.155		F2603201.D	2026-05-13 19:38	0.948	13.022	60940	555055	66.1	10.563	0.6%
GLBSP-10-S-20260428	C71549	0.614	0.142	5.57	50.1	0.448	20242	0.275	0.672	0.0635	0.155	J	F2603203.D	2026-05-13 20:28	0.948	13.016	46632	582947	66.1	10.563	5.6%
GLBSP-11-S-20260428	C00653	0.521	0.120	4.72	50.1	0.448	20244	0.275	0.672	0.0635	0.155	J	F2603204.D	2026-05-13 20:53	0.948	13.016	38368	565819	66.1	10.563	2.5%
GLBSP-12-S-20260428	C16102	0.554	0.128	5.02	50.1	0.448	20241	0.276	0.672	0.0635	0.155	J	F2603205.D	2026-05-13 21:19	0.948	13.016	40328	559335	66.1	10.557	1.3%
GLBSP-13-S-20260428	C59966	1.15	0.265	10.4	50.1	0.448	20267	0.275	0.671	0.0634	0.155		F2603206.D	2026-05-13 21:44	0.948	13.016	81500	543411	66.1	10.563	-1.6%
GLBSP-14-S-20260428	C57453	1.05	0.242	9.55	50.1	0.448	20270	0.275	0.671	0.0634	0.155		F2603207.D	2026-05-13 22:09	0.948	13.016	74275	542074	66.1	10.563	-1.8%
GLBSP-14-D-20260428	C43317	1.05	0.242	9.55	50.1	0.448	20275	0.275	0.671	0.0634	0.155		F2603208.D	2026-05-13 22:35	0.948	13.016	72766	531097	66.1	10.563	-3.8%
GLBSP-14-B-20260428	C38910	0.275	0.0634		50.1	0.448	20278	0.275	0.671	0.0634	0.155	ND	F2603209.D	2026-05-13 23:01	0.948	13.016	730	533356	66.1	10.563	-3.4%
GLBSP-15-S-20260428	C57768	0.454	0.105	4.13	50.1	0.448	20279	0.275	0.671	0.0634	0.155	J	F2603210.D	2026-05-13 23:26	0.948	13.022	31076	524356	66.1	10.563	-5.0%
GLBSP-16-S-20260428	C01802	0.697	0.161	6.34	50.1	0.448	20280	0.275	0.671	0.0634	0.155		F2603211.D	2026-05-13 23:52	0.948	13.022	48137	528995	66.1	10.563	-4.2%
GLBSP-17-S-20260428	C36947	0.487	0.112	4.43	50.1	0.448	20296	0.275	0.670	0.0633	0.154	J	F2603212.D	2026-05-14 00:17	0.948	13.022	33667	529012	66.1	10.563	-4.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260428	C35756	0.276	0.0635		50.1	0.448	20230	0.276	0.626	0.0635	0.144	ND	F2603192.D	2026-05-13 15:48	0.976	13.524	14956	569781	66.1	10.557	3.2%
GLBSP-2-S-20260428	C36991	0.360	0.0829	3.26	50.1	0.448	20234	0.276	0.625	0.0635	0.144	J	F2603193.D	2026-05-13 16:13	0.976	13.524	27786	576441	66.1	10.557	4.4%
GLBSP-3-S-20260428	C38565	0.366	0.0844	3.33	50.1	0.448	20253	0.275	0.625	0.0635	0.144	J	F2603194.D	2026-05-13 16:39	0.976	13.524	27685	563385	66.1	10.557	2.1%
GLBSP-4-S-20260428	B17491	0.276	0.0635		50.1	0.448	20235	0.276	0.625	0.0635	0.144	ND	F2603195.D	2026-05-13 17:04	0.976	13.524	18663	573767	66.1	10.557	3.9%
GLBSP-5-S-20260428	C02008	0.276	0.0635		50.1	0.448	20234	0.276	0.625	0.0635	0.144	ND	F2603196.D	2026-05-13 17:29	0.976	13.524	15743	584299	66.1	10.563	5.9%
GLBSP-5-D-20260428	C71773	0.276	0.0635		50.1	0.448	20235	0.276	0.625	0.0635	0.144	ND	F2603197.D	2026-05-13 17:55	0.976	13.524	17392	591476	66.1	10.563	7.2%
GLBSP-5-B-20260428	C71760	0.276	0.0635		50.1	0.448	20236	0.276	0.625	0.0635	0.144	ND	F2603191.D	2026-05-13 15:22	0.976	13.524	562	575707	66.1	10.563	4.3%
GLBSP-6-S-20260428	C01622	0.276	0.0635		50.1	0.448	20239	0.276	0.625	0.0635	0.144	ND	F2603198.D	2026-05-13 18:21	0.976	13.524	16004	585837	66.1	10.563	6.1%
GLBSP-7-S-20260428	C36992	0.412	0.0951	3.74	50.1	0.448	20245	0.275	0.625	0.0635	0.144	J	F2603199.D	2026-05-13 18:47	0.976	13.524	32686	591077	66.1	10.557	7.1%
GLBSP-8-S-20260428	C73611	0.330	0.0761	3.00	50.1	0.448	20252	0.275	0.625	0.0635	0.144	J	F2603200.D	2026-05-13 19:12	0.976	13.524	26373	595788	66.1	10.557	7.9%
GLBSP-9-S-20260428	C37454	0.314	0.0723	2.85	50.1	0.448	20240	0.276	0.625	0.0635	0.144	J	F2603201.D	2026-05-13 19:38	0.976	13.524	23336	555055	66.1	10.563	0.6%
GLBSP-10-S-20260428	C71549	0.275	0.0635		50.1	0.448	20242	0.275	0.625	0.0635	0.144	ND	F2603203.D	2026-05-13 20:28	0.976	13.524	17276	582947	66.1	10.563	5.6%
GLBSP-11-S-20260428	C00653	0.275	0.0635		50.1	0.448	20244	0.275	0.625	0.0635	0.144	ND	F2603204.D	2026-05-13 20:53	0.976	13.524	14794	565819	66.1	10.563	2.5%
GLBSP-12-S-20260428	C16102	0.276	0.0635		50.1	0.448	20241	0.276	0.625	0.0635	0.144	ND	F2603205.D	2026-05-13 21:19	0.976	13.524	15017	559335	66.1	10.557	1.3%
GLBSP-13-S-20260428	C59966	0.430	0.0992	3.91	50.1	0.448	20267	0.275	0.624	0.0634	0.144	J	F2603206.D	2026-05-13 21:44	0.976	13.524	31391	543411	66.1	10.563	-1.6%
GLBSP-14-S-20260428	C57453	0.392	0.0903	3.56	50.1	0.448	20270	0.275	0.624	0.0634	0.144	J	F2603207.D	2026-05-13 22:09	0.976	13.524	28529	542074	66.1	10.563	-1.8%
GLBSP-14-D-20260428	C43317	0.392	0.0902	3.56	50.1	0.448	20275	0.275	0.624	0.0634	0.144	J	F2603208.D	2026-05-13 22:35	0.976	13.524	27926	531097	66.1	10.563	-3.8%
GLBSP-14-B-20260428	C38910	0.275	0.0634		50.1	0.448	20278	0.275	0.624	0.0634	0.144	ND	F2603209.D	2026-05-13 23:01	0.976	13.530	244	533356	66.1	10.563	-3.4%
GLBSP-15-S-20260428	C57768	0.275	0.0634		50.1	0.448	20279	0.275	0.624	0.0634	0.144	ND	F2603210.D	2026-05-13 23:26	0.976	13.524	11967	524356	66.1	10.563	-5.0%
GLBSP-16-S-20260428	C01802	0.275	0.0634		50.1	0.448	20280	0.275	0.624	0.0634	0.144	ND	F2603211.D	2026-05-13 23:52	0.976	13.524	18513	528995	66.1	10.563	-4.2%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260428	C36947	0.275	0.0633		50.1	0.448	20296	0.275	0.623	0.0633	0.144	ND	F2603212.D	2026-05-14 00:17	0.976	13.524	11837	529012	66.1	10.563	-4.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260428	ND	Pass	0.319	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260428	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260428	2.8%	Pass	10%	Pass	ND	Pass	5.1%	Pass	ND	Pass
	GLBSP-14-D-20260428	4.7%	Pass	5.5%	Pass	0.82%	Pass	0.031%	Pass	0.12%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603189.D	C57661	Cal	0.764	0.904	0.764	-15%	-2.8%		Pass	
2026GB203 Method Blank 1	F2603190.D	C70604	Blank		0.904	0.764			-0.31%	Pass	ND
M325B CCV 5 REC	F2603202.D	C57661	Check	0.767	0.904	0.764	-15%		-15%	Pass	
M325B CCV 5	F2603213.D	C32838	Check	0.875	0.904	0.764	-3.2%		-6.9%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603189.D	C57661	Cal	0.928	1.091	0.928	-15%	-12%		Pass	
2026GB203 Method Blank 1	F2603190.D	C70604	Blank		1.091	0.928			3.1%	Pass	J
M325B CCV 5 REC	F2603202.D	C57661	Check	0.937	1.091	0.928	-14%		-13%	Pass	
M325B CCV 5	F2603213.D	C32838	Check	1.046	1.091	0.928	-4.1%		-3.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603189.D	C57661	Cal	1.075	1.150	1.075	-6.5%	-12%		Pass	
2026GB203 Method Blank 1	F2603190.D	C70604	Blank		1.150	1.075			3.1%	Pass	ND
M325B CCV 5 REC	F2603202.D	C57661	Check	1.110	1.150	1.075	-3.5%		-13%	Pass	
M325B CCV 5	F2603213.D	C32838	Check	1.248	1.150	1.075	8.5%		-3.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603189.D	C57661	Cal	0.948	0.940	0.948	0.90%	-12%		Pass	
2026GB203 Method Blank 1	F2603190.D	C70604	Blank		0.940	0.948			3.1%	Pass	ND
M325B CCV 5 REC	F2603202.D	C57661	Check	0.947	0.940	0.948	0.82%		-13%	Pass	
M325B CCV 5	F2603213.D	C32838	Check	1.033	0.940	0.948	9.9%		-3.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603189.D	C57661	Cal	0.976	0.944	0.976	3.4%	-12%		Pass	
2026GB203 Method Blank 1	F2603190.D	C70604	Blank		0.944	0.976			3.1%	Pass	ND
M325B CCV 5 REC	F2603202.D	C57661	Check	0.954	0.944	0.976	1.1%		-13%	Pass	
M325B CCV 5	F2603213.D	C32838	Check	1.049	0.944	0.976	11%		-3.9%	Pass	

Chromatograms


Name	2026GB203 Method Blank 1
Comment	C70604
Data File	F2603190.D
Acq. Date-Time	5/13/2026 2:57:23 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.889	523,643	
Benzene	benzene-d6 (IS)	7.932	7.945	7,453	
Toluene-d8 (IS)		10.557	10.569	569,077	
Toluene	Toluene-d8 (IS)	10.655	10.667	34,672	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,627	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	621	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	498	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603190.D
Counts
x10^3
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.559 min, 11 scans) F2603190.D
Lib Match Score=37.5
Counts
x10^3
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
41.0
55.2
67.1
73.1
79.1
91.0
106.1
119.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260428
Comment	C71760
Data File	F2603191.D
Acq. Date-Time	5/13/2026 3:22:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	526,561	
Benzene	benzene-d6 (IS)	7.932	7.945	8,233	
Toluene-d8 (IS)		10.563	10.569	575,707	
Toluene	Toluene-d8 (IS)	10.655	10.667	26,477	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	1,273	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	1,229	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	562	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603191.D
Counts
x10^3
0.8
0.7
0.6
0.5
0.4
0.3
0.2
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.502-13.560 min, 9 scans) F2603191.D
Counts
x10^3
Lib Match Score=37.9
39.1
55.0
73.1
91.1
105.1
115.0
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260428
Comment	C35756
Data File	F2603192.D
Acq. Date-Time	5/13/2026 3:48:09 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	529,562	
Benzene	benzene-d6 (IS)	7.932	7.945	58,123	
Toluene-d8 (IS)		10.557	10.569	569,781	
Toluene	Toluene-d8 (IS)	10.655	10.667	132,402	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,966	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	41,490	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,956	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603192.D
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.561 min, 13 scans) F2603192.D
Counts
x10^3
Lib Match Score=59.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.1
55.1
73.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260428
Comment	C36991
Data File	F2603193.D
Acq. Date-Time	5/13/2026 4:13:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	534,931	m
Benzene	benzene-d6 (IS)	7.932	7.945	63,532	
Toluene-d8 (IS)		10.557	10.569	576,441	
Toluene	Toluene-d8 (IS)	10.655	10.667	161,516	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	42,742	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	90,616	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	27,786	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603193.D
Counts
x10^4
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.601 min, 19 scans) F2603193.D
Lib Match Score=61.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
73.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260428
Comment	C38565
Data File	F2603194.D
Acq. Date-Time	5/13/2026 4:39:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	529,664	
Benzene	benzene-d6 (IS)	7.932	7.945	68,112	
Toluene-d8 (IS)		10.557	10.569	563,385	
Toluene	Toluene-d8 (IS)	10.655	10.667	160,305	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	37,062	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	85,295	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	27,685	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603194.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.573 min, 14 scans) F2603194.D
Lib Match Score=66.3
Counts
x10^3
91.1
106.1
111.2
39.1
51.0
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260428
Comment	B17491
Data File	F2603195.D
Acq. Date-Time	5/13/2026 5:04:32 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	533,584	
Benzene	benzene-d6 (IS)	7.932	7.945	74,621	
Toluene-d8 (IS)		10.557	10.569	573,767	
Toluene	Toluene-d8 (IS)	10.655	10.667	161,456	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	24,251	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	49,878	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,663	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603195.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.479-13.573 min, 16 scans) F2603195.D
Counts
x10^3
Lib Match Score=59.4
91.1
106.1
39.1
55.0
73.1
111.1119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260428
Comment	C02008
Data File	F2603196.D
Acq. Date-Time	5/13/2026 5:29:57 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	540,090	
Benzene	benzene-d6 (IS)	7.932	7.945	62,847	
Toluene-d8 (IS)		10.563	10.569	584,299	
Toluene	Toluene-d8 (IS)	10.655	10.667	147,548	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,142	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	43,520	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,743	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603196.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.490-13.573 min, 14 scans) F2603196.D
Counts
x10^3
Lib Match Score=58.7
91.1
106.1
41.1
55.1
65.1
73.1
111.0
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260428
Comment	C71773
Data File	F2603197.D
Acq. Date-Time	5/13/2026 5:55:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	534,433	
Benzene	benzene-d6 (IS)	7.932	7.945	60,459	
Toluene-d8 (IS)		10.563	10.569	591,476	
Toluene	Toluene-d8 (IS)	10.655	10.667	134,937	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	18,150	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	46,362	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,392	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603197.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.486-13.565 min, 13 scans) F2603197.D
Counts
x10^3
Lib Match Score=59.8
91.1
106.1
41.1
55.1
67.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260428
Comment	C01622
Data File	F2603198.D
Acq. Date-Time	5/13/2026 6:21:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	546,090	
Benzene	benzene-d6 (IS)	7.932	7.945	62,605	
Toluene-d8 (IS)		10.563	10.569	585,837	
Toluene	Toluene-d8 (IS)	10.655	10.667	138,242	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,206	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	44,930	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,004	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603198.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.489-13.567 min, 13 scans) F2603198.D
Counts
x10^3
Lib Match Score=60.5
91.1
106.1
111.1
39.0
51.1
67.1
79.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260428
Comment	C36992
Data File	F2603199.D
Acq. Date-Time	5/13/2026 6:47:07 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	546,966	
Benzene	benzene-d6 (IS)	7.932	7.945	77,776	
Toluene-d8 (IS)		10.557	10.569	591,077	
Toluene	Toluene-d8 (IS)	10.655	10.667	208,192	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	41,426	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	91,792	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	32,686	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603199.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.484-13.567 min, 14 scans) F2603199.D
Counts
x10^3
Lib Match Score=66.6
91.1
106.1
39.1
51.0
65.1
79.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260428
Comment	C73611
Data File	F2603200.D
Acq. Date-Time	5/13/2026 7:12:34 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	548,590	
Benzene	benzene-d6 (IS)	7.932	7.945	72,307	
Toluene-d8 (IS)		10.557	10.569	595,788	
Toluene	Toluene-d8 (IS)	10.655	10.667	170,939	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	27,364	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	70,733	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	26,373	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603200.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.481-13.571 min, 15 scans) F2603200.D
Counts
x10^3
Lib Match Score=64.4
91.1
106.1
39.1
55.0
67.1
79.1
96.1
111.2
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260428
Comment	C37454
Data File	F2603201.D
Acq. Date-Time	5/13/2026 7:38:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	543,681	
Benzene	benzene-d6 (IS)	7.932	7.945	65,085	
Toluene-d8 (IS)		10.563	10.569	555,055	
Toluene	Toluene-d8 (IS)	10.661	10.667	149,129	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	27,994	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	60,940	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	23,336	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603201.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.491-13.579 min, 15 scans) F2603201.D
Counts
x10^3
Lib Match Score=62.3
91.1
106.1
111.2
41.1
55.1
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260428
Comment	C71549
Data File	F2603203.D
Acq. Date-Time	5/13/2026 8:28:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	534,296	
Benzene	benzene-d6 (IS)	7.932	7.945	55,060	
Toluene-d8 (IS)		10.563	10.569	582,947	
Toluene	Toluene-d8 (IS)	10.654	10.667	134,577	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,429	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	46,632	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	17,276	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603203.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.577 min, 15 scans) F2603203.D
Counts
x10^3
Lib Match Score=59.1
91.1
106.1
111.0
39.0
55.1
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260428
Comment	C00653
Data File	F2603204.D
Acq. Date-Time	5/13/2026 8:53:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	502,323	
Benzene	benzene-d6 (IS)	7.932	7.945	48,496	
Toluene-d8 (IS)		10.563	10.569	565,819	
Toluene	Toluene-d8 (IS)	10.655	10.667	119,860	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,246	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	38,368	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,794	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603204.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.479-13.560 min, 13 scans) F2603204.D
Counts
x10^3
Lib Match Score=59.9
91.1
106.1
111.1
39.0
55.0
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260428
Comment	C16102
Data File	F2603205.D
Acq. Date-Time	5/13/2026 9:19:02 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	518,341	
Benzene	benzene-d6 (IS)	7.932	7.945	53,956	
Toluene-d8 (IS)		10.557	10.569	559,335	
Toluene	Toluene-d8 (IS)	10.655	10.667	108,448	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,735	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	40,328	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,017	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603205.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.559 min, 12 scans) F2603205.D
Counts
x10^3
Lib Match Score=61.5
91.1
106.1
39.1
55.1
65.0
73.1
111.1
119.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260428
Comment	C59966
Data File	F2603206.D
Acq. Date-Time	5/13/2026 9:44:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	503,025	
Benzene	benzene-d6 (IS)	7.932	7.945	60,310	
Toluene-d8 (IS)		10.563	10.569	543,411	
Toluene	Toluene-d8 (IS)	10.655	10.667	156,903	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	34,843	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	81,500	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	31,391	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603206.D
Counts
x10^4
13.524 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.481-13.573 min, 16 scans) F2603206.D
Counts
x10^3
Lib Match Score=65.4
91.1
106.1
39.1
55.1
69.1
77.1
97.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260428
Comment	C57453
Data File	F2603207.D
Acq. Date-Time	5/13/2026 10:09:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	495,727	
Benzene	benzene-d6 (IS)	7.932	7.945	50,175	
Toluene-d8 (IS)		10.563	10.569	542,074	
Toluene	Toluene-d8 (IS)	10.655	10.667	125,721	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	30,552	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	74,275	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	28,529	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603207.D
Counts
x10^4
13.524 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.492-13.572 min, 13 scans) F2603207.D
Counts
x10^3
Lib Match Score=68.0
91.1
106.1
41.1
55.1
63.0
69.1
77.1
97.0
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260428
Comment	C43317
Data File	F2603208.D
Acq. Date-Time	5/13/2026 10:35:14 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	487,919	
Benzene	benzene-d6 (IS)	7.932	7.945	47,151	
Toluene-d8 (IS)		10.563	10.569	531,097	
Toluene	Toluene-d8 (IS)	10.661	10.667	130,160	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	29,697	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	72,766	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	27,926	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603208.D
Counts
x10^4
13.524 min.
1.5
1.25
1
0.75
0.5
0.25
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.584 min, 15 scans) F2603208.D
Counts
x10^3
Lib Match Score=64.5
91.1
106.1
39.0
55.1
69.1
77.1
97.1
111.2
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260428
Comment	C38910
Data File	F2603209.D
Acq. Date-Time	5/13/2026 11:01:29 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	491,496	
Benzene	benzene-d6 (IS)	7.932	7.945	4,635	
Toluene-d8 (IS)		10.563	10.569	533,356	
Toluene	Toluene-d8 (IS)	10.655	10.667	14,911	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,026	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	730	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	244	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603209.D
Counts
x10^2
13.530 min.
Acquisition Time (min)


+ Scan (13.506-13.541 min, 6 scans) F2603209.D
Lib Match Score=37.4
Counts
x10^3
41.0
55.0
73.1
91.1
106.1
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260428
Comment	C57768
Data File	F2603210.D
Acq. Date-Time	5/13/2026 11:26:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	458,019	
Benzene	benzene-d6 (IS)	7.932	7.945	36,270	
Toluene-d8 (IS)		10.563	10.569	524,356	
Toluene	Toluene-d8 (IS)	10.655	10.667	74,682	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,462	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	31,076	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,967	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603210.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.567 min, 12 scans) F2603210.D
Lib Match Score=57.2
Counts
x10^3
91.1
106.1
111.2
41.1
51.0
67.0
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260428
Comment	C01802
Data File	F2603211.D
Acq. Date-Time	5/13/2026 11:52:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	489,787	
Benzene	benzene-d6 (IS)	7.932	7.945	51,052	
Toluene-d8 (IS)		10.563	10.569	528,995	
Toluene	Toluene-d8 (IS)	10.655	10.667	114,875	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	23,825	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	48,137	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,513	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603211.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.573 min, 14 scans) F2603211.D
Counts
x10^3
Lib Match Score=60.7
91.1
106.1
111.1
41.0
55.1
67.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260428
Comment	C36947
Data File	F2603212.D
Acq. Date-Time	5/14/2026 12:17:39 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.889	486,314	
Benzene	benzene-d6 (IS)	7.932	7.945	45,640	
Toluene-d8 (IS)		10.563	10.569	529,012	
Toluene	Toluene-d8 (IS)	10.655	10.667	99,068	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	18,024	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	33,667	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,837	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2603212.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.481-13.573 min, 15 scans) F2603212.D
Counts
x10^3
Lib Match Score=54.5
91.1
106.1
41.1
55.1
73.0
79.1
118.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB203-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260421

Sample Custody

2026 GB 203

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Global South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	1 Clark Road	Project Number:	PROJ-031333	Sample Event #	2026GB203
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@onterris.com		
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C35756	S	4/28/26	11:49 AM	5/12/26	12:59 PM	KV/PT		
2	C36991	S	4/28/26	11:51 AM	5/12/26	1:05 PM	KV/PT		
3	C38565	S	4/28/26	11:52 AM	5/12/26	1:25 PM	KV/PT		
4	B17491	S	4/28/26	12:05 PM	5/12/26	1:20 PM	KV/PT		
5	C02008	S	4/28/26	12:02 PM	5/12/26	1:16 PM	KV/PT		
5	C71773	D	4/28/26	12:02 PM	5/12/26	1:17 PM	KV/PT		
5	C71760	B	4/28/26	12:02 PM	5/12/26	1:18 PM	KV/PT		
6	C01622	S	4/28/26	12:01 PM	5/12/26	1:20 PM	KV/PT		
7	C36992	S	4/28/26	12:00 PM	5/12/26	1:25 PM	KV/PT		
8	C73611	S	4/28/26	11:58 AM	5/12/26	1:30 PM	KV/PT		
9	C37454	S	4/28/26	12:15 PM	5/12/26	1:35 PM	KV/PT		
10	C71549	S	4/28/26	12:18 PM	5/12/26	1:40 PM	KV/PT		
11	C00653	S	4/28/26	12:21 PM	5/12/26	1:45 PM	KV/PT		
12	C16102	S	4/28/26	12:30 PM	5/12/26	1:51 PM	KV/PT		
13	C59966	S	4/28/26	12:33 PM	5/12/26	2:20 PM	KV/PT		
14	C57453	S	4/28/26	12:35 PM	5/12/26	2:25 PM	KV/PT		
14	C43317	D	4/28/26	12:35 PM	5/12/26	2:30 PM	KV/PT		
14	C38910	B	4/28/26	12:35 PM	5/12/26	2:33 PM	KV/PT		
15	C57768	S	4/28/26	12:37 PM	5/12/26	2:36 PM	KV/PT		
16	C01802	S	4/28/26	12:40 PM	5/12/26	2:40 PM	KV/PT		
17	C36947	S	4/28/26	12:27 PM	5/12/26	2:43 PM	KV/PT		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Phil True	PT	5/12/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Susan Pierce	Susan Pierce	5/13/2026	10:00AM

Sample Condition Upon Receipt:			Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
Good			**Benzene** **Toluene** **Ethylbenzene** **O-xylenes, m-/p-xylenes**	Y	
Temp:	Blank Temp: 18.5	Fluke 4		Add Custody Seal # below: 25E08964	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

This Is The Last Page Of This Report.

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 48 Global - South Portland

Client Project# PROJ-031333
Samples Received: 5/27/2026

Analytical Report
2026GB204

EPA Method 325B Analysis

Report Issue Date: 6/3/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 12
Chromatograms . . . 15
Initial Calibration . . . 82
Sample Custody . . . 85
    Chain of Custody . . . 86

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB204-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on May 27, 2026 at 19.2 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260512	C43606	Sample
GLBSP-2-S-20260512	C33513	Sample
GLBSP-3-S-20260512	C20444	Sample
GLBSP-4-S-20260512	C40542	Sample
GLBSP-5-S-20260512	C43695	Sample
GLBSP-5-D-20260512	C16112	Duplicate
GLBSP-5-B-20260512	B46946	Blank
GLBSP-6-S-20260512	C60258	Sample
GLBSP-7-S-20260512	C71633	Sample
GLBSP-8-S-20260512	C01833	Sample
GLBSP-9-S-20260512	C02035	Sample
GLBSP-10-S-20260512	C57174	Sample
GLBSP-11-S-20260512	C24092	Sample
GLBSP-12-S-20260512	B29375	Sample
GLBSP-13-S-20260512	B52929	Sample
GLBSP-14-S-20260512	C01963	Sample
GLBSP-14-D-20260512	C00599	Duplicate
GLBSP-14-B-20260512	C57391	Blank
GLBSP-15-S-20260512	C43327	Sample
GLBSP-16-S-20260512	C69575	Sample
GLBSP-17-S-20260512	C40653	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-TD35 is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB204-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The lowest level for the initial calibration (P041426A_CC185154) did not meet method criteria for Benzene, Ethylbenzene, m-/p-Xylenes, o-Xylene, and Toluene and has been excluded from the curve for those analytes. This results in the LOQ (Limit of Quantitation) being elevated for Benzene, Ethylbenzene, m-/p-Xylenes, o-Xylene, and Toluene. The integrity of the reported data is not compromised. The initial calibration met all other 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample GLBSP-5-S-20260512 (tube ID C43695) and its corresponding duplicate GLBSP-5-D-20260512 (tube ID C16112) failed to meet the 30% difference criterion for Benzene as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for Benzene to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260512	C43606	0.434	J,Pc	1.43		0.288	J	0.719	J	0.276	ND
GLBSP-2-S-20260512	C33513	0.573	J,Pc	1.80		0.528	J	1.53		0.447	J
GLBSP-3-S-20260512	C20444	0.679	J,Pc	1.88		0.446	J	1.13	J	0.335	J
GLBSP-4-S-20260512	C40542	0.497	J,Pc	1.42		0.276	ND	0.744	J	0.276	ND
GLBSP-5-S-20260512	C43695	0.515	J,Pc	1.48		0.276	ND	0.739	J	0.276	ND
GLBSP-5-D-20260512	C16112	0.711	J,Pc	1.92		0.331	J	0.857	J	0.311	J
GLBSP-5-B-20260512	B46946	0.190	ND,Pc	0.244	ND	0.276	ND	0.276	ND	0.276	ND
GLBSP-6-S-20260512	C60258	0.545	J,Pc	1.57		0.324	J	0.930	J	0.324	J
GLBSP-7-S-20260512	C71633	0.729	J,Pc	2.19		0.485	J	1.54		0.554	J
GLBSP-8-S-20260512	C01833	0.683	J,Pc	1.96		0.371	J	1.00	J	0.372	J
GLBSP-9-S-20260512	C02035	0.637	J,Pc	1.81		0.345	J	0.962	J	0.357	J
GLBSP-10-S-20260512	C57174	0.608	J,Pc	1.75		0.395	J	1.16	J	0.460	J
GLBSP-11-S-20260512	C24092	0.508	J,Pc	1.38		0.276	ND	0.586	J	0.276	ND
GLBSP-12-S-20260512	B29375	0.505	J,Pc	1.52		0.320	J	0.873	J	0.298	J
GLBSP-13-S-20260512	B52929	0.574	J,Pc	1.68		0.428	J	1.12	J	0.447	J
GLBSP-14-S-20260512	C01963	0.528	J,Pc	1.43		0.316	J	0.962	J	0.369	J
GLBSP-14-D-20260512	C00599	0.558	J,Pc	1.49		0.400	J	0.891	J	0.349	J
GLBSP-14-B-20260512	C57391	0.190	ND,Pc	0.245	ND	0.277	ND	0.277	ND	0.277	ND
GLBSP-15-S-20260512	C43327	0.479	J,Pc	1.23		0.277	ND	0.669	J	0.277	ND
GLBSP-16-S-20260512	C69575	0.536	J,Pc	1.38		0.298	J	1.03	J	0.392	J
GLBSP-17-S-20260512	C40653	0.414	J,Pc	1.18		0.277	ND	0.610	J	0.277	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260512	C43606	0.434	0.136	5.72	58.5	0.658	20024	0.190	0.911	0.0594	0.285	J,Pc	P2601906.D	2026-05-27 17:35	1.100	8.331	55920	835356	93.9	8.284	1.0%
GLBSP-2-S-20260512	C33513	0.573	0.179	7.55	58.5	0.658	20020	0.190	0.911	0.0594	0.285	J,Pc	P2601907.D	2026-05-27 18:13	1.100	8.343	71005	803142	93.9	8.278	-2.9%
GLBSP-3-S-20260512	C20444	0.679	0.213	8.94	58.5	0.658	20002	0.190	0.912	0.0595	0.286	J,Pc	P2601908.D	2026-05-27 18:50	1.100	8.337	84335	805112	93.9	8.284	-2.6%
GLBSP-4-S-20260512	C40542	0.497	0.156	6.55	58.5	0.658	20020	0.190	0.911	0.0594	0.285	J,Pc	P2601909.D	2026-05-27 19:28	1.100	8.337	61247	798494	93.9	8.278	-3.4%
GLBSP-5-S-20260512	C43695	0.515	0.161	6.78	58.5	0.658	20021	0.190	0.911	0.0594	0.285	J,Pc	P2601910.D	2026-05-27 20:06	1.100	8.349	61170	769770	93.9	8.284	-6.9%
GLBSP-5-D-20260512	C16112	0.711	0.223	9.37	58.5	0.658	20020	0.190	0.911	0.0594	0.285	J,Pc	P2601911.D	2026-05-27 20:44	1.100	8.343	89047	811606	93.9	8.284	-1.9%
GLBSP-5-B-20260512	B46946	0.190	0.0594		58.5	0.658	20019	0.190	0.911	0.0594	0.285	ND,Pc	P2601904.D	2026-05-27 16:19	1.100	8.331	7077	821616	93.9	8.284	-0.6%
GLBSP-6-S-20260512	C60258	0.545	0.171	7.18	58.5	0.658	20015	0.190	0.912	0.0594	0.286	J,Pc	P2601912.D	2026-05-27 21:21	1.100	8.349	66568	791576	93.9	8.284	-4.3%
GLBSP-7-S-20260512	C71633	0.729	0.228	9.61	58.5	0.658	20008	0.190	0.912	0.0594	0.286	J,Pc	P2601913.D	2026-05-27 21:59	1.100	8.337	89434	794878	93.9	8.284	-3.9%
GLBSP-8-S-20260512	C01833	0.683	0.214	8.99	58.5	0.658	20001	0.190	0.912	0.0595	0.286	J,Pc	P2601914.D	2026-05-27 22:37	1.100	8.331	83908	796482	93.9	8.278	-3.7%
GLBSP-9-S-20260512	C02035	0.637	0.199	8.39	58.5	0.658	20017	0.190	0.911	0.0594	0.285	J,Pc	P2601915.D	2026-05-27 23:15	1.100	8.337	76984	783388	93.9	8.284	-5.3%
GLBSP-10-S-20260512	C57174	0.608	0.190	8.01	58.5	0.658	20015	0.190	0.912	0.0594	0.286	J,Pc	P2601917.D	2026-05-28 00:30	1.100	8.337	70282	748719	93.9	8.290	-9.5%
GLBSP-11-S-20260512	C24092	0.508	0.159	6.69	58.5	0.658	20014	0.190	0.912	0.0594	0.286	J,Pc	P2601918.D	2026-05-28 01:08	1.100	8.343	61401	783426	93.9	8.284	-5.3%
GLBSP-12-S-20260512	B29375	0.505	0.158	6.65	58.5	0.658	20015	0.190	0.912	0.0594	0.285	J,Pc	P2601919.D	2026-05-28 01:46	1.100	8.337	61618	791215	93.9	8.290	-4.3%
GLBSP-13-S-20260512	B52929	0.574	0.180	7.56	58.5	0.658	19988	0.190	0.913	0.0595	0.286	J,Pc	P2601920.D	2026-05-28 02:23	1.100	8.337	70961	801569	93.9	8.284	-3.1%
GLBSP-14-S-20260512	C01963	0.528	0.165	6.95	58.5	0.658	19986	0.190	0.913	0.0595	0.286	J,Pc	P2601921.D	2026-05-28 03:01	1.100	8.343	62026	762331	93.9	8.290	-7.8%
GLBSP-14-D-20260512	C00599	0.558	0.175	7.34	58.5	0.658	19981	0.190	0.913	0.0595	0.286	J,Pc	P2601922.D	2026-05-28 03:39	1.100	8.343	68231	794034	93.9	8.284	-4.0%
GLBSP-14-B-20260512	C57391	0.190	0.0595		58.5	0.658	19978	0.190	0.913	0.0595	0.286	ND,Pc	P2601905.D	2026-05-27 16:57	1.100	8.290	6947	829067	93.9	8.290	0.3%
GLBSP-15-S-20260512	C43327	0.479	0.150	6.31	58.5	0.658	19978	0.190	0.913	0.0595	0.286	J,Pc	P2601923.D	2026-05-28 04:17	1.100	8.349	56124	759963	93.9	8.296	-8.1%
GLBSP-16-S-20260512	C69575	0.536	0.168	7.06	58.5	0.658	19977	0.190	0.913	0.0595	0.286	J,Pc	P2601924.D	2026-05-28 04:54	1.100	8.349	65004	786511	93.9	8.290	-4.9%
GLBSP-17-S-20260512	C40653	0.414	0.130	5.44	58.5	0.658	19960	0.190	0.914	0.0596	0.286	J,Pc	P2601925.D	2026-05-28 05:32	1.100	8.343	48533	761905	93.9	8.290	-7.9%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260512	C43606	1.43	0.381	14.7	58.5	0.511	20024	0.244	1.03	0.0649	0.274		P2601906.D	2026-05-27 17:35	1.215	10.949	150976	932254	110.1	10.860	-2.3%
GLBSP-2-S-20260512	C33513	1.80	0.478	18.4	58.5	0.511	20020	0.244	1.03	0.0649	0.274		P2601907.D	2026-05-27 18:13	1.215	10.949	186307	916062	110.1	10.854	-4.0%
GLBSP-3-S-20260512	C20444	1.88	0.500	19.2	58.5	0.511	20002	0.245	1.03	0.0650	0.274		P2601908.D	2026-05-27 18:50	1.215	10.949	192718	907170	110.1	10.854	-5.0%
GLBSP-4-S-20260512	C40542	1.42	0.377	14.5	58.5	0.511	20020	0.244	1.03	0.0649	0.274		P2601909.D	2026-05-27 19:28	1.215	10.949	142260	886407	110.1	10.854	-7.1%
GLBSP-5-S-20260512	C43695	1.48	0.394	15.2	58.5	0.511	20021	0.244	1.03	0.0649	0.274		P2601910.D	2026-05-27 20:06	1.215	10.949	148110	884816	110.1	10.854	-7.3%
GLBSP-5-D-20260512	C16112	1.92	0.510	19.6	58.5	0.511	20020	0.244	1.03	0.0649	0.274		P2601911.D	2026-05-27 20:44	1.215	10.949	192691	888449	110.1	10.854	-6.9%
GLBSP-5-B-20260512	B46946	0.244	0.0649		58.5	0.511	20019	0.244	1.03	0.0649	0.274	ND	P2601904.D	2026-05-27 16:19	1.215	10.949	16039	921329	110.1	10.854	-3.5%
GLBSP-6-S-20260512	C60258	1.57	0.416	16.0	58.5	0.511	20015	0.244	1.03	0.0649	0.274		P2601912.D	2026-05-27 21:21	1.215	10.949	153449	867675	110.1	10.854	-9.1%
GLBSP-7-S-20260512	C71633	2.19	0.582	22.4	58.5	0.511	20008	0.245	1.03	0.0649	0.274		P2601913.D	2026-05-27 21:59	1.215	10.949	222227	898316	110.1	10.860	-5.9%
GLBSP-8-S-20260512	C01833	1.96	0.521	20.1	58.5	0.511	20001	0.245	1.03	0.0650	0.274		P2601914.D	2026-05-27 22:37	1.215	10.949	196786	888628	110.1	10.854	-6.9%
GLBSP-9-S-20260512	C02035	1.81	0.480	18.5	58.5	0.511	20017	0.244	1.03	0.0649	0.274		P2601915.D	2026-05-27 23:15	1.215	10.955	178264	872952	110.1	10.854	-8.5%
GLBSP-10-S-20260512	C57174	1.75	0.465	17.9	58.5	0.511	20015	0.244	1.03	0.0649	0.274		P2601917.D	2026-05-28 00:30	1.194	10.949	167566	862061	110.1	10.854	-5.1%
GLBSP-11-S-20260512	C24092	1.38	0.367	14.1	58.5	0.511	20014	0.244	1.03	0.0649	0.274		P2601918.D	2026-05-28 01:08	1.194	10.949	130838	852585	110.1	10.854	-6.1%
GLBSP-12-S-20260512	B29375	1.52	0.404	15.6	58.5	0.511	20015	0.244	1.03	0.0649	0.274		P2601919.D	2026-05-28 01:46	1.194	10.955	148838	881796	110.1	10.860	-2.9%
GLBSP-13-S-20260512	B52929	1.68	0.447	17.2	58.5	0.511	19988	0.245	1.03	0.0650	0.274		P2601920.D	2026-05-28 02:23	1.194	10.955	164330	881144	110.1	10.860	-3.0%
GLBSP-14-S-20260512	C01963	1.43	0.380	14.6	58.5	0.511	19986	0.245	1.03	0.0650	0.274		P2601921.D	2026-05-28 03:01	1.194	10.955	133673	843854	110.1	10.860	-7.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260512	C00599	1.49	0.395	15.2	58.5	0.511	19981	0.245	1.03	0.0650	0.274		P2601922.D	2026-05-28 03:39	1.194	10.955	141336	858090	110.1	10.860	-5.5%
GLBSP-14-B-20260512	C57391	0.245	0.0650		58.5	0.511	19978	0.245	1.03	0.0650	0.274	ND	P2601905.D	2026-05-27 16:57	1.215	10.949	6733	899668	110.1	10.860	-5.7%
GLBSP-15-S-20260512	C43327	1.23	0.327	12.6	58.5	0.511	19978	0.245	1.03	0.0650	0.274		P2601923.D	2026-05-28 04:17	1.194	10.955	116256	853334	110.1	10.860	-6.0%
GLBSP-16-S-20260512	C69575	1.38	0.367	14.1	58.5	0.511	19977	0.245	1.03	0.0650	0.274		P2601924.D	2026-05-28 04:54	1.194	10.955	133304	870441	110.1	10.860	-4.1%
GLBSP-17-S-20260512	C40653	1.18	0.313	12.0	58.5	0.511	19960	0.245	1.03	0.0651	0.275		P2601925.D	2026-05-28 05:32	1.194	10.949	112559	863628	110.1	10.860	-4.9%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260512	C43606	0.288	0.0664	2.61	58.5	0.452	20024	0.276	1.21	0.0637	0.279	J	P2601906.D	2026-05-27 17:35	1.356	13.085	29934	932254	110.1	10.860	-2.3%
GLBSP-2-S-20260512	C33513	0.528	0.122	4.78	58.5	0.452	20020	0.276	1.21	0.0637	0.279	J	P2601907.D	2026-05-27 18:13	1.356	13.086	53895	916062	110.1	10.854	-4.0%
GLBSP-3-S-20260512	C20444	0.446	0.103	4.03	58.5	0.452	20002	0.277	1.21	0.0637	0.279	J	P2601908.D	2026-05-27 18:50	1.356	13.091	45047	907170	110.1	10.854	-5.0%
GLBSP-4-S-20260512	C40542	0.276	0.0637		58.5	0.452	20020	0.276	1.21	0.0637	0.279	ND	P2601909.D	2026-05-27 19:28	1.356	13.079	26677	886407	110.1	10.854	-7.1%
GLBSP-5-S-20260512	C43695	0.276	0.0637		58.5	0.452	20021	0.276	1.21	0.0637	0.279	ND	P2601910.D	2026-05-27 20:06	1.356	13.086	24666	884816	110.1	10.854	-7.3%
GLBSP-5-D-20260512	C16112	0.331	0.0762	2.99	58.5	0.452	20020	0.276	1.21	0.0637	0.279	J	P2601911.D	2026-05-27 20:44	1.356	13.079	32733	888449	110.1	10.854	-6.9%
GLBSP-5-B-20260512	B46946	0.276	0.0637		58.5	0.452	20019	0.276	1.21	0.0637	0.279	ND	P2601904.D	2026-05-27 16:19	1.356	13.097	1860	921329	110.1	10.854	-3.5%
GLBSP-6-S-20260512	C60258	0.324	0.0748	2.94	58.5	0.452	20015	0.276	1.21	0.0637	0.279	J	P2601912.D	2026-05-27 21:21	1.356	13.085	31352	867675	110.1	10.854	-9.1%
GLBSP-7-S-20260512	C71633	0.485	0.112	4.39	58.5	0.452	20008	0.276	1.21	0.0637	0.279	J	P2601913.D	2026-05-27 21:59	1.356	13.085	48551	898316	110.1	10.860	-5.9%
GLBSP-8-S-20260512	C01833	0.371	0.0855	3.35	58.5	0.452	20001	0.277	1.21	0.0637	0.279	J	P2601914.D	2026-05-27 22:37	1.356	13.080	36689	888628	110.1	10.854	-6.9%
GLBSP-9-S-20260512	C02035	0.345	0.0795	3.12	58.5	0.452	20017	0.276	1.21	0.0637	0.279	J	P2601915.D	2026-05-27 23:15	1.356	13.085	33564	872952	110.1	10.854	-8.5%
GLBSP-10-S-20260512	C57174	0.395	0.0910	3.57	58.5	0.452	20015	0.276	1.21	0.0637	0.279	J	P2601917.D	2026-05-28 00:30	1.301	13.085	36382	862061	110.1	10.854	-5.1%
GLBSP-11-S-20260512	C24092	0.276	0.0637		58.5	0.452	20014	0.276	1.21	0.0637	0.279	ND	P2601918.D	2026-05-28 01:08	1.301	13.085	23611	852585	110.1	10.854	-6.1%
GLBSP-12-S-20260512	B29375	0.320	0.0737	2.89	58.5	0.452	20015	0.276	1.21	0.0637	0.279	J	P2601919.D	2026-05-28 01:46	1.301	13.085	30153	881796	110.1	10.860	-2.9%
GLBSP-13-S-20260512	B52929	0.428	0.0986	3.87	58.5	0.452	19988	0.277	1.21	0.0638	0.280	J	P2601920.D	2026-05-28 02:23	1.301	13.091	40253	881144	110.1	10.860	-3.0%
GLBSP-14-S-20260512	C01963	0.316	0.0728	2.85	58.5	0.452	19986	0.277	1.21	0.0638	0.280	J	P2601921.D	2026-05-28 03:01	1.301	13.086	28444	843854	110.1	10.860	-7.1%
GLBSP-14-D-20260512	C00599	0.400	0.0923	3.62	58.5	0.452	19981	0.277	1.21	0.0638	0.280	J	P2601922.D	2026-05-28 03:39	1.301	13.085	36663	858090	110.1	10.860	-5.5%
GLBSP-14-B-20260512	C57391	0.277	0.0638		58.5	0.452	19978	0.277	1.21	0.0638	0.280	ND	P2601905.D	2026-05-27 16:57	1.356	13.085	854	899668	110.1	10.860	-5.7%
GLBSP-15-S-20260512	C43327	0.277	0.0638		58.5	0.452	19978	0.277	1.21	0.0638	0.280	ND	P2601923.D	2026-05-28 04:17	1.301	13.091	18659	853334	110.1	10.860	-6.0%
GLBSP-16-S-20260512	C69575	0.298	0.0686	2.69	58.5	0.452	19977	0.277	1.21	0.0638	0.280	J	P2601924.D	2026-05-28 04:54	1.301	13.085	27650	870441	110.1	10.860	-4.1%
GLBSP-17-S-20260512	C40653	0.277	0.0639		58.5	0.452	19960	0.277	1.22	0.0639	0.280	ND	P2601925.D	2026-05-28 05:32	1.301	13.086	20805	863628	110.1	10.860	-4.9%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260512	C43606	0.719	0.166	6.50	58.5	0.452	20024	0.276	1.36	0.0637	0.313	J	P2601906.D	2026-05-27 17:35	1.138	13.263	62693	932254	110.1	10.860	-2.3%
GLBSP-2-S-20260512	C33513	1.53	0.353	13.9	58.5	0.452	20020	0.276	1.36	0.0637	0.313		P2601907.D	2026-05-27 18:13	1.138	13.258	131180	916062	110.1	10.854	-4.0%
GLBSP-3-S-20260512	C20444	1.13	0.260	10.2	58.5	0.452	20002	0.277	1.36	0.0637	0.313	J	P2601908.D	2026-05-27 18:50	1.138	13.264	95833	907170	110.1	10.854	-5.0%
GLBSP-4-S-20260512	C40542	0.744	0.171	6.73	58.5	0.452	20020	0.276	1.36	0.0637	0.313	J	P2601909.D	2026-05-27 19:28	1.138	13.258	61708	886407	110.1	10.854	-7.1%
GLBSP-5-S-20260512	C43695	0.739	0.170	6.69	58.5	0.452	20021	0.276	1.36	0.0637	0.313	J	P2601910.D	2026-05-27 20:06	1.138	13.258	61205	884816	110.1	10.854	-7.3%
GLBSP-5-D-20260512	C16112	0.857	0.198	7.76	58.5	0.452	20020	0.276	1.36	0.0637	0.313	J	P2601911.D	2026-05-27 20:44	1.138	13.257	71246	888449	110.1	10.854	-6.9%
GLBSP-5-B-20260512	B46946	0.276	0.0637		58.5	0.452	20019	0.276	1.36	0.0637	0.313	ND	P2601904.D	2026-05-27 16:19	1.138	13.281	1799	921329	110.1	10.854	-3.5%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260512	C60258	0.930	0.214	8.41	58.5	0.452	20015	0.276	1.36	0.0637	0.313	J	P2601912.D	2026-05-27 21:21	1.138	13.264	75459	867675	110.1	10.854	-9.1%
GLBSP-7-S-20260512	C71633	1.54	0.356	14.0	58.5	0.452	20008	0.276	1.36	0.0637	0.313		P2601913.D	2026-05-27 21:59	1.138	13.258	129602	898316	110.1	10.860	-5.9%
GLBSP-8-S-20260512	C01833	1.00	0.231	9.06	58.5	0.452	20001	0.277	1.36	0.0637	0.313	J	P2601914.D	2026-05-27 22:37	1.138	13.258	83202	888628	110.1	10.854	-6.9%
GLBSP-9-S-20260512	C02035	0.962	0.222	8.70	58.5	0.452	20017	0.276	1.36	0.0637	0.313	J	P2601915.D	2026-05-27 23:15	1.138	13.252	78545	872952	110.1	10.854	-8.5%
GLBSP-10-S-20260512	C57174	1.16	0.268	10.5	58.5	0.452	20015	0.276	1.36	0.0637	0.313	J	P2601917.D	2026-05-28 00:30	1.080	13.257	88929	862061	110.1	10.854	-5.1%
GLBSP-11-S-20260512	C24092	0.586	0.135	5.30	58.5	0.452	20014	0.276	1.36	0.0637	0.313	J	P2601918.D	2026-05-28 01:08	1.080	13.257	44310	852585	110.1	10.854	-6.1%
GLBSP-12-S-20260512	B29375	0.873	0.201	7.90	58.5	0.452	20015	0.276	1.36	0.0637	0.313	J	P2601919.D	2026-05-28 01:46	1.080	13.269	68286	881796	110.1	10.860	-2.9%
GLBSP-13-S-20260512	B52929	1.12	0.259	10.1	58.5	0.452	19988	0.277	1.36	0.0638	0.313	J	P2601920.D	2026-05-28 02:23	1.080	13.263	87561	881144	110.1	10.860	-3.0%
GLBSP-14-S-20260512	C01963	0.962	0.222	8.69	58.5	0.452	19986	0.277	1.36	0.0638	0.313	J	P2601921.D	2026-05-28 03:01	1.080	13.258	71895	843854	110.1	10.860	-7.1%
GLBSP-14-D-20260512	C00599	0.891	0.205	8.04	58.5	0.452	19981	0.277	1.36	0.0638	0.314	J	P2601922.D	2026-05-28 03:39	1.080	13.264	67666	858090	110.1	10.860	-5.5%
GLBSP-14-B-20260512	C57391	0.277	0.0638		58.5	0.452	19978	0.277	1.36	0.0638	0.314	ND	P2601905.D	2026-05-27 16:57	1.138	13.293	167	899668	110.1	10.860	-5.7%
GLBSP-15-S-20260512	C43327	0.669	0.154	6.05	58.5	0.452	19978	0.277	1.36	0.0638	0.314	J	P2601923.D	2026-05-28 04:17	1.080	13.263	50575	853334	110.1	10.860	-6.0%
GLBSP-16-S-20260512	C69575	1.03	0.237	9.30	58.5	0.452	19977	0.277	1.36	0.0638	0.314	J	P2601924.D	2026-05-28 04:54	1.080	13.263	79408	870441	110.1	10.860	-4.1%
GLBSP-17-S-20260512	C40653	0.610	0.141	5.50	58.5	0.452	19960	0.277	1.36	0.0639	0.314	J	P2601925.D	2026-05-28 05:32	1.080	13.264	46591	863628	110.1	10.860	-4.9%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260512	C43606	0.276	0.0637		58.5	0.452	20024	0.276	1.26	0.0637	0.291	ND	P2601906.D	2026-05-27 17:35	1.143	13.756	22196	932254	110.1	10.860	-2.3%
GLBSP-2-S-20260512	C33513	0.447	0.103	4.04	58.5	0.452	20020	0.276	1.26	0.0637	0.291	J	P2601907.D	2026-05-27 18:13	1.143	13.756	38450	916062	110.1	10.854	-4.0%
GLBSP-3-S-20260512	C20444	0.335	0.0773	3.03	58.5	0.452	20002	0.277	1.26	0.0637	0.291	J	P2601908.D	2026-05-27 18:50	1.143	13.750	28551	907170	110.1	10.854	-5.0%
GLBSP-4-S-20260512	C40542	0.276	0.0637		58.5	0.452	20020	0.276	1.26	0.0637	0.291	ND	P2601909.D	2026-05-27 19:28	1.143	13.750	20297	886407	110.1	10.854	-7.1%
GLBSP-5-S-20260512	C43695	0.276	0.0637		58.5	0.452	20021	0.276	1.26	0.0637	0.291	ND	P2601910.D	2026-05-27 20:06	1.143	13.750	22942	884816	110.1	10.854	-7.3%
GLBSP-5-D-20260512	C16112	0.311	0.0716	2.81	58.5	0.452	20020	0.276	1.26	0.0637	0.291	J	P2601911.D	2026-05-27 20:44	1.143	13.750	25936	888449	110.1	10.854	-6.9%
GLBSP-5-B-20260512	B46946	0.276	0.0637		58.5	0.452	20019	0.276	1.26	0.0637	0.291	ND	P2601904.D	2026-05-27 16:19	1.143	13.738	1247	921329	110.1	10.854	-3.5%
GLBSP-6-S-20260512	C60258	0.324	0.0747	2.93	58.5	0.452	20015	0.276	1.26	0.0637	0.291	J	P2601912.D	2026-05-27 21:21	1.143	13.750	26402	867675	110.1	10.854	-9.1%
GLBSP-7-S-20260512	C71633	0.554	0.128	5.01	58.5	0.452	20008	0.276	1.26	0.0637	0.291	J	P2601913.D	2026-05-27 21:59	1.143	13.756	46694	898316	110.1	10.860	-5.9%
GLBSP-8-S-20260512	C01833	0.372	0.0858	3.37	58.5	0.452	20001	0.277	1.26	0.0637	0.291	J	P2601914.D	2026-05-27 22:37	1.143	13.750	31036	888628	110.1	10.854	-6.9%
GLBSP-9-S-20260512	C02035	0.357	0.0822	3.23	58.5	0.452	20017	0.276	1.26	0.0637	0.291	J	P2601915.D	2026-05-27 23:15	1.143	13.750	29240	872952	110.1	10.854	-8.5%
GLBSP-10-S-20260512	C57174	0.460	0.106	4.16	58.5	0.452	20015	0.276	1.26	0.0637	0.291	J	P2601917.D	2026-05-28 00:30	1.055	13.756	34370	862061	110.1	10.854	-5.1%
GLBSP-11-S-20260512	C24092	0.276	0.0637		58.5	0.452	20014	0.276	1.26	0.0637	0.291	ND	P2601918.D	2026-05-28 01:08	1.055	13.756	17984	852585	110.1	10.854	-6.1%
GLBSP-12-S-20260512	B29375	0.298	0.0687	2.70	58.5	0.452	20015	0.276	1.26	0.0637	0.291	J	P2601919.D	2026-05-28 01:46	1.055	13.762	22761	881796	110.1	10.860	-2.9%
GLBSP-13-S-20260512	B52929	0.447	0.103	4.04	58.5	0.452	19988	0.277	1.26	0.0638	0.291	J	P2601920.D	2026-05-28 02:23	1.055	13.756	34067	881144	110.1	10.860	-3.0%
GLBSP-14-S-20260512	C01963	0.369	0.0850	3.33	58.5	0.452	19986	0.277	1.26	0.0638	0.292	J	P2601921.D	2026-05-28 03:01	1.055	13.756	26939	843854	110.1	10.860	-7.1%
GLBSP-14-D-20260512	C00599	0.349	0.0803	3.15	58.5	0.452	19981	0.277	1.27	0.0638	0.292	J	P2601922.D	2026-05-28 03:39	1.055	13.756	25871	858090	110.1	10.860	-5.5%
GLBSP-14-B-20260512	C57391	0.277	0.0638		58.5	0.452	19978	0.277	1.27	0.0638	0.292	ND	P2601905.D	2026-05-27 16:57	1.143	13.774	918	899668	110.1	10.860	-5.7%
GLBSP-15-S-20260512	C43327	0.277	0.0638		58.5	0.452	19978	0.277	1.27	0.0638	0.292	ND	P2601923.D	2026-05-28 04:17	1.055	13.762	17829	853334	110.1	10.860	-6.0%
GLBSP-16-S-20260512	C69575	0.392	0.0903	3.54	58.5	0.452	19977	0.277	1.27	0.0638	0.292	J	P2601924.D	2026-05-28 04:54	1.055	13.762	29507	870441	110.1	10.860	-4.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260512	C40653	0.277	0.0639		58.5	0.452	19960	0.277	1.27	0.0639	0.292	ND	P2601925.D	2026-05-28 05:32	1.055	13.750	14405	863628	110.1	10.860	-4.9%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260512	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260512	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260512	32%	Fail	26%	Pass	ND	Pass	15%	Pass	ND	Pass
	GLBSP-14-D-20260512	5.5%	Pass	3.9%	Pass	24%	Pass	7.7%	Pass	5.7%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	P2601902.D	C56943	Cal	1.100	0.989	1.100	11%	-3.0%		Pass	
2026GB204 Method Blank-1	P2601903.D	C70104	Blank		0.989	1.100			2.8%	Pass	ND
M325B CCV 5	P2601916.D	C37454	Check	1.056	0.989	1.100	6.8%		-2.2%	Pass	
M325B CCV 5 REC	P2601926.D	C37454	Check	1.075	0.989	1.100	8.8%		-1.8%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	P2601902.D	C56943	Cal	1.215	1.153	1.215	5.4%	5.2%		Pass	
2026GB204 Method Blank-1	P2601903.D	C70104	Blank		1.153	1.215			0.094%	Pass	ND
M325B CCV 5	P2601916.D	C37454	Cal	1.194	1.153	1.194	3.6%	0.043%	-4.9%	Pass	
M325B CCV 5 REC	P2601926.D	C37454	Check	1.175	1.153	1.194	1.9%		4.1%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	P2601902.D	C56943	Cal	1.356	1.234	1.356	9.9%	5.2%		Pass	
2026GB204 Method Blank-1	P2601903.D	C70104	Blank		1.234	1.356			0.094%	Pass	ND
M325B CCV 5	P2601916.D	C37454	Cal	1.301	1.234	1.301	5.4%	0.043%	-4.9%	Pass	
M325B CCV 5 REC	P2601926.D	C37454	Check	1.235	1.234	1.301	0.077%		4.1%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	P2601902.D	C56943	Cal	1.138	1.012	1.138	12%	5.2%		Pass	
2026GB204 Method Blank-1	P2601903.D	C70104	Blank		1.012	1.138			0.094%	Pass	ND
M325B CCV 5	P2601916.D	C37454	Cal	1.080	1.012	1.080	6.6%	0.043%	-4.9%	Pass	
M325B CCV 5 REC	P2601926.D	C37454	Check	0.968	1.012	1.080	-4.4%		4.1%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	P2601902.D	C56943	Cal	1.143	1.036	1.143	10%	5.2%		Pass	
2026GB204 Method Blank-1	P2601903.D	C70104	Blank		1.036	1.143			0.094%	Pass	ND
M325B CCV 5	P2601916.D	C37454	Cal	1.055	1.036	1.055	1.8%	0.043%	-4.9%	Pass	
M325B CCV 5 REC	P2601926.D	C37454	Check	1.013	1.036	1.055	-2.2%		4.1%	Pass	

Chromatograms


Name	2026GB204 Method Blank-1
Comment	C70104
Data File	P2601903.D
Acq. Date-Time	5/27/2026 3:42:03 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	849,843	
Benzene	Benzene-d6 (IS)	8.319	8.331	13,666	
Toluene-d8 (IS)		10.854	10.854	955,425	
Toluene	Toluene-d8 (IS)	10.960	10.949	14,380	
Ethylbenzene	Toluene-d8 (IS)	13.091	13.086	6,675	
m-/p-Xylenes	Toluene-d8 (IS)	13.263	13.275	8,978	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	4,504	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601903.D
Counts
x10^3
13.750 min.
Acquisition Time (min)


+ Scan (13.727-13.808 min, 13 scans) P2601903.D
Lib Match Score=52.1
Counts
x10^3
91.0
106.0
41.1
55.0
69.0
79.1
98.2
118.9
39.0
51.0
65.0
77.0
98.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260512
Comment	B46946
Data File	P2601904.D
Acq. Date-Time	5/27/2026 4:19:50 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	821,616	
Benzene	Benzene-d6 (IS)	8.331	8.331	7,077	
Toluene-d8 (IS)		10.854	10.854	921,329	
Toluene	Toluene-d8 (IS)	10.949	10.949	16,039	
Ethylbenzene	Toluene-d8 (IS)	13.097	13.086	1,860	m
m-/p-Xylenes	Toluene-d8 (IS)	13.281	13.275	1,799	m
o-Xylene	Toluene-d8 (IS)	13.738	13.756	1,247	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601904.D
Counts
x10^3
* 13.738 min.
0.8
0.6
0.4
0.2
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.733-13.784 min, 8 scans) P2601904.D
Counts
x10^3
Lib Match Score=43.6
91.1
41.0
54.0
67.0
80.0
96.0
106.1
119.3
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260512
Comment	C57391
Data File	P2601905.D
Acq. Date-Time	5/27/2026 4:57:34 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	829,067	
Benzene	Benzene-d6 (IS)	8.290	8.331	6,947	
Toluene-d8 (IS)		10.860	10.854	899,668	
Toluene	Toluene-d8 (IS)	10.949	10.949	6,733	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	854	
m-/p-Xylenes	Toluene-d8 (IS)	13.293	13.275	167	
o-Xylene	Toluene-d8 (IS)	13.774	13.756	918	m


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601905.D
Counts
x10^3
1
0.8
0.6
0.4
0.2
0
* 13.774 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.738-13.804 min, 11 scans) P2601905.D
Counts
x10^3
Lib Match Score=33.2
41.0
55.0
67.2
82.1
91.0
105.2
115.0
98.0
106.0
39.0
51.0
65.0
77.0
91.0
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260512
Comment	C43606
Data File	P2601906.D
Acq. Date-Time	5/27/2026 5:35:20 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	835,356	
Benzene	Benzene-d6 (IS)	8.331	8.331	55,920	
Toluene-d8 (IS)		10.860	10.854	932,254	
Toluene	Toluene-d8 (IS)	10.949	10.949	150,976	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	29,934	
m-/p-Xylenes	Toluene-d8 (IS)	13.263	13.275	62,693	m
o-Xylene	Toluene-d8 (IS)	13.756	13.756	22,196	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601906.D
Counts
x10^4
2
1.5
1
0.5
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.719-13.815 min, 17 scans) P2601906.D
Counts
x10^3
Lib Match Score=65.1
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
69.0
79.1
97.1
106.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260512
Comment	C33513
Data File	P2601907.D
Acq. Date-Time	5/27/2026 6:13:05 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.278	8.278	803,142	
Benzene	Benzene-d6 (IS)	8.343	8.331	71,005	
Toluene-d8 (IS)		10.854	10.854	916,062	
Toluene	Toluene-d8 (IS)	10.949	10.949	186,307	
Ethylbenzene	Toluene-d8 (IS)	13.086	13.086	53,895	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	131,180	
o-Xylene	Toluene-d8 (IS)	13.756	13.756	38,450	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601907.D
Counts
x10^4
4
3
2
1
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.705-13.832 min, 21 scans) P2601907.D
Counts
x10^3
Lib Match Score=70.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.2
69.0
77.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260512
Comment	C20444
Data File	P2601908.D
Acq. Date-Time	5/27/2026 6:50:50 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	805,112	
Benzene	Benzene-d6 (IS)	8.337	8.331	84,335	
Toluene-d8 (IS)		10.854	10.854	907,170	
Toluene	Toluene-d8 (IS)	10.949	10.949	192,718	
Ethylbenzene	Toluene-d8 (IS)	13.091	13.086	45,047	
m-/p-Xylenes	Toluene-d8 (IS)	13.264	13.275	95,833	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	28,551	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601908.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.715-13.829 min, 19 scans) P2601908.D
Counts
x10^3
Lib Match Score=70.3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
65.0
79.1
97.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260512
Comment	C40542
Data File	P2601909.D
Acq. Date-Time	5/27/2026 7:28:35 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.278	8.278	798,494	
Benzene	Benzene-d6 (IS)	8.337	8.331	61,247	
Toluene-d8 (IS)		10.854	10.854	886,407	
Toluene	Toluene-d8 (IS)	10.949	10.949	142,260	
Ethylbenzene	Toluene-d8 (IS)	13.079	13.086	26,677	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	61,708	m
o-Xylene	Toluene-d8 (IS)	13.750	13.756	20,297	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601909.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.719-13.842 min, 21 scans) P2601909.D
Counts
x10^3
Lib Match Score=64.7
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.0
69.1
77.0
97.0
111.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260512
Comment	C43695
Data File	P2601910.D
Acq. Date-Time	5/27/2026 8:06:24 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	769,770	
Benzene	Benzene-d6 (IS)	8.349	8.331	61,170	
Toluene-d8 (IS)		10.854	10.854	884,816	
Toluene	Toluene-d8 (IS)	10.949	10.949	148,110	
Ethylbenzene	Toluene-d8 (IS)	13.086	13.086	24,666	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	61,205	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	22,942	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601910.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.750 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.715-13.828 min, 20 scans) P2601910.D
Counts
x10^3
Lib Match Score=66.6
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.0
55.1
69.1
77.0
83.1
98.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260512
Comment	C16112
Data File	P2601911.D
Acq. Date-Time	5/27/2026 8:44:12 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	811,606	
Benzene	Benzene-d6 (IS)	8.343	8.331	89,047	
Toluene-d8 (IS)		10.854	10.854	888,449	
Toluene	Toluene-d8 (IS)	10.949	10.949	192,691	
Ethylbenzene	Toluene-d8 (IS)	13.079	13.086	32,733	
m-/p-Xylenes	Toluene-d8 (IS)	13.257	13.275	71,246	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	25,936	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601911.D
Counts
x10^4
2
1.5
1
0.5
0
13.750 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.709-13.851 min, 24 scans) P2601911.D
Counts
x10^3
Lib Match Score=66.9
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
63.0
69.1
77.1
84.2
97.2
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260512
Comment	C60258
Data File	P2601912.D
Acq. Date-Time	5/27/2026 9:21:56 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	791,576	
Benzene	Benzene-d6 (IS)	8.349	8.331	66,568	
Toluene-d8 (IS)		10.854	10.854	867,675	
Toluene	Toluene-d8 (IS)	10.949	10.949	153,449	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	31,352	
m-/p-Xylenes	Toluene-d8 (IS)	13.264	13.275	75,459	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	26,402	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601912.D
Counts
x10^4
2
1.5
1
0.5
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.721-13.820 min, 16 scans) P2601912.D
Lib Match Score=68.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.0
69.1
77.0
98.1
106.2
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260512
Comment	C71633
Data File	P2601913.D
Acq. Date-Time	5/27/2026 9:59:41 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	794,878	
Benzene	Benzene-d6 (IS)	8.337	8.331	89,434	
Toluene-d8 (IS)		10.860	10.854	898,316	
Toluene	Toluene-d8 (IS)	10.949	10.949	222,227	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	48,551	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	129,602	m
o-Xylene	Toluene-d8 (IS)	13.756	13.756	46,694	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601913.D
Counts
x10^4
13.756 min.
Acquisition Time (min)


+ Scan (13.713-13.833 min, 21 scans) P2601913.D
Counts
x10^3
Lib Match Score=71.5
91.1
106.1
41.1
55.1
69.1
77.0
83.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260512
Comment	C01833
Data File	P2601914.D
Acq. Date-Time	5/27/2026 10:37:24 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.278	8.278	796,482	
Benzene	Benzene-d6 (IS)	8.331	8.331	83,908	
Toluene-d8 (IS)		10.854	10.854	888,628	
Toluene	Toluene-d8 (IS)	10.949	10.949	196,786	
Ethylbenzene	Toluene-d8 (IS)	13.080	13.086	36,689	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	83,202	m
o-Xylene	Toluene-d8 (IS)	13.750	13.756	31,036	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601914.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.706-13.827 min, 21 scans) P2601914.D
Counts
x10^3
Lib Match Score=67.1
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.2
77.0
83.2
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260512
Comment	C02035
Data File	P2601915.D
Acq. Date-Time	5/27/2026 11:15:10 PM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	783,388	
Benzene	Benzene-d6 (IS)	8.337	8.331	76,984	
Toluene-d8 (IS)		10.854	10.854	872,952	
Toluene	Toluene-d8 (IS)	10.955	10.949	178,264	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	33,564	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.275	78,545	m
o-Xylene	Toluene-d8 (IS)	13.750	13.756	29,240	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601915.D
Counts
x10^4
2
1.5
1
0.5
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.721-13.816 min, 17 scans) P2601915.D
Lib Match Score=70.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
69.1
79.1
97.3
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260512
Comment	C57174
Data File	P2601917.D
Acq. Date-Time	5/28/2026 12:30:39 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	748,719	
Benzene	Benzene-d6 (IS)	8.337	8.331	70,282	
Toluene-d8 (IS)		10.854	10.854	862,061	
Toluene	Toluene-d8 (IS)	10.949	10.949	167,566	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	36,382	
m-/p-Xylenes	Toluene-d8 (IS)	13.257	13.275	88,929	m
o-Xylene	Toluene-d8 (IS)	13.756	13.756	34,370	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601917.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.723-13.821 min, 17 scans) P2601917.D
Counts
x10^3
Lib Match Score=72.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
55.1
69.0
77.1
84.2
97.2
111.2
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260512
Comment	C24092
Data File	P2601918.D
Acq. Date-Time	5/28/2026 1:08:23 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	783,426	
Benzene	Benzene-d6 (IS)	8.343	8.331	61,401	
Toluene-d8 (IS)		10.854	10.854	852,585	
Toluene	Toluene-d8 (IS)	10.949	10.949	130,838	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	23,611	
m-/p-Xylenes	Toluene-d8 (IS)	13.257	13.275	44,310	
o-Xylene	Toluene-d8 (IS)	13.756	13.756	17,984	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601918.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.711-13.835 min, 21 scans) P2601918.D
Counts
x10^3
Lib Match Score=63.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.2
69.1
77.1
97.1
125.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260512
Comment	B29375
Data File	P2601919.D
Acq. Date-Time	5/28/2026 1:46:11 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	791,215	
Benzene	Benzene-d6 (IS)	8.337	8.331	61,618	
Toluene-d8 (IS)		10.860	10.854	881,796	
Toluene	Toluene-d8 (IS)	10.955	10.949	148,838	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	30,153	
m-/p-Xylenes	Toluene-d8 (IS)	13.269	13.275	68,286	m
o-Xylene	Toluene-d8 (IS)	13.762	13.756	22,761	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601919.D
Counts
x10^4
2
1.5
1
0.5
0
13.762 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.798 min, 12 scans) P2601919.D
Lib Match Score=71.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
55.1
69.1
77.0
97.3
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260512
Comment	B52929
Data File	P2601920.D
Acq. Date-Time	5/28/2026 2:23:57 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	801,569	
Benzene	Benzene-d6 (IS)	8.337	8.331	70,961	
Toluene-d8 (IS)		10.860	10.854	881,144	
Toluene	Toluene-d8 (IS)	10.955	10.949	164,330	
Ethylbenzene	Toluene-d8 (IS)	13.091	13.086	40,253	
m-/p-Xylenes	Toluene-d8 (IS)	13.263	13.275	87,561	m
o-Xylene	Toluene-d8 (IS)	13.756	13.756	34,067	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601920.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.720-13.868 min, 25 scans) P2601920.D
Counts
x10^3
Lib Match Score=64.7
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.1
77.1
97.2
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260512
Comment	C01963
Data File	P2601921.D
Acq. Date-Time	5/28/2026 3:01:40 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	762,331	
Benzene	Benzene-d6 (IS)	8.343	8.331	62,026	
Toluene-d8 (IS)		10.860	10.854	843,854	
Toluene	Toluene-d8 (IS)	10.955	10.949	133,673	
Ethylbenzene	Toluene-d8 (IS)	13.086	13.086	28,444	
m-/p-Xylenes	Toluene-d8 (IS)	13.258	13.275	71,895	
o-Xylene	Toluene-d8 (IS)	13.756	13.756	26,939	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601921.D
Counts
x10^4
2
1.5
1
0.5
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.716-13.843 min, 21 scans) P2601921.D
Lib Match Score=66.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
55.1
39.1
69.2
77.0
83.1
97.1
111.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260512
Comment	C00599
Data File	P2601922.D
Acq. Date-Time	5/28/2026 3:39:23 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.284	8.278	794,034	
Benzene	Benzene-d6 (IS)	8.343	8.331	68,231	
Toluene-d8 (IS)		10.860	10.854	858,090	
Toluene	Toluene-d8 (IS)	10.955	10.949	141,336	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	36,663	
m-/p-Xylenes	Toluene-d8 (IS)	13.264	13.275	67,666	
o-Xylene	Toluene-d8 (IS)	13.756	13.756	25,871	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601922.D
Counts
x10^4
2
1.5
1
0.5
0
13.756 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.723-13.851 min, 22 scans) P2601922.D
Counts
x10^3
Lib Match Score=62.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
43.1
55.1
69.1
77.0
83.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260512
Comment	C43327
Data File	P2601923.D
Acq. Date-Time	5/28/2026 4:17:06 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.296	8.278	759,963	
Benzene	Benzene-d6 (IS)	8.349	8.331	56,124	
Toluene-d8 (IS)		10.860	10.854	853,334	
Toluene	Toluene-d8 (IS)	10.955	10.949	116,256	
Ethylbenzene	Toluene-d8 (IS)	13.091	13.086	18,659	
m-/p-Xylenes	Toluene-d8 (IS)	13.263	13.275	50,575	m
o-Xylene	Toluene-d8 (IS)	13.762	13.756	17,829	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601923.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.762 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.724-13.826 min, 17 scans) P2601923.D
Counts
x10^3
Lib Match Score=64.6
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
69.1
77.1
97.1
106.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260512
Comment	C69575
Data File	P2601924.D
Acq. Date-Time	5/28/2026 4:54:49 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	786,511	
Benzene	Benzene-d6 (IS)	8.349	8.331	65,004	
Toluene-d8 (IS)		10.860	10.854	870,441	
Toluene	Toluene-d8 (IS)	10.955	10.949	133,304	
Ethylbenzene	Toluene-d8 (IS)	13.085	13.086	27,650	
m-/p-Xylenes	Toluene-d8 (IS)	13.263	13.275	79,408	
o-Xylene	Toluene-d8 (IS)	13.762	13.756	29,507	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan P2601924.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.762 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.821 min, 16 scans) P2601924.D
Counts
x10^3
Lib Match Score=71.6
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.1
77.1
97.2
111.1
126.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260512
Comment	C40653
Data File	P2601925.D
Acq. Date-Time	5/28/2026 5:32:34 AM
Acq. Method File	M325B-TD35
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
Benzene-d6 (IS)		8.290	8.278	761,905	
Benzene	Benzene-d6 (IS)	8.343	8.331	48,533	
Toluene-d8 (IS)		10.860	10.854	863,628	
Toluene	Toluene-d8 (IS)	10.949	10.949	112,559	
Ethylbenzene	Toluene-d8 (IS)	13.086	13.086	20,805	
m-/p-Xylenes	Toluene-d8 (IS)	13.264	13.275	46,591	
o-Xylene	Toluene-d8 (IS)	13.750	13.756	14,405	


Benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan P2601925.D
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.750 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.827 min, 18 scans) P2601925.D
Counts
x10^3
Lib Match Score=58.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.0
65.0
77.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041426A_CC185154	Benzene	2	P2601181.D	12.01	120900	93.9	838910	1.126	0.14
P041426A_CC185154	Benzene	3	P2601182.D	24.02	190958	93.9	864174	0.864	-0.13
P041426A_CC185154	Benzene	4	P2601183.D	48.05	436873	93.9	874569	0.976	-0.013
P041426A_CC185154	Benzene	5	P2601184.D	120.12	1024751	93.9	863295	0.928	-0.062
P041426A_CC185154	Benzene	6	P2601185.D	240.23	2163475	93.9	820852	1.030	0.042
P041426A_CC185154	Benzene	7	P2601186.D	720.69	6598155	93.9	852025	1.009	0.02
						Avg:	852304	0.989	
						%RSD:	2.3%	9.1%	
P041426A_CC185154	Toluene	2	P2601181.D	10.55	112139	110.1	907322	1.290	0.12
P041426A_CC185154	Toluene	3	P2601182.D	21.10	192297	110.1	901385	1.113	-0.034
P041426A_CC185154	Toluene	4	P2601183.D	42.20	455833	110.1	926920	1.283	0.11
P041426A_CC185154	Toluene	5	P2601184.D	105.50	875862	110.1	901197	1.014	-0.12
P041426A_CC185154	Toluene	6	P2601185.D	210.99	1950693	110.1	906883	1.123	-0.026
P041426A_CC185154	Toluene	7	P2601186.D	632.98	5660629	110.1	901630	1.092	-0.052
						Avg:	907556	1.153	
						%RSD:	1.1%	9.6%	
P041426A_CC185154	Ethylbenzene	2	P2601181.D	10.96	130095	110.1	907322	1.440	0.17
P041426A_CC185154	Ethylbenzene	3	P2601182.D	21.93	198184	110.1	901385	1.104	-0.11
P041426A_CC185154	Ethylbenzene	4	P2601183.D	43.86	489699	110.1	926920	1.326	0.075
P041426A_CC185154	Ethylbenzene	5	P2601184.D	109.64	1023959	110.1	901197	1.141	-0.075
P041426A_CC185154	Ethylbenzene	6	P2601185.D	219.29	2251962	110.1	906883	1.247	0.011
P041426A_CC185154	Ethylbenzene	7	P2601186.D	657.87	6163724	110.1	901630	1.144	-0.073
						Avg:	907556	1.234	
						%RSD:	1.1%	10.5%	
P041426A_CC185154	m-/p-Xylenes	2	P2601181.D	12.29	124753	110.1	907322	1.232	0.22
P041426A_CC185154	m-/p-Xylenes	3	P2601182.D	24.58	175662	110.1	901385	0.873	-0.14
P041426A_CC185154	m-/p-Xylenes	4	P2601183.D	49.15	439957	110.1	926920	1.063	0.05
P041426A_CC185154	m-/p-Xylenes	5	P2601184.D	122.88	951712	110.1	901197	0.946	-0.065
P041426A_CC185154	m-/p-Xylenes	6	P2601185.D	245.76	2030207	110.1	906883	1.003	-0.0093
P041426A_CC185154	m-/p-Xylenes	7	P2601186.D	737.29	5775990	110.1	901630	0.957	-0.055
						Avg:	907556	1.012	
						%RSD:	1.1%	12.3%	

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB204-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041426A_CC185154	o-Xylene	2	P2601181.D	11.43	113230	110.1	907322	1.202	0.16
P041426A_CC185154	o-Xylene	3	P2601182.D	22.86	179166	110.1	901385	0.958	-0.076
P041426A_CC185154	o-Xylene	4	P2601183.D	45.71	435339	110.1	926920	1.131	0.092
P041426A_CC185154	o-Xylene	5	P2601184.D	114.28	876869	110.1	901197	0.938	-0.095
P041426A_CC185154	o-Xylene	6	P2601185.D	228.55	1973763	110.1	906883	1.049	0.012
P041426A_CC185154	o-Xylene	7	P2601186.D	685.66	5269694	110.1	901630	0.939	-0.094
						Avg:	907556	1.036	
						%RSD:	1.1%	10.8%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
P041426A_CC185154	Benzene	ICV	P2601187.D	179.20	1464516	93.9	808086	0.950	-4.0%
P041426A_CC185154	Toluene	ICV	P2601187.D	183.50	1519290	110.1	860329	1.060	-8.1%
P041426A_CC185154	Ethylbenzene	ICV	P2601187.D	181.43	1742856	110.1	860329	1.229	-0.4%
P041426A_CC185154	m-/p-Xylenes	ICV	P2601187.D	184.26	1366115	110.1	860329	0.949	-6.3%
P041426A_CC185154	o-Xylene	ICV	P2601187.D	184.61	1414849	110.1	860329	0.981	-5.3%

M325B PDF Report ver.20260421

Sample Custody

2026GB204

Onterris™

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
* All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Global South Portland	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	1 Clark Road	**Project #:**	PROJ-031333	**Sample Event #:**	2026GB204
City:	South Portland	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04106	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C43606	S	5/12/26	12:59 PM	5/26/26	10:43 AM	PT/KV		
2	C33513	S	5/12/26	1:05 PM	5/26/26	10:45 AM	PT/KV		
3	C20444	S	5/12/26	1:25 PM	5/26/26	10:47 AM	PT/KV		
4	C40542	S	5/12/26	1:20 PM	5/26/26	11:00 AM	PT/KV		
5	C43695	S	5/12/26	1:16 PM	5/26/26	10:57 AM	PT/KV		
5	C16112	D	5/12/26	1:17 PM	5/26/26	10:57 AM	PT/KV		
5	B46946	B	5/12/26	1:18 PM	5/26/26	10:57 AM	PT/KV		
6	C60258	S	5/12/26	1:20 PM	5/26/26	10:55 AM	PT/KV		
7	C71633	S	5/12/26	1:25 PM	5/26/26	10:53 AM	PT/KV		
8	C01833	S	5/12/26	1:30 PM	5/26/26	10:51 AM	PT/KV		
9	C02035	S	5/12/26	1:35 PM	5/26/26	11:12 AM	PT/KV		
10	C57174	S	5/12/26	1:40 PM	5/26/26	11:15 AM	PT/KV		
11	C24092	S	5/12/26	1:45 PM	5/26/26	11:19 AM	PT/KV		
12	B29375	S	5/12/26	1:51 PM	5/26/26	11:26 AM	PT/KV		
13	B52929	S	5/12/26	2:20 PM	5/26/26	11:28 AM	PT/KV		
14	C01963	S	5/12/26	2:25 PM	5/26/26	11:31 AM	PT/KV		
14	C00599	D	5/12/26	2:30 PM	5/26/26	11:31 AM	PT/KV		
14	C57391	B	5/12/26	2:33 PM	5/26/26	11:31 AM	PT/KV		
15	C43327	S	5/12/26	2:36 PM	5/26/26	11:34 AM	PT/KV		
16	C69575	S	5/12/26	2:40 PM	5/26/26	11:37 AM	PT/KV		
17	C40653	S	5/12/26	2:43 PM	5/26/26	11:23 AM	PT/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	5/26/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Daniel Simpson	[signature]	5/27/26	10:15 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Blank Temp: — 19.2 Fluke 4		**Custody Seal #:** 25E09228	

Comments:

Replaced mesh screen on location 5 sample.

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions.

This Is The Last Page Of This Report.

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 49 Global - South Portland

Client Project# PROJ-031333
Samples Received: 6/10/2026

Analytical Report
2026GB205

EPA Method 325B Analysis

Report Issue Date: 6/19/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 12
Chromatograms 16
Initial Calibration 83
Sample Custody 86
    Chain of Custody 87

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB205-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on June 10, 2026 at 20 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260526	C33447	Sample
GLBSP-2-S-20260526	C40697	Sample
GLBSP-3-S-20260526	C57666	Sample
GLBSP-4-S-20260526	C55385	Sample
GLBSP-5-S-20260526	C71693	Sample
GLBSP-5-D-20260526	B47157	Duplicate
GLBSP-5-B-20260526	C01303	Blank
GLBSP-6-S-20260526	C67429	Sample
GLBSP-7-S-20260526	C59936	Sample
GLBSP-8-S-20260526	C71526	Sample
GLBSP-9-S-20260526	C69740	Sample
GLBSP-10-S-20260526	C53584	Sample
GLBSP-11-S-20260526	C38939	Sample
GLBSP-12-S-20260526	C43554	Sample
GLBSP-13-S-20260526	C61436	Sample
GLBSP-14-S-20260526	C38514	Sample
GLBSP-14-D-20260526	C70102	Duplicate
GLBSP-14-B-20260526	C36915	Blank
GLBSP-15-S-20260526	C38950	Sample
GLBSP-16-S-20260526	C33512	Sample
GLBSP-17-S-20260526	C60217	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB205-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (K060926A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample GLBSP-5-S-20260526 (tube ID C71693) and its corresponding duplicate GLBSP-5-D-20260526 (tube ID B47157) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for m-/p-Xylenes to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260526	C33447	0.547		1.76		0.352	J	0.955	Pc	0.320	J
GLBSP-2-S-20260526	C40697	0.551		1.94		0.594	J	1.52	Pc	0.421	J
GLBSP-3-S-20260526	C57666	0.550		2.06		0.600		1.99	Pc	0.582	J
GLBSP-4-S-20260526	C55385	0.586		1.89		0.380	J	0.967	Pc	0.308	J
GLBSP-5-S-20260526	C71693	0.591		1.73		0.272	ND	0.891	Pc	0.303	J
GLBSP-5-D-20260526	B47157	0.656		1.76		0.272	ND	0.573	J,Pc	0.272	ND
GLBSP-5-B-20260526	C01303	0.187	ND	0.241	ND	0.272	ND	0.272	ND,Pc	0.272	ND
GLBSP-6-S-20260526	C67429	0.606		1.92		0.360	J	0.957	Pc	0.328	J
GLBSP-7-S-20260526	C59936	0.772		3.22		0.764		2.50	Pc	0.842	
GLBSP-8-S-20260526	C71526	0.599		2.06		0.414	J	1.26	Pc	0.448	J
GLBSP-9-S-20260526	C69740	0.625		1.90		0.373	J	1.20	Pc	0.431	J
GLBSP-10-S-20260526	C53584	0.683		1.93		0.368	J	1.02	Pc	0.379	J
GLBSP-11-S-20260526	C38939	0.578		1.60		0.322	J	0.818	Pc	0.287	J
GLBSP-12-S-20260526	C43554	0.575		1.54		0.320	J	0.848	Pc	0.286	J
GLBSP-13-S-20260526	C61436	0.670		2.23		0.641		2.03	Pc	0.733	
GLBSP-14-S-20260526	C38514	0.574		1.86		0.471	J	1.30	Pc	0.470	J
GLBSP-14-D-20260526	C70102	0.642		1.91		0.512	J	1.63	Pc	0.611	J
GLBSP-14-B-20260526	C36915	0.187	ND	0.241	ND	0.272	ND	0.272	ND,Pc	0.272	ND
GLBSP-15-S-20260526	C38950	0.466		1.19		0.272	ND	0.544	J,Pc	0.272	ND
GLBSP-16-S-20260526	C33512	0.475		1.57		0.452	J	1.02	Pc	0.342	J
GLBSP-17-S-20260526	C60217	0.434	J	1.42		0.287	J	0.939	Pc	0.318	J

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260526	C33447	0.547	0.171	7.32	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602177.D	2026-06-11 00:40	1.102	8.165	51053	341153	53.9	8.103	-4.1%
GLBSP-2-S-20260526	C40697	0.551	0.172	7.36	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602178.D	2026-06-11 01:08	1.102	8.165	51407	341391	53.9	8.104	-4.0%
GLBSP-3-S-20260526	C57666	0.550	0.172	7.35	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602179.D	2026-06-11 01:35	1.102	8.165	50388	335073	53.9	8.103	-5.8%
GLBSP-4-S-20260526	C55385	0.586	0.184	7.84	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602180.D	2026-06-11 02:03	1.102	8.165	54335	339109	53.9	8.103	-4.7%
GLBSP-5-S-20260526	C71693	0.591	0.185	7.91	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602181.D	2026-06-11 02:31	1.102	8.165	55311	342003	53.9	8.104	-3.8%
GLBSP-5-D-20260526	B47157	0.656	0.205	8.77	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602182.D	2026-06-11 02:59	1.102	8.158	61557	343430	53.9	8.103	-3.4%
GLBSP-5-B-20260526	C01303	0.187	0.0586		60.7	0.660	20268	0.187	0.450	0.0586	0.141	ND	K2602176.D	2026-06-11 00:12	1.102	8.171	2559	343379	53.9	8.104	-3.5%
GLBSP-6-S-20260526	C67429	0.606	0.190	8.10	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602183.D	2026-06-11 03:27	1.102	8.165	55382	334208	53.9	8.103	-6.0%
GLBSP-7-S-20260526	C59936	0.772	0.242	10.3	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602184.D	2026-06-11 03:54	1.102	8.165	71570	338849	53.9	8.110	-4.7%
GLBSP-8-S-20260526	C71526	0.599	0.187	8.00	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602185.D	2026-06-11 04:22	1.102	8.165	56166	343154	53.9	8.110	-3.5%
GLBSP-9-S-20260526	C69740	0.625	0.196	8.35	60.7	0.660	20263	0.187	0.451	0.0586	0.141		K2602186.D	2026-06-11 04:49	1.102	8.165	57624	337320	53.9	8.104	-5.2%
GLBSP-10-S-20260526	C53584	0.683	0.214	9.13	60.7	0.660	20263	0.187	0.451	0.0586	0.141		K2602188.D	2026-06-11 05:45	1.102	8.165	62095	332714	53.9	8.109	-6.5%
GLBSP-11-S-20260526	C38939	0.578	0.181	7.73	60.7	0.660	20263	0.187	0.451	0.0586	0.141		K2602189.D	2026-06-11 06:12	1.102	8.165	52670	333409	53.9	8.104	-6.3%
GLBSP-12-S-20260526	C43554	0.575	0.180	7.69	60.7	0.660	20267	0.187	0.450	0.0586	0.141		K2602190.D	2026-06-11 06:40	1.102	8.165	52659	335056	53.9	8.103	-5.8%
GLBSP-13-S-20260526	C61436	0.670	0.210	8.96	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602191.D	2026-06-11 07:08	1.102	8.165	62097	338905	53.9	8.104	-4.7%
GLBSP-14-S-20260526	C38514	0.574	0.180	7.68	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602192.D	2026-06-11 07:36	1.102	8.165	52767	336037	53.9	8.103	-5.5%
GLBSP-14-D-20260526	C70102	0.642	0.201	8.59	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602193.D	2026-06-11 08:03	1.102	8.165	58334	332129	53.9	8.103	-6.6%
GLBSP-14-B-20260526	C36915	0.187	0.0586		60.7	0.660	20268	0.187	0.450	0.0586	0.141	ND	K2602194.D	2026-06-11 08:31	1.102	8.165	3238	332495	53.9	8.104	-6.5%
GLBSP-15-S-20260526	C38950	0.466	0.146	6.23	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602195.D	2026-06-11 08:59	1.102	8.165	43251	339564	53.9	8.104	-4.5%
GLBSP-16-S-20260526	C33512	0.475	0.149	6.36	60.7	0.660	20268	0.187	0.450	0.0586	0.141		K2602196.D	2026-06-11 09:26	1.102	8.165	44533	342629	53.9	8.104	-3.7%
GLBSP-17-S-20260526	C60217	0.434	0.136	5.81	60.7	0.660	20264	0.187	0.450	0.0586	0.141	J	K2602197.D	2026-06-11 09:54	1.102	8.165	40460	340792	53.9	8.104	-4.2%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260526	C33447	1.76	0.468	18.3	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602177.D	2026-06-11 00:40	1.311	10.881	139942	368998	63.3	10.783	-4.2%
GLBSP-2-S-20260526	C40697	1.94	0.514	20.1	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602178.D	2026-06-11 01:08	1.311	10.881	153547	368649	63.3	10.783	-4.3%
GLBSP-3-S-20260526	C57666	2.06	0.548	21.4	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602179.D	2026-06-11 01:35	1.311	10.881	163460	368366	63.3	10.783	-4.4%
GLBSP-4-S-20260526	C55385	1.89	0.503	19.6	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602180.D	2026-06-11 02:03	1.311	10.881	150838	370674	63.3	10.783	-3.8%
GLBSP-5-S-20260526	C71693	1.73	0.460	18.0	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602181.D	2026-06-11 02:31	1.311	10.881	137641	369779	63.3	10.783	-4.0%
GLBSP-5-D-20260526	B47157	1.76	0.466	18.2	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602182.D	2026-06-11 02:59	1.311	10.881	137566	364386	63.3	10.783	-5.4%
GLBSP-5-B-20260526	C01303	0.241	0.0640		60.7	0.512	20268	0.241	0.510	0.0640	0.135	ND	K2602176.D	2026-06-11 00:12	1.311	10.881	6456	370903	63.3	10.783	-3.7%
GLBSP-6-S-20260526	C67429	1.92	0.511	20.0	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602183.D	2026-06-11 03:27	1.311	10.881	150469	363864	63.3	10.783	-5.5%
GLBSP-7-S-20260526	C59936	3.22	0.856	33.4	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602184.D	2026-06-11 03:54	1.311	10.881	253887	366490	63.3	10.783	-4.8%
GLBSP-8-S-20260526	C71526	2.06	0.548	21.4	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602185.D	2026-06-11 04:22	1.311	10.881	164719	371223	63.3	10.783	-3.6%
GLBSP-9-S-20260526	C69740	1.90	0.506	19.8	60.7	0.512	20263	0.241	0.510	0.0640	0.135		K2602186.D	2026-06-11 04:49	1.311	10.881	151273	369492	63.3	10.783	-4.1%
GLBSP-10-S-20260526	C53584	1.93	0.514	20.1	60.7	0.512	20263	0.241	0.510	0.0640	0.135		K2602188.D	2026-06-11 05:45	1.311	10.881	150642	362238	63.3	10.783	-6.0%
GLBSP-11-S-20260526	C38939	1.60	0.426	16.6	60.7	0.512	20263	0.241	0.510	0.0640	0.135		K2602189.D	2026-06-11 06:12	1.311	10.881	122869	356679	63.3	10.783	-7.4%
GLBSP-12-S-20260526	C43554	1.54	0.410	16.0	60.7	0.512	20267	0.241	0.510	0.0640	0.135		K2602190.D	2026-06-11 06:40	1.311	10.881	120848	364363	63.3	10.783	-5.4%
GLBSP-13-S-20260526	C61436	2.23	0.593	23.2	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602191.D	2026-06-11 07:08	1.311	10.881	174908	364039	63.3	10.783	-5.5%
GLBSP-14-S-20260526	C38514	1.86	0.493	19.3	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602192.D	2026-06-11 07:36	1.311	10.881	144564	362047	63.3	10.783	-6.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260526	C70102	1.91	0.506	19.8	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602193.D	2026-06-11 08:03	1.311	10.881	147742	360485	63.3	10.783	-6.4%
GLBSP-14-B-20260526	C36915	0.241	0.0640		60.7	0.512	20268	0.241	0.510	0.0640	0.135	ND	K2602194.D	2026-06-11 08:31	1.311	10.875	10139	359848	63.3	10.783	-6.6%
GLBSP-15-S-20260526	C38950	1.19	0.315	12.3	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602195.D	2026-06-11 08:59	1.311	10.881	93297	365699	63.3	10.783	-5.1%
GLBSP-16-S-20260526	C33512	1.57	0.417	16.3	60.7	0.512	20268	0.241	0.510	0.0640	0.135		K2602196.D	2026-06-11 09:26	1.311	10.875	124621	368837	63.3	10.783	-4.2%
GLBSP-17-S-20260526	C60217	1.42	0.376	14.7	60.7	0.512	20264	0.241	0.510	0.0640	0.135		K2602197.D	2026-06-11 09:54	1.311	10.875	111711	367085	63.3	10.783	-4.7%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260526	C33447	0.352	0.0810	3.23	60.7	0.453	20267	0.272	0.599	0.0628	0.138	J	K2602177.D	2026-06-11 00:40	1.377	13.053	25895	368998	63.3	10.783	-4.2%
GLBSP-2-S-20260526	C40697	0.594	0.137	5.46	60.7	0.453	20267	0.272	0.599	0.0628	0.138	J	K2602178.D	2026-06-11 01:08	1.377	13.053	43741	368649	63.3	10.783	-4.3%
GLBSP-3-S-20260526	C57666	0.600	0.138	5.51	60.7	0.453	20267	0.272	0.599	0.0628	0.138		K2602179.D	2026-06-11 01:35	1.377	13.053	44123	368366	63.3	10.783	-4.4%
GLBSP-4-S-20260526	C55385	0.380	0.0876	3.49	60.7	0.453	20268	0.272	0.599	0.0628	0.138	J	K2602180.D	2026-06-11 02:03	1.377	13.059	28120	370674	63.3	10.783	-3.8%
GLBSP-5-S-20260526	C71693	0.272	0.0628		60.7	0.453	20268	0.272	0.599	0.0628	0.138	ND	K2602181.D	2026-06-11 02:31	1.377	13.053	19891	369779	63.3	10.783	-4.0%
GLBSP-5-D-20260526	B47157	0.272	0.0628		60.7	0.453	20268	0.272	0.599	0.0628	0.138	ND	K2602182.D	2026-06-11 02:59	1.377	13.053	15380	364386	63.3	10.783	-5.4%
GLBSP-5-B-20260526	C01303	0.272	0.0628		60.7	0.453	20268	0.272	0.599	0.0628	0.138	ND	K2602176.D	2026-06-11 00:12	1.377	13.279	0	370903	63.3	10.783	-3.7%
GLBSP-6-S-20260526	C67429	0.360	0.0828	3.30	60.7	0.453	20268	0.272	0.599	0.0628	0.138	J	K2602183.D	2026-06-11 03:27	1.377	13.053	26114	363864	63.3	10.783	-5.5%
GLBSP-7-S-20260526	C59936	0.764	0.176	7.01	60.7	0.453	20267	0.272	0.599	0.0628	0.138		K2602184.D	2026-06-11 03:54	1.377	13.059	55897	366490	63.3	10.783	-4.8%
GLBSP-8-S-20260526	C71526	0.414	0.0954	3.80	60.7	0.453	20267	0.272	0.599	0.0628	0.138	J	K2602185.D	2026-06-11 04:22	1.377	13.059	30673	371223	63.3	10.783	-3.6%
GLBSP-9-S-20260526	C69740	0.373	0.0861	3.43	60.7	0.453	20263	0.272	0.599	0.0628	0.138	J	K2602186.D	2026-06-11 04:49	1.377	13.059	27544	369492	63.3	10.783	-4.1%
GLBSP-10-S-20260526	C53584	0.368	0.0847	3.38	60.7	0.453	20263	0.272	0.599	0.0628	0.138	J	K2602188.D	2026-06-11 05:45	1.377	13.059	26586	362238	63.3	10.783	-6.0%
GLBSP-11-S-20260526	C38939	0.322	0.0742	2.96	60.7	0.453	20263	0.272	0.599	0.0628	0.138	J	K2602189.D	2026-06-11 06:12	1.377	13.053	22933	356679	63.3	10.783	-7.4%
GLBSP-12-S-20260526	C43554	0.320	0.0737	2.94	60.7	0.453	20267	0.272	0.599	0.0628	0.138	J	K2602190.D	2026-06-11 06:40	1.377	13.059	23274	364363	63.3	10.783	-5.4%
GLBSP-13-S-20260526	C61436	0.641	0.148	5.88	60.7	0.453	20268	0.272	0.599	0.0628	0.138		K2602191.D	2026-06-11 07:08	1.377	13.053	46567	364039	63.3	10.783	-5.5%
GLBSP-14-S-20260526	C38514	0.471	0.109	4.32	60.7	0.453	20268	0.272	0.599	0.0628	0.138	J	K2602192.D	2026-06-11 07:36	1.377	13.059	34031	362047	63.3	10.783	-6.0%
GLBSP-14-D-20260526	C70102	0.512	0.118	4.70	60.7	0.453	20268	0.272	0.599	0.0628	0.138	J	K2602193.D	2026-06-11 08:03	1.377	13.059	36822	360485	63.3	10.783	-6.4%
GLBSP-14-B-20260526	C36915	0.272	0.0628		60.7	0.453	20268	0.272	0.599	0.0628	0.138	ND	K2602194.D	2026-06-11 08:31	1.377	13.065	339	359848	63.3	10.783	-6.6%
GLBSP-15-S-20260526	C38950	0.272	0.0628		60.7	0.453	20268	0.272	0.599	0.0628	0.138	ND	K2602195.D	2026-06-11 08:59	1.377	13.053	16192	365699	63.3	10.783	-5.1%
GLBSP-16-S-20260526	C33512	0.452	0.104	4.15	60.7	0.453	20268	0.272	0.599	0.0628	0.138	J	K2602196.D	2026-06-11 09:26	1.377	13.059	33308	368837	63.3	10.783	-4.2%
GLBSP-17-S-20260526	C60217	0.287	0.0662	2.64	60.7	0.453	20264	0.272	0.599	0.0628	0.138	J	K2602197.D	2026-06-11 09:54	1.377	13.059	21051	367085	63.3	10.783	-4.7%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260526	C33447	0.955	0.220	8.77	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602177.D	2026-06-11 00:40	1.048	13.230	53565	368998	63.3	10.783	-4.2%
GLBSP-2-S-20260526	C40697	1.52	0.350	13.9	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602178.D	2026-06-11 01:08	1.048	13.230	85134	368649	63.3	10.783	-4.3%
GLBSP-3-S-20260526	C57666	1.99	0.459	18.3	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602179.D	2026-06-11 01:35	1.048	13.230	111488	368366	63.3	10.783	-4.4%
GLBSP-4-S-20260526	C55385	0.967	0.223	8.88	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602180.D	2026-06-11 02:03	1.048	13.230	54509	370674	63.3	10.783	-3.8%
GLBSP-5-S-20260526	C71693	0.891	0.205	8.18	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602181.D	2026-06-11 02:31	1.048	13.230	50115	369779	63.3	10.783	-4.0%
GLBSP-5-D-20260526	B47157	0.573	0.132	5.26	60.7	0.453	20268	0.272	0.671	0.0628	0.155	J,Pc	K2602182.D	2026-06-11 02:59	1.048	13.230	31727	364386	63.3	10.783	-5.4%
GLBSP-5-B-20260526	C01303	0.272	0.0628		60.7	0.453	20268	0.272	0.671	0.0628	0.155	ND,Pc	K2602176.D	2026-06-11 00:12	1.048	13.279	0	370903	63.3	10.783	-3.7%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260526	C67429	0.957	0.220	8.78	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602183.D	2026-06-11 03:27	1.048	13.230	52924	363864	63.3	10.783	-5.5%
GLBSP-7-S-20260526	C59936	2.50	0.576	23.0	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602184.D	2026-06-11 03:54	1.048	13.230	139385	366490	63.3	10.783	-4.8%
GLBSP-8-S-20260526	C71526	1.26	0.291	11.6	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602185.D	2026-06-11 04:22	1.048	13.230	71342	371223	63.3	10.783	-3.6%
GLBSP-9-S-20260526	C69740	1.20	0.276	11.0	60.7	0.453	20263	0.272	0.671	0.0628	0.155	Pc	K2602186.D	2026-06-11 04:49	1.048	13.230	67203	369492	63.3	10.783	-4.1%
GLBSP-10-S-20260526	C53584	1.02	0.236	9.39	60.7	0.453	20263	0.272	0.671	0.0628	0.155	Pc	K2602188.D	2026-06-11 05:45	1.048	13.230	56350	362238	63.3	10.783	-6.0%
GLBSP-11-S-20260526	C38939	0.818	0.189	7.51	60.7	0.453	20263	0.272	0.671	0.0628	0.155	Pc	K2602189.D	2026-06-11 06:12	1.048	13.230	44348	356679	63.3	10.783	-7.4%
GLBSP-12-S-20260526	C43554	0.848	0.195	7.79	60.7	0.453	20267	0.272	0.671	0.0628	0.155	Pc	K2602190.D	2026-06-11 06:40	1.048	13.230	46992	364363	63.3	10.783	-5.4%
GLBSP-13-S-20260526	C61436	2.03	0.468	18.7	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602191.D	2026-06-11 07:08	1.048	13.230	112455	364039	63.3	10.783	-5.5%
GLBSP-14-S-20260526	C38514	1.30	0.300	11.9	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602192.D	2026-06-11 07:36	1.048	13.230	71640	362047	63.3	10.783	-6.0%
GLBSP-14-D-20260526	C70102	1.63	0.375	14.9	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602193.D	2026-06-11 08:03	1.048	13.230	89143	360485	63.3	10.783	-6.4%
GLBSP-14-B-20260526	C36915	0.272	0.0628		60.7	0.453	20268	0.272	0.671	0.0628	0.155	ND,Pc	K2602194.D	2026-06-11 08:31	1.048	13.065	0	359848	63.3	10.783	-6.6%
GLBSP-15-S-20260526	C38950	0.544	0.125	4.99	60.7	0.453	20268	0.272	0.671	0.0628	0.155	J,Pc	K2602195.D	2026-06-11 08:59	1.048	13.230	30247	365699	63.3	10.783	-5.1%
GLBSP-16-S-20260526	C33512	1.02	0.235	9.36	60.7	0.453	20268	0.272	0.671	0.0628	0.155	Pc	K2602196.D	2026-06-11 09:26	1.048	13.230	57168	368837	63.3	10.783	-4.2%
GLBSP-17-S-20260526	C60217	0.939	0.216	8.62	60.7	0.453	20264	0.272	0.671	0.0628	0.155	Pc	K2602197.D	2026-06-11 09:54	1.048	13.230	52407	367085	63.3	10.783	-4.7%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260526	C33447	0.320	0.0736	2.93	60.7	0.453	20267	0.272	0.624	0.0628	0.144	J	K2602177.D	2026-06-11 00:40	1.066	13.732	18230	368998	63.3	10.783	-4.2%
GLBSP-2-S-20260526	C40697	0.421	0.0970	3.86	60.7	0.453	20267	0.272	0.624	0.0628	0.144	J	K2602178.D	2026-06-11 01:08	1.066	13.732	23984	368649	63.3	10.783	-4.3%
GLBSP-3-S-20260526	C57666	0.582	0.134	5.35	60.7	0.453	20267	0.272	0.624	0.0628	0.144	J	K2602179.D	2026-06-11 01:35	1.066	13.732	33164	368366	63.3	10.783	-4.4%
GLBSP-4-S-20260526	C55385	0.308	0.0709	2.83	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602180.D	2026-06-11 02:03	1.066	13.732	17643	370674	63.3	10.783	-3.8%
GLBSP-5-S-20260526	C71693	0.303	0.0697	2.78	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602181.D	2026-06-11 02:31	1.066	13.726	17294	369779	63.3	10.783	-4.0%
GLBSP-5-D-20260526	B47157	0.272	0.0628		60.7	0.453	20268	0.272	0.624	0.0628	0.144	ND	K2602182.D	2026-06-11 02:59	1.066	13.732	10734	364386	63.3	10.783	-5.4%
GLBSP-5-B-20260526	C01303	0.272	0.0628		60.7	0.453	20268	0.272	0.624	0.0628	0.144	ND	K2602176.D	2026-06-11 00:12	1.066	13.720	130	370903	63.3	10.783	-3.7%
GLBSP-6-S-20260526	C67429	0.328	0.0756	3.01	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602183.D	2026-06-11 03:27	1.066	13.732	18447	363864	63.3	10.783	-5.5%
GLBSP-7-S-20260526	C59936	0.842	0.194	7.73	60.7	0.453	20267	0.272	0.624	0.0628	0.144		K2602184.D	2026-06-11 03:54	1.066	13.732	47690	366490	63.3	10.783	-4.8%
GLBSP-8-S-20260526	C71526	0.448	0.103	4.11	60.7	0.453	20267	0.272	0.624	0.0628	0.144	J	K2602185.D	2026-06-11 04:22	1.066	13.732	25723	371223	63.3	10.783	-3.6%
GLBSP-9-S-20260526	C69740	0.431	0.0993	3.96	60.7	0.453	20263	0.272	0.624	0.0628	0.144	J	K2602186.D	2026-06-11 04:49	1.066	13.732	24618	369492	63.3	10.783	-4.1%
GLBSP-10-S-20260526	C53584	0.379	0.0874	3.48	60.7	0.453	20263	0.272	0.624	0.0628	0.144	J	K2602188.D	2026-06-11 05:45	1.066	13.732	21237	362238	63.3	10.783	-6.0%
GLBSP-11-S-20260526	C38939	0.287	0.0662	2.63	60.7	0.453	20263	0.272	0.624	0.0628	0.144	J	K2602189.D	2026-06-11 06:12	1.066	13.732	15827	356679	63.3	10.783	-7.4%
GLBSP-12-S-20260526	C43554	0.286	0.0658	2.62	60.7	0.453	20267	0.272	0.624	0.0628	0.144	J	K2602190.D	2026-06-11 06:40	1.066	13.732	16089	364363	63.3	10.783	-5.4%
GLBSP-13-S-20260526	C61436	0.733	0.169	6.73	60.7	0.453	20268	0.272	0.624	0.0628	0.144		K2602191.D	2026-06-11 07:08	1.066	13.726	41255	364039	63.3	10.783	-5.5%
GLBSP-14-S-20260526	C38514	0.470	0.108	4.32	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602192.D	2026-06-11 07:36	1.066	13.732	26326	362047	63.3	10.783	-6.0%
GLBSP-14-D-20260526	C70102	0.611	0.141	5.61	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602193.D	2026-06-11 08:03	1.066	13.732	34048	360485	63.3	10.783	-6.4%
GLBSP-14-B-20260526	C36915	0.272	0.0628		60.7	0.453	20268	0.272	0.624	0.0628	0.144	ND	K2602194.D	2026-06-11 08:31	1.066	14.178	0	359848	63.3	10.783	-6.6%
GLBSP-15-S-20260526	C38950	0.272	0.0628		60.7	0.453	20268	0.272	0.624	0.0628	0.144	ND	K2602195.D	2026-06-11 08:59	1.066	13.732	10664	365699	63.3	10.783	-5.1%
GLBSP-16-S-20260526	C33512	0.342	0.0788	3.14	60.7	0.453	20268	0.272	0.624	0.0628	0.144	J	K2602196.D	2026-06-11 09:26	1.066	13.732	19499	368837	63.3	10.783	-4.2%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260526	C60217	0.318	0.0733	2.92	60.7	0.453	20264	0.272	0.624	0.0628	0.144	J	K2602197.D	2026-06-11 09:54	1.066	13.732	18050	367085	63.3	10.783	-4.7%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260526	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260526	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260526	10%	Pass	1.4%	Pass	ND	Pass	44%	Fail	ND	Pass
	GLBSP-14-D-20260526	11%	Pass	2.6%	Pass	8.3%	Pass	22%	Pass	26%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.102	0.996	1.102	11%	1.9%		Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.127	0.996	1.102	13%		-6.7%	Pass	
2026GB205 Method Blank-1	K2602175.D	C43598	Blank		0.996	1.102			-2.3%	Pass	ND
M325B CCV 5	K2602187.D	C01456	Check	1.109	0.996	1.102	11%		-4.8%	Pass	
M325B CCV 5 REC	K2602198.D	C01456	Check	1.100	0.996	1.102	10%		-7.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.311	1.262	1.311	3.9%	1.4%		Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.381	1.262	1.311	9.4%		-6.3%	Pass	
2026GB205 Method Blank-1	K2602175.D	C43598	Blank		1.262	1.311			-2.1%	Pass	ND
M325B CCV 5	K2602187.D	C01456	Check	1.333	1.262	1.311	5.6%		-5.1%	Pass	
M325B CCV 5 REC	K2602198.D	C01456	Check	1.325	1.262	1.311	5.0%		-6.3%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.377	1.403	1.377	-1.9%	1.4%		Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.464	1.403	1.377	4.4%		-6.3%	Pass	
2026GB205 Method Blank-1	K2602175.D	C43598	Blank		1.403	1.377			-2.1%	Pass	ND
M325B CCV 5	K2602187.D	C01456	Check	1.404	1.403	1.377	0.093%		-5.1%	Pass	
M325B CCV 5 REC	K2602198.D	C01456	Check	1.397	1.403	1.377	-0.44%		-6.3%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.048	1.094	1.048	-4.2%	1.4%		Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.090	1.094	1.048	-0.39%		-6.3%	Pass	
2026GB205 Method Blank-1	K2602175.D	C43598	Blank		1.094	1.048			-2.1%	Pass	ND
M325B CCV 5	K2602187.D	C01456	Check	1.035	1.094	1.048	-5.4%		-5.1%	Pass	
M325B CCV 5 REC	K2602198.D	C01456	Check	1.082	1.094	1.048	-1.1%		-6.3%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602151.D	C20375	Cal	1.066	1.105	1.066	-3.5%	1.4%		Pass	
M325B CCV 5 REC	K2602174.D	C01496	Check	1.097	1.105	1.066	-0.71%		-6.3%	Pass	
2026GB205 Method Blank-1	K2602175.D	C43598	Blank		1.105	1.066			-2.1%	Pass	ND

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	K2602187.D	C01456	Check	1.088	1.105	1.066	-1.5%		-5.1%	Pass	
M325B CCV 5 REC	K2602198.D	C01456	Check	1.127	1.105	1.066	2.0%		-6.3%	Pass	

Chromatograms


Name	2026GB205 Method Blank-1
Comment	C43598
Data File	K2602175.D
Acq. Date-Time	6/10/2026 11:45:18 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	347,663	
Benzene	benzene-d6 (IS)	8.153	8.165	1,828	
Toluene-d8 (IS)		10.783	10.783	376,957	
Toluene	Toluene-d8 (IS)	10.881	10.881	3,139	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	300	
m-/p-Xylenes	Toluene-d8 (IS)	13.236	13.230	792	m
o-Xylene	Toluene-d8 (IS)	13.720	13.732	618	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602175.D
Counts
x10^3
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
13.720 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.702-13.740 min, 6 scans) K2602175.D
Counts
x10^3
Lib Match Score=40.8
39.0
56.1
67.1
73.0
81.1
91.0
106.2
118.1
0.5
0
-0.5
-1
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260526
Comment	C01303
Data File	K2602176.D
Acq. Date-Time	6/11/2026 12:12:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	343,379	
Benzene	benzene-d6 (IS)	8.171	8.165	2,559	m
Toluene-d8 (IS)		10.783	10.783	370,903	
Toluene	Toluene-d8 (IS)	10.881	10.881	6,456	
Ethylbenzene	Toluene-d8 (IS)	13.279	13.053	ND	m
m-/p-Xylenes	Toluene-d8 (IS)	13.279	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	13.720	13.732	130	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602176.D
Counts
x10^3
1.4
1.2
1
0.8
0.6
0.4
13.720 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.716-13.732 min, 3 scans) K2602176.D
Lib Match Score=39.5
Counts
x10^3
0.5
0
-0.5
-1
-1.5
43.1
55.0
67.0
77.1
91.1
51.0
72.9
96.0
107.1
118.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260526
Comment	C33447
Data File	K2602177.D
Acq. Date-Time	6/11/2026 12:40:29 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	341,153	
Benzene	benzene-d6 (IS)	8.165	8.165	51,053	
Toluene-d8 (IS)		10.783	10.783	368,998	
Toluene	Toluene-d8 (IS)	10.881	10.881	139,942	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	25,895	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	53,565	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	18,230	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602177.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.702-13.772 min, 11 scans) K2602177.D
Lib Match Score=57.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260526
Comment	C40697
Data File	K2602178.D
Acq. Date-Time	6/11/2026 1:08:07 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	341,391	
Benzene	benzene-d6 (IS)	8.165	8.165	51,407	
Toluene-d8 (IS)		10.783	10.783	368,649	
Toluene	Toluene-d8 (IS)	10.881	10.881	153,547	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	43,741	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	85,134	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	23,984	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602178.D
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.732 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.695-13.762 min, 11 scans) K2602178.D
Lib Match Score=58.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.0
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260526
Comment	C57666
Data File	K2602179.D
Acq. Date-Time	6/11/2026 1:35:44 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	335,073	
Benzene	benzene-d6 (IS)	8.165	8.165	50,388	
Toluene-d8 (IS)		10.783	10.783	368,366	
Toluene	Toluene-d8 (IS)	10.881	10.881	163,460	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	44,123	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	111,488	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	33,164	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602179.D
Counts
x10^4
4
3
2
1
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.695-13.768 min, 12 scans) K2602179.D
Counts
x10^3
Lib Match Score=61.1
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.0
67.0
77.0
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260526
Comment	C55385
Data File	K2602180.D
Acq. Date-Time	6/11/2026 2:03:22 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	339,109	
Benzene	benzene-d6 (IS)	8.165	8.165	54,335	
Toluene-d8 (IS)		10.783	10.783	370,674	
Toluene	Toluene-d8 (IS)	10.881	10.881	150,838	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	28,120	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	54,509	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	17,643	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602180.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.701-13.760 min, 10 scans) K2602180.D
Lib Match Score=56.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260526
Comment	C71693
Data File	K2602181.D
Acq. Date-Time	6/11/2026 2:31:52 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	342,003	
Benzene	benzene-d6 (IS)	8.165	8.165	55,311	
Toluene-d8 (IS)		10.783	10.783	369,779	
Toluene	Toluene-d8 (IS)	10.881	10.881	137,641	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	19,891	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	50,115	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	17,294	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602181.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.756 min, 9 scans) K2602181.D
Lib Match Score=59.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
55.1
67.0
79.1
115.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260526
Comment	B47157
Data File	K2602182.D
Acq. Date-Time	6/11/2026 2:59:30 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	343,430	
Benzene	benzene-d6 (IS)	8.158	8.165	61,557	
Toluene-d8 (IS)		10.783	10.783	364,386	
Toluene	Toluene-d8 (IS)	10.881	10.881	137,566	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	15,380	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	31,727	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	10,734	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602182.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.762 min, 10 scans) K2602182.D
Lib Match Score=50.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.0
77.0
106.0
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260526
Comment	C67429
Data File	K2602183.D
Acq. Date-Time	6/11/2026 3:27:06 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	334,208	
Benzene	benzene-d6 (IS)	8.165	8.165	55,382	
Toluene-d8 (IS)		10.783	10.783	363,864	
Toluene	Toluene-d8 (IS)	10.881	10.881	150,469	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	26,114	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	52,924	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	18,447	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602183.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.768 min, 11 scans) K2602183.D
Lib Match Score=56.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
39.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260526
Comment	C59936
Data File	K2602184.D
Acq. Date-Time	6/11/2026 3:54:42 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	338,849	
Benzene	benzene-d6 (IS)	8.165	8.165	71,570	
Toluene-d8 (IS)		10.783	10.783	366,490	
Toluene	Toluene-d8 (IS)	10.881	10.881	253,887	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	55,897	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	139,385	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	47,690	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602184.D
Counts
x10^4
5
4
3
2
1
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.769 min, 11 scans) K2602184.D
Lib Match Score=69.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
65.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260526
Comment	C71526
Data File	K2602185.D
Acq. Date-Time	6/11/2026 4:22:20 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.110	8.110	343,154	
Benzene	benzene-d6 (IS)	8.165	8.165	56,166	
Toluene-d8 (IS)		10.783	10.783	371,223	
Toluene	Toluene-d8 (IS)	10.881	10.881	164,719	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	30,673	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	71,342	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	25,723	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602185.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.702-13.760 min, 9 scans) K2602185.D
Lib Match Score=63.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
78.1
111.1
122.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260526
Comment	C69740
Data File	K2602186.D
Acq. Date-Time	6/11/2026 4:49:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	337,320	
Benzene	benzene-d6 (IS)	8.165	8.165	57,624	
Toluene-d8 (IS)		10.783	10.783	369,492	
Toluene	Toluene-d8 (IS)	10.881	10.881	151,273	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	27,544	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	67,203	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	24,618	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602186.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.774 min, 12 scans) K2602186.D
Lib Match Score=59.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.0
67.1
77.0
119.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260526
Comment	C53584
Data File	K2602188.D
Acq. Date-Time	6/11/2026 5:45:08 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.109	8.110	332,714	
Benzene	benzene-d6 (IS)	8.165	8.165	62,095	
Toluene-d8 (IS)		10.783	10.783	362,238	
Toluene	Toluene-d8 (IS)	10.881	10.881	150,642	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	26,586	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	56,350	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	21,237	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602188.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.691-13.767 min, 12 scans) K2602188.D
Lib Match Score=58.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
79.1
97.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260526
Comment	C38939
Data File	K2602189.D
Acq. Date-Time	6/11/2026 6:12:41 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	333,409	
Benzene	benzene-d6 (IS)	8.165	8.165	52,670	
Toluene-d8 (IS)		10.783	10.783	356,679	
Toluene	Toluene-d8 (IS)	10.881	10.881	122,869	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	22,933	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	44,348	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	15,827	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602189.D
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.696-13.767 min, 11 scans) K2602189.D
Lib Match Score=54.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.0
78.1
111.0
119.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260526
Comment	C43554
Data File	K2602190.D
Acq. Date-Time	6/11/2026 6:40:18 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	335,056	
Benzene	benzene-d6 (IS)	8.165	8.165	52,659	
Toluene-d8 (IS)		10.783	10.783	364,363	
Toluene	Toluene-d8 (IS)	10.881	10.881	120,848	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	23,274	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	46,992	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	16,089	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602190.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.761 min, 10 scans) K2602190.D
Lib Match Score=56.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
53.1
67.0
77.0
117.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260526
Comment	C61436
Data File	K2602191.D
Acq. Date-Time	6/11/2026 7:08:46 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	338,905	
Benzene	benzene-d6 (IS)	8.165	8.165	62,097	
Toluene-d8 (IS)		10.783	10.783	364,039	
Toluene	Toluene-d8 (IS)	10.881	10.881	174,908	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	46,567	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	112,455	
o-Xylene	Toluene-d8 (IS)	13.726	13.732	41,255	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602191.D
Counts
x10^4
4
3
2
1
0
13.726 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.756 min, 10 scans) K2602191.D
Lib Match Score=66.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.1
79.1
111.1
119.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260526
Comment	C38514
Data File	K2602192.D
Acq. Date-Time	6/11/2026 7:36:20 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	336,037	
Benzene	benzene-d6 (IS)	8.165	8.165	52,767	
Toluene-d8 (IS)		10.783	10.783	362,047	
Toluene	Toluene-d8 (IS)	10.881	10.881	144,564	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	34,031	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	71,640	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	26,326	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602192.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.701-13.761 min, 9 scans) K2602192.D
Lib Match Score=62.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.0
77.1
121.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260526
Comment	C70102
Data File	K2602193.D
Acq. Date-Time	6/11/2026 8:03:53 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.110	332,129	
Benzene	benzene-d6 (IS)	8.165	8.165	58,334	
Toluene-d8 (IS)		10.783	10.783	360,485	
Toluene	Toluene-d8 (IS)	10.881	10.881	147,742	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	36,822	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	89,143	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	34,048	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602193.D
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.697-13.762 min, 10 scans) K2602193.D
Lib Match Score=64.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.0
67.1
77.1
97.1
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260526
Comment	C36915
Data File	K2602194.D
Acq. Date-Time	6/11/2026 8:31:26 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	332,495	
Benzene	benzene-d6 (IS)	8.165	8.165	3,238	
Toluene-d8 (IS)		10.783	10.783	359,848	
Toluene	Toluene-d8 (IS)	10.875	10.881	10,139	
Ethylbenzene	Toluene-d8 (IS)	13.065	13.053	339	
m-/p-Xylenes	Toluene-d8 (IS)	13.065	13.230	ND	m
o-Xylene	Toluene-d8 (IS)	14.178	13.732	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602194.D
Counts
x10^3
* 14.178 min.
1.2
1
0.8
0.6
0.4
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (14.178-14.178 min, 1 scans) K2602194.D
Counts
x10^3
0.5
0
-0.5
-1
-1.5
95.0
75.1
50.1
61.0
68.1
79.1
87.0
116.8
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260526
Comment	C38950
Data File	K2602195.D
Acq. Date-Time	6/11/2026 8:59:04 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	339,564	
Benzene	benzene-d6 (IS)	8.165	8.165	43,251	
Toluene-d8 (IS)		10.783	10.783	365,699	
Toluene	Toluene-d8 (IS)	10.881	10.881	93,297	
Ethylbenzene	Toluene-d8 (IS)	13.053	13.053	16,192	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	30,247	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	10,664	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602195.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.698-13.778 min, 13 scans) K2602195.D
Lib Match Score=50.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
118.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260526
Comment	C33512
Data File	K2602196.D
Acq. Date-Time	6/11/2026 9:26:42 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	342,629	
Benzene	benzene-d6 (IS)	8.165	8.165	44,533	
Toluene-d8 (IS)		10.783	10.783	368,837	
Toluene	Toluene-d8 (IS)	10.875	10.881	124,621	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	33,308	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	57,168	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	19,499	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan K2602196.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.703-13.760 min, 9 scans) K2602196.D
Lib Match Score=58.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.0
51.1
67.1
77.0
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260526
Comment	C60217
Data File	K2602197.D
Acq. Date-Time	6/11/2026 9:54:18 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.104	8.110	340,792	
Benzene	benzene-d6 (IS)	8.165	8.165	40,460	
Toluene-d8 (IS)		10.783	10.783	367,085	
Toluene	Toluene-d8 (IS)	10.875	10.881	111,711	
Ethylbenzene	Toluene-d8 (IS)	13.059	13.053	21,051	
m-/p-Xylenes	Toluene-d8 (IS)	13.230	13.230	52,407	
o-Xylene	Toluene-d8 (IS)	13.732	13.732	18,050	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan K2602197.D
Counts
x10^4
2
1.5
1
0.5
0
13.732 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.699-13.762 min, 10 scans) K2602197.D
Lib Match Score=57.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.0
67.1
79.1
118.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	1	K2602140.D	6.02	37927	53.9	352316	0.963	-0.033
K060926A_CC185154	Benzene	2	K2602141.D	12.05	85124	53.9	347908	1.095	0.099
K060926A_CC185154	Benzene	3	K2602142.D	24.09	154237	53.9	350347	0.985	-0.012
K060926A_CC185154	Benzene	4	K2602143.D	48.18	288954	53.9	347079	0.931	-0.065
K060926A_CC185154	Benzene	5	K2602144.D	120.45	780014	53.9	349144	1.000	0.0032
K060926A_CC185154	Benzene	6	K2602145.D	240.91	1681502	53.9	349141	1.077	0.081
K060926A_CC185154	Benzene	7	K2602146.D	722.72	4307350	53.9	347893	0.923	-0.073
						Avg:	349118	0.996	
						%RSD:	0.5%	6.7%	
K060926A_CC185154	Toluene	1	K2602140.D	5.29	46952	63.3	384857	1.460	0.16
K060926A_CC185154	Toluene	2	K2602141.D	10.58	94160	63.3	382687	1.472	0.17
K060926A_CC185154	Toluene	3	K2602142.D	21.16	163782	63.3	381323	1.285	0.018
K060926A_CC185154	Toluene	4	K2602143.D	42.32	293727	63.3	373497	1.177	-0.068
K060926A_CC185154	Toluene	5	K2602144.D	105.79	741607	63.3	377487	1.176	-0.069
K060926A_CC185154	Toluene	6	K2602145.D	211.59	1543424	63.3	376883	1.225	-0.029
K060926A_CC185154	Toluene	7	K2602146.D	634.77	4000807	63.3	382946	1.042	-0.17
						Avg:	379955	1.262	
						%RSD:	1.1%	12.5%	
K060926A_CC185154	Ethylbenzene	1	K2602140.D	5.50	51746	63.3	384857	1.548	0.1
K060926A_CC185154	Ethylbenzene	2	K2602141.D	11.00	106735	63.3	382687	1.606	0.14
K060926A_CC185154	Ethylbenzene	3	K2602142.D	21.99	199656	63.3	381323	1.507	0.075
K060926A_CC185154	Ethylbenzene	4	K2602143.D	43.98	362024	63.3	373497	1.395	-0.0053
K060926A_CC185154	Ethylbenzene	5	K2602144.D	109.95	868980	63.3	377487	1.325	-0.055
K060926A_CC185154	Ethylbenzene	6	K2602145.D	219.91	1755030	63.3	376883	1.341	-0.044
K060926A_CC185154	Ethylbenzene	7	K2602146.D	659.72	4372012	63.3	382946	1.096	-0.22
						Avg:	379955	1.403	
						%RSD:	1.1%	12.3%	
K060926A_CC185154	m-/p-Xylenes	1	K2602140.D	6.16	45369	63.3	384857	1.211	0.11
K060926A_CC185154	m-/p-Xylenes	2	K2602141.D	12.32	91043	63.3	382687	1.222	0.12
K060926A_CC185154	m-/p-Xylenes	3	K2602142.D	24.65	168518	63.3	381323	1.135	0.037
K060926A_CC185154	m-/p-Xylenes	4	K2602143.D	49.29	307960	63.3	373497	1.059	-0.032
K060926A_CC185154	m-/p-Xylenes	5	K2602144.D	123.23	735207	63.3	377487	1.001	-0.086
K060926A_CC185154	m-/p-Xylenes	6	K2602145.D	246.46	1528922	63.3	376883	1.042	-0.048
K060926A_CC185154	m-/p-Xylenes	7	K2602146.D	739.37	4424943	63.3	382946	0.989	-0.096
						Avg:	379955	1.094	
						%RSD:	1.1%	8.8%	
K060926A_CC185154	o-Xylene	1	K2602140.D	5.73	44139	63.3	384857	1.267	0.15
K060926A_CC185154	o-Xylene	2	K2602141.D	11.46	88287	63.3	382687	1.275	0.15
K060926A_CC185154	o-Xylene	3	K2602142.D	22.92	156327	63.3	381323	1.132	0.025

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB205-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	o-Xylene	4	K2602143.D	45.84	294544	63.3	373497	1.089	-0.014
K060926A_CC185154	o-Xylene	5	K2602144.D	114.60	698105	63.3	377487	1.022	-0.075
K060926A_CC185154	o-Xylene	6	K2602145.D	229.20	1422810	63.3	376883	1.043	-0.056
K060926A_CC185154	o-Xylene	7	K2602146.D	687.60	3759400	63.3	382946	0.904	-0.18
						Avg:	379955	1.105	
						%RSD:	1.1%	12.1%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
K060926A_CC185154	Benzene	ICV	K2602147.D	179.65	1093758	53.9	350582	0.936	-6.1%
K060926A_CC185154	Toluene	ICV	K2602147.D	183.96	1208285	63.3	380158	1.094	-13.0%
K060926A_CC185154	Ethylbenzene	ICV	K2602147.D	181.89	1352167	63.3	380158	1.238	-12.0%
K060926A_CC185154	m-/p-Xylenes	ICV	K2602147.D	184.72	1013911	63.3	380158	0.914	-16.0%
K060926A_CC185154	o-Xylene	ICV	K2602147.D	185.08	1019413	63.3	380158	0.917	-17.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris™

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GB205 Page #1 of #1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
* All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Global South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	1 Clark Road	Project #:	PROJ-031333	Sample Event #:	2026GB205
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent Type:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@onterris.com	Quote #:	
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C33447	S	5/26/26	10:43 AM	6/9/26	12:30 PM	KV/KV		
2	C40697	S	5/26/26	10:45 AM	6/9/26	12:32 PM	KV/KV		
3	C57666	S	5/26/26	10:47 AM	6/9/26	12:34 PM	KV/KV		
4	C55385	S	5/26/26	11:00 AM	6/9/26	12:48 PM	KV/KV		
5	C71693	S	5/26/26	10:57 AM	6/9/26	12:45 PM	KV/KV		
5	B47157	D	5/26/26	10:57 AM	6/9/26	12:45 PM	KV/KV		
5	C01303	B	5/26/26	10:57 AM	6/9/26	12:45 PM	KV/KV		
6	C67429	S	5/26/26	10:55 AM	6/9/26	12:43 PM	KV/KV		
7	C59936	S	5/26/26	10:53 AM	6/9/26	12:40 PM	KV/KV		
8	C71526	S	5/26/26	10:51 AM	6/9/26	12:38 PM	KV/KV		
9	C69740	S	5/26/26	11:12 AM	6/9/26	12:55 PM	KV/KV		
10	C53584	S	5/26/26	11:15 AM	6/9/26	12:58 PM	KV/KV		
11	C38939	S	5/26/26	11:19 AM	6/9/26	1:02 PM	KV/KV		
12	C43554	S	5/26/26	11:26 AM	6/9/26	1:13 PM	KV/KV		
13	C61436	S	5/26/26	11:28 AM	6/9/26	1:16 PM	KV/KV		
14	C38514	S	5/26/26	11:31 AM	6/9/26	1:19 PM	KV/KV		
14	C70102	D	5/26/26	11:31 AM	6/9/26	1:19 PM	KV/KV		
14	C36915	B	5/26/26	11:31 AM	6/9/26	1:19 PM	KV/KV		
15	C38950	S	5/26/26	11:34 AM	6/9/26	1:22 PM	KV/KV		
16	C33512	S	5/26/26	11:37 AM	6/9/26	1:25 PM	KV/KV		
17	C60217	S	5/26/26	11:23 AM	6/9/26	1:07 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/9/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grandman	Paige Grandman	6-10-26	9:45am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 20.0 Fluke 4		Custody Seal #: 25E09351	

ments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

Global - South Portland

1 Clark Rd.
South Portland, ME 04106

Sampling Event 50 Global - South Portland

Client Project# PROJ-031333
Samples Received: 6/24/2026

Analytical Report
2026GB206

EPA Method 325B Analysis

Report Issue Date: 6/29/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative 3
Results 6
    Summary of Results 7
    Detailed Results 8
QC Data 12
Chromatograms 16
Initial Calibration 83
Sample Custody 86
    Chain of Custody 87

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB206-1
Client ID.	PROJ-031333 Site: Global - South Portland

1. Custody

The samples were received at Onterris/Enthalpy on June 24, 2026 at 19.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
GLBSP-1-S-20260609	C20550	Sample
GLBSP-2-S-20260609	C17145	Sample
GLBSP-3-S-20260609	C37509	Sample
GLBSP-4-S-20260609	C37431	Sample
GLBSP-5-S-20260609	C20409	Sample
GLBSP-5-D-20260609	C43667	Duplicate
GLBSP-5-B-20260609	C40101	Blank
GLBSP-6-S-20260609	B18426	Sample
GLBSP-7-S-20260609	B49659	Sample
GLBSP-8-S-20260609	C57551	Sample
GLBSP-9-S-20260609	B37532	Sample
GLBSP-10-S-20260609	C43349	Sample
GLBSP-11-S-20260609	B43745	Sample
GLBSP-12-S-20260609	C70044	Sample
GLBSP-13-S-20260609	C00678	Sample
GLBSP-14-S-20260609	C57826	Sample
GLBSP-14-D-20260609	C40635	Duplicate
GLBSP-14-B-20260609	C43708	Blank
GLBSP-15-S-20260609	C33243	Sample
GLBSP-16-S-20260609	C38567	Sample
GLBSP-17-S-20260609	C31348	Sample

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B.MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GB206-1
Client ID.	PROJ-031333 Site: Global - South Portland

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (GN061026A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
GLBSP-1-S-20260609	C20550	0.672		1.64		0.352	J	0.644	J	0.272	ND
GLBSP-2-S-20260609	C17145	0.625		1.92		0.645		1.65		0.513	J
GLBSP-3-S-20260609	C37509	0.595		1.81		0.596		1.42		0.402	J
GLBSP-4-S-20260609	C37431	0.588		1.79		0.420	J	1.05		0.343	J
GLBSP-5-S-20260609	C20409	0.691		1.77		0.351	J	0.854		0.297	J
GLBSP-5-D-20260609	C43667	0.628		1.82		0.363	J	0.921		0.319	J
GLBSP-5-B-20260609	C40101	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
GLBSP-6-S-20260609	B18426	0.801		2.16		0.455	J	1.22		0.441	J
GLBSP-7-S-20260609	B49659	0.836		2.69		0.616		1.57		0.559	J
GLBSP-8-S-20260609	C57551	0.758		2.46		0.480	J	1.53		0.534	J
GLBSP-9-S-20260609	B37532	0.636		1.93		0.396	J	1.07		0.408	J
GLBSP-10-S-20260609	C43349	0.643		1.77		0.337	J	0.952		0.345	J
GLBSP-11-S-20260609	B43745	0.576		1.55		0.349	J	0.903		0.341	J
GLBSP-12-S-20260609	C70044	0.657		1.45		0.330	J	0.899		0.330	J
GLBSP-13-S-20260609	C00678	0.739		2.08		0.640		1.58		0.622	
GLBSP-14-S-20260609	C57826	0.539		1.72		0.493	J	1.64		0.600	J
GLBSP-14-D-20260609	C40635	0.536		1.76		0.503	J	1.29		0.484	J
GLBSP-14-B-20260609	C43708	0.187	ND	0.241	ND	0.272	ND	0.272	ND	0.272	ND
GLBSP-15-S-20260609	C33243	0.536		1.20		0.281	J	0.822		0.302	J
GLBSP-16-S-20260609	C38567	0.563		1.76		0.548	J	1.39		0.514	J
GLBSP-17-S-20260609	C31348	0.475		1.35		0.336	J	0.769		0.272	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260609	C20550	0.672	0.210	8.98	67.6	0.664	20136	0.187	0.445	0.0586	0.139		GN2603416.d	2026-06-24 15:04	1.665	8.060	90336	331636	54.9	7.995	0.6%
GLBSP-2-S-20260609	C17145	0.625	0.196	8.36	67.6	0.664	20137	0.187	0.444	0.0586	0.139		GN2603417.d	2026-06-24 15:30	1.665	8.052	84498	333466	54.9	7.995	1.1%
GLBSP-3-S-20260609	C37509	0.595	0.186	7.96	67.6	0.664	20138	0.187	0.444	0.0586	0.139		GN2603418.d	2026-06-24 15:55	1.665	8.060	80331	332996	54.9	7.995	1.0%
GLBSP-4-S-20260609	C37431	0.588	0.184	7.86	67.6	0.664	20137	0.187	0.444	0.0586	0.139		GN2603419.d	2026-06-24 16:20	1.665	8.059	77920	326860	54.9	7.995	-0.9%
GLBSP-5-S-20260609	C20409	0.691	0.217	9.25	67.6	0.664	20138	0.187	0.444	0.0586	0.139		GN2603420.d	2026-06-24 16:46	1.665	8.059	93578	333784	54.9	7.995	1.2%
GLBSP-5-D-20260609	C43667	0.628	0.197	8.40	67.6	0.664	20138	0.187	0.444	0.0586	0.139		GN2603421.d	2026-06-24 17:12	1.665	8.060	84140	330460	54.9	8.002	0.2%
GLBSP-5-B-20260609	C40101	0.187	0.0586		67.6	0.664	20138	0.187	0.444	0.0586	0.139	ND	GN2603414.d	2026-06-24 14:14	1.665	8.052	7861	337205	54.9	7.995	2.3%
GLBSP-6-S-20260609	B18426	0.801	0.251	10.7	67.6	0.664	20138	0.187	0.444	0.0586	0.139		GN2603437.d	2026-06-25 09:10	1.665	8.052	107886	332317	54.9	7.995	0.8%
GLBSP-7-S-20260609	B49659	0.836	0.262	11.2	67.6	0.664	20139	0.187	0.444	0.0585	0.139		GN2603423.d	2026-06-24 18:01	1.665	8.059	107616	317593	54.9	8.002	-3.7%
GLBSP-8-S-20260609	C57551	0.758	0.237	10.1	67.6	0.664	20139	0.187	0.444	0.0585	0.139		GN2603424.d	2026-06-24 18:26	1.665	8.059	99959	325233	54.9	8.002	-1.4%
GLBSP-9-S-20260609	B37532	0.636	0.199	8.51	67.5	0.664	20140	0.187	0.444	0.0585	0.139		GN2603426.d	2026-06-24 19:17	1.665	8.059	84383	327222	54.9	8.002	-0.8%
GLBSP-10-S-20260609	C43349	0.643	0.202	8.61	67.5	0.664	20141	0.187	0.444	0.0585	0.139		GN2603427.d	2026-06-24 19:42	1.665	8.059	85687	328380	54.9	8.002	-0.4%
GLBSP-11-S-20260609	B43745	0.576	0.180	7.70	67.5	0.664	20143	0.187	0.444	0.0585	0.139		GN2603428.d	2026-06-24 20:08	1.665	8.059	75151	321894	54.9	8.002	-2.4%
GLBSP-12-S-20260609	C70044	0.657	0.206	8.78	67.5	0.664	20138	0.187	0.444	0.0586	0.139		GN2603429.d	2026-06-24 20:33	1.665	8.059	85881	322644	54.9	7.995	-2.2%
GLBSP-13-S-20260609	C00678	0.739	0.231	9.88	67.5	0.664	20140	0.187	0.444	0.0585	0.139		GN2603430.d	2026-06-24 20:58	1.665	8.059	97331	324836	54.9	8.002	-1.5%
GLBSP-14-S-20260609	C57826	0.539	0.169	7.21	67.5	0.664	20139	0.187	0.444	0.0586	0.139		GN2603431.d	2026-06-24 21:25	1.665	8.059	70005	320227	54.9	8.002	-2.9%
GLBSP-14-D-20260609	C40635	0.536	0.168	7.17	67.5	0.664	20139	0.187	0.444	0.0586	0.139		GN2603432.d	2026-06-24 21:50	1.665	8.060	71504	328866	54.9	7.995	-0.3%
GLBSP-14-B-20260609	C43708	0.187	0.0586		67.5	0.664	20139	0.187	0.444	0.0586	0.139	ND	GN2603415.d	2026-06-24 14:39	1.665	8.052	10171	332317	54.9	7.995	0.8%
GLBSP-15-S-20260609	C33243	0.536	0.168	7.17	67.5	0.664	20138	0.187	0.444	0.0586	0.139		GN2603433.d	2026-06-24 22:15	1.665	8.059	70090	322502	54.9	8.002	-2.2%
GLBSP-16-S-20260609	C38567	0.563	0.176	7.53	67.5	0.664	20137	0.187	0.445	0.0586	0.139		GN2603434.d	2026-06-24 22:41	1.665	8.059	74451	326033	54.9	7.995	-1.1%
GLBSP-17-S-20260609	C31348	0.475	0.149	6.35	67.5	0.664	20141	0.187	0.444	0.0585	0.139		GN2603435.d	2026-06-24 23:06	1.665	8.059	63417	329502	54.9	8.002	-0.1%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260609	C20550	1.64	0.437	17.1	67.6	0.515	20136	0.241	0.503	0.0640	0.134		GN2603416.d	2026-06-24 15:04	2.035	10.789	172716	322449	64.8	10.696	-1.3%
GLBSP-2-S-20260609	C17145	1.92	0.510	19.9	67.6	0.515	20137	0.241	0.503	0.0640	0.134		GN2603417.d	2026-06-24 15:30	2.035	10.789	206185	329538	64.8	10.696	0.9%
GLBSP-3-S-20260609	C37509	1.81	0.482	18.8	67.6	0.515	20138	0.241	0.503	0.0640	0.134		GN2603418.d	2026-06-24 15:55	2.035	10.789	195122	330084	64.8	10.696	1.1%
GLBSP-4-S-20260609	C37431	1.79	0.476	18.6	67.6	0.515	20137	0.241	0.503	0.0640	0.134		GN2603419.d	2026-06-24 16:20	2.035	10.789	189342	324268	64.8	10.695	-0.7%
GLBSP-5-S-20260609	C20409	1.77	0.471	18.4	67.6	0.515	20138	0.241	0.503	0.0640	0.134		GN2603420.d	2026-06-24 16:46	2.035	10.789	189235	327346	64.8	10.696	0.2%
GLBSP-5-D-20260609	C43667	1.82	0.484	18.9	67.6	0.515	20138	0.241	0.503	0.0640	0.134		GN2603421.d	2026-06-24 17:12	2.035	10.789	195396	328976	64.8	10.696	0.7%
GLBSP-5-B-20260609	C40101	0.241	0.0640		67.6	0.515	20138	0.241	0.503	0.0640	0.134	ND	GN2603414.d	2026-06-24 14:14	2.035	10.789	17548	323016	64.8	10.696	-1.1%
GLBSP-6-S-20260609	B18426	2.16	0.572	22.4	67.6	0.515	20138	0.241	0.503	0.0640	0.134		GN2603437.d	2026-06-25 09:10	2.035	10.789	248358	353670	64.8	10.696	8.3%
GLBSP-7-S-20260609	B49659	2.69	0.714	27.9	67.6	0.515	20139	0.241	0.503	0.0640	0.134		GN2603423.d	2026-06-24 18:01	2.035	10.788	270613	308836	64.8	10.695	-5.4%
GLBSP-8-S-20260609	C57551	2.46	0.654	25.6	67.6	0.515	20139	0.241	0.503	0.0640	0.134		GN2603424.d	2026-06-24 18:26	2.035	10.789	257079	320422	64.8	10.696	-1.9%
GLBSP-9-S-20260609	B37532	1.93	0.512	20.0	67.5	0.515	20140	0.241	0.503	0.0640	0.134		GN2603426.d	2026-06-24 19:17	2.035	10.789	200573	319055	64.8	10.695	-2.3%
GLBSP-10-S-20260609	C43349	1.77	0.471	18.4	67.5	0.515	20141	0.241	0.503	0.0639	0.134		GN2603427.d	2026-06-24 19:42	2.035	10.788	187003	323567	64.8	10.695	-0.9%
GLBSP-11-S-20260609	B43745	1.55	0.412	16.1	67.5	0.515	20143	0.241	0.503	0.0639	0.134		GN2603428.d	2026-06-24 20:08	2.035	10.789	162294	320778	64.8	10.695	-1.8%
GLBSP-12-S-20260609	C70044	1.45	0.384	15.0	67.5	0.515	20138	0.241	0.503	0.0640	0.134		GN2603429.d	2026-06-24 20:33	2.035	10.789	149241	316924	64.8	10.695	-3.0%
GLBSP-13-S-20260609	C00678	2.08	0.553	21.6	67.5	0.515	20140	0.241	0.503	0.0640	0.134		GN2603430.d	2026-06-24 20:58	2.035	10.789	214400	315759	64.8	10.695	-3.3%
GLBSP-14-S-20260609	C57826	1.72	0.456	17.8	67.5	0.515	20139	0.241	0.503	0.0640	0.134		GN2603431.d	2026-06-24 21:25	2.035	10.789	178888	320012	64.8	10.696	-2.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-14-D-20260609	C40635	1.76	0.467	18.2	67.5	0.515	20139	0.241	0.503	0.0640	0.134		GN2603432.d	2026-06-24 21:50	2.035	10.789	183179	319858	64.8	10.696	-2.1%
GLBSP-14-B-20260609	C43708	0.241	0.0640		67.5	0.515	20139	0.241	0.503	0.0640	0.134	ND	GN2603415.d	2026-06-24 14:39	2.035	10.789	20007	332158	64.8	10.688	1.7%
GLBSP-15-S-20260609	C33243	1.20	0.318	12.4	67.5	0.515	20138	0.241	0.503	0.0640	0.134		GN2603433.d	2026-06-24 22:15	2.035	10.789	126138	323715	64.8	10.695	-0.9%
GLBSP-16-S-20260609	C38567	1.76	0.468	18.3	67.5	0.515	20137	0.241	0.503	0.0640	0.134		GN2603434.d	2026-06-24 22:41	2.035	10.789	181928	317125	64.8	10.695	-2.9%
GLBSP-17-S-20260609	C31348	1.35	0.359	14.1	67.5	0.515	20141	0.241	0.503	0.0639	0.134		GN2603435.d	2026-06-24 23:06	2.035	10.789	141207	320234	64.8	10.696	-2.0%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260609	C20550	0.352	0.0811	3.23	67.6	0.456	20136	0.272	0.591	0.0628	0.136	J	GN2603416.d	2026-06-24 15:04	2.154	12.974	34629	322449	64.8	10.696	-1.3%
GLBSP-2-S-20260609	C17145	0.645	0.149	5.92	67.6	0.456	20137	0.272	0.591	0.0627	0.136		GN2603417.d	2026-06-24 15:30	2.154	12.973	64839	329538	64.8	10.696	0.9%
GLBSP-3-S-20260609	C37509	0.596	0.137	5.47	67.6	0.456	20138	0.272	0.591	0.0627	0.136		GN2603418.d	2026-06-24 15:55	2.154	12.973	59982	330084	64.8	10.696	1.1%
GLBSP-4-S-20260609	C37431	0.420	0.0969	3.86	67.6	0.456	20137	0.272	0.591	0.0628	0.136	J	GN2603419.d	2026-06-24 16:20	2.154	12.973	41581	324268	64.8	10.695	-0.7%
GLBSP-5-S-20260609	C20409	0.351	0.0809	3.22	67.6	0.456	20138	0.272	0.591	0.0627	0.136	J	GN2603420.d	2026-06-24 16:46	2.154	12.973	35076	327346	64.8	10.696	0.2%
GLBSP-5-D-20260609	C43667	0.363	0.0837	3.33	67.6	0.456	20138	0.272	0.591	0.0627	0.136	J	GN2603421.d	2026-06-24 17:12	2.154	12.974	36439	328976	64.8	10.696	0.7%
GLBSP-5-B-20260609	C40101	0.272	0.0627		67.6	0.456	20138	0.272	0.591	0.0627	0.136	ND	GN2603414.d	2026-06-24 14:14	2.154	12.973	1575	323016	64.8	10.696	-1.1%
GLBSP-6-S-20260609	B18426	0.455	0.105	4.17	67.6	0.456	20138	0.272	0.591	0.0627	0.136	J	GN2603437.d	2026-06-25 09:10	2.154	12.974	49055	353670	64.8	10.696	8.3%
GLBSP-7-S-20260609	B49659	0.616	0.142	5.66	67.6	0.456	20139	0.272	0.591	0.0627	0.136		GN2603423.d	2026-06-24 18:01	2.154	12.973	58082	308836	64.8	10.695	-5.4%
GLBSP-8-S-20260609	C57551	0.480	0.111	4.41	67.6	0.456	20139	0.272	0.591	0.0627	0.136	J	GN2603424.d	2026-06-24 18:26	2.154	12.973	46901	320422	64.8	10.696	-1.9%
GLBSP-9-S-20260609	B37532	0.396	0.0913	3.64	67.5	0.456	20140	0.272	0.591	0.0627	0.136	J	GN2603426.d	2026-06-24 19:17	2.154	12.973	38571	319055	64.8	10.695	-2.3%
GLBSP-10-S-20260609	C43349	0.337	0.0776	3.09	67.5	0.456	20141	0.272	0.591	0.0627	0.136	J	GN2603427.d	2026-06-24 19:42	2.154	12.973	33258	323567	64.8	10.695	-0.9%
GLBSP-11-S-20260609	B43745	0.349	0.0803	3.20	67.5	0.456	20143	0.272	0.591	0.0627	0.136	J	GN2603428.d	2026-06-24 20:08	2.154	12.973	34117	320778	64.8	10.695	-1.8%
GLBSP-12-S-20260609	C70044	0.330	0.0761	3.03	67.5	0.456	20138	0.272	0.591	0.0627	0.136	J	GN2603429.d	2026-06-24 20:33	2.154	12.973	31920	316924	64.8	10.695	-3.0%
GLBSP-13-S-20260609	C00678	0.640	0.147	5.87	67.5	0.456	20140	0.272	0.591	0.0627	0.136		GN2603430.d	2026-06-24 20:58	2.154	12.973	61617	315759	64.8	10.695	-3.3%
GLBSP-14-S-20260609	C57826	0.493	0.114	4.53	67.5	0.456	20139	0.272	0.591	0.0627	0.136	J	GN2603431.d	2026-06-24 21:25	2.154	12.973	48125	320012	64.8	10.696	-2.0%
GLBSP-14-D-20260609	C40635	0.503	0.116	4.62	67.5	0.456	20139	0.272	0.591	0.0627	0.136	J	GN2603432.d	2026-06-24 21:50	2.154	12.973	49092	319858	64.8	10.696	-2.1%
GLBSP-14-B-20260609	C43708	0.272	0.0627		67.5	0.456	20139	0.272	0.591	0.0627	0.136	ND	GN2603415.d	2026-06-24 14:39	2.154	12.973	2132	332158	64.8	10.688	1.7%
GLBSP-15-S-20260609	C33243	0.281	0.0647	2.58	67.5	0.456	20138	0.272	0.591	0.0627	0.136	J	GN2603433.d	2026-06-24 22:15	2.154	12.973	27742	323715	64.8	10.695	-0.9%
GLBSP-16-S-20260609	C38567	0.548	0.126	5.03	67.5	0.456	20137	0.272	0.591	0.0628	0.136	J	GN2603434.d	2026-06-24 22:41	2.154	12.973	53041	317125	64.8	10.695	-2.9%
GLBSP-17-S-20260609	C31348	0.336	0.0773	3.08	67.5	0.456	20141	0.272	0.591	0.0627	0.136	J	GN2603435.d	2026-06-24 23:06	2.154	12.973	32785	320234	64.8	10.696	-2.0%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260609	C20550	0.644	0.148	5.91	67.6	0.456	20136	0.272	0.662	0.0628	0.153	J	GN2603416.d	2026-06-24 15:04	1.605	13.153	47175	322449	64.8	10.696	-1.3%
GLBSP-2-S-20260609	C17145	1.65	0.380	15.2	67.6	0.456	20137	0.272	0.662	0.0627	0.153		GN2603417.d	2026-06-24 15:30	1.605	13.153	123618	329538	64.8	10.696	0.9%
GLBSP-3-S-20260609	C37509	1.42	0.326	13.0	67.6	0.456	20138	0.272	0.662	0.0627	0.153		GN2603418.d	2026-06-24 15:55	1.605	13.152	106174	330084	64.8	10.696	1.1%
GLBSP-4-S-20260609	C37431	1.05	0.241	9.60	67.6	0.456	20137	0.272	0.662	0.0628	0.153		GN2603419.d	2026-06-24 16:20	1.605	13.152	77074	324268	64.8	10.695	-0.7%
GLBSP-5-S-20260609	C20409	0.854	0.197	7.84	67.6	0.456	20138	0.272	0.662	0.0627	0.153		GN2603420.d	2026-06-24 16:46	1.605	13.145	63512	327346	64.8	10.696	0.2%
GLBSP-5-D-20260609	C43667	0.921	0.212	8.46	67.6	0.456	20138	0.272	0.662	0.0627	0.153		GN2603421.d	2026-06-24 17:12	1.605	13.153	68860	328976	64.8	10.696	0.7%
GLBSP-5-B-20260609	C40101	0.272	0.0627		67.6	0.456	20138	0.272	0.662	0.0627	0.153	ND	GN2603414.d	2026-06-24 14:14	1.605	12.973	0	323016	64.8	10.696	-1.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-6-S-20260609	B18426	1.22	0.280	11.2	67.6	0.456	20138	0.272	0.662	0.0627	0.153		GN2603437.d	2026-06-25 09:10	1.605	13.145	97700	353670	64.8	10.696	8.3%
GLBSP-7-S-20260609	B49659	1.57	0.361	14.4	67.6	0.456	20139	0.272	0.662	0.0627	0.153		GN2603423.d	2026-06-24 18:01	1.605	13.152	110037	308836	64.8	10.695	-5.4%
GLBSP-8-S-20260609	C57551	1.53	0.353	14.0	67.6	0.456	20139	0.272	0.662	0.0627	0.153		GN2603424.d	2026-06-24 18:26	1.605	13.152	111419	320422	64.8	10.696	-1.9%
GLBSP-9-S-20260609	B37532	1.07	0.247	9.85	67.5	0.456	20140	0.272	0.662	0.0627	0.153		GN2603426.d	2026-06-24 19:17	1.605	13.152	77782	319055	64.8	10.695	-2.3%
GLBSP-10-S-20260609	C43349	0.952	0.219	8.74	67.5	0.456	20141	0.272	0.662	0.0627	0.153		GN2603427.d	2026-06-24 19:42	1.605	13.152	70014	323567	64.8	10.695	-0.9%
GLBSP-11-S-20260609	B43745	0.903	0.208	8.29	67.5	0.456	20143	0.272	0.662	0.0627	0.153		GN2603428.d	2026-06-24 20:08	1.605	13.152	65806	320778	64.8	10.695	-1.8%
GLBSP-12-S-20260609	C70044	0.899	0.207	8.25	67.5	0.456	20138	0.272	0.662	0.0627	0.153		GN2603429.d	2026-06-24 20:33	1.605	13.152	64751	316924	64.8	10.695	-3.0%
GLBSP-13-S-20260609	C00678	1.58	0.363	14.5	67.5	0.456	20140	0.272	0.662	0.0627	0.153		GN2603430.d	2026-06-24 20:58	1.605	13.145	113139	315759	64.8	10.695	-3.3%
GLBSP-14-S-20260609	C57826	1.64	0.377	15.0	67.5	0.456	20139	0.272	0.662	0.0627	0.153		GN2603431.d	2026-06-24 21:25	1.605	13.152	119109	320012	64.8	10.696	-2.0%
GLBSP-14-D-20260609	C40635	1.29	0.297	11.8	67.5	0.456	20139	0.272	0.662	0.0627	0.153		GN2603432.d	2026-06-24 21:50	1.605	13.145	93771	319858	64.8	10.696	-2.1%
GLBSP-14-B-20260609	C43708	0.272	0.0627		67.5	0.456	20139	0.272	0.662	0.0627	0.153	ND	GN2603415.d	2026-06-24 14:39	1.605	13.152	1096	332158	64.8	10.688	1.7%
GLBSP-15-S-20260609	C33243	0.822	0.189	7.55	67.5	0.456	20138	0.272	0.662	0.0627	0.153		GN2603433.d	2026-06-24 22:15	1.605	13.152	60472	323715	64.8	10.695	-0.9%
GLBSP-16-S-20260609	C38567	1.39	0.321	12.8	67.5	0.456	20137	0.272	0.662	0.0628	0.153		GN2603434.d	2026-06-24 22:41	1.605	13.152	100447	317125	64.8	10.695	-2.9%
GLBSP-17-S-20260609	C31348	0.769	0.177	7.06	67.5	0.456	20141	0.272	0.662	0.0627	0.153		GN2603435.d	2026-06-24 23:06	1.605	13.152	55951	320234	64.8	10.696	-2.0%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-1-S-20260609	C20550	0.272	0.0628		67.6	0.456	20136	0.272	0.616	0.0628	0.142	ND	GN2603416.d	2026-06-24 15:04	1.641	13.654	18079	322449	64.8	10.696	-1.3%
GLBSP-2-S-20260609	C17145	0.513	0.118	4.71	67.6	0.456	20137	0.272	0.616	0.0627	0.142	J	GN2603417.d	2026-06-24 15:30	1.641	13.654	39263	329538	64.8	10.696	0.9%
GLBSP-3-S-20260609	C37509	0.402	0.0927	3.69	67.6	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603418.d	2026-06-24 15:55	1.641	13.654	30854	330084	64.8	10.696	1.1%
GLBSP-4-S-20260609	C37431	0.343	0.0791	3.15	67.6	0.456	20137	0.272	0.616	0.0628	0.142	J	GN2603419.d	2026-06-24 16:20	1.641	13.654	25854	324268	64.8	10.695	-0.7%
GLBSP-5-S-20260609	C20409	0.297	0.0685	2.73	67.6	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603420.d	2026-06-24 16:46	1.641	13.654	22621	327346	64.8	10.696	0.2%
GLBSP-5-D-20260609	C43667	0.319	0.0735	2.93	67.6	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603421.d	2026-06-24 17:12	1.641	13.654	24392	328976	64.8	10.696	0.7%
GLBSP-5-B-20260609	C40101	0.272	0.0627		67.6	0.456	20138	0.272	0.616	0.0627	0.142	ND	GN2603414.d	2026-06-24 14:14	1.641	13.654	947	323016	64.8	10.696	-1.1%
GLBSP-6-S-20260609	B18426	0.441	0.102	4.05	67.6	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603437.d	2026-06-25 09:10	1.641	13.647	36242	353670	64.8	10.696	8.3%
GLBSP-7-S-20260609	B49659	0.559	0.129	5.13	67.6	0.456	20139	0.272	0.616	0.0627	0.142	J	GN2603423.d	2026-06-24 18:01	1.641	13.654	40127	308836	64.8	10.695	-5.4%
GLBSP-8-S-20260609	C57551	0.534	0.123	4.91	67.6	0.456	20139	0.272	0.616	0.0627	0.142	J	GN2603424.d	2026-06-24 18:26	1.641	13.654	39789	320422	64.8	10.696	-1.9%
GLBSP-9-S-20260609	B37532	0.408	0.0940	3.75	67.5	0.456	20140	0.272	0.616	0.0627	0.142	J	GN2603426.d	2026-06-24 19:17	1.641	13.654	30259	319055	64.8	10.695	-2.3%
GLBSP-10-S-20260609	C43349	0.345	0.0795	3.17	67.5	0.456	20141	0.272	0.616	0.0627	0.142	J	GN2603427.d	2026-06-24 19:42	1.641	13.654	25941	323567	64.8	10.695	-0.9%
GLBSP-11-S-20260609	B43745	0.341	0.0786	3.13	67.5	0.456	20143	0.272	0.616	0.0627	0.142	J	GN2603428.d	2026-06-24 20:08	1.641	13.654	25438	320778	64.8	10.695	-1.8%
GLBSP-12-S-20260609	C70044	0.330	0.0759	3.03	67.5	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603429.d	2026-06-24 20:33	1.641	13.654	24270	316924	64.8	10.695	-3.0%
GLBSP-13-S-20260609	C00678	0.622	0.143	5.71	67.5	0.456	20140	0.272	0.616	0.0627	0.142		GN2603430.d	2026-06-24 20:58	1.641	13.654	45622	315759	64.8	10.695	-3.3%
GLBSP-14-S-20260609	C57826	0.600	0.138	5.51	67.5	0.456	20139	0.272	0.616	0.0627	0.142	J	GN2603431.d	2026-06-24 21:25	1.641	13.654	44643	320012	64.8	10.696	-2.0%
GLBSP-14-D-20260609	C40635	0.484	0.112	4.44	67.5	0.456	20139	0.272	0.616	0.0627	0.142	J	GN2603432.d	2026-06-24 21:50	1.641	13.654	35969	319858	64.8	10.696	-2.1%
GLBSP-14-B-20260609	C43708	0.272	0.0627		67.5	0.456	20139	0.272	0.616	0.0627	0.142	ND	GN2603415.d	2026-06-24 14:39	1.641	13.632	925	332158	64.8	10.688	1.7%
GLBSP-15-S-20260609	C33243	0.302	0.0695	2.77	67.5	0.456	20138	0.272	0.616	0.0627	0.142	J	GN2603433.d	2026-06-24 22:15	1.641	13.654	22685	323715	64.8	10.695	-0.9%
GLBSP-16-S-20260609	C38567	0.514	0.119	4.72	67.5	0.456	20137	0.272	0.616	0.0628	0.142	J	GN2603434.d	2026-06-24 22:41	1.641	13.654	37898	317125	64.8	10.695	-2.9%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
GLBSP-17-S-20260609	C31348	0.272	0.0627		67.5	0.456	20141	0.272	0.616	0.0627	0.142	ND	GN2603435.d	2026-06-24 23:06	1.641	13.654	19802	320234	64.8	10.696	-2.0%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	GLBSP-5-B-20260609	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	GLBSP-14-B-20260609	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	GLBSP-5-D-20260609	9.6%	Pass	2.7%	Pass	3.3%	Pass	7.6%	Pass	7.0%	Pass
	GLBSP-14-D-20260609	0.54%	Pass	2.4%	Pass	2.0%	Pass	24%	Pass	21%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2603412.d	C37518	Cal	1.665	1.537	1.665	8.3%	-21%		Pass	
2026GB206 Method Blank-1	GN2603413.d	C57396	Blank		1.537	1.665			3.1%	Pass	ND
M325B CCV 5	GN2603425.d	C38924	Check	1.579	1.537	1.665	2.7%		-1.1%	Pass	
M325B CCV 5 REC	GN2603436.d	C37518	Check	1.675	1.537	1.665	9.0%		-10%	Pass	
M325B CCV 5 REC	GN2603438.d	C38924	Check	1.611	1.537	1.665	4.8%		1.7%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2603412.d	C37518	Cal	2.035	2.033	2.035	0.073%	-22%		Pass	
2026GB206 Method Blank-1	GN2603413.d	C57396	Blank		2.033	2.035			0.49%	Pass	ND
M325B CCV 5	GN2603425.d	C38924	Check	2.020	2.033	2.035	-0.66%		-1.8%	Pass	
M325B CCV 5 REC	GN2603436.d	C37518	Check	2.071	2.033	2.035	1.8%		-10%	Pass	
M325B CCV 5 REC	GN2603438.d	C38924	Check	2.074	2.033	2.035	2.0%		0.22%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2603412.d	C37518	Cal	2.154	2.191	2.154	-1.7%	-22%		Pass	
2026GB206 Method Blank-1	GN2603413.d	C57396	Blank		2.191	2.154			0.49%	Pass	ND
M325B CCV 5	GN2603425.d	C38924	Check	2.147	2.191	2.154	-2.0%		-1.8%	Pass	
M325B CCV 5 REC	GN2603436.d	C37518	Check	2.139	2.191	2.154	-2.3%		-10%	Pass	
M325B CCV 5 REC	GN2603438.d	C38924	Check	2.142	2.191	2.154	-2.2%		0.22%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2603412.d	C37518	Cal	1.605	1.701	1.605	-5.7%	-22%		Pass	
2026GB206 Method Blank-1	GN2603413.d	C57396	Blank		1.701	1.605			0.49%	Pass	ND
M325B CCV 5	GN2603425.d	C38924	Check	1.632	1.701	1.605	-4.0%		-1.8%	Pass	
M325B CCV 5 REC	GN2603436.d	C37518	Check	1.591	1.701	1.605	-6.5%		-10%	Pass	
M325B CCV 5 REC	GN2603438.d	C38924	Check	1.599	1.701	1.605	-6.0%		0.22%	Pass	

o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	GN2603412.d	C37518	Cal	1.641	1.718	1.641	-4.5%	-22%		Pass	
2026GB206 Method Blank-1	GN2603413.d	C57396	Blank		1.718	1.641			0.49%	Pass	ND
M325B CCV 5	GN2603425.d	C38924	Check	1.630	1.718	1.641	-5.1%		-1.8%	Pass	

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5 REC	GN2603436.d	C37518	Check	1.626	1.718	1.641	-5.4%		-10%	Pass	
M325B CCV 5 REC	GN2603438.d	C38924	Check	1.621	1.718	1.641	-5.7%		0.22%	Pass	

Chromatograms


Name	2026GB206 Method Blank-1
Comment	C57396
Data File	GN2603413.d
Acq. Date-Time	6/24/2026 1:48:53 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	339,964	
Benzene	benzene-d6 (IS)	8.052	8.059	13,421	
Toluene-d8 (IS)		10.688	10.696	328,227	
Toluene	Toluene-d8 (IS)	10.789	10.789	10,605	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	2,928	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.152	1,721	
o-Xylene	Toluene-d8 (IS)	13.647	13.654	490	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603413.d
Counts
x10^3
13.647 min.
2
1.8
1.6
1.4
1.2
1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.640-13.667 min, 3 scans) GN2603413.d
Counts
x10^3
Lib Match Score=48.3
41.1
55.1
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-B-20260609
Comment	C40101
Data File	GN2603414.d
Acq. Date-Time	6/24/2026 2:14:11 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	337,205	
Benzene	benzene-d6 (IS)	8.052	8.059	7,861	
Toluene-d8 (IS)		10.696	10.696	323,016	
Toluene	Toluene-d8 (IS)	10.789	10.789	17,548	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	1,575	
m-/p-Xylenes	Toluene-d8 (IS)	12.973	13.152	ND	m
o-Xylene	Toluene-d8 (IS)	13.654	13.654	947	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603414.d
Counts
x10^3
13.654 min.
1.7
1.6
1.5
1.4
1.3
1.2
1.1
1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.615-13.686 min, 10 scans) GN2603414.d
Counts
x10^3
Lib Match Score=47.1
41.1
55.1
67.1
79.1
91.1
105.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-14-B-20260609
Comment	C43708
Data File	GN2603415.d
Acq. Date-Time	6/24/2026 2:39:31 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	332,317	
Benzene	benzene-d6 (IS)	8.052	8.059	10,171	
Toluene-d8 (IS)		10.688	10.696	332,158	
Toluene	Toluene-d8 (IS)	10.789	10.789	20,007	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	2,132	m
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	1,096	m
o-Xylene	Toluene-d8 (IS)	13.632	13.654	925	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603415.d
Counts
x10^3
2
1.8
1.6
1.4
1.2
1
13.632 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.599-13.677 min, 11 scans) GN2603415.d
Counts
x10^3
Lib Match Score=47.8
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-1-S-20260609
Comment	C20550
Data File	GN2603416.d
Acq. Date-Time	6/24/2026 3:04:55 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	331,636	
Benzene	benzene-d6 (IS)	8.060	8.059	90,336	
Toluene-d8 (IS)		10.696	10.696	322,449	
Toluene	Toluene-d8 (IS)	10.789	10.789	172,716	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	34,629	
m-/p-Xylenes	Toluene-d8 (IS)	13.153	13.152	47,175	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	18,079	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603416.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.625-13.693 min, 10 scans) GN2603416.d
Lib Match Score=60.6
Counts
x10^3
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-2-S-20260609
Comment	C17145
Data File	GN2603417.d
Acq. Date-Time	6/24/2026 3:30:16 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	333,466	
Benzene	benzene-d6 (IS)	8.052	8.059	84,498	
Toluene-d8 (IS)		10.696	10.696	329,538	
Toluene	Toluene-d8 (IS)	10.789	10.789	206,185	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	64,839	
m-/p-Xylenes	Toluene-d8 (IS)	13.153	13.152	123,618	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	39,263	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603417.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.615-13.687 min, 10 scans) GN2603417.d
Lib Match Score=68.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
120.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-3-S-20260609
Comment	C37509
Data File	GN2603418.d
Acq. Date-Time	6/24/2026 3:55:33 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	332,996	
Benzene	benzene-d6 (IS)	8.060	8.059	80,331	
Toluene-d8 (IS)		10.696	10.696	330,084	
Toluene	Toluene-d8 (IS)	10.789	10.789	195,122	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	59,982	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	106,174	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	30,854	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603418.d
Counts
x10^4
3
2.5
2
1.5
1
0.5
0
13.654 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.621-13.697 min, 11 scans) GN2603418.d
Lib Match Score=65.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-4-S-20260609
Comment	C37431
Data File	GN2603419.d
Acq. Date-Time	6/24/2026 4:20:52 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	326,860	
Benzene	benzene-d6 (IS)	8.059	8.059	77,920	
Toluene-d8 (IS)		10.695	10.696	324,268	
Toluene	Toluene-d8 (IS)	10.789	10.789	189,342	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	41,581	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	77,074	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	25,854	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603419.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.613-13.697 min, 12 scans) GN2603419.d
Lib Match Score=62.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-S-20260609
Comment	C20409
Data File	GN2603420.d
Acq. Date-Time	6/24/2026 4:46:09 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	333,784	
Benzene	benzene-d6 (IS)	8.059	8.059	93,578	
Toluene-d8 (IS)		10.696	10.696	327,346	
Toluene	Toluene-d8 (IS)	10.789	10.789	189,235	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	35,076	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.152	63,512	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	22,621	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603420.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.619-13.687 min, 9 scans) GN2603420.d
Lib Match Score=63.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-5-D-20260609
Comment	C43667
Data File	GN2603421.d
Acq. Date-Time	6/24/2026 5:12:21 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	330,460	
Benzene	benzene-d6 (IS)	8.060	8.059	84,140	
Toluene-d8 (IS)		10.696	10.696	328,976	
Toluene	Toluene-d8 (IS)	10.789	10.789	195,396	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	36,439	
m-/p-Xylenes	Toluene-d8 (IS)	13.153	13.152	68,860	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	24,392	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603421.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.620-13.682 min, 8 scans) GN2603421.d
Counts
x10^3
Lib Match Score=64.9
91.1
106.1
41.1
55.1
67.1
79.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-7-S-20260609
Comment	B49659
Data File	GN2603423.d
Acq. Date-Time	6/24/2026 6:01:29 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	317,593	
Benzene	benzene-d6 (IS)	8.059	8.059	107,616	
Toluene-d8 (IS)		10.695	10.696	308,836	
Toluene	Toluene-d8 (IS)	10.788	10.789	270,613	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	58,082	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	110,037	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	40,127	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603423.d
Counts
x10^4
3.5
3
2.5
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.619-13.696 min, 10 scans) GN2603423.d
Lib Match Score=68.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
111.2119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-8-S-20260609
Comment	C57551
Data File	GN2603424.d
Acq. Date-Time	6/24/2026 6:26:52 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	325,233	
Benzene	benzene-d6 (IS)	8.059	8.059	99,959	
Toluene-d8 (IS)		10.696	10.696	320,422	
Toluene	Toluene-d8 (IS)	10.789	10.789	257,079	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	46,901	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	111,419	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	39,789	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603424.d
Counts
x10^4
13.654 min.
13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1
Acquisition Time (min)


+ Scan (13.612-13.704 min, 13 scans) GN2603424.d
Lib Match Score=65.9
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
111.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	GLBSP-9-S-20260609
Comment	B37532
Data File	GN2603426.d
Acq. Date-Time	6/24/2026 7:17:36 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	327,222	
Benzene	benzene-d6 (IS)	8.059	8.059	84,383	
Toluene-d8 (IS)		10.695	10.696	319,055	
Toluene	Toluene-d8 (IS)	10.789	10.789	200,573	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	38,571	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	77,782	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	30,259	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603426.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.619-13.701 min, 11 scans) GN2603426.d
Lib Match Score=64.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-10-S-20260609
Comment	C43349
Data File	GN2603427.d
Acq. Date-Time	6/24/2026 7:42:54 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	328,380	
Benzene	benzene-d6 (IS)	8.059	8.059	85,687	
Toluene-d8 (IS)		10.695	10.696	323,567	
Toluene	Toluene-d8 (IS)	10.788	10.789	187,003	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	33,258	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	70,014	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	25,941	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603427.d
Counts
x10^4
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.622-13.682 min, 8 scans) GN2603427.d
Lib Match Score=66.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
111.1119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-11-S-20260609
Comment	B43745
Data File	GN2603428.d
Acq. Date-Time	6/24/2026 8:08:17 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	321,894	
Benzene	benzene-d6 (IS)	8.059	8.059	75,151	
Toluene-d8 (IS)		10.695	10.696	320,778	
Toluene	Toluene-d8 (IS)	10.789	10.789	162,294	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	34,117	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	65,806	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	25,438	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603428.d
Counts
x10^4
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.622-13.688 min, 9 scans) GN2603428.d
Lib Match Score=65.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-12-S-20260609
Comment	C70044
Data File	GN2603429.d
Acq. Date-Time	6/24/2026 8:33:36 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	322,644	
Benzene	benzene-d6 (IS)	8.059	8.059	85,881	
Toluene-d8 (IS)		10.695	10.696	316,924	
Toluene	Toluene-d8 (IS)	10.789	10.789	149,241	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	31,920	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	64,751	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	24,270	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603429.d
Counts
x10^4
2
1.5
1
0.5
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.619-13.685 min, 9 scans) GN2603429.d
Lib Match Score=63.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-13-S-20260609
Comment	C00678
Data File	GN2603430.d
Acq. Date-Time	6/24/2026 8:58:58 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	324,836	
Benzene	benzene-d6 (IS)	8.059	8.059	97,331	
Toluene-d8 (IS)		10.695	10.696	315,759	
Toluene	Toluene-d8 (IS)	10.789	10.789	214,400	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	61,617	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.152	113,139	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	45,622	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603430.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.611-13.702 min, 13 scans) GN2603430.d
Counts
x10^3
Lib Match Score=67.6
91.1
106.1
111.1
41.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-14-S-20260609
Comment	C57826
Data File	GN2603431.d
Acq. Date-Time	6/24/2026 9:25:08 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	320,227	
Benzene	benzene-d6 (IS)	8.059	8.059	70,005	
Toluene-d8 (IS)		10.696	10.696	320,012	
Toluene	Toluene-d8 (IS)	10.789	10.789	178,888	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	48,125	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	119,109	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	44,643	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603431.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.619-13.690 min, 10 scans) GN2603431.d
Lib Match Score=69.7
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
111.1
121.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-14-D-20260609
Comment	C40635
Data File	GN2603432.d
Acq. Date-Time	6/24/2026 9:50:30 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	328,866	
Benzene	benzene-d6 (IS)	8.060	8.059	71,504	
Toluene-d8 (IS)		10.696	10.696	319,858	
Toluene	Toluene-d8 (IS)	10.789	10.789	183,179	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	49,092	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.152	93,771	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	35,969	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603432.d
Counts
x10^4
13.654 min.
2.5
2
1.5
1
0.5
0
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.620-13.704 min, 12 scans) GN2603432.d
Lib Match Score=64.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-15-S-20260609
Comment	C33243
Data File	GN2603433.d
Acq. Date-Time	6/24/2026 10:15:51 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	322,502	
Benzene	benzene-d6 (IS)	8.059	8.059	70,090	
Toluene-d8 (IS)		10.695	10.696	323,715	
Toluene	Toluene-d8 (IS)	10.789	10.789	126,138	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	27,742	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	60,472	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	22,685	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603433.d
Counts
x10^4
13.654 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.626-13.689 min, 8 scans) GN2603433.d
Lib Match Score=64.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
115.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-16-S-20260609
Comment	C38567
Data File	GN2603434.d
Acq. Date-Time	6/24/2026 10:41:09 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	326,033	
Benzene	benzene-d6 (IS)	8.059	8.059	74,451	
Toluene-d8 (IS)		10.695	10.696	317,125	
Toluene	Toluene-d8 (IS)	10.789	10.789	181,928	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	53,041	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	100,447	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	37,898	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603434.d
Counts
x10^4
13.654 min.
Acquisition Time (min)


+ Scan (13.611-13.696 min, 11 scans) GN2603434.d
Lib Match Score=68.3
Counts
x10^3
91.1
106.1
41.1
55.1
67.1
77.1
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	GLBSP-17-S-20260609
Comment	C31348
Data File	GN2603435.d
Acq. Date-Time	6/24/2026 11:06:29 PM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.002	8.002	329,502	
Benzene	benzene-d6 (IS)	8.059	8.059	63,417	
Toluene-d8 (IS)		10.696	10.696	320,234	
Toluene	Toluene-d8 (IS)	10.789	10.789	141,207	
Ethylbenzene	Toluene-d8 (IS)	12.973	12.973	32,785	
m-/p-Xylenes	Toluene-d8 (IS)	13.152	13.152	55,951	
o-Xylene	Toluene-d8 (IS)	13.654	13.654	19,802	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan GN2603435.d
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.654 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.613-13.682 min, 9 scans) GN2603435.d
Lib Match Score=63.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
77.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	GLBSP-6-S-20260609
Comment	B18426
Data File	GN2603437.d
Acq. Date-Time	6/25/2026 9:10:05 AM
Acq. Method File	M325B.MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.995	8.002	332,317	
Benzene	benzene-d6 (IS)	8.052	8.059	107,886	
Toluene-d8 (IS)		10.696	10.696	353,670	
Toluene	Toluene-d8 (IS)	10.789	10.789	248,358	
Ethylbenzene	Toluene-d8 (IS)	12.974	12.973	49,055	
m-/p-Xylenes	Toluene-d8 (IS)	13.145	13.152	97,700	
o-Xylene	Toluene-d8 (IS)	13.647	13.654	36,242	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan GN2603437.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.647 min.
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
Acquisition Time (min)


+ Scan (13.606-13.683 min, 11 scans) GN2603437.d
Lib Match Score=65.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
67.1
77.1
117.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN061026A_CC185154	Benzene	1	GN2603121.d	5.94	60466	54.9	417740	1.337	-0.13
GN061026A_CC185154	Benzene	2	GN2603122.d	11.89	142922	54.9	418139	1.579	0.027
GN061026A_CC185154	Benzene	3	GN2603123.d	23.78	314076	54.9	414170	1.751	0.14
GN061026A_CC185154	Benzene	4	GN2603124.d	47.55	552889	54.9	411452	1.552	0.0094
GN061026A_CC185154	Benzene	5	GN2603125.d	119.55	1405448	54.9	412160	1.566	0.019
GN061026A_CC185154	Benzene	6	GN2603126.d	237.76	2812870	54.9	417209	1.557	0.013
GN061026A_CC185154	Benzene	7	GN2603127.d	713.28	7657947	54.9	415697	1.418	-0.077
						Avg:	415224	1.537	
						%RSD:	0.7%	8.5%	
GN061026A_CC185154	Toluene	1	GN2603121.d	5.22	74691	64.8	435981	2.128	0.046
GN061026A_CC185154	Toluene	2	GN2603122.d	10.44	145645	64.8	432912	2.089	0.027
GN061026A_CC185154	Toluene	3	GN2603123.d	20.88	332377	64.8	411646	2.507	0.23
GN061026A_CC185154	Toluene	4	GN2603124.d	41.76	539314	64.8	413190	2.026	-0.0035
GN061026A_CC185154	Toluene	5	GN2603125.d	105.00	1284118	64.8	409012	1.939	-0.047
GN061026A_CC185154	Toluene	6	GN2603126.d	208.82	2460311	64.8	408880	1.868	-0.081
GN061026A_CC185154	Toluene	7	GN2603127.d	626.47	6723115	64.8	415012	1.677	-0.18
						Avg:	418091	2.033	
						%RSD:	2.7%	12.7%	
GN061026A_CC185154	Ethylbenzene	1	GN2603121.d	5.43	81072	64.8	435981	2.222	0.014
GN061026A_CC185154	Ethylbenzene	2	GN2603122.d	10.85	172523	64.8	432912	2.381	0.087
GN061026A_CC185154	Ethylbenzene	3	GN2603123.d	21.70	362240	64.8	411646	2.629	0.2
GN061026A_CC185154	Ethylbenzene	4	GN2603124.d	43.41	641234	64.8	413190	2.318	0.058
GN061026A_CC185154	Ethylbenzene	5	GN2603125.d	109.13	1375341	64.8	409012	1.998	-0.088
GN061026A_CC185154	Ethylbenzene	6	GN2603126.d	217.03	2725778	64.8	408880	1.992	-0.091
GN061026A_CC185154	Ethylbenzene	7	GN2603127.d	651.10	7478499	64.8	415012	1.794	-0.18
						Avg:	418091	2.191	
						%RSD:	2.7%	12.9%	
GN061026A_CC185154	m-/p-Xylenes	1	GN2603121.d	6.08	67999	64.8	435981	1.663	-0.023
GN061026A_CC185154	m-/p-Xylenes	2	GN2603122.d	12.16	154589	64.8	432912	1.904	0.12
GN061026A_CC185154	m-/p-Xylenes	3	GN2603123.d	24.32	311322	64.8	411646	2.016	0.18
GN061026A_CC185154	m-/p-Xylenes	4	GN2603124.d	48.65	564753	64.8	413190	1.822	0.071
GN061026A_CC185154	m-/p-Xylenes	5	GN2603125.d	122.31	1200177	64.8	409012	1.556	-0.086
GN061026A_CC185154	m-/p-Xylenes	6	GN2603126.d	243.23	2346133	64.8	408880	1.530	-0.1
GN061026A_CC185154	m-/p-Xylenes	7	GN2603127.d	729.70	6630451	64.8	415012	1.420	-0.17
						Avg:	418091	1.701	
						%RSD:	2.7%	12.8%	
GN061026A_CC185154	o-Xylene	1	GN2603121.d	5.66	65179	64.8	435981	1.714	-0.0025
GN061026A_CC185154	o-Xylene	2	GN2603122.d	11.31	148506	64.8	432912	1.967	0.14
GN061026A_CC185154	o-Xylene	3	GN2603123.d	22.62	292029	64.8	411646	2.033	0.18

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GB206-1 EPA Method 325B Analysis
Client No.: PROJ-031333 Site: Global - South Portland

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN061026A_CC185154	o-Xylene	4	GN2603124.d	45.24	528826	64.8	413190	1.834	0.067
GN061026A_CC185154	o-Xylene	5	GN2603125.d	113.74	1171318	64.8	409012	1.632	-0.05
GN061026A_CC185154	o-Xylene	6	GN2603126.d	226.20	2061330	64.8	408880	1.445	-0.16
GN061026A_CC185154	o-Xylene	7	GN2603127.d	678.61	6091821	64.8	415012	1.402	-0.18
						Avg:	418091	1.718	
						%RSD:	2.7%	14.2%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
GN061026A_CC185154	Benzene	ICV	GN2603128.d	177.36	1939804	54.9	412745	1.455	-5.3%
GN061026A_CC185154	Toluene	ICV	GN2603128.d	181.61	2053173	64.8	411831	1.780	-12.0%
GN061026A_CC185154	Ethylbenzene	ICV	GN2603128.d	179.57	2273670	64.8	411831	1.993	-9.0%
GN061026A_CC185154	m-/p-Xylenes	ICV	GN2603128.d	182.36	1681270	64.8	411831	1.451	-15.0%
GN061026A_CC185154	o-Xylene	ICV	GN2603128.d	182.71	1715224	64.8	411831	1.478	-14.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
* All TATs Subject to Approval by Onterris Laboratories, LLC

2026GB206

Site Name:	Global South Portland	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	1 Clark Road	Project #:	PROJ-031333	Sample Event #:	2026GB206
City:	South Portland	Project Manager:	Sabarish Selvarajan	Sorbent Type:	Carbopak-X
State:	Maine	Email Address:	sabarishselvarajan@onterris.com	Quote #:	
Zip:	04106	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C20550	S	6/9/26	12:30 PM	6/23/26	12:06 PM	KV/KV		
2	C17145	S	6/9/26	12:32 PM	6/23/26	12:09 PM	KV/KV		
3	C37509	S	6/9/26	12:34 PM	6/23/26	12:12 PM	KV/KV		
4	C37431	S	6/9/26	12:48 PM	6/23/26	12:25 PM	KV/KV		
5	C20409	S	6/9/26	12:45 PM	6/23/26	12:23 PM	KV/KV		
5	C43667	D	6/9/26	12:45 PM	6/23/26	12:23 PM	KV/KV		
5	C40101	B	6/9/26	12:45 PM	6/23/26	12:23 PM	KV/KV		
6	B18426	S	6/9/26	12:43 PM	6/23/26	12:21 PM	KV/KV		
7	B49659	S	6/9/26	12:40 PM	6/23/26	12:19 PM	KV/KV		
8	C57551	S	6/9/26	12:38 PM	6/23/26	12:17 PM	KV/KV		
9	B37532	S	6/9/26	12:55 PM	6/23/26	12:35 PM	KV/KV		
10	C43349	S	6/9/26	12:58 PM	6/23/26	12:39 PM	KV/KV		
11	B43745	S	6/9/26	1:02 PM	6/23/26	12:45 PM	KV/KV		
12	C70044	S	6/9/26	1:13 PM	6/23/26	12:51 PM	KV/KV		
13	C00678	S	6/9/26	1:16 PM	6/23/26	12:56 PM	KV/KV		
14	C57826	S	6/9/26	1:19 PM	6/23/26	12:58 PM	KV/KV		
14	C40635	D	6/9/26	1:19 PM	6/23/26	12:58 PM	KV/KV		
14	C43708	B	6/9/26	1:19 PM	6/23/26	12:58 PM	KV/KV		
15	C33243	S	6/9/26	1:22 PM	6/23/26	1:00 PM	KV/KV		
16	C38567	S	6/9/26	1:25 PM	6/23/26	1:02 PM	KV/KV		
17	C31348	S	6/9/26	1:07 PM	6/23/26	12:48 PM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/23/26	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Daniel Simeon		6/24/26	10:20 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 19.1 Fleke4		Custody Seal #: 25E09460	

Comments:

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is expressly limited to these terms and conditions

This Is The Last Page Of This Report.

APPENDIX B

No data was invalidated in Quarter 2, 2026.

Appendix C - Corrective Action Plan

ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	**ONTERRIS PERSONNEL RESPONSIBLE**	**DATE DUE**	**COMMENTS**
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Onterris staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Onterris has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Onterris project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Ongoing since 2/3/26	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Ongoing since 2/3/26	Field personnel required to perform a secondary review of samples prior to leaving the site to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	Ongoing since 2/3/26	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Ongoing since 2/3/26	Review of sample documentation within 3 business days of receipt.
Review of fleet tracking data	Project Manager	Ongoing since 2/3/26	Review of vehicle monitoring device on a weekly basis to confirm field personnel movements.
Periodic on site field assessments	Project Manager	Completed Week of 6/22/26	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Ongoing since 2/3/26	Scheduled cadence of status update meetings between Onterris project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	As needed.	Promptly notify client of any irregularities in sampling within 3 business days of discovery.